

AD-A131 752

PULSED POWER BIBLIOGRAPHY VOLUME 1 INDICES(U) AIR FORCE 1/
WEAPONS LAB KIRTLAND AFB NM J BEMESDERFER ET AL.
AUG 83 AFWL-TR-83-74-VOL-1

UNCLASSIFIED

F/G 20/5

NL





MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

ADA131752



PULSED POWER BIBLIOGRAPHY

Volume I of II
Indices

Editors:

J. Bemederfer
R. L. Druce
B. Frantz
A. H. Guenther
M. Kristiansen
J. P. O'Loughlin
W. K. Pendleton

August 1983

Final Report

Approved for public release; distribution unlimited.

DTIC FILE COPY

AIR FORCE WEAPONS LABORATORY
Air Force Systems Command
Kirtland Air Force Base, NM 87117

DTIC
ELECTE
AUG 25 1983

83 08 23 08 8

This final report was prepared by the Air Force Weapons Laboratory, Kirtland Air Force Base, New Mexico, under Job Order 999300CA. Lieutenant Colonel Winston K. Pendleton (CA) was the Laboratory Project Officer-in-Charge.

When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely Government-related procurement, the United States Government incurs no responsibility or any obligation whatsoever. The fact that the Government may have formulated or in any way supplied the said drawings, specifications, or other data, is not to be regarded by implication, or otherwise in any manner construed, as licensing the holder, or any other person or corporation; or as conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This report has been authored by employees of the United States Government. Accordingly, the United States Government retains a nonexclusive, royalty-free license to publish or reproduce the material contained herein, or allow others to do so, for the United States Government purposes.

This report has been reviewed by the Public Affairs Office and is releasable to the National Technical Information Service (NTIS). At NTIS, it will be available to the general public, including foreign nations.

If your address has changed, if you wish to be removed from our mailing list, or if your organization no longer employs the addressee, please notify AFWL/CA, Kirtland AFB, NM 87117 to help us maintain a current mailing list.

This report has been reviewed and is approved for publication.

Winston K. Pendleton

WINSTON K. PENDLETON
Lt Col, USAF
Project Officer

FOR THE COMMANDER

Arthur H. Guenther

ARTHUR H. GUENTHER
Chief Scientist

DO NOT RETURN COPIES OF THIS REPORT UNLESS CONTRACTUAL OBLIGATIONS OR NOTICE ON A SPECIFIC DOCUMENT REQUIRES THAT IT BE RETURNED.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER AFWL-TR-83-74, Vol I of II	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) PULSED POWER BIBLIOGRAPHY Volume I - Indices		5. TYPE OF REPORT & PERIOD COVERED Final Report
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Editors: J. Bemserderfer A. H. Guenther W. K. Pendleton R. L. Druce M. Kristiansen B. Frantz J. P. O'Loughlin		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS Air Force Weapons Laboratory (CA) Kirtland Air Force Base, NM 87117		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 62601F/999300CA
11. CONTROLLING OFFICE NAME AND ADDRESS Air Force Weapons Laboratory (CA) Kirtland Air Force Base, NM 87117		12. REPORT DATE August 1983
		13. NUMBER OF PAGES
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES This report consists of the following volumes: I. Indices II Annotated Bibliography		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Pulsed Power Particle Beam Generation Breakdown Studies Power Conditioning Diagnostics Switching Energy Storage Insulation		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Pulsed power and high-voltage technologies are playing an ever increasing role in weapons' effects simulation, fusion power research, power distribution, materials processing and medical research. It is a rapidly expanding field of applied physics as evidenced by the growth in published literature. Three years ago, the Air Force Weapons Laboratory (AFWL) initiated a project to compile a computerized data base of pulsed power research papers. The data base is stored on our IBM System 2000. This AFWL Technical Report is the first release of the (over)		

DD FORM 1473
1 JAN 73

EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

20. ABSTRACT (Continued)

cont bibliography to date. It contains about 2,500 full bibliographic citations, original sources, availability, key words and abstract. There are three indices: Subject, Personal Author, and Corporate Author. There are 30 main subject headings, from Breakdown Studies to Switching. The indices are contained in Volume I. Volume II contains the citations. In addition to these entries, the data base contains about 7,500 additional titles. As these titles are added to the full bibliography, they will be published.

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special

2210
COPY
REFERENCE
2

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

INTRODUCTION

Pulsed power and high-voltage technologies are playing an every increasing role in weapons research, weapons' effects simulation, fusion power research, power distribution, materials processing, and medical research. The past few decades have seen a rapid expansion and maturing of these technologies. The evidence of this increased interest and importance is an attendant growth in published literature in the field. The fact that pulsed power is a young technology, however, means that no pulsed power journal presently exists and articles in the field are published in diverse technical journals. Much of the work is in report form and has not been widely disseminated.

The Air Force Weapons Laboratory is one of the lead Department of Defense laboratories in applied pulsed power and high-voltage technologies. For its own needs and to help the pulsed power community at large, AFWL began in 1980 to compile a comprehensive listing of literature in the field.

A bibliography is being compiled as a computerized data base on the IBM System 2000. This system allows ease of data manipulation and formatted printing of indices. This AFWL Technical Report is the first release of the bibliography to date. It contains about 2,500 full bibliographic citations, original source, availability, key words, and abstracts. All documents referenced in this version are from open literature sources, primarily journal articles. In addition to these entries, we have stored an additional 7,500 titles. As the full entries are completed, we plan to publish updates about every 6 months.

The bibliography is organized into two volumes. Volume I contains three indices: Subject, Personal Author, and Corporate Author. There are about 30 main subject headings, each of which is broken down alphabetically into secondary subjects. Each author index is listed alphabetically. Every personal author on a given paper will have an entry in this index. Corporate authors are organized by the laboratory, company, or university from which the paper originated. Under each index heading, the accession number and title are given in numerical order. Accession numbers are assigned in random order by the computer. There are large gaps in the numbering system which will be filled in as the bibliography is completed.

Volume II contains the bibliographic citations and is organized by accession number. Entry into Volume II is through one of the three indices in Volume I. The Volume II entries contain primary and secondary subject headings, title, authors, corporate authors, source, abstract, keywords and a copyright release for use of the abstract in this bibliography.

We hope that this bibliography is usable and valuable. Suggestions for improvements can be addressed to AFWL/CA, Kirtland AFB, New Mexico 87117.

A special thanks to the editors and contributors for their many hours of dedicated work and to Miss Sandra Bluehouse for helping prepare the manuscript for printing.

SUBJECT

Capacitors

895
POLARITY EFFECT MEASUREMENTS USING THE RRR ELECTRO-OPTIC
EFFECT WITH COAXIAL CYLINDRICAL ELECTRODES

4898
TANTALUM CAPACITOR BEHAVIOR UNDER FAST TRANSIENT
OVERVOLTAGES

Conferences

9868
1981 IEEE 7TH INTERNATIONAL CONFERENCE ON CONDUCTION AND
BREAKDOWN IN DIELECTRIC LIQUIDS

Corona

3374
CONTROL OF CORONA AND SPARKOVER OF COAXIAL SYSTEMS BY
IRRADIATION

5625
INVESTIGATION OF CORONA DISCHARGE DEVICES AS ELECTRICAL
LOADS FOR EXPERIMENTAL HIGH-VOLTAGE GENERATORS

9259
CORONA AND INSULATION

9275
MECHANISMS FOR INCEPTION OF DC AND 60-HZ AC CORONA IN
SF/SUB 6/

9282
PARTICLE CHARGING IN DC CORONA FIELDS-A REVIEW

9288
PULSE CORONA DISCHARGE IN ELECTROSTATIC PRECIPITATORS

9388
INTERACTION OF CORONA WITH DIELECTRIC MATERIAL UNTIL DAMAGE

Electrodes

851
ELECTRODES FOR HIGH-CURRENT COMMUTATORS

852
DEPENDENCE OF ELECTRODE EROSION UPON FORM OF CURRENT PULSE

1299
MODELING AND MEASUREMENT OF THE INITIAL ANODE HEAT FLUXES
IN PULSED HIGH-CURRENT ARCS

1516
HIGH-CURRENT ANODES FOR HIGH-POWERED XENON ARC LAMPS

1517
INVESTIGATION OF ELECTRODE EROSION IN HIGH CURRENT ELECTRIC
ARCS

1957
STABILITY OF FIELD EMISSION AND MIGRATION PROCESSES
PRECEDING DEVELOPMENT OF A VACUUM ARC

2082
THE NATURE OF FIELD EMISSION SITES

2529
ANODE CURRENT DENSITY IN HIGH-CURRENT PULSED ARCS

2976
THE INFLUENCE OF ELECTRODE HEAT TRANSPORT IN SPARK RECOVERY

3253
IONIZATION, ELECTRODE SURFACES AND DISCHARGES IN SF/SUB 6/
AT EXTRA-HIGH-VOLTAGES

3585
INVESTIGATION OF ELECTRODE EROSION AND OF THE CONDITIONS OF
SPECTRUM EXCITATION WITH AN IMPULSIVE DISCHARGE IN A
MAGNETIC FIELD

3452
INFLUENCE OF ELECTRODE COATINGS ON THE BREAKDOWN STRENGTH
OF TRANSFORMER OIL

3374
CONTROL OF CORONA AND SPARKOVER OF COAXIAL SYSTEMS BY
IRRADIATION

5388
LIGHTENBERG FIGURES PRODUCED BY HIGH-VOLTAGE DISCHARGES IN
VACUUM

5786
ELECTRODE PHENOMENA IN A HIGH CURRENT 20-PICOSECOND SPARK

5715
SPACE-CHARGE INJECTION: A NEW TECHNIQUE FOR STUDYING
NONUNIFORM FIELD BREAKDOWN PHENOMENA

4187
EROSION CRATERS AND ARC CATHODE SPOTS IN VACUUM

4188
EROSION STRUCTURES ON CATHODES ARCED IN VACUUM

4468
EROSION OF METAL CATHODES BY ARCS AND BREAKDOWNS IN VACUUM

4819
CURRENT DENSITY IN ELECTRODE SPOTS OF ARC WITH METAL
ELECTRODES

4944
PERFORMANCE OF SPHERE AND ROD-ROD GAPS UNDER HIGH DIRECT
VOLTAGES

5128
SURVEY OF EFFECT OF SURFACE PROPERTIES ON ANODE EROSION

5528
ELECTRODE MATERIAL RELEASE DURING HIGH VOLTAGE BREAKDOWN

5456
ARCS ON METAL SHEETS IN SIMULATED LIGHTNING DISCHARGES

5532
EXPLOSIVE ANODE EROSION IN HIGH CURRENT SPARKS

5604
CASTING COPPER TO TUNGSTEN FOR HIGH POWER ARC LAMP CATHODES

5659
ELECTRICAL BREAKDOWN BETWEEN ERBIUM OXIDE, ERBIUM
DEUTERIDE, AND MOLYBDENUM ELECTRODES IN A VACUUM

5698
INFLUENCE OF ELECTRODE MATERIAL ON HIGH-VOLTAGE VACUUM
BREAKDOWN

6868
A MEANS OF RAISING THE THRESHOLD CURRENT FOR ANODE SPOT
FORMATION IN METAL-VAPOR ARCS

6864
ANODE PHENOMENA IN METAL-VAPOR ARCS AT HIGH CURRENTS

6868
CATHODE DARK SPACE AND NEGATIVE GLOW OF A MERCURY ARC

6871
ELECTRON EMISSION IN INTENSE ELECTRIC FIELDS

6880
MOTION AND SPECTRUM OF ARC CATHODE SPOT IN A MAGNETIC FIELD

6880
CONDITIONS FOR SPUTTER EMISSION IN HIGH-PRESSURE SPATIAL
GASEOUS DISCHARGES

6928
EFFECT OF THE MEDIUM ON THE ELECTRICAL EROSION OF
ELECTRODES AT HIGH CURRENTS

6956
EXPLOSIVE PROCESSES AT THE CATHODE OF A GAS DISCHARGE

7888
FORMATION OF NEW EMISSION CENTERS ON A CATHODE DURING
CURRENT SWITCHING IN VACUUM. I. FORMATION OF NEW EMISSION
CENTERS

7878
EFFECT OF CATHODE SURFACE STATE ON THE DIELECTRIC STRENGTH
OF GASES AND LIQUIDS

7884
EROSION RATE AND PROPERTIES OF A CATHODE SPOT OF THE FIRST
KIND WITH SILVER ALLOYS

7216
FAST RISING TRANSIENT HEAVY CURRENT SPARK DAMAGE TO
ELECTRODES

7585
EFFECT OF ELECTRODE TEMPERATURE ON MICRODISCHARGES IN VACUUM

7497
THE EFFECT OF ROTATING ARC VELOCITY ON COPPER CATHODE
EROSION

7766
HIGH-TEMPERATURE EFFECTS ON FLASHOVER IN AIR

7788
THE INFLUENCE OF SOLID-STATE COHESION OF CONDITIONED METAL
ELECTRODES ON THE ELECTRICAL STRENGTH OF THE VACUUM GAP

8063
FIELD-DEPENDENT SECONDARY EMISSION

BREAKDOWN STUDIES

8155
ON THE THEORY OF FIELD EMISSION FROM METALS

8178
DETERMINATION OF THE ELECTRIC FIELD ENHANCEMENT FACTOR AND CRATER DIMENSIONS IN ALUMINUM FROM SCANNING ELECTRON MICROGRAPHS

8179
EFFECT OF ELECTRODE ROUGHNESS ON BREAKDOWN VOLTAGE

8180
EFFECT OF ELECTRODE ROUGHNESS ON THE ELECTRICAL STRENGTH OF COMPRESSED GASES

8198
CARBON SEGREGATION AND ARC DAMAGE OF TUNGSTEN ELECTRODES

8231
CONDITIONS FOR INITIATION OF A DISCHARGE IN A SPHERICAL GAS GAP WITH A PLASMA CATHODE

8242
INVESTIGATION OF THE NEAR-ELECTRODE REGIONS OF AN ARC DISCHARGE BETWEEN ELECTRODES OF DIFFERENT CHEMICAL COMPOSITION

8254
CONSUMPTION AND DEGREE OF USE OF ELECTRODE MATERIAL IN A HIGH-FREQUENCY CONDENSED SPARK DISCHARGE

8256
DYNAMICS OF ELECTRODE SPOTS IN AN ELECTRIC ARC

8269
PLASMA EXPANSION AS A CAUSE OF METAL DISPLACEMENT IN VACUUM-ARC CATHODE SPOTS

8279
THE MECHANISM OF ELECTRICAL EROSION OF METALS IN LIQUID DIELECTRIC MEDIA

8286
THE VAPORIZATION OF THE CATHODE IN THE ELECTRIC ARC

8283
VAPORIZATION OF METAL ELECTRODES BY PULSED CURRENTS

8288
EFFECT OF SELF-MAGNETIC FORCES ON THE ANODE MECHANISM OF A HIGH CURRENT DISCHARGE

8331
EROSION OF CATHODE MATERIAL IN A PULSED DISCHARGE BETWEEN PARALLEL ELECTRODES

8339
IMPORTANCE OF INSULATING INCLUSIONS IN ARC INITIATION

8340
INFLUENCE OF THE COPPER ELECTRODE SURFACE ON INITIAL ARC MOVEMENT

9219
EXPERIMENTAL STUDY OF THE DYNAMICS OF CATHODE SPOTS DEVELOPMENT

9334
DIELECTRIC STRENGTH OF COMPRESSED SULFUR HEXAFLUORIDE AND THE ELECTRODE MATERIAL AND SURFACE STRUCTURE

9882
EXPLOSIVE ELECTRON EMISSION FROM COPPER POINTS

9826
AN EXTENSION OF THE RAMSAUER-TOWNSEND EXPERIMENT IN A XENON THYRATRON

10055
ELECTRODE PROTRUSIONS PRODUCED BY ELECTRON BEAM OMBARDMENT AND THEIR ROLE IN VACUUM BREAKDOWN

10102
ELECTRODE MATERIAL RELEASE DURING HIGH VOLTAGE BREAKDOWN (FINAL REPORT)

10191
HIGH VOLTAGE BREAKDOWN INITIATED BY PARTICLE IMPACT

10193
HIGH-VOLTAGE CHARACTERISTICS OF A LARGE-GAP COAXIAL-CYLINDER ELECTRODE

10199
MOTION OF THE CATHODE SPOT OF A VACUUM ARC IN AN INHOMOGENEOUS MAGNETIC FIELD

Electrodes, Recovery

7822
REFRACTORY ELECTRODE REGION RECOVERY FOLLOWING ARC INTERRUPTION

Electrolytes, Electrical

6842
ON THE NATURE OF PULSE ELECTRIC BREAKDOWN OF AQUEOUS ELECTROLYTES

10165
PRE-BREAKDOWN PHENOMENA IN AQUEOUS ELECTROLYTES IN ULTRA-HIGH ELECTRIC PULSE FIELDS. PART I

Equipment

5647
TRANSPORT PROPERTIES IN HIGH POWER ARCS

5662
FURTHER DEVELOPMENT OF THE CASCADE HIGH POWER ARC CHAMBER

Exploding Foils

5954
SELF-SIMILAR POWER-DRIVEN EXPANSION INTO VACUUM

6815
ELECTRICAL CONDUCTIVITY OF AN ALUMINUM FOIL IN AN ELECTRICAL EXPLOSION

7043
ELECTRICAL EXPLOSION OF A CYLINDRICAL FOIL IN AIR. CURRENT DISTRIBUTION IN THE HIGH-CURRENT SHUNTING DISCHARGE

7640
CALCULATION OF HEATING AND BURST PHENOMENA IN ELECTRICALLY EXPLODED FOILS

Exploding Wires

653
MULTIPLE-WIRE ARRAY LOAD FOR HIGH-POWER PULSED GENERATORS

1098
MOLOGRAPHIC INVESTIGATION OF ELECTRICAL EXPLOSIONS OF CONDUCTORS

1107
ELECTRICAL EXPLOSION OF FOILS. II

1188
ELECTRICAL EXPLOSION OF FOILS. I

1741
EXPLODING WIRE PARTICLE SIZE BY LIGHT SCATTERING MEASUREMENT

1743
EXPLOSION OF BARE AND INSULATED COPPER WIRES

1745
LIQUID-COPPER RESISTIVITY

1750
TEMPERATURE OF THE RESTRIKE CHANNELS OF EXPLODING WIRES

1795
EFFECT OF STRUCTURAL INHOMOGENEITIES IN EXPLODING WIRES

1819
THE PHOTOEMISSION SPECTRUM FOR AN EXPLODING WIRE RADIATOR SOURCE INCIDENT ON AL AND AU

1898
PURE ROTATIONAL HF LASER OSCILLATIONS FROM EXPLODING-WIRE LASER

1907
SKIN EFFECT IN EXPLODING-WIRE PHYSICS

2110
THYRISTOR PULSE CIRCUIT FOR CONTROLLING THE EXPLOSION OF A THIN WIRE

2281
A METHOD FOR DETERMINING DENSITY-RADIUS RELATIONS DURING WIRE EXPLOSIONS

2470
ORIGIN OF STRIATIONS DUE TO MECHANICAL EFFECTS IN FAST WIRE EXPLOSIONS

3147
POSTULATION OF THE ARC RESTRIKE MECHANISMS FOR EXPLODING WIRES AND TUBES

5460
CHEMICAL AND PHYSICAL CHARACTERISTICS OF EXPLODING WIRE PRODUCTS

5475
EXPLODING WIRE FACILITY

5476
EXPLODING WIRE INITIATION AND ELECTRICAL OPERATION OF A
40-KV SYSTEM FOR ARC-HEATED DRIVERS UP TO 10 FEET LONG

5478
EXPLODING WIRE RESEARCH 1774-1963

5490
INVESTIGATIONS OF THE EXPLODING WIRE PROCESS AS A SOURCE
FOR HIGH TEMPERATURE STUDIES

5499
RADIATION GENERATION FROM EXPLODING WIRE

5591
RECORDING SHOCK WAVES AND EXPLODING WIRE ELECTRICAL
CHARACTERISTICS

5598
TERMINATED EXPLODING WIRE ENERGY SOURCE

5599
THE APPLICATION OF P.M. BRIDGMAN'S 'NEW EMP' TO EXPLODING
WIRE PHENOMENA

5528
EXPLODING WIRES IN STRONG AXIAL MAGNETIC FIELDS

5709
INSTABILITIES OF ELECTRICALLY EXPLODED WIRES

5895
CORRELATED ELECTRICAL AND OPTICAL MEASUREMENTS OF EXPLODING
WIRES

5897
HIGH-ENERGY DENSITIES BEFORE OMEGA IN ELECTRICALLY EXPLODED
WIRES

5898
INITIAL PHASE OF THE EXPLODING WIRE PHENOMENON

5899
ON THE MECHANISM OF EXPLODING WIRES

5908
SHOCK-PRODUCING MECHANISMS FOR EXPLODING WIRES

6623
CALCULATION OF THE VOLTAGE IMPULSE IN ELECTRIC EXPLOSION OF
CONDUCTORS

6664
ELECTRIC EXPLOSION OF SPIRAL WIRES IN VACUUM

6666
ELECTRICAL EXPLOSION OF WIRES IN VACUUM

6688
RESTORATION OF THE DIELECTRIC STRENGTH FOLLOWING EXPLOSION
OF A WIRE

6698
SELF-SIMILAR ELECTRICAL SKIN EXPLOSION OF A CONDUCTOR

6819
EXPLODING WIRES WITH HIGH ENERGY INPUT

6830
INITIAL STAGES OF THE ELECTRICAL EXPLOSION OF A WIRE IN AN
LC-LOOP

6877
BEHAVIOR OF EXPLODING COIL WIRES

6928
CONDITIONS FOR THE CURRENT PAUSE IN EXPLODING WIRES

6974
CURRENT DIFFUSION IN CYLINDRICAL EXPLODING WIRES AND FUSES
DURING MICROSECOND ELECTRICAL PULSES

6978
CERTAIN FEATURES OF EXPLODING WIRES

7059
DISRUPTION OF ELECTRICALLY EXPLODING CONDUCTORS IN THE CASE
OF CURRENT PULSE LIMITATION

7081
ELECTRICAL CHARACTERISTICS OF UNDERWATER EXPLODING WIRES

7085
EXPLODING WIRE MECHANISM

7086
EXPLOSIVE ELECTRON EMISSION AND EXPLODING WIRES

7091
PMD CALCULATION FOR EXPLODING WIRES

7125
VOLTAGE WAVEFORM FOR EXPLODING WIRES

7508
EFFECTS OF SURROUNDING MEDIUM ON ELECTRICALLY EXPLODED
ALUMINUM FOIL FUSES

7943
CHARACTERISTICS OF ENERGY RELEASED IN A CHANNEL FORMED BY
AN EXPLODING WIRE

7805
RECOVERY CHARACTERISTIC OF EXPLODING WIRE FUSES IN AIR AND
VACUUM

7685
RESISTANCE AND ENTHALPY OF REFRACTORY EXPLODING WIRES

7845
ELECTRICALLY EXPLODED WIRES-EXPERIMENTS AND THEORY

8111
THE EXPLODING WIRE PHENOMENON

8112
THEORETICAL ANALYSIS OF THE HYDRODYNAMIC FLOW IN EXPLODING
WIRE PHENOMENA

8154
OBSERVATION OF A CORE IN AN EXPLODED LITHIUM WIRE PLASMA BY
REFLECTION OF LASER LIGHT

8161
THE BEHAVIOR OF INPUT-POWER DENSITY IN EXPLODING-WIRE
RESTRICKES

8183
EXPERIMENTAL STUDY OF ELECTRICAL EXPLOSION

8235
DETERMINATION OF TEMPERATURE AND OTHER PARAMETERS OF AN
EXPLODING-WIRE PLASMA BY MEANS OF SELF-REVERSAL OF LINES
AND ABSORPTION SPECTRA

8321
STRIATIONS IN EMP

8994
OPTIMIZATION OF ENERGY CONVERSION IN ELECTRICAL EXPLOSION
OF A CONDUCTOR IN A LIQUID

9126
TIME RESOLVED ELECTRICAL MEASUREMENTS IN HIGH CURRENT
DISCHARGES

9430
ELECTRICAL BREAKDOWN OF CYLINDRICAL FOILS IN AIR. III.
HIGH-CURRENT EXPANDING DISCHARGE

9649
ELECTRICAL EXPLOSION OF THE SKIN LAYER

9651
EXPLOSION OF A METAL BY AN ELECTRIC CURRENT

9675
USE OF AN EXPLODING WIRE AS A CURRENT COMMUTATOR

9730
MECHANISM FOR INTERRUPTION OF CURRENT FLOW AND PRODUCTION
OF SHOCK WAVES IN A METAL HEATED BY HIGH-DENSITY CURRENT
PULSES

9762
ELECTRONIC SHUTTER PHOTOGRAPHS OF EXPLODING BRIDGE WIRES

9785
VISUALIZATION OF CYLINDRICAL SHOCK WAVES

9799
ELECTRICAL EXPLOSION OF METAL WIRES

9804
HIGH-TEMPERATURE CORES IN EXPLODING WIRES

10030
PULSED LASER STEREOPHOTOGRAPHY OF MINIATURE EXPLODING FOILS

10041
VISIBLE AND NEAR-UV EMISSION IN THE ELECTRICAL EXPLOSION OF
A THIN METAL FOIL

10043
97 KERR CELL STUDIES OF EXPLODING WIRES IN VACUUM

10112
EXPLODING WIRES: VOLUME III

10177
EXPLODING WIRES: VOLUME IV

BREAKDOWN STUDIES

10247
LIQUID BEHAVIOR OF EXPLODING WIRES

10271
THE SPECTRAL ENERGY DISTRIBUTION AND OPACITY OF WIRE
EXPLOSION VAPORS

10301
ENERGY PARTITION IN THE EXPLODING WIRE PHENOMENA

10305
PRODUCTS FROM THE ELECTRICAL EXPLOSION OF TUNGSTEN AT
CURRENTS OF APPROXIMATELY 10¹¹ A/SQ.M.

10372
ALUMINUM FLUORIDE EXPLODING-WIRE LASER

10470
RADIATION FROM A DENSE PLASMA GENERATED BY AN EXPLODED WIRE
IN VACUUM

Explosives

6930
ELECTRIC STRENGTH OF SCATTERED DETONATION GASES

6932
ELECTRICAL CONDUCTIVITY IN THE DETONATION ZONE OF CONDENSED
EXPLOSIVES

6934
ELECTRICAL STABILITY OF DETONATION PRODUCTS OF CONDENSED
EXPLOSIVES

Gas, Alpha Particle

1503
PREIONIZATION OF PULSED GAS LASERS BY RADIOACTIVE SOURCE

Gas, Corona

3524
ANTICIPATION OF ELECTRICAL BREAKDOWN OF LONG AIR GAPS

8997
PULSES IN NEGATIVE POINT-TO-PLANE CORONA

Gas, Diagnostics

8995
PHOTOELECTRIC SPECTROSCOPY OF TRANSIENT DISCHARGES

Gas, E-beam

3195
SMALL SCALE DISCHARGE STUDIES

6469
NONDEPENDENT PULSED ATMOSPHERIC PRESSURE DISCHARGE
SUSTAINED BY A HIGH-ENERGY ELECTRON BEAM LASTING 100
MICROSECONDS

6691
SEMI-SELF-MAINTAINED DISCHARGE DEVICE WITH IONIZING BEAM
REGENERATION

6694
TRANSITION FROM A NON-SELF-SUSTAINED VOLUME DISCHARGE
MAINTAINED BY A BEAM OF FAST ELECTRONS TO A SPARK DISCHARGE

6902
PULSE DISCHARGES IN GASES UNDER CONDITIONS OF STRONG
IONIZATION BY ELECTRONS

6914
VOLTAGE-CURRENT CHARACTERISTIC OF GAS DISCHARGE WITH
EXTERNAL IONIZATION

6927
DYNAMIC ATMOSPHERIC PRESSURE DISCHARGE EXCITED BY AN
ELECTRON BEAM

6929
ELECTRIC FIELD DISTRIBUTION IN THE ANODE LAYER OF A
NON-SELF-MAINTAINED VOLUMETRIC DISCHARGE SUSTAINED BY A
BEAM OF FAST ELECTRONS

6931
ELECTRIC-FIELD INSTABILITIES OF A VOLUME GAS DISCHARGE
EXCITED BY AN ELECTRON BEAM

6935
ENERGY INPUT IN ELECTRICAL IONIZATION LASERS

6939
FORMATION OF A SPARK CHANNEL IN A BULK DISCHARGE INITIATED
BY A FAST-ELECTRON BEAM

6956
SOME CHARACTERISTICS OF A SPARK DISCHARGE INITIATED BY AN
ELECTRON BEAM

6960
CONDITIONS FOR THE MAINTENANCE OF THE CURRENT IN THE
CATHODE LAYER OF A SEMI-SELF-MAINTAINED VOLUMETRIC
DISCHARGE EXCITED BY AN ELECTRON BEAM

6985
DISCHARGE IN A HIGH-PRESSURE GAS, INITIATED BY A BEAM OF
FAST ELECTRONS

6997
EXTERNALLY MAINTAINED DISCHARGE WITH A GASDYNAMIC WINDOW
FOR A LOW-ENERGY ELECTRON BEAM

7019
PROPERTIES OF A SPACE DISCHARGE EXCITED BY AN ELECTRON BEAM
OF 10⁻⁵ SEC DURATION

7070
VOLUME DISCHARGE EXCITED IN A GAS BY AN ELECTRON BEAM IN
THE CASE OF INHOMOGENEOUS IONIZATION

6266
NEGATIVE ION FORMATION AND ELECTRIC BREAKDOWN IN SOME
HALOGENATED GASES

Gas, Electric

1179
CYLINDRICAL CHANNEL IN A HIGH-CURRENT DISCHARGE IN AIR

Gas, Electrical

392
A CIRCUIT WHICH PREDICTS AND DIVERTS FLASHOVER FROM A LONG
AIR GAP

433
DIELECTRIC INVESTIGATION OF ELECTRIC DISCHARGES IN A
MERCURY VAPOUR FILLED THYRATRON

445
SOME OBSERVATIONS ON ARC POTENTIALS IN HYDROGEN THYRATRON
PULSE DISCHARGES

467
SPHERICAL PROBE IN A FLOWING PLASMA

470
EXCITATION OF HIGH-PRESSURE LASER MEDIA BY A DISCHARGE
THROUGH AN INSULATOR

739
CHARACTERISTICS OF IMPULSE BREAKDOWN OF STANDARD ROD GAPS
UNDER CONTROLLED-ATMOSPHERE CONDITIONS

774
PLASMA CONTRACTION CAUSED BY THE MAGNETIC FIELD OF THE
CURRENT IN AN ELECTRON-BEAM-SUSTAINED DISCHARGE

775
PULSED BREAKDOWN OF GASEOUS HELIUM AT LOW TEMPERATURES

1248
ANALYSIS OF THE ANODE BOUNDARY LAYER OF HIGH INTENSITY ARCS

1252
MODELING OF THE ANODE CONTRACTION REGION OF HIGH INTENSITY
ARCS

1289
INVESTIGATION OF HIGH-VOLTAGE PARTICLE-INITIATED BREAKDOWN
IN GAS-INSULATED SYSTEMS

1306
PARTICLE-INITIATED BREAKDOWN IN GAS DIELECTRIC CABLE
INSULATION EXPANDED SCOPE PROGRAM

1308
STUDY OF LIGHTNING CURRENT MAGNITUDE THROUGH DISTRIBUTION
ARRESTERS

1402
CONTRIBUTION TO THE THEORY OF IMPULSE BREAKDOWN

1442
FORMATION OF NANOSECOND SPARKS IN STATIC BREAKDOWN OF A GAP

1477
IMPULSE BREAKDOWN IN THE 10⁻⁹-SEC. RANGE OF AIR AT
ATMOSPHERIC PRESSURE

1443
STATISTICAL STUDY OF NANOSECOND BREAKDOWN DELAY IN NARROW
GAS GAPS IN SUPERHIGH ELECTRIC FIELDS

1559
EXCITATION OF THE SPECTRUM IN A SPARK DISCHARGE

1771
LOW PRESSURE, HIGH VOLTAGE DISCHARGES FOR THE PRODUCTION OF
ENERGETIC ELECTRON BEAMS

2887
TUBULAR PULSE-DISCHARGE LAMPS AS CIRCUIT ELEMENTS

2824
MEASUREMENT OF THE ACTUATION TIME OF SPARK GAPS IN A
CASCADE PULSE-VOLTAGE GENERATOR

2858
FORMATIVE TIME OF PENNING DISCHARGE

2189
ELECTRICAL BREAKDOWN OF GASES: IONIZATION GROWTH IN AIR AT
HIGH PRESSURES

2198
VARIATION OF TOWNSEND'S SECOND COEFFICIENT IN ELECTRODELESS
DISCHARGE

2899
TIME LAGS ASSOCIATED WITH ULTRA-HIGH FREQUENCY GAS BREAKDOWN

2419
INFLUENCE OF HUMIDITY ON THE SPARKOVER OF ROD-ROD GAPS OF
SEVERAL GEOMETRICAL FORMS SUBJECTED TO POSITIVE IMPULSE
VOLTAGES OF VARYING WAVESHAPES

2436
ANALYSIS OF FLASHES ACCOMPANYING DISCHARGES IN AIR AT
DIELECTRIC SURFACES

2437
ARC VOLTAGE OF PULSED HIGH CURRENT SPARK GAPS

2868
ELECTRICAL FIELD BREAKDOWN IN SULPHUR HEXAFLUORIDE

2692
PROCESSES INVOLVED IN THE TRIGGERING OF VACUUM BREAKDOWN BY
LOW-VELOCITY MICROPARTICLES

2717
PULSED BREAKDOWN OF AIR IN A HOMOGENEOUS FIELD AT LARGE
OVERVOLTAGES

2784
A NEW APPROACH TO COMPUTE UNIFORM FIELD BREAKDOWN OF GASES

2937
THE ROLE OF THE CATHODE ZONE IN THE TRANSITION CORONA
EFFECT ARC

2958
THE USE OF A PHOTOMULTIPLIER IN THE DETERMINATION OF
IONIZATION COEFFICIENTS IN GASES STRESSED WITH HIGH VOLTAGE

3814
IMPULSE FLASHOVER CHARACTERISTICS OF LONG AIR GAPS AND
ATMOSPHERIC CORRECTION

3845
CALCULATION OF SPARK BREAKDOWN OR CORONA STARTING VOLTAGES
IN NONUNIFORM FIELDS

3175
DIELECTRIC BREAKDOWN OF SULPHUR HEXAFLUORIDE IN NEARLY
UNIFORM FIELDS

3258
NANOSECOND VOLUME DISCHARGE IN AIR AT ATMOSPHERIC PRESSURE

3352
ELECTRICAL BREAKDOWN OF LONG GAPS IN SULFUR HEXAFLUORIDE

3583
INVESTIGATION OF ELECTRODE EROSION AND OF THE CONDITIONS OF
SPECTRUM EXCITATION WITH AN IMPULSIVE DISCHARGE IN A
MAGNETIC FIELD

3598
ON THE THEORY OF THE SPARK PLASMA IN NANOSECOND LIGHT
SOURCES AND FAST SPARK-GAP SWITCHES

3513
INHERENT LIMITATIONS IN UNIFORM FIELD DISCHARGE DATA FOR
SF/SUB 6/

3529
EFFECT OF HUMIDITY ON SPARKOVER OF AIRGAPS UNDER IMPULSE
VOLTAGES

3537
FORMATION AND GUIDING OF HIGH-VELOCITY ELECTRICAL STREAMERS
BY LASER-INDUCED IONIZATION

3587
INFLUENCE OF RADIATION ON THE SPARKOVER OF SPHERE GAPS AND
CROSSED-CYLINDER GAPS STRESSED WITH IMPULSE VOLTAGES

3689
BREAKDOWN CHARACTERISTICS OF HIGHLY NONUNIFORM LONG GAPS IN
COMPRESSED AIR

3617
ELECTRICAL BREAKDOWN AND THE SIMILARITY LAW IN SF/SUB 6/ AT
EXTRA-HIGH-VOLTAGES

3626
IMPULSE BREAKDOWN OF LARGE SPHERE-PLANE GAPS

3631
MEASUREMENT OF THE ENERGY RELEASED IN NANOSECOND ELECTRIC
SPARKS

3634
NANOSECOND BREAKDOWN IN HEXANE

3676
INFLUENCE OF CORONA DISCHARGES ON THE BREAKDOWN VOLTAGE OF
AIRGAPS

3691
SPECTROSCOPIC INVESTIGATION OF THE SPARK CHANNEL

3722
COMPUTATION OF IONISATION GROWTH AT HIGH CURRENT DENSITIES

3738
AFTERGLOW TAILS AND STABILITY OF HIGH-DENSITY NANOSECOND
ARC CHANNELS

3751
THEORETICAL AND EXPERIMENTAL INVESTIGATION OF PULSED
DISCHARGES IN GASES

3755
SIMULATION OF THE GROWTH OF AXIALLY SYMMETRIC DISCHARGES
BETWEEN PLANE PARALLEL ELECTRODES

3767
EXPERIMENTAL INVESTIGATION OF THE STABILITY CONDITIONS OF A
DISCHARGE IN A GAS STREAM

3771
PULSED NANOSECOND ELECTRIC DISCHARGES IN GASES

3778
CRITERIA FOR SPARK BREAKDOWN IN SULFUR HEXAFLUORIDE

3855
PROPAGATION OF HIGH-VOLTAGE STREAMERS ALONG LASER-INDUCED
IONIZATION TRAILS

4045
ANALYSIS OF SPARK BREAKDOWN CHARACTERISTICS FOR SPHERE GAPS

4049
ASYMPTOTIC PLASMA AND SHEATH REPRESENTATIONS FOR
LOW-PRESSURE DISCHARGES

4057
STATIC AND DYNAMIC PROPERTIES OF ARCS NEAR PLANE SURFACES

4147
OPERATION OF SLIDING-SPARK ARRAYS FOR LASER PRE-IONIZATION

4157
FOUR-METER SPARKS IN AIR

4289
PARAMETERS AFFECTING FIRING TIME OF SIMULTANEOUSLY
TRIGGERED TRIACRON SPARK GAP SWITCHES

4214
THE STATISTICAL DISTRIBUTION OF VALUES OF BREAKDOWN VOLTAGE
FOR AN AIR GAP

4369
HIGH VOLTAGE RESEARCH (BREAKDOWN STRENGTHS OF GASEOUS AND
LIQUID INSULATORS) AND ENVIRONMENTAL EFFECTS OF DIELECTRIC
GASES

4484
SPARKING POTENTIALS AND IONISATION COEFFICIENTS IN SF/SUB 6/

4474
INFLUENCE OF RAIN ON SWITCHING IMPULSE SPARKOVER VOLTAGE OF
LARGE-ELECTRODE AIR GAPS

4581
THE RECOVERY OF HIGH CURRENT LONG GAPS IN HYDROGEN AND ARGON

4663
VARIATION OF ION DENSITY IN A HIGH-VOLTAGE LABORATORY
DURING IMPULSE-VOLTAGE TESTING

4791
STUDIES OF SPARK FORMATION AT HIGH SWITCHING VOLTAGES OF
POSITIVE POLARITY

4831
MEASUREMENT OF THE ELECTRON TEMPERATURE OF THE PLASMA OF A
QUASI-STABLE PULSED GLOW DISCHARGE IN SPARK GAPS WITH HIGH
OVERVOLTAGES

BREAKDOWN STUDIES

3889
A COMPUTER SIMULATED MODEL FOR DIFFUSION AND DRIFT OF ELECTRONS IN FLASH TUBES

4952
IONIZING POTENTIAL WAVES AND HIGH-VOLTAGE BREAKDOWN STREAMERS

4944
PERFORMANCE OF SPHERE AND ROD-ROD GAPS UNDER HIGH DIRECT VOLTAGES

4948
PREBREAKDOWN PHENOMENA IN STANDARD ROD GAPS SUBJECTED TO IMPULSE VOLTAGES

4960
THE FORMATION AND GROWTH OF A STABILIZED SPARK DISCHARGE

5095
ELECTRICAL AND PHOTOGRAPHIC MEASUREMENTS OF HIGH-POWER ARCS

5098
INFLUENCE OF AIR DENSITY ON FLASHOVER VOLTAGES OF AIR GAPS AND INSULATORS

5297
PHOTOGRAPHIC AND OSCILLOGRAPHIC INVESTIGATIONS OF SPARK DISCHARGES IN HYDROGEN

5324
CROSS SECTIONS FOR CHARGE TRANSFER COLLISIONS INVOLVING HYDROGEN ATOMS

5555
STUDY OF ARC BY-PRODUCTS IN GAS-INSULATED EQUIPMENT

5476
EXPLODING WIRE INITIATION AND ELECTRICAL OPERATION OF A 40-KV SYSTEM FOR ARC-HEATED DRIVERS UP TO 10 FEET LONG

5491
ELECTRICAL BREAKDOWN OF GASES: THE PREBREAKDOWN STAGE

5527
COMPUTATION OF AXIAL AND RADIAL DEVELOPMENT OF DISCHARGES BETWEEN PLANE PARALLEL ELECTRODES

5534
SWITCHING SURGE AND IMPULSE SPARKOVER CHARACTERISTICS OF LARGE GAP SPACINGS AND LONG INSULATOR STRINGS

5539
THE MECHANISM OF THE LONG SPARK FORMATION

5543
COMPUTER SIMULATION OF RAPIDLY DEVELOPING GASEOUS DISCHARGES

5557
THE CATHODE FALL OF AN ARC

5558
THE FALL OF POTENTIAL IN THE INITIAL STAGES OF ELECTRICAL DISCHARGES

5559
THE MECHANISM OF THE ELECTRICAL BREAKDOWN OF AIR IN UNIFORM FIELDS AT VOLTAGES UP TO 400 KV

5560
TRANSITION FROM THE PRIMARY STREAMER TO THE ARC IN POSITIVE POINT-TO-PLANE CORONA

5605
BREAKDOWN AND PLASMA FORMATION IN A ROTATING PLASMA DEVICE

5614
ELECTRICAL AND PHOTOGRAPHIC CHARACTERIZATION OF LOW-INTENSITY CAPACITOR SPARK DISCHARGES

5658
QUANTITATIVE MEASUREMENTS OF THE EMISSION FROM HIGH DENSITY NANOSECOND SPARK CHANNELS

5644
INFLUENCE OF STATISTICAL TIME LAGS UPON ELECTRIC BREAKDOWN IN ELECTRODELESS GASES

5638
EFFECT OF ATMOSPHERIC HUMIDITY ON BREAKDOWN VOLTAGE OF VARIOUS SPARKOVER LENGTHS AT VARIOUS VOLTAGE FORMS

5679
THE DEVELOPMENT OF A LONG SPARK AND LIGHTNING

5684
A HIGH-POWER ELECTRIC SPARK IN AIR AT ATMOSPHERIC PRESSURE

5701
METHODS FOR DETERMINATION OF TRANSPORT COEFFICIENTS FROM HIGH POWER ARCS

5782
PARTICLE-INITIATED BREAKDOWN IN GAS DIELECTRIC CABLE INSULATION EXPANDED SCOPE PROGRAM (FINAL REPORT)

5881
PREIONIZATION CONTROL OF STREAMER PROPAGATION

5894
CENTERING A HIGH-CURRENT ARC IN A COAXIAL ARC CHAMBER

6091
THE APPLICATION OF PASCHE'S LAW TO THE RE-IONIZATION OF AN ARC

6097
THE PRODUCTION OF HIGH VELOCITY MERCURY VAPOR JETS BY SPARK DISCHARGE

6154
MONTE CARLO SIMULATION OF THE LOW-VOLTAGE ARC MODE IN PLASMA DIODES

6158
PLASMA PROPERTIES OF KILOAMPERE DISCHARGES

6519
THE STEP VOLTAGE DROP ACROSS A SPARK WITH A PULSE DISCHARGE IN THE NANOSECOND RANGE

6496
BREAKDOWN MECHANISM OF A NARROW AIR GAP. II

6582
SPECTROGRAPHIC ERRORS IN PULSED DISCHARGES

6850
PULSED BREAKDOWN OF SMALL GAPS IN THE NANOSECOND RANGE

6857
SPARK DISCHARGE EMISSION IN HELIUM

6858
STABILIZATION OF A PINCHED HIGH-CURRENT DISCHARGE BY MEANS OF A PLASMA JET

6880
CONDITIONS FOR SPUTTER EMISSION IN HIGH-PRESSURE SPATIAL GASEOUS DISCHARGES

6882
EFFECT OF INHOMOGENEITY OF A TRANSVERSE MAGNETIC FIELD ON BREAKDOWN

6887
FORMATION OF A MULTICHANNEL SPARK IN AIR

6925
DELAY IN PULSED BREAKDOWN OF WEAKLY-ILLUMINATED GAPS

6936
EXPLOSIVE PROCESSES AT THE CATHODE OF A GAS DISCHARGE

6942
GROWTH OF A NANOSECOND PULSED DISCHARGE IN A GAS WITH ONE-ELECTRON INITIATION

6951
NANOSECOND FORMATION TIME OF DISCHARGES IN SHORT AIR GAPS

6960
THE DIFFUSE AND CHANNEL STAGES IN THE OVERVOLTAGE BREAKDOWN OF A GAS GAP

7004
FORMATION OF THE SPARK CHANNEL AND CATHODE SPOT IN A PULSED VOLUME DISCHARGE

7017
NANOSECOND GAS DISCHARGE IN AN INHOMOGENEOUS FIELD WITH EXPLOSIVE PROCESSES ON THE ELECTRODES

7018
PREBREAKDOWN PROCESSES IN HIGH-PRESSURE GASES

7025
STABILIZATION OF IGNITION VOLTAGE IN HIGH-PRESSURE SPARKS

7033
BREAKDOWN OF THE NEAR-ELECTRODE LAYER IN A FLOW OF IONIZED GAS

7048
HIGH-CURRENT, HOLLOW-CATHODE GLOW DISCHARGE

7078
EFFECT OF CATHODE SURFACE STATE ON THE DIELECTRIC STRENGTH OF GASES AND LIQUIDS

7107
CONTRACTION OF THE DECAYING PLASMA IN A NITROGEN DISCHARGE

7115
GAS-DISCHARGE CONTRACTION

7122
ONSET OF THE IONIZATION INSTABILITY IN A PERIODIC,
EXTERNALLY SUSTAINED DISCHARGE IN NITROGEN AND A N₂/SUR
2/-CO₂/SUR 2/ MIXTURE AT HIGH PRESSURES

7123
SOME CHARACTERISTICS OF A DOUBLE, HOLLOW CATHODE WITH THE
PULSED SUPPLY OF THE CATHODE-EXCITER

7134
DEVELOPMENT OF A SPARK DISCHARGE. I

7149
A MODEL FOR THE STUDY OF SWITCHING-SURGE BREAKDOWN OF LONG
AIR GAPS

7172
BREAKDOWN IN SMALL, FLOWING GAS SPARK GAPS

7234
MODELING OF ARC DISCHARGES IN POWER CIRCUIT BREAKERS

7238
SUPERPOSITION GAS BREAKDOWN

7319
DEVELOPMENT OF SPARK IN AIR FROM A NEGATIVE POINT

7494
THE MECHANISM OF ELECTRICAL BREAKDOWN OF GASES, INITIATED
BY A LARGE NUMBER OF ELECTRONS

7500
DEVELOPMENT OF OVERVOLTAGE BREAKDOWN AT HIGH GAS PRESSURE

7527
IMPULSE VOLTAGE TESTS ON AIR AND C₂/SUR 3/ F₂/SUR 8/

7632
EXPERIMENTAL STUDY OF THE PROPAGATION OF AN IONIZING WAVE
IN A COAXIAL PLASMA GUN

7672
PRESSURE DISTRIBUTION IN THE STRUCTURE OF A PROPAGATING
CURRENT SHEET

7739
ANOMALIES IN IONIZATION COEFFICIENTS AND IN UNIFORM FIELD
BREAKDOWN IN ARGON FOR LOW VALUES OF E/F

7742
BREAKDOWN MECHANISMS IN SULPHUR-HEXAFLUORIDE

7743
CALCULATION OF DISCHARGE INCEPTION VOLTAGES IN SF₆/SUR
0/-N₂/SUR 2/ MIXTURES

7751
DISCHARGES

7757
ELECTRON-OPTICS STUDY OF THE DEVELOPMENT OF AN ELECTRIC
DISCHARGE IN A GAS AT HIGH-ELECTRIC FIELD INTENSITIES AND
WITH ONE-ELECTRON IONIZATION

7761
GROWTH OF THE SPARK DISCHARGE CANAL FOR A DISCHARGE CIRCUIT
WITH A RAPIDLY INCREASING CURRENT

7762
HIGH CURRENT SPARK CHANNELS

7766
HIGH-TEMPERATURE EFFECTS ON FLASHOVER IN AIR

7773
ON THE ROLE OF THE ELECTRON IMPACT IONISATION AND ELECTRON
SCATTERING CROSS-SECTION IN THE BREAKDOWN STRENGTH OF
DIELECTRIC GASES

7783
STATIC FIELD BREAKDOWN OF SF₆/SUR 0/-N₂/SUR 2/ MIXTURES IN
ROO-PLANE GAPS

7785
THE CHANNEL OF THE SPARK DISCHARGE

7791
THEORY OF THE DEVELOPMENT OF A SPARK CHANNEL

7800
COMPARISON OF LIGHTNING AND A LONG LABORATORY SPARK

7822
EFFECTS OF FORCED CONVECTION UPON THE CHARACTERISTICS OF A
STEADY-STATE CROSS-FLOW ARC IN THE PRESENCE OF AN APPLIED
TRANSVERSE MAGNETIC FIELD

7805
ELECTRIC STRESSES IN GASEOUS CAVITIES IN SOLID DIELECTRICS

7808
FORM FACTOR METHOD YIELDS THERMAL CONDUCTIVITY AND RADIATED
POWER OF NITROGEN ARC

7812
INDUCED RADIAL VELOCITY IN NONSTATIONARY ELECTRIC ARCS

7811
INFLUENCE OF DIFFUSION AND NONEQUILIBRIUM POPULATIONS ON
NORLE-GAS PLASMAS IN ELECTRIC ARCS

7812
INSULATION PROPERTIES OF COMPRESSED ELECTROENERGATIVE GASES

7815
IONIZING GAS BREAKDOWN WAVES IN STRONG ELECTRIC FIELDS

7812
PREDICTION OF CONDITIONS FOR A SINGLE PULSE DISCHARGE

7819
PRINCIPLES OF ARC MOTION AND DISPLACEMENT

7823
SPECTROSCOPIC STUDY OF HIGH CURRENT DISCHARGES

7827
THE TIME CONSTANT OF HIGH VOLTAGE CIRCUIT BREAKER ARCS
BEFORE CURRENT ZERO

7912
CONTINUOUS LASER-SUSTAINED PLASMAS

7933
PECULIARITIES OF THE DEVELOPMENT OF THE ELECTRIC BREAKDOWN
OF AIR IN EXTREMELY LONG DISCHARGE GAPS

8011
SOME PROPERTIES OF HIGH CURRENT SPARK CHANNELS

8043
DEVELOPMENT OF ELECTRON AVALANCHES AND STREAMERS

8047
PHOTOPREIONIZATION OF THE 3371-ANGSTROM PULSED N₂/SUR 2/
LASER

8061
ELECTRON EMISSION AT HIGH FIELDS DUE TO POSITIVE IONS

8071
SURGE VOLTAGE BREAKDOWN OF AIR IN A NONUNIFORM FIELD

8089
THE REIGNITION VOLTAGE CHARACTERISTICS OF FREELY RECOVERING
ARCS

8091
CW GAS BREAKDOWN IN ARGON USING 10.6-MICRON LASER RADIATION

8092
EFFECTS OF CW POWER ON THE PULSED GAS BREAKDOWN THRESHOLD
IN ARGON AT 10.6-MICRON RADIATION

8093
SIMILARITY BETWEEN PHYSICAL PROCESSES IN A PULSED DISCHARGE
AND IN THE EFFECT OF LASER RADIATION ON A METAL

8099
PROGRESSIVE LIGHTNING IV-THE DISCHARGE MECHANISM

8100
THE POSSIBILITY OF PHOTOEJECTMENT IN THE IMPULSE BREAKDOWN
OF POSITIVE POINT-PLANE GAPS IN AIR

8105
CONFIGURATIONS AND MODES OF AN N-PRESSED DISCHARGE

8110
FORMATION OF A POSITIVE RUST PULSE CORONA IN AIR, NITROGEN
AND OXYGEN

8112
ARC MOTIONS DRIVEN BY MAGNETIC FIELD IN SULFUR HEXAFLUORIDE
(SF₆/SUR 6/)

8130
GAS BREAKDOWN CALCULATION; A COMPARATIVE STUDY

8130
DIELECTRIC BEHAVIOR OF SOME FLUOROGASES AND THEIR MIXTURES
WITH NITROGEN

8137
EXPANSION OF INITIAL HIGH-CURRENT SPARK CHANNELS

8149
HIGH VOLTAGE INSULATION OF LINES AND EQUIPMENT

8153
NANOSECOND-PULSE BREAKDOWN IN GASES

BREAKDOWN STUDIES

- 8157
PULSED HIGH-PRESSURE ARC IN HELIUM AND HYDROGEN
- 8168
SPARKING POTENTIALS OF SATURATED HYDROCARBON GASES
- 8171
FAST ELECTRONS AND X-RAY RADIATION DURING THE INITIAL STAGE OF GROWTH OF A PULSED SPARK DISCHARGE IN AIR
- 8175
PULSED ARC IN ROOM AT PRESSURES UP TO 100 N/M²/SUB 2/ (1000 ATM)
- 8181
ELECTRICAL BREAKDOWN IN CSF/SUB 8/
- 8185
INVESTIGATION OF A CYLINDRICAL, AXIALLY BLOWN, HIGH-PRESSURE ARC
- 8190
THE EFFECT OF PRESSURE ON THE POSITIVE POINT-TO-FLAME DISCHARGE IN N/SUB 2/, O/SUB 2/, CO/SUB 2/, SO/SUB 2/, SF/SUB 6/, CCL/SUB 2/F/SUB 2/, A, HE, AND N/SUB 2/
- 8199
COMPOSITION AND PROPERTIES OF A SULPHUR HEXAFLUORIDE ARC PLASMA
- 8200
COMPOSITION AND TRANSPORT PROPERTIES OF SF/SUB 6/ AND THEIR USE IN A SIMPLIFIED ENTHALPY FLOW ARC MODEL
- 8203
THEORETICAL PROPERTIES OF SPHEROIDALLY-SYMMETRIC STATIC ARCS
- 8251
CONDITIONS FOR INITIATION OF A DISCHARGE IN A SPHERICAL GAS GAP WITH A PLASMA CATHODE
- 8256
DISSOCIATION OF SF/SUB 6/, CF/SUB 4/, AND SIF/SUB 4/ BY ELECTRON IMPACT
- 8257
EFFECT OF GAS PRESSURE ON ELECTRICAL BREAKDOWN AND FIELD EMISSION
- 8257
EFFECT OF CORONA CHARGE ON THE FORMATION OF A LONG POSITIVE SPARK UNDER THE ACTION OF A VOLTAGE PULSE
- 8262
LONG HIGH-PRESSURE ARCS
- 8264
MEASUREMENT OF IONIZATION AND ATTACHMENT COEFFICIENTS IN SULPHUR HEXAFLUORIDE IN UNIFORM FIELDS
- 8272
SOME MEASUREMENTS OF THE RELATIVE DIELECTRIC STRENGTH OF GASES
- 8275
STATISTICAL TIME LAGS IN GAS DISCHARGE GAPS IRRADIATED WITH A RADIOACTIVE MATERIAL
- 8274
TEMPERATURE DETERMINATION FOR ARCS IN SULPHUR HEXAFLUORIDE ACCOUNTING FOR DEMIXING
- 8281
TIME-RESOLVED RADIAL TEMPERATURE PROFILES FOR 10 KA SF/SUB 6/ ARCS
- 8282
TIME-RESOLVED SPECTROSCOPY OF SPARK DISCHARGES
- 8284
VOLTAGE-TIME CHARACTERISTIC OF ELECTRICAL BREAKDOWN IN SF/SUB 6/
- 8286
CATHODE SPOTS IN THE TRANSIENT GLOW DISCHARGE IN NITROGEN
- 8324
THE EFFECT OF HUMIDITY ON A CORONA DISCHARGE IN AIR
- 8317
ARC-GAS FLOW INTERACTIONS IN A DOUBLE-NOZZLE FLOW SYSTEM
- 8320
CALCULATION OF THE TEMPERATURE IN A CONDUCTIVE TRACK OF AN ARC ON THE SURFACE OF A MAGNET-BLAST CHUTE
- 8322
CURRENT CHOPPING INTRODUCED BY ARC COLLAPSE
- 8324
DETERMINATION OF TEMPERATURE, VELOCITY DISTRIBUTION, AND POPULATION DENSITIES OF NEUTRAL HELIUM BY MEANS OF LASER LIGHT TUNED ON ATOMIC RESONANCES
- 8327
EFFECT OF FLUID FLOW ON THE STABILITY OF TWO-DIMENSIONAL ARCS
- 8333
EXPERIMENTAL INVESTIGATION ON ARC PHENOMENA IN SF/SUB 6/ PUFFER CIRCUIT BREAKERS
- 8338
HIGH-CURRENT DISCHARGE IN A DENSE PLASMA SOURCE
- 8342
INTERRUPTION CAPABILITY OF GASES AND GAS MIXTURES IN A PUFFER-TYPE INTERRUPTER
- 8354
PAUSE IN PLASMA EMISSION AFTER NANOSECOND-PULSE EXCITATION
- 8356
PRESSURE TRANSIENTS IN A MODEL GAS-BLAST CIRCUIT BREAKER OPERATING AT EXTRA HIGH CURRENT LEVELS
- 8361
QUENCHING PROCESSES OF AXIALLY INHOMOGENEOUS ARCS IN SF/SUB 6/ CIRCUIT BREAKERS
- 8364
SCALING LAWS FOR GAS-BLAST CIRCUIT-BREAKER ARCS DURING THE HIGH CURRENT PHASE
- 8366
SIMPLIFIED ESTIMATION OF CRITICAL QUANTITIES FOR SHORT-LINE FAULT INTERRUPTION
- 8368
SPECTROSCOPIC APPROACH TO THE ANALYSIS OF HIGH CURRENT ARCS IN SF/SUB 6/
- 8372
TEMPERATURE DIAGNOSTICS IN TURBULENT ARCS
- 8374
THE EFFECTS OF COLD GAS INJECTION ON A CONFINED ARC COLUMN
- 8378
THEORETICAL AND EXPERIMENTAL INVESTIGATION OF THE STOCHASTIC BEHAVIOR OF AN SF/SUB 6/ BLAST-SWITCHING ARC
- 8379
THEORETICAL MODEL FOR BREAKDOWN OF FLASH-DISCHARGE TUBES CAUSED BY INTERNAL PRESSURE DURING VAPORIZATION OF WALL MATERIAL
- 8380
THEORY OF POWERFUL NONSTEADY XENON DISCHARGE TAKING VAPORIZATION OF ITS STABILIZING WALLS INTO ACCOUNT
- 8391
INTEGRAL METHODS OF ANALYSING ELECTRIC ARCS: I. FORMULATION
- 8392
INVESTIGATIONS OF GLOW DISCHARGE FORMATION WITH VOLUME REIONIZATION
- 9158
ELECTRON DISTRIBUTION FUNCTION IN 4:1 N/SUB 2/-O/SUB 2/ MIXTURE
- 9200
QUALITATIVE STREAMER THEORY
- 9218
THE GLOW-DISCHARGE-TO-ARC TRANSITION INSTABILITY
- 9287
PRE-BREAKDOWN DISCHARGES IN HIGHLY NON-UNIFORM FIELDS IN RELATION TO GAS-INSULATED SYSTEMS
- 9291
PULSED GLOW DISCHARGES IN LASER EXCITATION AND BREAKDOWN
- 9318
TYPICAL PHENOMENA OBSERVED IN A SHORT-PAF ATMOSPHERIC DISCHARGE USING ROTOR AND POST ELECTRODES
- 9336
STABLE STATES OF A VOLUME DISCHARGE EXCITED BY AN ELECTRON BEAM IN AIR WITH AN SF/SUB 6/ ADMIXTURE
- 9451
DISCHARGE OF ENERGY OF A SUPERCONDUCTING INDUCTANCE INTO A FLASH LAMP
- 9534
DIELECTRIC STRENGTH OF COMPRESSED SULFUR HEXAFLUORIDE AND THE ELECTRODE MATERIAL AND SURFACE STRUCTURE
- 9781
THE PHYSICS OF HIGH-VOLTAGE NANOSECOND DISCHARGES IN DENSE GASES
- 9748
THE DEVELOPMENT OF THE SPARK DISCHARGE

9810
ON THE EARLY STAGES OF ELECTRIC SPARKS

9826
AN EXTENSION OF THE RAMSAUER-TOWNSEND EXPERIMENT IN A XENON
THYRATRON

9919
EXPERIMENTAL INVESTIGATION OF STREAMER DISCHARGE
DEVELOPMENT IN NEON

10005
DAS-HEATING EFFECT ON PLASMA RESISTIVITY

10018
FORMATIVE TIME LAGS IN THE ELECTRICAL BREAKDOWN OF GASES

10059
TIME LAGS AND THE BREAKDOWN AND CORONA CHARACTERISTICS IN
SULPHUR HEXAFLUORIDE

10125
EXPERIMENTAL AND THEORETICAL STUDY OF A DC ARC IN A
CONSTANT DIAMETER NOZZLE FLOW

10128
RANDOM PREBREAKDOWN DISCHARGES IN SP/SUB 6/ - A POSSIBLE
DIAGNOSTIC CRITERION FOR PARTICLE-CONTAMINATED COMPRESSED
GAS APPARATUS

10185
HIGH VOLTAGE RESEARCH (BREAKDOWN STRENGTHS OF GASEOUS AND
LIQUID INSULATORS) AND ENVIRONMENTAL EFFECTS OF DIELECTRIC
GASES. SEMIANNUAL REPORT. APRIL 1, 1979-SEPTEMBER 30, 1979

10219
THE INFLUENCE OF GAS STREAMS AND MAGNETIC FIELDS ON
ELECTRIC DISCHARGES. PART 5-ARCS AT PRESSURES UP TO 18
ATMOSPHERES IN ANNULAR GAPS

10270
THE ROLE OF INCLUSIONS AND SURFACE CONTAMINATION ARC
INITIATION AT LOW PRESSURES

10274
SIMILARITY RELATIONS FOR THE ELECTRIC ARC IN FORCED AXIAL
FLOW

10341
HIGH-CURRENT HIGH-PRESSURE DISCHARGE CHAMBER. I

10474
TECHNICAL PROBLEMS INVOLVED IN H/SUB 2/ STREAMER CHAMBERS

10485
HIGH-CURRENT DISCHARGES IN NITROGEN WITH AN INDUCTIVE
STORAGE BANK

Gas, Microwave

5562
EXPERIMENTAL INVESTIGATION OF THE TRANSIENT FORMATION OF A
MICROWAVE-GENERATED IONIZED SHEATH IN AIR

8925
DISTRIBUTION FUNCTION AND MEAN ENERGY OF ELECTRONS IN A
HIGH-FREQUENCY MOLECULAR-GAS DISCHARGE

Gas, Optical

353
OPTICAL BREAKDOWN OF COMPRESSED GASES BY CO/SUB 2/ LASER
RADIATION

625
OBSERVATION OF HIGHLY IONIZED SPECIES IN PLASMA PRODUCED BY
PICOSECOND LASER PULSES

948
ELECTRON DENSITIES IN LASER-TRIGGERED SPARK GAP DISCHARGES

1265
A CW X-RAY FREONIZER FOR HIGH-REPETITION-RATE GAS LASERS

1854
HIGH-POWER PHOTOPREIONIZATION-STABILIZED CARBON DIOXIDE
WAVEGUIDE LASERS OPERATING AT GAS PRESSURES OF UP TO 15 ATM

2031
GAS BREAKDOWN BY A SHORT LASER PULSE

2532
CO/SUB 2/ LASER-INDUCED GAS BREAKDOWN IN HYDROGEN

2179
PRESSURE DEPENDENCE OF THE RISE TIME OF LASER-TRIGGERED
SPARK GAPS

5069
BACKGROUND GAS PRESSURE DEPENDENCE AND SPATIAL VARIATION OF
SPONTANEOUSLY GENERATED MAGNETIC FIELDS IN LASER-PRODUCED
PLASMAS

3154
CASCADE IONIZATION OF A GAS BY A LIGHT PULSE

5537
FORMATION AND GUIDING OF HIGH-VELOCITY ELECTRICAL STREAMERS
BY LASER-INDUCED IONIZATION

5335
OPTICAL FREQUENCY ELECTRICAL DISCHARGES IN GASES

3604
TRIGGERING MECHANISM OF A LASER-TRIGGERED SPARK GAP

5720
AIR BREAKDOWN BY PULSED-LASER RADIATION IN THE 2.7-AND
5.8-MICRON REGION

5721
BREAKDOWN OF AIR NEAR TRANSPARENT DIELECTRICS

3724
MEASUREMENT OF THE WAVELENGTH DEPENDENCE OF THE THRESHOLD
OF LASER-INDUCED GAS BREAKDOWN

3726
MODELING OF THE BREAKDOWN OF A DENSE MOLECULAR GAS BY LASER
RADIATION CLOSE TO A METALLIC SURFACE

3774
A PRELIMINARY STUDY OF AEROSOL INITIATED CO/SUB 2/ LASER
PRODUCED AIR SPARKS AND THEIR ABILITY TO GUIDE ELECTRICAL
DISCHARGES

3853
PROPAGATION OF HIGH-VOLTAGE STREAMERS ALONG LASER-INDUCED
IONIZATION TRAILS

4212
SYNTHETIC BREAKDOWN IN AIR

4409
USE OF A 'LASER SPARK' TO INITIATE A HIGH-POWER
HIGH-PRESSURE GAS DISCHARGE

4700
DEVELOPMENT AND PERFORMANCE CHARACTERISTICS OF A
UV-PREIONIZED, HIGH-POWER TEA PULSED CO/SUB 2/-LASER

5294
IONIZATION EFFECTS IN A HYDRODYNAMIC MODEL OF
RADIATION-DRIVEN BREAKDOWN WAVE PROPAGATION

5432
STUDIES OF TRANSIENT DISCHARGES

3703
GAS BREAKDOWN BY SINGLE 20PS, 1.06UM AND 0.53UM LASER PULSES

5839
ELECTRICAL DISCHARGE THROUGH LASER-INDUCED SPARK

5840
INVESTIGATION OF AN ELECTRIC DISCHARGE ACROSS A LASER SPARK

6873
VOLUME DISCHARGE WITH UV PREIONIZATION

7584
GAS BREAKDOWN WITH 10.6-MICRON-WAVELENGTH CO/SUB 2/ LASER
RADIATION

7755
A PHYSICAL MODEL ON THE INITIATION OF ATMOSPHERIC-PRESSURE
GLOW DISCHARGES

7836
CHARACTERISTICS OF LASER-INITIATED IONIZATION CHANNELS IN
AIR

7913
AN ELECTRICAL DISCHARGE THROUGH TWO LASER SPARKS

7913
BREAKDOWN OF A SPARK GAP IN AIR TRIGGERED BY A LASER

7918
CONTINUOUS LASER-SUSTAINED PLASMAS

7924
INVESTIGATION OF BREAKDOWN IN H/SUB 2/ UNDER THE INFLUENCE
OF A PICOSECOND RUBY-LASER PULSE

7924
LASER INITIATED SPARK DEVELOPMENT IN AN AIR GAP

7937
REVIEW OF GAS-BREAKDOWN PHENOMENA INDUCED BY HIGH-POWER
LASERS-I

7941
SPARK DISCHARGE TRIGGERED BY A PULSE LASER BEAM

BREAKDOWN STUDIES

7948
TIME CONSTANTS OF SPARK DISCHARGES INITIATED BY A GAS-LASER BEAM OF $\lambda = 8.5571$ MICRONS

8044
EFFECT OF HIGH MAGNETIC FIELDS ON THE THRESHOLD OF LASER-INDUCED GAS BREAKDOWN

8081
CHANNELING OF AN IONIZING ELECTRICAL STREAMER BY A LASER BEAM

8088
OPTICALLY-INITIATED DIRECTED ELECTRIC BREAKDOWN IN A GAS

8091
CW GAS BREAKDOWN IN ARGON USING 10.6-MICRON LASER RADIATION

8092
EFFECTS OF CW POWER ON THE PULSED GAS BREAKDOWN THRESHOLD IN ARGON AT 10.6-MICRON RADIATION

8093
SIMILARITY BETWEEN PHYSICAL PROCESSES IN A PULSED DISCHARGE AND IN THE EFFECT OF LASER RADIATION ON A METAL

8104
RESONANCE EFFECTS IN MULTIPHOTON IONIZATION OF ATOMS

8124
NANOSECOND TRIGGERING OF AIR GAPS WITH INTENSE ULTRAVIOLET LIGHT

8215
ELECTRON DENSITIES IN LASER-TRIGGERED HYDROGEN SPARKS

8323
THE GUIDANCE OF HIGH-VOLTAGE ELECTRICAL BREAKDOWN STREAMERS BY LASER INDUCED IONIZATION IN AIR

9468
PHOTOINDUCED SURFACE DISCHARGE

9792
ELECTRICAL DISCHARGE IN NITROGEN AND SULFUR HEXAFLUORIDE IN A UNIFORM FIELD

10227
INTERACTION OF LASER-INDUCED IONIZATION WITH ELECTRIC FIELDS

Gas, Particle

3957
STUDY OF THE EFFECT OF DUST PARTICLES ON BREAKDOWN VOLTAGES IN AIR

Gas, Products

7744
CARBON INHIBITION IN SPARKED PERFLUOROCARBON-SF/SUB 6/ MIXTURES

10255
ARC STABILITY OF ELECTRONEGATIVE GASES

Gas, Radiation

1380
X-RAY FREQUENCY HIGH-PRESSURE KRF LASER

7063
REDUCTION OF GAS BREAKDOWN VOLTAGE WITH PULSED IONIZING RADIATION

18049
VOLT-AMPERE CHARACTERISTIC AND TRANSITION CURRENT OF A GAS GAP WHEN ACTED UPON BY PULSED IONIZING RADIATION

Gas, Recovery

943
GAS COOLING AND ELECTRIC STRENGTH RECOVERY AFTER A SPARK DISCHARGE

1267
FUNDAMENTAL INVESTIGATION OF ARC INTERRUPTION IN GAS FLOWS

9489
INVESTIGATION OF HIGH POWER GASEOUS ELECTRONICS

9425
INVESTIGATIONS ON THE INTERACTION BETWEEN ARCS AND GAS FLOW

6891
THE APPLICATION OF FASCHEN'S LAW TO THE RE-IONIZATION OF AN ARC

7794
ELECTRON ATTACHMENT TO SF/SUB 6/

8917
ARC-GAS FLOW INTERACTIONS IN A DOUBLE-NOZZLE FLOW SYSTEM

8922
CURRENT CHOPPING INTRODUCED BY ARC COLLAPSE

8935
EXPERIMENTAL INVESTIGATION ON ARC PHENOMENA IN SF/SUB 6/ PUFFER CIRCUIT BREAKERS

8937
FREE RECOVERY OF THE GAS-BLAST ARC COLUMN

8942
INTERRUPTION CAPABILITY OF GASES AND GAS MIXTURES IN A PUFFER-TYPE INTERRUPTER

8956
PRESSURE TRANSIENTS IN A MODEL GAS-BLAST CIRCUIT BREAKER OPERATING AT EXTRA HIGH CURRENT LEVELS

8961
QUENCHING PROCESSES OF AXIALLY INHOMOGENEOUS ARCS IN SF/SUB 6/ CIRCUIT BREAKERS

8962
QUENCHING PROPERTIES OF AN ARC IN A DOUBLE FLOW WITH A VORTEX

8964
SCALING LAWS FOR GAS-BLAST CIRCUIT-BREAKER ARCS DURING THE HIGH CURRENT PHASE

8966
SIMPLIFIED ESTIMATION OF CRITICAL QUANTITIES FOR SHORT-LINE FAULT INTERRUPTION

8978
THEORETICAL AND EXPERIMENTAL INVESTIGATION OF THE STOCHASTIC BEHAVIOR OF AN SF/SUB 6/ BLAST-SWITCHING ARC

8981
THERMAL LAYERS IN POSTARC CHANNEL

10124
DEVELOPMENT OF A 7.2 KV - 65 KA ADVANCED PUFFER GAS CIRCUIT BREAKER

10126
FACTORS INFLUENCING THE INTERRUPTING ABILITY OF SF/SUB 6/ PUFFER BREAKER AND DEVELOPMENT OF 500KV-50KA ONE-BREAK CIRCUIT BREAKER

10217
ELECTRON ATTACHMENT IN SULFUR HEXAFLUORIDE USING MONOENERGETIC ELECTRONS

10218
INVESTIGATIONS OF THE PROPERTIES OF SF/SUB 6/ AS AN ARC QUENCHING MEDIUM

10274
SIMILARITY RELATIONS FOR THE ELECTRIC ARC IN FORCED AXIAL FLOW

10276
MECHANISMS FOR TEMPERATURE DECAY IN THE FREELY RECOVERING GAS BLAST ARC

Gas, RF

6661
DYNAMICS OF THE DEVELOPMENT OF HIGH-CURRENT INDUCTION DISCHARGE

6988
EFFICIENCY OF ENERGY TRANSFER TO AN ELECTRODELESS HIGH-FREQUENCY DISCHARGE

7011
INVESTIGATION OF THE ENERGY TRANSFER EFFICIENCY FOR A PULSED INDUCTION DISCHARGE

Grazing Discharge

1185
HIGH-POWER 1 USEC ULTRAVIOLET RADIATION SOURCE FOR PUMPING OF GAS LASERS

10326
MEASUREMENT OF THE GAS TEMPERATURE AND ELECTRON DENSITY IN AN 'INCOMPLETE' GRAZING DISCHARGE

Lightning

684
SURVEY ON ACTUAL KNOWLEDGE AND PHYSICAL PROBLEMS

924
LONG ARC SIMULATED LIGHTNING ATTACHMENT TESTING USING A 150 KM TESLA COIL

1499
LASER-INDUCED LIGHTNING CONCEPT EXPERIMENT

1563
RECOMMENDED PRACTICE FOR LIGHTNING SIMULATION AND TESTING
TECHNIQUES FOR AIRCRAFT

1565
SIMULATION OF LIGHTNING STRIKES TO AIRCRAFT

3700
ARTIFICIAL INITIATION OF LIGHTNING DISCHARGES

3710
THE LASER LIGHTNING ROD SYSTEM, A FEASIBILITY STUDY

3774
A PRELIMINARY STUDY OF AEROSOL INITIATED CO/SUB 2/ LASER
PRODUCED AIR SPARKS AND THEIR ABILITY TO GUIDE ELECTRICAL
DISCHARGES

4342
LABORATORY SIMULATION OF THE STEPPED LEADER IN LIGHTNING

5433
ARTIFICIAL TRIGGERING OF LIGHTNING ABOVE GROUND

5434
INDUCED VOLTAGES, MEASUREMENT TECHNIQUES AND TYPICAL VALUES

5435
A SHEETSTROKE EXPERIMENT WITH A ROCKET SLED

5436
ARCS ON METAL SHEETS IN SIMULATED LIGHTNING DISCHARGES

5437
INDUCED VOLTAGES IN FULL SIZE AIRCRAFT AT 10/SUP 11/ A/S

5438
LIGHTNING STRIKE POINT LOCATION STUDIES ON SCALE MODELS

5439
RECENT DEVELOPMENTS IN HIGH CURRENT TESTING TECHNIQUES FOR
LIGHTNING SIMULATION

5535
TECHNIQUES OF STRIKE TESTS ON STRUCTURES, COMPONENTS AND
MATERIALS

5851
DETECTION OF LIGHTNING SUPERDOLTS

5865
LIGHTNING DETECTION FROM SPACE

7101
INVESTIGATION INTO TRIGGERING LIGHTNING WITH A PULSED LASER

7800
COMPARISON OF LIGHTNING AND A LOW LABORATORY SPARK

8109
SIMULATION OF LIGHTNING CURRENTS IN RELATION TO MEASURED
PARAMETERS OF NATURAL LIGHTNING

9390
ANALYSIS OF LIGHTNING DATA FROM THE DMSP SATELLITE

9980
LIGHTNING: VOLUME I, PHYSICS OF LIGHTNING

10004
LIGHTNING: VOLUME II, LIGHTNING PROTECTION

Liquid, Electrical

882
INDUCTANCE AND RESISTANCE CHARACTERISTICS OF SINGLE-SITE
UNTRIGGERED WATER SWITCHES IN WATER TRANSFER CAPACITOR
CIRCUITS

1261
HIGH-VOLTAGE DIELECTRIC TESTS USING PARALLEL-PLANE ELECTRODES

1360
GLIDE DISCHARGES ON INSULATORS IN TRANSFORMER OIL DUE TO
VOLTAGE PULSES

3630
PREBREAKDOWN PROCESSES IN ELECTRICALLY STRESSED INSULATING
LIQUIDS

4347
ON THE USE OF PERFLUOROPOLYETHER FLUIDS IN HV SPARK-DAPS

4731
SHORT PULSE ELECTRICAL BREAKDOWN STRENGTH OF N/SUB 2/ O

5100
INVESTIGATIONS ON BREAKDOWN EVENTS IN LIQUID NITROGEN AT
HIGH VOLTAGES

5600
THE IMPULSE BREAKDOWN IN INSULATING OIL

5695
HIGH-VOLTAGE BREAKDOWN IN VACUUM AND IN OIL

5974
NANOSECOND BREAKDOWN IN LIQUID DIELECTRICS

6081
ON ANCHORING THE MERCURY POOL CATHODE SPOT

6297
THE INFLUENCE OF DISSOLVED BASES ON THE ELECTRIC STRENGTH
OF N-HEXANE

6441
AN INVESTIGATION OF THE ELECTRIC STRENGTH OF SOME LIQUID
DIELECTRICS SUBJECT TO NANOSECOND VOLTAGE PULSES

6587
BROADENING OF A HIGH-INTENSITY SPARK CHANNEL IN A LIQUID

6628
EXPANSION OF A SPARK CHANNEL IN A LIQUID

6692
THE DEVELOPMENT OF ELECTRICAL DISCHARGE IN WATER

6772
COMPARISON OF THE DIELECTRIC PROPERTIES OF NORMAL AND HEAVY
WATER, ABSORBED ON ZEOLITES

6832
INVESTIGATING PREBREAKDOWN FIELDS IN WATER BY MEANS OF THE
KERR EFFECT

6878
CIRCUIT TRANSIENT FOLLOWING A PULSED DISCHARGE IN WATER

6892
INTERFEROMETRIC STUDY OF PULSED BREAKDOWN IN A LIQUID

6948
MECHANISM OF THE PULSED ELECTRICAL BREAKDOWN OF WATER

6949
MEDAVOLT ENERGY-CONCENTRATING DEVICE

6953
OPTICAL STUDY OF NANOSECOND PREBREAKDOWN PHENOMENA IN WATER

6977
BREAKDOWN OF WATER IN A SYSTEM WITH 'DIFFUSION' ELECTRODES

6983
DEVELOPMENT OF A DISCHARGE IN A LIQUID DIELECTRIC WITH RAMP
FUNCTION VOLTAGE PULSES

6986
EFFECT OF THE INITIAL CONDITIONS ON THE DYNAMICS OF AN
UNDERWATER SPARK. I. EFFECT OF THE PARAMETERS OF THE
GENERATOR AND THE MEDIUM

6987
EFFECT OF THE INITIAL CONDITIONS ON THE DYNAMICS OF AN
UNDERWATER SPARK. II. EFFECT OF AN EXTERNAL SOURCE OF PUMP
ENERGY

6990
ELECTRICAL CHARACTERISTICS OF A SPARK DISCHARGE IN A
CIRCULATING TRANSFORMER OIL

6991
ELECTRICAL CONDUCTION AND DEVELOPMENT OF BREAKDOWN IN
LIQUID DIELECTRICS

6999
FORMATION OF ELECTRICAL BREAKDOWN IN AQUEOUS SODIUM
CHLORIDE SOLUTIONS

7006
ON FORMATION IN LIQUID IN INITIAL STAGES OF A PULSED
DISCHARGE

7010
INITIATION AND DEVELOPMENT OF NANOSECOND DISCHARGES IN
LIQUIDS

7026
STUDY OF THE PULSE ELECTRICAL STRENGTH OF SOME LIQUIDS

7036
CONTROLLED DISCHARGE IN A LIQUID

7073
CHARACTERISTICS OF AN UNDERWATER SPARK

BREAKDOWN STUDIES

7874
CREEPAGE DISCHARGE ALONG THE SURFACE OF SOLID DIELECTRICS
IN WATER

7875
CURRENT CUTOFF AND REPEATED BREAKDOWN IN ELECTRICAL
DISCHARGES IN LIQUIDS

7888
ELECTRICAL BREAKDOWN IN WATER BY 0.5-1.7-MV PULSES 0.5-5
MICROSECONDS LONG

7892
PREDISCHARGE PHENOMENA IN LIQUIDS

7111
DEVELOPMENT OF A PULSE DISCHARGE IN LIQUIDS

7113
DISCHARGE PHENOMENA IN LIQUIDS

7179
ELECTRICAL BREAKDOWN IN WATER IN THE MICROSECOND REGIME

7187
A STREAMER MODEL FOR HIGH VOLTAGE WATER SWITCHES

7300
'DIFFUSION' ELECTRODES FOR INVESTIGATION OF THE BREAKDOWN
OF LIQUID DIELECTRICS

7303
INCREASE OF DIELECTRIC STRENGTH OF WATER IN A SYSTEM WITH
'DIFFUSION' ELECTRODES

7498
THE EFFECT OF ORGANIC ADDITIVES ON THE BREAKDOWN AND
GASING PROPERTIES OF MINERAL OILS

7498
ELECTRICAL CONDUCTIVITIES AND BREAKDOWN RESISTANCE OF
MIXTURES OF SOME LIQUID DIELECTRICS UNDER VOLTAGE PULSES

7515
EXPERIMENTS ON ELECTRICAL BREAKDOWN IN WATER IN THE
MICROSECOND REGIME

7692
INVESTIGATION OF THE BREAKDOWN BY RECTANGULAR VOLTAGE
PULSES OF A LIQUID IN AN INHOMOGENEOUS FIELD

7741
BREAKDOWN AND PREBREAKDOWN PHENOMENA IN LIQUIDS

7774
PROGRESS IN THE FIELD OF ELECTRIC BREAKDOWN IN DIELECTRIC
LIQUIDS

7817
OBSERVATIONS ON THE INTERMITTENT ELECTRON EMISSION IN
LIQUEFIED NITROGEN

8164
THEORY OF BREAKDOWN OF THIN LIQUID DIELECTRIC LAYERS

8167
USE OF THE DIMENSIONAL AND SIMILARITY METHODS IN
INVESTIGATING PULSE DISCHARGE IN WATER

8289
FIELD ELECTRON EMISSION FROM LIQUID MERCURY

8289
A THEORY OF LIQUID SURFACE RUPTURE BY A UNIFORM ELECTRIC
FIELD

8998
SOME FEATURES IN THE ELECTRIC BREAKDOWN OF ELECTROLYTES

8999
THE DEVELOPMENT OF AN ELECTRIC DISCHARGE IN AQUEOUS
ELECTROLYTES

18882
VARIATIONS IN THE RESISTANCE OF SPARK GAPS IN WATER UNDER
THE EFFECT OF HIGH PULSE VOLTAGE

Liquid, Optical

3712
MULTIPHOTON FRAGMENTATION AND IONIZATION

Partial Discharges

5233
AN INFORMATIVE METHOD FOR RECORDING PARTIAL DISCHARGES IN
INSULATING MATERIALS

7747
DEGRADATION PRODUCT ANALYSIS FOR POLYMERIC DIELECTRIC
MATERIALS EXPOSED TO PARTIAL DISCHARGES

9257
FUNDAMENTAL LIMITATIONS IN THE MEASUREMENT OF CORONA AND
PARTIAL DISCHARGE

9387
PARTIAL DISCHARGE EVALUATION OF POLYETHYLENE CABLE-MATERIAL
BY PHASE ANGLE AND PULSE SHAPE ANALYSIS

Plasma

1050
PLASMA ACCELERATION IN A COAXIAL INJECTOR WITH
NONCYLINDRICAL ELECTRODES DRIVEN BY AN INDUCTIVE STORAGE
DEVICE

1060
ELECTRIC-DISCHARGE SP/SUB 6/-N/SUB 2/ LASER PUMPED BY AN
INDUCTIVE STORAGE UNIT

1359
EXPERIMENTAL RESULTS ON PLASMA INTERACTIONS WITH LARGE
SURFACES AT HIGH VOLTAGES

3426
GAS LASER DISCHARGES IN CONTINUOUS METAL TUBES

10387
DENSE PLASMA DISCHARGES FOR SOLID-TARGET HEATING

Reviews

572
OPTICAL DISCHARGES

1305
THE PREVENTION OF ELECTRICAL BREAKDOWN IN SPACECRAFT

2444
IONIZATION IN THE FIELD OF A STRONG ELECTROMAGNETIC WAVE

2451
THE EXCITATION AND IONIZATION OF ATOMS IN A STRONG
RADIATION FIELD

4248
BASIC PROCESSES OF GASEOUS ELECTRONICS

5491
ELECTRICAL BREAKDOWN OF GASES: THE PREBREAKDOWN STAGE

5533
INVESTIGATIONS INTO ELECTRICAL DISCHARGES IN GASES

8174
ELECTRICAL BREAKDOWN OF GASES

Solid, Electrical

1433
CALCULATION OF ELECTRIC FIELD BREAKDOWN IN QUARTZ AS
DETERMINED BY DIELECTRIC DISPERSION ANALYSIS

1561
ON THE THEORY OF ELECTRON MULTIPLICATION IN CRYSTALS

4043
INVESTIGATION OF BREAKDOWN AND RESISTIVITY STRIATIONS IN
HIGH-VOLTAGE SILICON DIODES

4429
A PROGRAMMABLE D-C HIGH-VOLTAGE RAMPED TEST SYSTEM FOR
ELECTRICAL INSULATION

4803
UNIT FOR INVESTIGATING THE OPTICAL AND ELECTRICAL
CHARACTERISTICS OF NANOSECOND BREAKDOWN OF CONDENSED MEDIA

5048
TRANSIENTS IN LARGE TANDEM ACCELERATORS

5472
ELECTRICAL CONDUCTION AND ELECTRICAL BREAKDOWN OF ORGANIC
INSULATORS AND SEMICONDUCTORS

5564
SOME ASPECTS OF DIELECTRIC BREAKDOWN OF SOLIDS

4933
ELECTRICAL DISCHARGE IN PENTAERYTHRITOL TETRANITRATE POWDER

4989
ELECTRIC BREAKDOWN IN SOLID DIELECTRICS

6995
ENERGY BALANCE FOR A SPARK IN A SOLID DIELECTRIC

7012
MECHANICAL ASPECTS OF THE ELECTRICAL BREAKDOWN OF SOLID
DIELECTRICS

7816
NANOSECOND BREAKDOWN OF POLYMERS

7237
INVESTIGATION OF MECHANISM OF BREAKDOWN IN XLPE CABLES

7567
ELECTRODE-LIMITED AND SPACE-CHARGE-LIMITED TRANSIENT CURRENTS IN INSULATORS

7738
A TUTORIAL ON TREEING

8165
TIME LAGS IN THE ELECTRICAL BREAKDOWN OF GLASS IMMERSO IN WATER

10123
ARC-INTERRUPTION AND GAS-EVOLUTION CHARACTERISTICS OF COMMON POLYMERIC MATERIALS

10486
MECHANISM FOR A SECONDARY SURFACE BREAKDOWN IN A REVERSE-BIAS HIGH-VOLTAGE SILICON P-N JUNCTION

Solid, Optical

7927
LASER SOURCES FOR MULTIPLY-CHARGED HEAVY IONS

8138
LASER-INDUCED ELECTRON EMISSION FROM SOLIDS: MANY-PHOTON PHOTOELECTRIC EFFECTS AND THERMIONIC EMISSION

Solid, Radiation

5528
IONIZATION RADIATION EFFECTS IN INSULATORS AND INSULATING PARTS

5445
QUICKER: A ONE-DIMENSIONAL CODE FOR CALCULATING BULK AND VACUUM EMITTED PHOTO-COMPTON CURRENTS

10472
SOEMP RESPONSE INVESTIGATION WITH EXPLODING-WIRE PHOTONS, PART II

Surface Flashover

954
MECHANISM OF PULSED SURFACE FLASHOVER INVOLVING ELECTRON-STIMULATED DESORPTION

1271
MECHANISM OF FAST SURFACE FLASHOVER IN VACUUM

1329
ELECTRO-OPTICAL MEASUREMENTS OF SOLID INSULATOR SURFACE FIELDS AND SURFACE CHARGING IN VACUUM

1560
NEW DATA ON THE CREEP DISCHARGE AT THE SURFACE OF A DIELECTRIC

2456
ANALYSIS OF PLASMAS ACCOMPANYING DISCHARGES IN AIR AT DIELECTRIC SURFACES

2794
SPARK DISCHARGE OVER THE SURFACE OF FILMS OF DIFFERENT COMPOSITION

2864
PROPAGATION VELOCITY OF CATHODE-INITIATED SURFACE FLASHOVER

2995
AVOIDING FLASHOVERS IN LOW INDUCTANCE HIGH VOLTAGE SPARK GAPS AT ATMOSPHERIC PRESSURE

3024
BREAKDOWN OF INSULATING MATERIALS BY SURFACE DISCHARGE

3251
INSULATOR FLASHOVER MECHANISM IN VACUUM INSULATED CRYOCABLES

4481
ON THE CONDITIONING PHENOMENA OF SURFACE FLASHOVER OF EPOXY RESINS IN A VACUUM

4919
FLASHOVER TESTS ON DUST-CONTAMINATED INSULATORS

5898
INFLUENCE OF AIR DENSITY ON FLASHOVER VOLTAGES OF AIR GAPS AND INSULATORS

5553
CONTAMINATION EFFECTS ON HVDC INSULATOR FLASHOVER

5534
SWITCHING SURGE AND IMPULSE SPARKOVER CHARACTERISTICS OF LARGE GAF SPACINGS AND LONG INSULATOR STRINGS

5565
THE EFFECT OF CUPROUS OXIDE COATINGS ON SURFACE FLASHOVER OF DIELECTRIC SPACERS IN VACUUM

5577
COLLOQUIUM ON ELECTRICAL BREAKDOWN ON INSULATING SURFACES

5834
ELECTRICAL BREAKDOWN OVER INSULATORS IN HIGH VACUUM

6076
HIGH VOLTAGE INSULATORS FOR PARTICLE ACCELERATORS

6456
SURFACE BREAKDOWN OF A SOLID DIELECTRIC IN VACUUM. III. QUANTITATIVE MODEL

6885
ELECTRIC FIELD CONFIGURATION FOR A GRAZING DISCHARGE

7052
INVESTIGATION OF THE PULSED BREAKDOWN MECHANISM AT THE SURFACE OF A DIELECTRIC IN A VACUUM II. NONUNIFORM FIELD

7074
CREEPAGE DISCHARGE ALONG THE SURFACE OF SOLID DIELECTRICS IN WATER

7177
INVESTIGATIONS OF FAST INSULATOR SURFACE FLASHOVER

7285
NANOSECOND SURFACE DISCHARGE STUDY BY USING DUST FIGURE TECHNIQUES

7665
HIGH SPEED PHOTOGRAPHY OF SURFACE FLASHOVER IN VACUUM

7769
LICHTENBERG FIGURES ON VARIOUS ELECTRICAL INSULATING MATERIALS

7792
THEORY OF THE SECONDARY ELECTRON AVALANCHE AT ELECTRICALLY STRESSED INSULATOR-VACUUM INTERFACES

7821
PULSED FLASHOVER OF INSULATORS IN VACUUM

7976
NANOSECOND TIME DEVELOPMENT OF A PULSED DISCHARGE AT A DIELECTRIC-VACUUM INTERFACE

8105
CONFIGURATIONS AND MODES OF AN M-FRESNEL DISCHARGE

8134
THE RELATION BETWEEN THE CHARGE TRANSPORTED AND NUMBER OF PHOTONS EMITTED IN PARTIAL DISCHARGES ON DIELECTRIC SURFACES

8311
MEASUREMENTS OF THE CHARGE DISTRIBUTIONS ON AN ALUMINA INSULATOR IN VACUUM RESULTING FROM HIGH-VOLTAGE STRESS

9088
TRACKING IN POLYMERIC INSULATION

9233
CHARGING OF INSULATOR SURFACES BY IONIZATION AND TRANSPORT IN GASES

9583
AN INVESTIGATION OF PULSE FLASHOVER OF SOME SOLID DIELECTRICS IN VACUUM

9668
PHOTOINDUCED SURFACE DISCHARGE

9800
ELECTRON AVALANCHE AND SURFACE CHARGING ON ALUMINA INSULATORS DURING PULSED HIGH-VOLTAGE STRESS

9801
EXPERIMENTAL OBSERVATION OF SURFACE CHARGING OF HIGH-VOLTAGE INSULATORS FOR VACUUM APPARATUS

9822
THE FLASHOVER VOLTAGE OF POLYMETHACRYLATE IN VACUUM UNDER DIRECT, ALTERNATING, AND SURGE VOLTAGES OF VARIOUS FRONT DURATIONS

9920
INVESTIGATION OF THE PULSED BREAKDOWN MECHANISM AT THE SURFACE OF A DIELECTRIC IN A VACUUM I. UNIFORM FIELD

10160
DEVELOPMENT OF SURFACE DISCHARGE ALONG A DIELECTRIC WITH LARGE DIELECTRIC CONSTANT IN GAS IN THE NANOSECOND RANGE

BREAKDOWN STUDIES

10175 MICRODISCHARGES ON THE SURFACE OF A DIELECTRIC IN A VACUUM

10188 BEHAVIOR OF COMPOSITE INSULATION UNDER THE ACTION OF SUPERFICIAL ARCS. APPLICATION TO LINE INSULATORS

10215 TEMPERATURE DEPENDENCE OF SURFACE FLASHOVER VOLTAGE OF POLYETHYLENE IN VACUUM

18586 SURFACE BREAKDOWN IN VACUUM ON BARIUM TITANATE

10309 X RADIATION OF A NANOSECOND GRAZING DISCHARGE IN A GAS

Suspensions, Electrical

6637 MECHANISM OF SURGE BREAKDOWN IN SUSPENSIONS

Vacuum, E-beam

7698 INITIATION OF ELECTRICAL BREAKDOWN IN VACUUM BY AN ELECTRON BEAM

7167 VAPOR PRESSURE AND LOCAL ANODE TEMPERATURE IN ELECTRICAL BREAKDOWN IN VACUUM BY AN ELECTRON BEAM

Vacuum, Electrical

244 ELECTRON CURRENT IN DELAYED TRIGGERING OF HIGH-VOLTAGE, HIGH-VACUUM PULSED DISCHARGES

378 ELECTRON BEAM GUN SIMULATION

968 THE EFFECT OF GLASS DEBRIS ON ELECTRON EMISSION AND ELECTRICAL BREAKDOWN OF VACUUM INTERRUPTERS

969 ANALYSIS AND APPLICATION OF A TRANSFORMER CORE THAT ACTS AS AN ARC SNUBBER

1186 ELECTRICAL BREAKDOWN OF VACUUM GAPS UNDER SUPERHIGH VOLTAGE PULSES

1312 PHOTOGRAPHIC OBSERVATIONS OF IMPULSE BREAKDOWN IN SHORT VACUUM GAPS

1315 HIGH VOLTAGE BREAKDOWN STUDY

1544 AC (50 HZ) AND DC ELECTRICAL BREAKDOWN OF VACUUM GAPS AND WITH VARIATION OF AIR PRESSURE IN THE RANGE 1×10^{-9} - 1×10^{-2} TORR USING OFHC COPPER, NICKEL, ALUMINUM, AND NIOBIUM PARALLEL PLANAR ELECTRODES

1546 CATHODE- AND ANODE-INDUCED ELECTRICAL BREAKDOWN IN VACUUM

1605 ELECTRICAL BREAKDOWN AT VERY LOW GAS PRESSURES

1669 ELECTRICAL BREAKDOWN BETWEEN METAL ELECTRODES IN HIGH VACUUM. I. THEORY

1686 ELECTRICAL BREAKDOWN BETWEEN METAL ELECTRODES IN HIGH VACUUM. II. EXPERIMENTAL

1693 ELECTRICAL BREAKDOWN UNDER VACUUM CAUSED BY EVAPORATION AT THE ANODE

1707 INITIATION OF ELECTRICAL BREAKDOWN IN ULTRAHIGH VACUUM

1728 MECHANISM OF DC ELECTRICAL BREAKDOWN BETWEEN EXTENDED ELECTRODES IN VACUUM

1774 NEW DERIVATION OF THE VACUUM BREAKDOWN EQUATION RELATING BREAKDOWN VOLTAGE AND ELECTRODE SEPARATION

1977 STABILITY OF AC VACUUM ARCS IN TRANSVERSE PULSED MAGNETIC FIELD

2013 ELECTRICAL BREAKDOWN IN A COLO CATHODE VACUUM DIODE

2021 THE FIELD EMISSION INITIATED VACUUM ARC. I. EXPERIMENTS ON ARC INITIATION

2082 THE NATURE OF FIELD EMISSION SITES

2111 TIME CHARACTERISTICS OF ELECTRICAL BREAKDOWN IN VACUUM

2284 BREAKDOWN MECHANISMS AND ELECTRICAL PROPERTIES OF TRIGGERED VACUUM GAPS

2455 THE SOURCE OF HIGH-BETA ELECTRON EMISSION SITES ON BROAD-AREA HIGH-VOLTAGE ALLOY ELECTRODES

2442 EFFECTS OF VOLTAGE POLARITY, ELECTRIC CURRENT, EXTERNAL RESISTANCE, NUMBER OF SPARKINGS, SUPPLY FREQUENCY, AND ADDITION OF HYDROGEN AND AIR ON ELECTRICAL BREAKDOWN IN VACUUM

2557 CURRENTS PRECEDING ELECTRICAL BREAKDOWN IN VACUUM

3386 HIGH VOLTAGE STATIC BREAKDOWN IN VACUUM

3340 PREBREAKDOWN PHENOMENA IN VACUUM WITH DIRECT AND ALTERNATING VOLTAGES AT ROOM AND CRYOGENIC TEMPERATURES

3386 INFLUENCE OF ADSORBED GASES ON PREBREAKDOWN CURRENTS IN VACUUM

3388 LICHTENBERG FIGURES PRODUCED BY HIGH-VOLTAGE DISCHARGES IN VACUUM

5688 REDUCTION OF SPARKING VOLTAGES DUE TO A MAGNETIC FIELD PARALLEL TO THE AXIS OF ROD ELECTRODES

5699 AC (50 HZ) AND DC ELECTRICAL BREAKDOWN OF VACUUM GAPS AND WITH VARIATION OF AIR PRESSURE IN THE RANGE 1×10^{-9} - 1×10^{-2} TORR USING OFHC COPPER, NICKEL, ALUMINUM, AND NIOBIUM PARALLEL PLANAR ELECTRODES

5701 AUTOMATED PARTIAL-DISCHARGE TESTING OF TRAVELING-WAVE TUBES

3785 EFFECTS OF ELECTRODE CURVATURE, DISTANCE FROM GLASS INSULATOR, AND ADDITION OF HYDROGEN ON FIELD-EMISSION CURRENTS AND BREAKDOWN VOLTAGE IN VACUUM

4818 PREBREAKDOWN CURRENT MEASUREMENTS IN VACUUM GAPS STRESSED BY ALTERNATING VOLTAGES

4145 PERTURBATION OF THE STATIC VOLTAGE BREAKDOWN MECHANISM IN VACUUM BY A WEAK MAGNETIC FIELD

4352 A 2-MV PULSED ELECTROVACUUM INSTALLATION

4914 EPOXY RESIN CHAMBER FOR HIGH VOLTAGE BREAKDOWN STUDIES IN HIGH VACUUM

5357 CURRENT GROWTH IN PULSE BREAKDOWN OF A SHORT VACUUM GAP

5374 IMPULSE-VOLTAGE BREAKDOWN CHARACTERISTICS OF LARGE GAPS AT LOW PRESSURES

5658 MECHANISM WHICH LEADS TO THE FORMATION OF AN ELECTRIC SPARK AT VERY HIGH VOLTAGE AND UNDER ULTRA-VACUUM FOR THE MEASUREMENT OF THE DELAY TIME OF THE DISRUPTION

5631 CALIBRATION OF A PAR ULTRAVIOLET SPECTROGRAPH AND A STUDY OF VACUUM SPARK BREAKDOWN

3657 DESIGN AND ANALYSIS OF A STATISTICAL EXPERIMENT ON HIGH VOLTAGE BREAKDOWN IN VACUUM

5659 ELECTRICAL BREAKDOWN BETWEEN ERBIUM OXIDE, ERBIUM DEUTERIDE, AND MOLYBDENUM ELECTRODES IN A VACUUM

5695 HIGH-VOLTAGE BREAKDOWN IN VACUUM AND IN OIL

5698 INFLUENCE OF ELECTRODE MATERIAL ON HIGH-VOLTAGE VACUUM BREAKDOWN

5844
PHYSICS OF A SPARK VACUUM DISCHARGE AND QUANTITATIVE
MASS-SPECTROMETRIC ANALYSIS. QUALITATIVE MODEL OF A WEAK
CURRENT VACUUM DISCHARGE

6060
A MEANS OF RAISING THE THRESHOLD CURRENT FOR ANODE SPOT
FORMATION IN METAL-VAPOR ARCS

6064
ANODE PHENOMENA IN METAL-VAPOR ARCS AT HIGH CURRENTS

6071
ELECTRON EMISSION IN INTENSE ELECTRIC FIELDS

6356
INFLUENCE OF HYDROGEN ON MULTIPLE-ELECTRODE (VACUUM) GAP
CHARACTERISTICS

6465
INVESTIGATION OF THE TIME CHARACTERISTICS OF THE TRANSITION
OF FIELD EMISSION TO A VACUUM ARC

6494
ARRANGEMENT FOR STUDYING FIELD EMISSION IN THE NANOSECOND
AND SUBNANOSECOND RANGES

6506
EMISSION PROPERTIES OF THE PLASMA OF VACUUM SPARKS. I. ION
BEAMS

6518
INITIATION OF ELECTRICAL BREAKDOWN IN VACUUM BY FIELD
EMISSION

6668
ELECTRON EMISSION PROPERTIES OF A VACUUM SPARK. II.
ELECTRON BEAMS

6876
ANALYSIS OF THE TRUMP-VAN DE GRAAFF CONDITION FOR VACUUM
BREAKDOWN

6911
THEORY OF THE VACUUM ARC

6947
MECHANISM FOR NANOSECOND VACUUM PULSED DISCHARGE

6998
FORMATION OF A HIGH-CURRENT VACUUM SPARK BY THE HIGH-SPEED
INTERFEROMETRY METHOD

7001
FORMATION OF NEW EMISSION CENTERS ON A CATHODE DURING
CURRENT SWITCHING IN VACUUM. II. EXPERIMENTAL CONFIRMATION
FOR VACUUM DISCHARGES

7003
FORMATION OF PLASMA CHANNEL BY A VACUUM SPARK

7020
TIME FOR THERMAL INSTABILITY TO DEVELOP IN MICROSCOPIC
PROTRUSIONS ON THE CATHODE DURING VACUUM BREAKDOWN

7044
ELECTRON-OPTICAL OBSERVATION OF INITIATION AND DEVELOPMENT
OF PULSED BREAKDOWN IN A NARROW VACUUM GAP

7068
DETECTION OF ELECTRODE VAPOR BETWEEN PLANE PARALLEL COPPER
ELECTRODES PRIOR TO CURRENT AMPLIFICATION AND BREAKDOWN IN
VACUUM

7077
EFFECT OF A TRANSVERSE MAGNETIC FIELD ON THE BREAKDOWN IN A
HIGH-VACUUM DISCHARGE GAP

7079
EFFECT OF ELECTROSTATIC FORCES IN VACUUM BREAKDOWN

7094
SPECTROSCOPIC STUDY OF A CONTROLLED DISCHARGE IN A
HIGH-VOLTAGE VACUUM SWITCH

7130
MOTION OF THE CATHODE SPOT OF A VACUUM ARC

7138
PREPULSE DISCHARGES IN THE DIODES OF A HIGH-CURRENT
ACCELERATOR WITH A DOUBLE SHAPING LINE

7234
MODELING OF ARC DISCHARGES IN POWER CIRCUIT BREAKERS

7305
EFFECT OF ELECTRODE TEMPERATURE ON MICRODISCHARGES IN VACUUM

7492
THE EFFECT OF TEMPERATURE ON THE ELECTRICAL CHARACTERISTICS
OF A VACUUM GAP

7509
ELECTRICAL BREAKDOWN IN HIGH VACUUM

7630
ELECTRICAL BREAKDOWN OF A POINT-PLANE GAP IN HIGH VACUUM
AND WITH VARIATION OF PRESSURE IN THE RANGE 10^{-7} - 10^{-2}
TORR OF AIR, NITROGEN, HELIUM, SULPHUR HEXAFLUORIDE, AND
ARGON

7708
THE INFLUENCE OF SOLID-STATE CONESION OF CONDITIONED METAL
ELECTRODES ON THE ELECTRICAL STRENGTH OF THE VACUUM GAP

7966
FIELD EMISSION: LARGE CURRENT DENSITIES, SPACE CHARGE, AND
THE VACUUM ARC

7971
INITIAL STAGES OF LOW-PRESSURE PULSE DISCHARGE

8000
THE INITIATION OF ELECTRICAL BREAKDOWN IN VACUUM

8080
WHISKER GROWTH IN HIGH-VOLTAGE HIGH-VACUUM GAPS

8149
VACUUM BREAKDOWN WITH NANOSECOND PULSES

8176
CATHODE EMISSION MECHANISM IN AN ARC DISCHARGE

8229
ATMOSPHERIC EFFECTS ON THE DIELECTRIC STRENGTH OF A VACUUM
GAP WITH PROCESSED ELECTRODES

8258
ELECTRON EMISSION PRECEDING ELECTRICAL BREAKDOWN IN VACUUM

8909
A MODEL FOR DC INTERRUPTION IN DIFFUSE VACUUM ARCS

8914
AN INVESTIGATION OF THE TIME LAG OF THE DISCHARGE IN THE
ELECTRICAL BREAKDOWN OF VACUUM GAPS

8916
ANODE SHEATH GROWTH AND COLLAPSE IN A HOLLOW-ANODE VACUUM
ARC

8919
BEHAVIOR OF A HIGH CURRENT VACUUM ARC BETWEEN HOLLOW
CYLINDRICAL ELECTRODES IN A RADIAL MAGNETIC FIELD

8922
CURRENT CHOPPING INTRODUCED BY ARC COLLAPSE

8932
EXPERIMENTAL INVESTIGATION OF LOW-CURRENT VACUUM ARC
INSTABILITIES

8935
FIELD EMISSION FROM VACUUM-DEPOSITED METALLIC FILM AND ITS
ROLE IN ELECTRIC BREAKDOWN IN VACUUM

8941
INTERACTION BETWEEN VACUUM ARCS AND TRANSVERSE MAGNETIC
FIELDS WITH APPLICATION TO CURRENT LIMITATION

8952
ON THE INITIATION OF ELECTRICAL BREAKDOWN OF A HIGH VACUUM
GAP

8957
PROPERTIES OF ANCHORED CATHODE SPOTS OF A DC MERCURY VACUUM
ARC

8959
QUALITATIVE MODEL OF INITIATION OF A VACUUM ARC I.
BREAKDOWN MECHANISM

8982
TIME DELAY IN TRIGGERED VACUUM GAP

8984
A CATHODE SPOT MODEL AND ITS ENERGY BALANCE FOR METAL
VAPOUR ARCS

8985
COMPONENTS OF CATHODE EROSION IN VACUUM ARCS

9121
SPECTROSCOPIC STUDY OF THE PLASMA OF A LOW-VOLTAGE PULSE
DISCHARGE IN VACUUM

9127
TRANSIENT CHARACTERISTICS OF RADIATION EMISSION FROM THE
PLASMA OF A PULSED DISCHARGE IN VACUUM

9219
EXPERIMENTAL STUDY OF THE DYNAMICS OF CATHODE SPOTS
DEVELOPMENT

BREAKDOWN STUDIES

0350
HIGH-CURRENT VACUUM ARCS: PART I. AN EXPERIMENTAL STUDY

0327
BREAKDOWN MECHANISM OF SHORT VACUUM GAPS

0346
TRANSITION FROM FIELD EMISSION TO A VACUUM ARC

10020
PLASMA PROPERTIES OF A METAL VACUUM ARC. I

10057
THE INSULATION OF HIGH VOLTAGES IN VACUUM

10055
BREAKDOWN OF VACUUM SPARK GAPS

10055
ELECTRODE PROTRUSIONS PRODUCED BY ELECTRON BEAM SOMBARDMENT
AND THEIR ROLE IN VACUUM BREAKDOWN

10075
VACUUM SPARK EROSION AT CATHODIC INCLUSIONS

10106
THE RELATION BETWEEN ELECTRON FIELD EMISSION AND CONTACT
ELECTROMOTIVE FORCE FOR LIQUID MERCURY

10107
THE RELATION BETWEEN THE ELECTRON FIELD EMISSION AND THE
MORR FUNCTION OF LIQUID MERCURY

10144
ON THE CATHODE OF AN ARC DRAWN IN VACUUM

10174
FORMATION OF NEW EMISSION CENTERS ON THE CATHODE IN THE
PROCESS OF SWITCHING ELECTRICAL CURRENT IN A VACUUM. III.
THE EFFECT OF A TRANSVERSE MAGNETIC FIELD

10102
EMISSION CHARACTERISTICS OF AN EXPLOSIVE GALLIUM CATHODE

10106
THERMAL ANODE INSTABILITY IN THE PREBREAKDOWN STAGE OF
VACUUM BREAKDOWN

10199
NOTION OF THE CATHODE SPOT OF A VACUUM ARC IN AN
INHOMOGENEOUS MAGNETIC FIELD

10210
THE ROLE OF POSITIVE IONS IN HIGH VOLTAGE BREAKDOWN IN
VACUUM

10290
CRITERION FOR VACUUM SPARKING DESIGNED TO INCLUDE BOTH RF
AND DC

10290
FIELDS CURRENTS FROM POINTS

10260
INVESTIGATION OF HIGH-VACUUM ELECTRICAL BREAKDOWN

10261
MINIMUM ENERGY FOR INITIATION OF ELECTRICAL BREAKDOWN IN
VACUUM

10262
PHOTOGRAPHIC OBSERVATIONS OF A PREBREAKDOWN DISCHARGE
TRANSITION BETWEEN METAL ELECTRODES IN VACUUM

10244
PRE-BREAKDOWN CONDUCTION IN CONTINUOUSLY-PUMPED VACUUM
SYSTEMS

10265
PREBREAKDOWN CONDUCTION BETWEEN ELECTRODES IN ULTRA-HIGH
AND HIGH VACUUM

10329
COMPOSITION OF THE INTERELECTRODE PREBREAKDOWN CURRENT IN
HIGH VACUUM

10400
PLASMA BUILDUP AND BREAKDOWN DELAY IN A TRIGGERED VACUUM GAP

Vacuum, Magnetic Field

3080
REDUCTION OF SPARKING VOLTAGES DUE TO A MAGNETIC FIELD
PARALLEL TO THE AXIS OF ROD ELECTRODES

4340
PERTURBATION OF THE STATIC VOLTAGE BREAKDOWN MECHANISM IN
VACUUM BY A WEAK MAGNETIC FIELD

Vacuum, Materials

3596
NOVEL DESIGN FOR ACCURATE ALIGNMENT OF HIGH VOLTAGE
ELECTRODES ASSEMBLY

Vacuum, Optics

3641
LASER-INITIATED VACUUM DISCHARGE

7502
EVIDENCE FOR REVERSE PHOTOELECTRONS IN LASER-INDUCED CURRENT

Vacuum, Particle

1390
MICROPARTICLES IN HIGH-VOLTAGE ACCELERATOR TUBES

3520
IN-SITU OBSERVATION OF MICROPARTICLES IN A VACUUM-INSULATED
GAP USING A SCANNING ELECTRON MICROSCOPE

4053
EFFECTS OF PARTICLES ON HIGH-VOLTAGE VACUUM BREAKDOWN AND
INTERELECTRODE CURRENT

4565
MICROPARTICLE ENERGY ENHANCEMENT FOLLOWING A BOUNCING
IMPACT IN A HIGH-VOLTAGE GAP

0245
MICROPARTICLE-INITIATED VACUUM BREAKDOWN-SOME POSSIBLE
MECHANISMS

Vacuum, Radiation

3445
QUICKER2: A ONE-DIMENSIONAL CODE FOR CALCULATING SULK AND
VACUUM EMITTED PHOTO-COMPTON CURRENTS

Vacuum, Recovery

0022
CURRENT CHOPPING INTRODUCED BY ARC COLLAPSE

0032
EXPERIMENTAL INVESTIGATION OF LOW-CURRENT VACUUM ARC
INSTABILITIES

Vacuum, Reviews

0035
VACUUM ARCS AND SWITCHING

Capacitance

3226
CAPACITANCE CALCULATIONS FOR SOME BASIC HIGH VOLTAGE
ELECTRODE CONFIGURATIONS

Inductance

6172
INDUCTANCE CALCULATIONS: WORKING FORMULAS AND TABLES

INTENTIONALLY LEFT BLANK

B-field

3822
ALTERNATING MAGNETIC-FIELD INDUCTION METER UTILIZING THE
HALL EFFECT

6978
TECHNIQUE FOR MEASURING MEGA GAUSS MAGNETIC FIELDS USING
ZEEMAN EFFECT

8144
A SUBNANOSECOND RISE TIME FLUXMETER

10119
METHODS OF MEASURING VARYING AND PULSED MAGNETIC FIELDS
(REVIEW)

Component Testing

305
EMP SUSCEPTIBILITY OF INTEGRATED CIRCUITS

5058
MEASUREMENT PROCEDURES FOR CHARACTERIZATION OF HIGH VOLTAGE
SPARK SOURCES

5359
THE DAMAGE SUSCEPTIBILITY OF INTEGRATED CIRCUITS TO A
SIMULATED IEMP TRANSIENT

Current

118
MAGNETOOPTICAL CURRENT TRANSFORMER. 1: PRINCIPLES

798
MAGNETIC FIELD SENSITIVITY OF AN OPTICAL FIBER WITH
MAGNETOSTRICTIVE JACKET

1246
MAGNETOOPTICAL CURRENT TRANSFORMER. 2: COMPONENTS

1247
MAGNETOOPTICAL CURRENT TRANSFORMER. 3: MEASUREMENTS

1766
ELECTRONIC CURRENT TRANSDUCER (ECT) FOR HIGH-VOLTAGE DC
LINES

1364
SHUNTS AND INDUCTORS FOR SURGE-CURRENT MEASUREMENTS

3030
MEASUREMENT PROCEDURES FOR CHARACTERIZATION OF HIGH VOLTAGE
SPARK SOURCES

5888
HIGH-IMPULSE CURRENT AND VOLTAGE MEASUREMENT

4818
PREBREAKDOWN CURRENT MEASUREMENTS IN VACUUM CAPS STRESSED
BY ALTERNATING VOLTAGES

4298
FIBRE-OPTICAL CURRENT MEASUREMENT

5459
CURRENT-MEASURING DEVICES USED WITH THE SUPER-FAST PINCH
ASSEMBLY

5492
MEASUREMENT OF FAST RISE TIME MICROAMPERE CURRENTS BY QUARTZ
GAUGE

5513
VOLTAGE AND CURRENT MEASUREMENTS IN MIXED DIODES

5558
SURGE MEASUREMENT ERRORS INTRODUCED BY COAXIAL CABLES

5896
CURRENT MEASUREMENT AND TRANSIENT SKIN EFFECTS IN EXPLODING
WIRE CIRCUITS

6584
RECTANGULAR BEAM FARADAY CUP

6632
A COMPENSATED SHUNT FOR MEASUREMENT OF POWERFUL
NONSTATIONARY CURRENTS

7284
NANOSECOND RESPONSE 'GASRET-TYPE' MAGNETIC LOOP CURRENT
MONITOR FOR RELATIVISTIC ELECTRON BEAM CURRENT MEASUREMENTS

8103
WIDE FREQUENCY RANGE CURRENT TRANSFORMERS

8125
OPTICAL METHODS FOR MEASUREMENT OF VOLTAGE AND CURRENT ON
POWER SYSTEMS

8145
A CURRENT TRANSFORMER FOR LOW LEVEL MICROSECOND PULSES

8188
LOW-RESISTANCE SHUNTS FOR IMPULSE CURRENTS

8278
ROGOVSKII LOOP FOR MEASUREMENT OF CURRENTS OF NANOSECOND
DURATION

8271
ROGOVSKII COILS: THEORY AND EXPERIMENTAL RESULTS

8993
ON THE HIGH-FREQUENCY RESPONSE OF A ROGOVSKII COIL

9126
TIME RESOLVED ELECTRICAL MEASUREMENTS IN HIGH CURRENT
DISCHARGES

9270
LOW INDUCTANCE CURRENT VIEWING RESISTORS FOR HYDROGEN
THYRATRON

10240
A METHOD FOR MEASURING VERY HIGH SPEED TRANSIENT CURRENTS

10275
HIGH FREQUENCY ROGOVSKII COIL RESPONSE CHARACTERISTICS

Data Transmission

1257
DEMONSTRATION OF FIBER OPTIC LINK APPLICATIONS IN UTILITY
PLANT MULTIPLEXED INSTRUMENT AND CONTROL SYSTEMS

1342
FIBER-OPTIC HIGH VOLTAGE ISOLATION OF CAMAC HIGHWAY

2539
FAIL-SAFE FIBER-OPTICS DATA BUS USING ACTIVE MULTIMODE
MIRROR TERMINALS

2899
SYSTEM FOR DATA ACQUISITION FROM HIGH VOLTAGE TERMINALS

7244
ELECTRO-OPTIC TRANSDUCERS AND OPTICAL FIBERS IN HIGH
VOLTAGE MICROWAVE MODULATORS

10183
HIGH VOLTAGE INSTRUMENT CABLES FOR 630 DEO.C IN-VESSEL
BREEDER REACTOR SERVICE

E-field

873
ELECTRIC POTENTIAL MEASUREMENTS IN GASEOUS INSULATING
MATERIALS BY CORONA PROBE IN A CONTROLLED ENVIRONMENT

4761
ELECTRIC-FIELD DISTRIBUTION AROUND AN ISOLATED STRANDED
CONDUCTOR

4890
A CYLINDRICAL ELECTROSTATIC FLUXMETER FOR CORONA STUDIES

5143
AN AUTOMATIC ELECTRIC FIELD MEASURING EQUIPMENT OF VERY
HIGH RESOLUTION AND ITS APPLICATION FOR THE STUDY OF
ACOUSTOELECTRIC PHENOMENA

7804
ELECTRIC STRESSES AT CONDUCTING SURFACES LOCATED IN THE
FIELD BETWEEN PLANE PARALLEL ELECTRODES

9405
MINIATURE ELF ELECTRIC FIELD PROBE

Impedance

5711
THE MEASUREMENT OF IMPEDANCE AT HIGH POWER

Miscellaneous

467
SPHERICAL PROBE IN A FLOWING PLASMA

1249
SF/SUB 6/ DIELECTRIC FILL GAS GAUGE

1568
DIGITAL TIMING UNIT FOR IMPULSE GENERATOR CONTROL

5691
SPECTROSCOPIC INVESTIGATION OF THE SPARK CHANNEL

DIAGNOSTICS AND INSTRUMENTATION

5285
MICROWAVE DOPPLER MEASUREMENTS OF THE IONIZATION FRONT IN CYLINDRICAL SHOCK WAVES FROM EXPLODING WIRES

6582
SPECTROGRAPHIC ERRORS IN PULSED DISCHARGES

7170
A DOUBLE FREQUENCY METHOD FOR THE DETERMINATION OF THE VOLTAGE DEPENDENT CAPACITANCE VARIATION OF COMPRESSED GAS CAPACITORS

7904
INTERPRETATION OF X-RAY LINE SPECTRA FROM EXPLODED-WIRE ARRAYS

7905
SPECTROSCOPY AND X-RADIATION FROM EXPLODED-WIRE ARRAYS AND GAS PUFF PLASMAS

7904
INTENSE ELECTRON BEAM GENERATION AND COMPRESSION

8972
TEMPERATURE DIAGNOSTICS IN TURBULENT ARCS

10494
A BACK-MATCHED DELAY-LINE CLIPPING TECHNIQUE FOR USE WITH FAST AMPLIFIERS

Partial Discharges

9257
FUNDAMENTAL LIMITATIONS IN THE MEASUREMENT OF CORONA AND PARTIAL DISCHARGE

10476
A SIMPLE PULSE-HEIGHT ANALYZER FOR PARTIAL-DISCHARGE-RATE MEASUREMENTS

Particle Beams

5870
MEASUREMENTS OF HIGH-CURRENT RELATIVISTIC ELECTRON DIODE PLASMA PROPERTIES WITH HOLOGRAPHIC INTERFEROMETRY

Particle Beams, Electron

5338
THERMAL SENSITIVE PAPER AS A DIAGNOSTIC FOR INTENSE RELATIVISTIC ELECTRON BEAM DYNAMICS

Particle Beams, Neutral

2133
SPECTRALLY RESOLVED OPTICAL DIAGNOSTICS FOR HIGH-POWER NEUTRAL BEAMS

2593
OPTICAL DIAGNOSTICS ON HIGH-POWER NEUTRAL BEAMS

2567
A NEUTRAL-PARTICLE ANALYSER FOR PLASMA DIAGNOSTICS

Power

5901
A DEVICE FOR MEASURING PULSE POWER

10464
XOS AND BKO CALORIMETRIC ENERGY METERS FOR HIGH-POWER LASER PULSES

Review

2042
ULTRASHORT PULSE MEASUREMENTS

Reviews

743
NANOSECOND PULSE MEASUREMENTS

1286
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY; LECTURE 10: MEASUREMENT TECHNIQUES

1287
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY; LECTURE 11: PARTICULAR APPLICATIONS

2449
SENSORS FOR ELECTROMAGNETIC PULSE MEASUREMENTS BOTH INSIDE AND AWAY FROM NUCLEAR SOURCE REGIONS

Specifications

513
HIGH VOLTAGE SPECIFICATIONS AND TESTS (AIRBORNE EQUIPMENT)

10035
SPECIFYING POWER CONDITIONING EQUIPMENT

Systems

178
A FACILITY FOR TESTING HIGH POWER DC, AC, OR PULSED DEVICES

1366
AUTOMATING THE E-BEAM LASER LABORATORY

1372
HIGH VOLTAGE DESIGN GUIDE FOR AIRBORNE EQUIPMENT

4431
ONLINE DATA ACQUISITION SYSTEM FOR REPETITIVE PULSER DEVELOPMENT

4983
A SPARK GAP MONITOR

6609
SPECIAL MEANS FOR MEASUREMENT OF THE ELECTRICAL PARAMETERS OF ELECTROPHYSICAL INSTALLATIONS

6726
ARGUS-A SIMPLE DEVICE FOR SIMULTANEOUS MEASUREMENT OF BREAKDOWN TIMES OF MANY SPARK GAPS

7206
A COMPUTERIZED MEASURING SYSTEM FOR NANOSECOND RISETIME PULSED ACCELERATORS

7208
A 33-GVA INTERRUPTER TEST FACILITY

7230
FEASIBILITY STUDY OF THE USE OF AN ENVIRONMENTAL CHAMBER FOR THE EXAMINATION OF TRANSMISSION LINE ELECTRIC FIELD AND CORONA EFFECTS

8987
DIGITAL IMPULSE RECORDER FOR HIGH-VOLTAGE LABORATORIES

10186
MEASUREMENT TECHNIQUES FOR HIGH POWER SEMICONDUCTOR MATERIALS AND DEVICES. ANNUAL REPORT, OCTOBER 1, 1977-SEPTEMBER 30, 1978

Voltage

105
SHIELDED, HIGH-VOLTAGE PROBES

499
TWO-MEGAVOLT DIVIDER FOR PULSED HIGH VOLTAGES IN VACUUM

801
A NANOSECOND RISE TIME DIFFERENTIAL PULSE TRANSFORMER

1329
ELECTRO-OPTICAL MEASUREMENTS OF SOLID INSULATOR SURFACE FIELDS AND SURFACE CHARGING IN VACUUM

1305
AN INTERNATIONAL COMPARISON OF HIGH VOLTAGE CAPACITOR CALIBRATIONS

2303
A RELIABLE MULTIMEGAVOLT VOLTAGE DIVIDER

2382
A TECHNIQUE FOR MEASURING NON-SQUARE PULSED HIGH VOLTAGES TO $\pm 0.25\%$ ACCURACY

2521
AN OPTIMIZED CHARGE SIMULATION METHOD FOR THE CALCULATION OF HIGH VOLTAGE FIELDS

2798
MEASUREMENT OF NANOSECOND HV TRANSIENTS WITH KERR EFFECT

3185
CAPACITIVE MEASUREMENTS OF SLOW FLUCTUATIONS IN HIGH-VOLTAGE SUPPLIES FOR ELECTRON MICROSCOPES

3555
THE MEASUREMENT OF SHORT-DURATION IMPULSE VOLTAGES

3636
OPTICAL KERR CONSTANT MEASUREMENT IN SOME LIQUIDS AND GLASSES

3639
PRECISION CAPACITIVE VOLTAGE DIVIDER FOR IMPULSE VOLTAGE MEASUREMENTS

3641
RECENT REFINEMENTS AND DEVELOPMENTS IN KERR SYSTEM ELECTRICAL MEASUREMENT TECHNIQUES

3847
SUBNANOSECOND HIGH VOLTAGE ATTENUATOR

3886
PULSED LASER KERR SYSTEM POLARIMETER FOR ELECTRO-OPTICAL
FRINGE PATTERN MEASUREMENT OF TRANSIENT ELECTRICAL
PARAMETERS

3689
RESISTOR DIVIDER WITH DIVIDING ELEMENT ON HIGH VOLTAGE SIDE
FOR IMPULSE VOLTAGE MEASUREMENTS

3716
SPECIAL SHIELDED RESISTOR FOR HIGH-VOLTAGE D-C MEASUREMENTS

3888
HIGH-IMPULSE CURRENT AND VOLTAGE MEASUREMENT

4086
IMPROVED SYSTEM FOR THE MEASUREMENT OF HIGH-VOLTAGE PULSES

4105
MOVING CAPACITOR-DIVIDER VOLTAGE SENSORS FOR HIGH-VOLTAGE
TRANSMISSION SYSTEMS

4336
HIGH-VOLTAGE PROBE SYSTEM WITH SUBNANOSECOND RISE TIME

4338
A QUICK RESPONSE HIGH VOLTAGE DIVIDER

4428
AN ELECTRO-OPTIC, HIGH-VOLTAGE, TRANSIENT PROBE

4392
A PICOSECOND RISE TIME HIGH VOLTAGE DIVIDER

4628
MEASUREMENT OF A HIGH VOLTAGE BY A ROTOR VOLTMETER USING AN
INSULATED ELECTRODE

4718
AN INEXPENSIVE HIGH VOLTAGE PROBE

4750
CALIBRATION OF A KERR CELL SYSTEM FOR HIGH-VOLTAGE PULSE
MEASUREMENTS

4745
AN OPTICAL TECHNIQUE FOR HIGH VOLTAGE MEASUREMENTS

4768
GROUNDING MONITOR FOR HIGH VOLTAGE ACCELERATORS

4778
MODULATION OF THE TRANSMISSION FACTOR OF RESISTIVE DIVIDERS
IN MEASURING A HIGH DC VOLTAGE

5881
KERR COEFFICIENTS OF POLYCHLORINATED BIPHENYLS AND
CHLORINATED NAPHTHALENE

5158
A PRECISION MEGOHM RATIO UNIT FOR HIGH VOLTAGE MEASUREMENTS

5164
CALIBRATION OF HIGH-VOLTAGE PULSE MEASUREMENT SYSTEMS BASED
ON THE KERR EFFECT

5205
USE OF A CROOKS IN THE NEEDLE-PLANE SYSTEM AS A
HIGH-VOLTAGE DIVIDER ELEMENT

5555
A NON-DESTRUCTIVE ACOUSTIC ELECTRIC FIELD PROBE

5515
VOLTAGE AND CURRENT MEASUREMENTS IN NIXX DIODES

5517
HIGH VOLTAGE PROBE FOR LIQUID IMMERSION

5582
ELECTRICAL MEASUREMENT OF HIGH VOLTAGE PULSES IN DIAGNOSTIC
X-RAY UNITS

5835
PORTABLE KERR SYSTEM FOR THE MEASUREMENT OF HIGH VOLTAGE
PULSES

5852
CALIBRATION OF A KERR CELL SYSTEM FOR HIGH VOLTAGE PULSE
MEASUREMENTS

8342
A NANOSECOND RISE TIME MEGAVOLT VOLTAGE DIVIDER

7183
DETERMINATION OF LINE VOLTAGE IN SELF-MAGNETICALLY
INSULATED FLDS

7298
ULTRAFAST HIGH VOLTAGE PROBE

7799
CALIBRATION OF UNIFORM-FIELD SPARK-GAPS FOR HIGH-VOLTAGE
MEASUREMENT AT POWER FREQUENCIES

8125
RADIOVOLTAGE MEASURES AC AND DC WITH OVER 1E16-OHM INPUT
RESISTANCE

8125
OPTICAL METHODS FOR MEASUREMENT OF VOLTAGE AND CURRENT ON
POWER SYSTEMS

8159
PRODUCTION AND MEASUREMENT OF ULTRA-HIGH SPEED IMPULSES

8148
STEP RESPONSE OF MEASURING SYSTEMS FOR HIGH IMPULSE VOLTAGES

8141
A HIGH-IMPEDANCE, NANOSECOND RISE TIME PROBE FOR MEASURING
HIGH-VOLTAGE IMPULSES

8260
HIGH-VOLTAGE PULSE MEASUREMENT WITH A PRECISION CAPACITIVE
VOLTAGE DIVIDER

8283
WIDEBAND HIGH VOLTAGE PROBE

8365
OPTICAL METHODS OF ELECTRICAL MEASUREMENT AT HIGH VOLTAGE
LEVELS

9126
TIME RESOLVED ELECTRICAL MEASUREMENTS IN HIGH CURRENT
DISCHARGES

9488
TEMPERATURE DEPENDENCE OF THE ELECTRO-OPTIC KERR
COEFFICIENT OF NITROBENZENE

18225
MEASUREMENT OF MAGNETICALLY INSULATED LINE VOLTAGE USING A
TRANSDUCER PARABOLIC CHARGED PARTICLE ANALYSER

18225
HIGH-VOLTAGE PULSE REFLECTION-TYPE ATTENUATORS WITH
SUBNANOSECOND RESPONSE

18327
A DIVIDER FOR MEASURING MILLISECOND LENGTH PULSES

INTENTIONALLY LEFT BLANK

Grounding And Shielding

- 204
SALVING DIAGNOSTICS IN THE PULSE-POWER ENVIRONMENT
- 1509
EMP INTERACTION: PRINCIPLES, TECHNIQUES, AND REFERENCE DATA
(A COMPLETE CONCATENATION OF TECHNOLOGY FROM THE EMP
INTERACTION NOTES) EMP INTERACTION 2-1
- 5545
COUPLING BETWEEN OPEN AND SHIELDED WIRE LINES OVER A GROUND
PLANE
- 5547
ELECTROMAGNETIC-INTERFERENCE CONTROL
- 5549
GEOMETRICAL EFFECTS ON SHIELDING EFFECTIVENESS AT LOW
FREQUENCIES
- 5550
GROUNDING AND SHIELDING TECHNIQUES IN INSTRUMENTATION
- 5551
LOW-FREQUENCY SHIELDING EFFECTIVENESS OF A DOUBLE CYLINDER
ENCLOSURE
- 5552
MAGNETIC SHIELDED ENCLOSURE DESIGN IN THE DC AND VLF REGION
- 5554
NOISE REDUCTION TECHNIQUES IN ELECTRONIC SYSTEMS
- 5902
RADIO-FREQUENCY SHIELDING PROVIDED BY BOLTED SEAMS
CONNECTING ARMORED-PLYWOOD PANELS
- 8129
CONSTRUCTION AND EVALUATION OF A PROTOTYPE
ELECTROMAGNETICALLY SHIELDED ROOM
- 8131
GUIDE FOR SHIELDED ENCLOSURE CONSTRUCTION PROBLEMS
- 9295
RESPONSE OF A TWISTED PAIR EXCITED BY THE NONUNIFORM
ELECTROMAGNETIC FIELDS OF NEARBY LOOPS
- 9298
SHIELDING EFFECTIVENESS OF METALLIC HONEYCOMBS
- 9789
THE NAVY F/A-18A HORNET ELECTROMAGNETIC COMPATIBILITY
PROGRAM
- 10031
REDUCING ELECTRICAL INTERFERENCE
- 10204
R.F. SHIELDING PERFORMANCE OF REINFORCED METAL FILLED
CONDUCTIVE PLASTIC FLAT CASKETS
- 10206
SHIELDING EFFICIENCY OF ELECTRICALLY CONDUCTIVE PROTECTIVE
COATINGS FOR MAGNESIUM AND ALUMINUM SURFACES
- 10299
DESIGNING THE RFI SHIELDED PACKAGE

Hardness

- 1768
INTERNAL SOEMP AND ANALYTIC REPRESENTATIONS FOR THE SKYNET
STRUCTURAL MODEL
- 1781
THE EFFECT OF ELECTRON PRECHARGING ON SOEMP RESPONSE OF
INSULATORS
- 1797
EXPLODING-WIRE PHOTON TESTING OF SKYNET SATELLITE
- 1816
SPONTANEOUS DISCHARGES AND THE EFFECT OF ELECTRON CHARGING
ON SKYNET SOEMP RESPONSE
- 9786
ELECTROMAGNETIC VULNERABILITY (EMV) TESTING OF AIR LAUNCHED
VEHICLES
- 10487
MODAL CHARACTERIZATION OF SKYNET RESPONSE TO ELECTRICAL AND
PHOTON STIMULATION

Lightning

- 5616
FAA LIGHTNING PROTECTION STUDY: LIGHTNING PROTECTION DEVICES

- 9129
A PORTABLE SYSTEM FOR FULL-SCALE AIRCRAFT LIGHTNING-INDUCED
COUPLING TESTS

- 9787
A RECURSIVE TIME DOMAIN ANALYSIS OF DISTRIBUTED LINE GRID
NETWORKS WITH APPLICATION TO THE LTA/EMP PROBLEM

- 9788
ASSESSMENT METHODOLOGY OF THE LIGHTNING THREAT TO ADVANCED
AIRCRAFT

- 10200
LIGHTNING EFFECTS RELATING TO AIRCRAFT: PART II.
CHARACTERISTICS OF SIMULATED LIGHTNING FLASHES AND THEIR
EFFECTS ON LIGHTNING ARRESTERS AND AVIONIC EQUIPMENT

- 10201
LIGHTNING EFFECTS RELATING TO AIRCRAFT: PART III.
MEASUREMENTS OF LIGHTNING-INDUCED VOLTAGES IN AN F4H-1

Transient Suppressors

- 5597
TEST PROCEDURES FOR EVALUATING TERMINAL PROTECTION DEVICES
USED IN EMP APPLICATIONS
- 5605
CHARACTERIZATION OF EMP PROTECTION DEVICES

INTENTIONALLY LEFT BLANK

Electromagnetic

8885
IMPROVED DESIGN AURORA MODIFICATION PROGRAM (IOAMP)

Magnetic

1197
HIGH PULSED MAGNETIC FIELDS FOR NUCLEAR FUEL ROD SEALING

1485
INTERACTION OF CAPACITOR-BANK-PRODUCED MEGAGAUSS MAGNETIC FIELD WITH SMALL SINGLE-TURN COIL

5158
EXPLOSIVELY PRODUCED MEGAGAUSS FIELDS AND APPLICATIONS

5997
INTENSE PULSED NEUTRON SOURCE (IPNS-I) ACCELERATOR 500 MEV PAST KICKERS

5154
HIGH MAGNETIC FIELD PRODUCTION BY ELECTROMAGNETIC ENERGY STORAGE IN A SUPERCONDUCTING COIL

5458
COMPRESSION OF A MAGNETIC FIELD BY A SHELL WITH CONSTANT CONDUCTIVITY

6605
PULSED MAGNETIC FIELD OF MASSIVE SOLENOID WITH MOVING CONDUCTING SHELL

6607
SOME CHARACTERISTIC FEATURES OF DIFFUSION OF A MAGNETIC FIELD INTO A MOVING CONDUCTOR

6621
AN APPROXIMATE THEORY OF MAGNETIC PILE-UP

6622
APPARATUS FOR GENERATING INTENSE MAGNETIC FIELDS OF SHORT DURATION

6648
THE ELECTROMAGNETIC FIELD IN A CAVITY UNDERGOING COMPRESSION

6674
FLUX DIFFUSION UPON THE COMPRESSION OF A MAGNETIC FIELD BY PLAT STRIPS OF VARIABLE WIDTH

6675
FLUX LOSSES DURING COMPRESSION OF A MAGNETIC FIELD BY PLAT STRIPS

6781
AN EXPLOSIVE-DRIVEN HIGH-FIELD SYSTEM FOR PHYSICS APPLICATIONS

6784
ANALYSIS OF FLUX COMPRESSION EXPERIMENTS III

6741
MAGNETIC FLUX COMPRESSION BY MAGNETICALLY IMPLoded METALLIC FOILS

6747
MEGAGAUSS PHYSICS

6759
PRODUCTION OF VERY HIGH MAGNETIC FIELDS BY IMPLSION

6837
MAGNETIC ACCUMULATION IN A PLANE LINER OF FINITE THICKNESS

6841
OBTAINING POWERFUL MAGNETIC FIELDS BY MEANS OF A POWERFUL CAPACITOR BANK

6910
THEORY OF THE CHARE EFFECT

6917
APPROXIMATE THEORY FOR AMPLIFICATION OF MAGNETIC FIELDS

6919
COMPUTER CALCULATION OF QUASISTATIONARY PULSED MAGNETIC FIELDS

6958
FLUX LOSS IN THE PRODUCTION OF ULTRAHIGH FIELDS BY RAPID COMPRESSION OF CONDUCTING SHELLS

6961
A NEW METHOD OF HIGH MAGNETIC FIELD GENERATION AND ITS APPLICATIONS

6965
LIMITATIONS ON MAGNETIC FIELDS OBTAINED BY FLUX-COMPRESSION: I

6968
PRODUCTION AND USE OF HIGH TRANSIENT MAGNETIC FIELDS. II

7834
COMPRESSION OF A MAGNETIC FIELD BY A CYLINDRICAL CONDUCTING BLANKET OF FLUID

7845
ENERGY-TRANSFER EFFICIENCY OF A MAGNETIC-IMPLOSION SYSTEM

7858
MOTION OF A CYLINDRICAL CONDUCTING SHELL UNDER MAGNETODYNAMIC COMPRESSION

7861
NUMERICAL CALCULATION OF THE MAGNETIC CUMULATION PROCESS

7186
COMPRESSION OF MAGNETIC FIELD IN AN IMPLoding SPHERICAL CAVITY

7120
MAGNETIC CUMULATION

7184
THE DESIGN OF SOLENOIDS FOR GENERATING HIGH MAGNETIC FIELDS

7217
MAGNET OPTIMIZATION FOR PULSED ENERGY CONVERSION

7945
A COMPACT MAGNETIC-FIELD-PULSE GENERATOR

8990
PRODUCTION OF PULSED MAGNETIC FIELDS WITH A PLAT PULSE TOP OF 440 KOE AND 1 MSEC DURATION

9429
CREATION OF MEGAGAUSS FIELDS BY THE METHOD OF MAGNETODYNAMIC ACCUMULATION

9432
PRODUCTION OF PULSED MAGNETIC FIELDS UP TO 700 KOE

9503
MAGNETIC FIELD COMPRESSION BY A STRONG SHOCK WAVE

9515
THE PRODUCTION OF PULSED MEGAGAUSS FIELDS BY COMPRESSION OF THE METALLIC CYLINDER IN Z-PINCH CONFIGURATION

9649
ELECTRICAL EXPLOSION OF THE SKIN LAYER

9697
CONFERENCE ON MEGAGAUSS MAGNETIC FIELD GENERATION BY EXPLOSIVES AND RELATED EXPERIMENTS

9757
A METHOD OF PRODUCING STRONG MAGNETIC FIELDS

9987
GENERATION OF MEGAGAUSS MAGNETIC FIELDS USING A LINER COMPRESSED BY HIGH-PRESSURE GAS

10178
PULSED HIGH MAGNETIC FIELDS

10255
SURFACE EFFECT IN STRONG MAGNETIC FIELDS. I

INTENTIONALLY LEFT BLANK

ELECTROMAGNETIC LAUNCHERS

Exploding Wires

10181
ELECTRIC GUN: A VERSATILE TOOL FOR HIGH-PRESSURE SHOCKWAVE
RESEARCH

Plasma

6663
EFFECT OF INTERRUPTION TIME ON PLASMA ACCELERATION IN AN
INDUCTIVE ENERGY-STORAGE ACCELERATOR

Railguns

5699
INVESTIGATION OF AN ARC GUN

7221
A COMPACT 5E12 AMP/SEC RAIL-GUN PULSER FOR A LASER PLASMA
SHUTTER

7574
HOMOPOLAR CURRENT SOURCE FOR MASS ACCELERATORS

7724
MAGRAC-A RAILGUN SIMULATION PROGRAM

7807
ELECTROMAGNETIC ACCELERATION OF MACROPARTICLES TO HIGH
VELOCITIES

8085
RESULTS OF RAILGUN EXPERIMENTS POWERED BY MAGNETIC FLUX
COMPRESSION GENERATORS

8899
RAILGUN ACCELERATORS FOR GRAM-SIZED PROJECTILES

10243
EXPLOSIVE FLUX COMPRESSION GENERATORS FOR RAIL GUN POWER
SOURCES

Railguns, Materials

8182
ELECTRODE EROSION IN SPARK DISCHARGES

Reviews

221
ELECTROMAGNETIC GUNS, LAUNCHERS AND REACTION ENGINES

INTENTIONALLY LEFT BLANK

Charging Circuits

- 224
OFF-RESONANCE TRANSFORMER CHARGING FOR 250-KV WATER BLUETILIN
- 620
STREAMER CHAMBER CHARGING REGULATOR SYSTEM
- 1413
PULSED CHARGING OF CAPACITORS BY MEANS OF EXPLODING WIRES
- 1951
COMPUTATIONAL PROCEDURES FOR CHARACTERIZATION OF HIGH VOLTAGE SPARK SOURCES
- 2165
A NEW RESONANCE TRANSFORMER
- 3763
TRIGGERED CHARGING TECHNIQUES FOR PULSE GENERATING CIRCUITS
- 4105
PRECISION REGULATED, 20 KW, MODULATOR PFM CHARGING SYSTEM
- 4680
AN AMENDED LINE-TYPE PULSE GENERATOR CIRCUIT
- 4711
TIME SELECTIVE RECHARGING OF AN AUXILIARY FULSER
- 5402
STABILIZATION OF CHARGING VOLTAGE OF CAPACITIVE ENERGY STORAGE ELEMENTS OF HIGH-POWER PULSED DEVICES
- 5801
CHARGING TIME OF A HIGH-VOLTAGE IMPULSE GENERATOR
- 6655
INVESTIGATION OF RECTIFIER UNITS FOR PERIODIC CHARGING OF STORAGE CAPACITORS
- 7176
COMMON CHARGE USING SATURABLE INDUCTORS
- 10358
A SLOW CYCLING FLUX PUMP USING DIGITAL CONTROL

Power Supplies

- 102
HIGH-VOLTAGE DC POWER CONDITIONER
- 178
A FACILITY FOR TESTING HIGH POWER DC, AC, OR PULSED DEVICES
- 1265
A 10 KW LIGHTWEIGHT DC CONVERTER (TECHNOLOGY FEASIBILITY STUDY FOR LIGHTWEIGHT MEGAWATT RANGE CONVERTERS)
- 1264
DEVELOPMENT OF LIGHTWEIGHT TRANSFORMERS FOR AIRBORNE POWER SUPPLIES
- 1274
DEVELOPMENT OF LIGHTWEIGHT TRANSFORMERS FOR AIRBORNE HIGH POWER SUPPLIES
- 1278
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY; LECTURE 2: DC POWER SUPPLIES AND HARD-TUBE POWER CONDITIONING SYSTEMS
- 1244
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY; LECTURE 8: CHARGING CIRCUITS
- 2165
A NEW RESONANCE TRANSFORMER
- 2505
PROTECTING A HIGH-VOLTAGE ELECTRON GUN POWER SUPPLY FROM BREAKDOWNS
- 2925
A MULTI-MEGAWATT, VACUUM ARC SWITCHED INVERTER FOR AIRBORNE APPLICATIONS
- 2958
LIGHTWEIGHT POWER CONDITIONING MAGNETICS
- 2755
A VERSATILE HIGH-VOLTAGE BIAS SUPPLY FOR EXTENDED RANGE MIS C(V) AND O(V) MEASUREMENTS
- 5727
ANALYSIS OF PHASED ARRAY RADAR POWER SUPPLY SYSTEMS OPERATING UNDER VARIABLE PULSE LOADING CONDITIONS
- 3742
CHARGING AND STABILISING SYSTEM FOR A PULSED CROSSED-FIELD AMPLIFIER USING AN SCR-SWITCHED ULTRASONIC INVERTER

- 4084
HIGH-VOLTAGE SUPPLY SYSTEM FOR ELECTROSTATIC DEFLECTOR
- 4111
CONTROLLED AVALANCHE RECTIFIER CHAINS FOR ACCELERATING VOLTAGE SUPPLIES
- 4540
A HIGH VOLTAGE SOURCE WITH DIGITAL CONTROL FOR DIELECTRIC MEASUREMENTS
- 4684
A HIGH VOLTAGE O-C REGULATOR SYSTEM PERFORMANCE PREDICTION TECHNIQUE
- 4755
WEIGHT ALGORITHMS FOR ADIABATIC TRANSFORMERS FOR PULSED HIGH POWER SYSTEMS
- 4885
INTERIM REPORT ON DEVELOPMENT OF HIGH POWER, SHORT DUTY TRANSFORMER/RECTIFIER UNITS
- 7241
A STABLE LOAD-INVARIANT HIGH-FREQUENCY SCR SERIES RESONANT INVERTER FOR RADAR TRANSMITTER APPLICATIONS
- 7247
HIGH VOLTAGE DC POWER CONDITIONER
- 7255
PULSED TWT POWER SUPPLY: A TECHNIQUE FOR MINIMIZING R.F. PHASE INSTABILITY AND HIGH VOLTAGE ENERGY
- 8319
SEMICONDUCTOR MEASUREMENT TECHNOLOGY: A VERSATILE HIGH-VOLTAGE BIAS SUPPLY FOR EXTENDED RANGE MIS C(V) AND O(V) MEASUREMENTS

Transformers

- 1594
MAGNETICALLY INSULATED TRANSFORMER FOR ATTAINING ULTRANIGH VOLTAGES

INTENTIONALLY LEFT BLANK

Charging Circuits

5189
PULSE CHARGING OF NANOFARAD CAPACITORS TO TENS OF KILOVOLTS
FROM THE SHOCK DEPOLING OF PZT FERROELECTRIC CERAMICS

Rotating Machines

5486
HIGH POWER STUDY SUPERCONDUCTING GENERATORS

INTENTIONALLY LEFT BLANK

Loads

161
LOADS FOR HIGH-POWER TESTING

3544
LOW INDUCTANCE, LOW IMPEDANCE MEGAWATT AVERAGE POWER LOAD

4717
A COMPACT LOW INDUCTANCE LOAD FOR PULSE TESTS

5349
HIGH PULSE POWER FAILURE OF DISCRETE RESISTORS

5572
LOW-INDUCTANCE, LOW-IMPEDANCE MEGAWATT AVERAGE POWER LOAD

Magnetohydrodynamic

1258
HIGH POWER MAGNETOHYDRODYNAMIC SYSTEM (VOL II)

1259
HIGH POWER MAGNETOHYDRODYNAMIC SYSTEM (VOL I)

8912
ACCURACY OF THE NET METHOD OF CALCULATING THE ELECTRICAL
CHARACTERISTICS OF THE CHANNEL IN A MHD GENERATOR

8951
NUMERICAL STUDY OF UNSTEADY PROCESSES IN A FARADAY MHD
GENERATOR

INTENTIONALLY LEFT BLANK

Reviews

398
CONTEMPORARY CAPACITIVE ENERGY STORAGE SYSTEMS

1133
TECHNOLOGY OF LARGE IMPULSE CURRENTS AND MAGNETIC FIELDS

1998
GENERATION OF ULTRA-HIGH POWER ELECTRICAL PULSES

2872
ENERGY STORAGE OPTIONS FOR SHIVA UPGRADE

7559
ENERGY STORAGE, COMPRESSION, AND SWITCHING

9757
A METHOD OF PRODUCING STRONG MAGNETIC FIELDS

System Protection

6322
ENERGY CONTROL FOR MICROWAVE AMPLIFIER ARRAYS

6583
THE 'HOURLASS' ENERGY DIVERTER

Systems

1288
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY;
LECTURE 13: GROUNDING AND SHIELDING TECHNIQUES

3782
CONCEPTS STUDY FOR NANOSECOND RISETIME MULTI-MEGAJOULE
IMPULSE POWER SYSTEMS

6869
THE TIME REQUIRED FOR TRANSFER OF CURRENT FROM A
LIQUID-METAL COMMUTATOR INTO A SHUNTING CIRCUIT

INTENTIONALLY LEFT BLANK

Capacitor Banks

- 144
NEUTRINO BEAM OF THE INSTITUTE OF HIGH-ENERGY PHYSICS. V.
PULSED POWER SUPPLY FOR THE NEUTRINO FOCUSING SYSTEM
- 194
MODULAR PAST CAPACITOR BANK FINAL REPORT
- 298
A 230 KJ PULSED POWER SUPPLY
- 336
PULSE GENERATOR PRODUCING A HIGH-POWER CURRENT
- 4071
DESIGN AND CONSTRUCTION OF FAST HIGH ENERGY, HIGH VOLTAGE
CAPACITOR BANKS
- 4089
REGULATOR FOR HIGH VOLTAGE CAPACITOR BANK
- 5441
DESIGN AND CONSTRUCTION OF FAST ENERGY, HIGH VOLTAGE
CAPACITOR BANKS
- 5609
CONTROL OF HIGH ENERGY CAPACITOR BANKS
- 5655
CAPACITOR BANKS FOR A TURBULENCE HEATING EXPERIMENT
- 5676
SAFETY PROBLEMS IN THE JULIETTA CAPACITOR BANK
- 6055
SPARK-GAP SWITCHING OF A 584-KJ LOW INDUCTANCE CAPACITOR
BANK
- 6622
APPARATUS FOR GENERATING INTENSE MAGNETIC PULSES OF SHORT
DURATION
- 6799
CAPACITOR BATTERY FOR ONE MEGAJOULE HAVING A SMALL TIME
CONSTANT
- 6834
LOW-INDUCTANCE CAPACITOR MODULE FOR CHARGING TO 100 KV AND
ENERGY STORAGE CAPACITY 30 KJ
- 7145
INDUCTIVE STORAGE BANK FOR DYE-LASER PUMPING
- 9704
EFFECT OF ELEMENT DISTRIBUTION IN A CAPACITOR BANK ON THE
CURRENT PULSE IN A PULSED PLASMA INJECTOR
- 10275
INDUCTIVE STORE PULSE COMPRESSION SYSTEM FOR DRIVING HIGH
SPEED PLASMA IMPLOSIONS
- 10331
GENERATION OF UNIPOLAR CURRENT PULSES OF 10 TO 100 KA
AMPLITUDE

Capacitors

- 415
VOLTAGE INDUCED CAPACITANCE FLUCTUATIONS IN A COMPRESSED
GAS, HIGH VOLTAGE CAPACITOR
- 1280
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY;
LECTURE 4: TRANSMISSION LINES AND CAPACITORS
- 1537
GENERATION OF VOLTAGE PULSES FOR TRANSVERSE DISCHARGES
- 1412
MODIFIED PLZT HIGH VOLTAGE DIELECTRICS
- 1421
HIGH VOLTAGE POWER CAPACITOR DIELECTRICS RECENT DEVELOPMENTS
- 1451
THE DESIGN OF A REPETITIVELY PULSED MEGAJOULE DENSE-PLASMA
FOCUS
- 1593
MAGNETICALLY INSULATED AND INDUCTIVELY CHARGED CAPACITOR
FOR THE ATTAINMENT OF MEGAVOLT POTENTIALS
- 1715
ATTAINMENT OF MEGAVOLT POTENTIALS BY MAGNETIC INSULATION
- 2075
SINGLE TIME MEASUREMENT DETERMINES CAPACITOR R AND L
- 4060
CERAMIC HIGH-VOLTAGE CAPACITORS K-ISU-1, K-ISU-2, AND
K-ISU-3

- 4076
HIGH ENERGY DENSITY CAPACITORS FOR VACUUM OPERATION WITH A
PULSED PLASMA LOAD
- 4080
HIGH VOLTAGE PULSE CAPACITORS
- 4757
PULSE DISCHARGE CAPACITOR WEIGHT MINIMIZATION BY PEAK POIL
EDGE PLEDS
- 5351
CAPACITORS FOR AIRCRAFT HIGH POWER (FINAL REPORT)
- 7197
APPLICATION OF PPM CAPACITORS IN HIGH POWER SYSTEMS
- 7476
HYDROMAGNETIC CAPACITOR
- 8297
ADVANCED SIMULATION RESEARCH: VOLUME II. VACUUM ENERGY
STORAGE
- 9791
A PULSE GENERATOR FOR SHORT MEGAVOLT PULSES WITH A RISE TIME
IN THE NANOSECOND REGION
- 10019
PRINGING FIELDS IN A PARALLEL-PLATE CAPACITOR
- 10036
THE BEHAVIOR OF POLYESTER FILM ENERGY STORAGE CAPACITORS

LC Generators

- 579
15-KJ LC GENERATOR: LOW INDUCTANCE DEVICE FOR A 100-GW
PULSED ELECTRON ACCELERATOR

Marx Generators

- 140
HIGH DENSITY Z-PINCH PULSE POWER SUPPLY
- 515
CHARACTERISTICS OF CO-AXIAL MARX GENERATOR AND ITS
APPLICATION TO ELECTRON BEAM FUSION
- 550
300-RJ, 200-KA MARX MODULE FOR ANTARES
- 597
OVERVOLTAGE AND BREAKDOWN PATTERNS OF FAST MARX GENERATORS
- 611
COMPACT, ULTRA-HIGH DENSITY MARX GENERATOR
- 620
DEVELOPMENT OF AN 18-MEGAVOLT MARX GENERATOR
- 635
LOW-IMPEDANCE, COAXIAL-TYPE MARX GENERATOR WITH A
QUASI-RECTANGULAR OUTPUT WAVEFORM
- 642
A LOW INDUCTANCE, COMPACT, 1 MV, 10 KJ MARX GENERATOR
- 1272
PARTICLE BEAM FUSION PROGRESS REPORT OCTOBER 1977 THROUGH
MARCH 1978
- 1279
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY;
LECTURE 5: PULSE VOLTAGE CIRCUITS
- 4093
THE MOLECULE, A COMPACT, HIGH-DENSITY, HIGH-PRECISION MARX
GENERATOR
- 4702
PULSED POWER SYSTEMS FOR THE LASL HIGH ENERGY GAS LASER
FACILITY
- 4970
500-RV IMPULSING GENERATOR
- 5204
LASER-FUSION AND ELECTRON-BEAM-FUSION PROGRESS REPORT
JULY-DECEMBER 1974
- 5827
MARX--AND MARX-LIKE--HIGH-VOLTAGE GENERATORS
- 7222
REVIEW AND STATUS OF ANTARES
- 8240
HIGH-VOLTAGE PULSE GENERATOR IN THE NANOSECOND RANGE

ENERGY STORAGE CAPACITIVE

8252
ARKAD'EV-MARK GENERATOR IN A CONDUCTING SHIELD

8483
COAXIAL MARK GENERATOR FOR PRODUCING INTENSE RELATIVISTIC
ELECTRON BEAMS

Reviews

1277
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY;
LECTURE I: INTRODUCTION TO POWER CONDITIONING SYSTEMS

4727
PULSED ENERGY AND SWITCHING REQUIREMENTS FOR TOKAMAK OHMIC
HEATING

8407
CRITICAL PULSE POWER COMPONENTS

Systems

1593
MAGNETICALLY INSULATED AND INDUCTIVELY CHARGED CAPACITOR
FOR THE ATTAINMENT OF DIODYD POTENTIALS

4682
A DESIGN APPROACH TO A REPETITIVELY PULSED SUPER FAST
CAPACITOR BANK

4686
A 3 MA, 600 KV FAST CAPACITOR BANK FOR A SHOCK-HEATED TORUS

4781
PRINCIPAL CONSIDERATIONS IN LARGE ENERGY-STORAGE CAPACITOR
BANKS

4718
A HIGH CURRENT, HIGH FREQUENCY CAPACITIVE ENERGY STORAGE
SYSTEM USED TO PRODUCE INTENSE MAGNETIC FIELDS

4719
A MODULAR POWER-CROWBAR BANK FOR THE GENERATION OF A 50 MA,
50 MICROSECOND CURRENT PULSE FOR THE TOROIDAL PLASMA
EXPERIMENT NBS II AT GARCHING

5414
HIGH-DENSITY Z-PINCH PULSE-POWER SUPPLY SYSTEM

5419
STATUS OF THE UPGRADED VERSION OF THE NRL GAMBLE II PULSE
POWER GENERATOR

6898
PLASMA INJECTORS WITH CAPACITY AND INDUCTANCE ENERGY STORAGE

7185
VERSATILE HIGH ENERGY CAPACITOR DISCHARGE SYSTEM

Flux Compression Generators

716
EXPLOSIVE MAGNETIC FLUX COMPRESSION PLATE GENERATORS AS
FAST HIGH-ENERGY POWER SOURCES

1331
DESIGN OF EFFICIENT EXPLOSIVELY DRIVEN ELECTROMECHANICAL
ENERGY CONVERTERS

5332
AN INTRODUCTION TO EXPLOSIVE MAGNETIC FLUX COMPRESSION
GENERATORS

5408
A COMPRESSED MAGNETIC FIELD GENERATOR SYSTEMS MODEL

6433
LIMITING CAPABILITIES OF A PLANAR EXPLOSIVE MAGNETIC
GENERATOR AS A PULSED ENERGY SOURCE

6509
EXPERIMENTS WITH AN EXPLOSIVE-MAGNETIC GENERATOR IN
LABORATORY CONDITIONS

6672
EXPLOSIVE GENERATORS

7062
PULSED AIR-CORED BETATRON POWERED FROM A MAGNETOCUMULATIVE
GENERATOR

7067
TAKE-OFF OF ENERGY FROM EXPLOSIVE-MAGNETIC GENERATORS TO AN
INDUCTIVE LOAD USING THE BREAKING OF A CIRCUIT

7121
MAGNETOIMPLOSIVE GENERATORS

INTENTIONALLY LEFT BLANK

Reviews

1395
PROGRESS IN RESEARCH ON ELECTROSTATIC GENERATORS

INTENTIONALLY LEFT BLANK

Charging

6863
THE CHARGING OF INDUCTIVE STORAGE DEVICES BY MEANS OF ELECTRICAL ROTARY AGGREGATES

Inductors

871
COMPUTER BASED ELECTRICAL ANALYSIS OF HOMOPOLAR GENERATOR DRIVEN, BITTER PLATE STORAGE INDUCTORS WITH RADIAL CURRENT DIFFUSION

1278
INDUCTOR NETWORK DEVELOPMENT FOR AIRCRAFT HIGH POWER SUPPLIES

4754
THE MEGAGAUSS MAGNETIC FIELD LABORATORY IN GRENOBLE

7046
EXTRACTION OF ENERGY FROM INDUCTIVE STORES AND EXPLOSIVE-MAGNETIC GENERATORS INTO AN INDUCTIVE LOAD USING CIRCUIT BREAKING

7104
CALCULATION OF TOROIDAL INDUCTIVE ACCUMULATORS WITH A D-ROSS SECTION FROM PARAMETERS OF A DISCHARGE PULSE AND OF THE CHARGING DEVICE

7138
AN INDUCTIVE STORE WITH ELECTROMAGNETIC CURRENT MULTIPLICATION

7578
HALF-MEGAMPERE MAGNETIC-ENERGY-STORAGE PULSE GENERATOR

8172
INDUCTANCE CALCULATIONS: WORKING FORMULAS AND TABLES

10188
DESCRIPTION OF THE ENERGY SOURCE PROJECT DELIVERING 1 MEGAJOULE IN 1 MICROSECOND

Reviews

184
PULSE POWER SYSTEMS EMPLOYING INDUCTIVE ENERGY STORAGE

1277
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY; LECTURE I: INTRODUCTION TO POWER CONDITIONING SYSTEMS

1767
INDUCTIVE STORAGE-PROSPECTS FOR HIGH POWER GENERATION

4721
DEVELOPMENT OF INDUCTIVE STORAGE FOR GENERATION OF HIGH VOLTAGE PULSES

Systems

185
INDUCTIVE STORAGE PULSE-TRAIN GENERATOR

145
HIGH ENERGY STORAGE AND SWITCHED PULSE POWER SUPPLY

186
SUPERCONDUCTIVE INDUCTOR STORAGE AND CONVERTERS FOR PULSED POWER LOADS

187
TERAWATT PULSE POWER SYSTEMS UTILIZING INDUCTIVE STORAGE

188
THE NRL MULTI-MEGAJOULE INERTIAL-INDUCTIVE ENERGY STORAGE SYSTEM

215
DESIGN AND CONSTRUCTION OF AN INDUCTIVE STORAGE UNIT FOR LASER PUMPING

487
CONVERTERS FOR SUPPLYING PULSED POWER LOADS

573
PULSED SUPERCONDUCTING INDUCTIVE STORAGE SYSTEM

748
A PROPOSAL FOR THE CONSTRUCTION AND OPERATION OF AN INDUCTIVE STORE FOR 20 MJ

906
TRIOMENT-A MEGAVOLT PULSE GENERATOR USING INDUCTIVE ENERGY STORAGE

1049
NANOSECOND PULSE GENERATORS WITH INDUCTIVE STORAGE

1227
SUPERCONDUCTING INDUCTIVE ENERGY STORAGE UNIT FOR LASER PUMPING SYSTEMS

1415
PULSED CHARGING OF CAPACITORS BY MEANS OF EXPLODING WIRES

2161
ANALYSIS OF AN INDUCTIVE ENERGY HIGH-PERVEANCE ELECTRON-BEAM GENERATOR

2440
DEVELOPMENT OF A PULSED HIGH-ENERGY INDUCTIVE ENERGY STORAGE SYSTEM

2441
DYNAMIC CONSTRAINTS ON INDUCTIVE ENERGY STORAGE

3099
AN INDUCTIVE ENERGY STORAGE SYSTEM BASED ON A SELF-EXCITED HOMOPOLAR GENERATOR

3275
ACCELERATING AND SWITCHING OPTOELECTRONIC SYSTEM OF A HIGH-POWERED ACCELERATOR WITH AN INDUCTIVE STORAGE ELEMENT

4210
PULSE POWER SYSTEMS EMPLOYING MAGNETIC ENERGY STORAGE

4410
HIGH-CURRENT, HIGH PULSE RATE ELECTRON ACCELERATOR WITH INDUCTIVE ENERGY STORAGE

4572
SHAPING OF VOLTAGE PULSES BY DISCHARGING AN INDUCTIVE STORAGE BANK WITH A CHARGED-PARTICLE BEAM

4806
0.54-MJ SUPERCONDUCTING MAGNETIC ENERGY TRANSFER AND STORAGE

5154
HIGH MAGNETIC FIELD PRODUCTION BY ELECTROMAGNETIC ENERGY STORAGE IN A SUPERCONDUCTING COIL

5524
THEORETICAL AND EXPERIMENTAL STUDY OF SUPERCONDUCTING INDUCTIVE STORAGE SYSTEMS

5682
ANALYSIS OF HOMOPOLAR GENERATORS AND SUPERCONDUCTING INDUCTIVE ENERGY STORAGE SYSTEMS AS POWER SUPPLIES FOR HIGH-ENERGY, SPACE-BASED LASERS

6332
A MULTIELECTRODE ELECTRON-OPTIC SYSTEM WITH AN INDUCTIVE STORAGE DEVICE FOR A HIGH-CURRENT ACCELERATOR

6668
DIRECT-ACTION ACCELERATORS WITH INDUCTIVE ENERGY STORAGE AND EXPLODING CONDUCTORS

6663
EFFECT OF INTERRUPTION TIME ON PLASMA ACCELERATION IN AN INDUCTIVE ENERGY-STORAGE ACCELERATOR

6677
INCREASING ELECTRON BEAM POWER BY INDUCTIVE ACCUMULATOR

6686
PRECISION PEAKING DISCHARGER WITH A NONLINEAR ELEMENT IN AN INDUCTIVE STORAGE CIRCUIT WITH POIL BREAKER

6695
TRANSIENTS IN INDUCTIVE ENERGY-STORAGE DEVICES FOR PLASMA INJECTORS

6808
CHARGING OF AN INDUCTIVE ACCUMULATOR FROM AN EXPLOSIVE-TYPE MAGNETIC GENERATOR THROUGH AN ELECTRICAL EXPLOSIVE-TYPE CURRENT BREAKER

6817
ENERGY TRANSFER FROM AN INDUCTIVE STORAGE BY MEANS OF AN EXPLOSIVE CURRENT DISCONNECT

6872
USE OF ELECTRIC EXPLOSION OF WIRES IN A HIGH-PRESSURE GAS TO BREAK A CURRENT CIRCUIT

6898
PLASMA INJECTORS WITH CAPACITY AND INDUCTANCE ENERGY STORAGE

7880
INDUCTIVE ENERGY STORAGE IN PULSED ACCELERATORS

7130
AN INDUCTIVE STORE WITH ELECTROMAGNETIC CURRENT MULTIPLICATION

7145
INDUCTIVE STORAGE BANK FOR DYE-LASER PUMPING

ENERGY STORAGE INDUCTIVE

7198
CONSIDERATIONS FOR INDUCTIVELY DRIVEN PLASMA IMPLOSIONS

7290
PRELIMINARY INDUCTIVE ENERGY TRANSFER EXPERIMENTS

7903
INDUCTIVE CHARGING OF PULSE LINES IN 0.1 TO 1.0 MJ RANGE
USING FOIL FUSES STAGED WITH EXPLOSIVELY ACTUATED SWITCHES

8122
A PROPOSAL FOR THE CONSTRUCTION AND OPERATION OF AN
INDUCTIVE STORE FOR 20 MEGAJOULES

8146
ADVANCED CONCEPTS FOR PHOTON SOURCES VOLUME 2: FAST
SWITCHING OF VACUUM MAGNETIC ENERGY STORES

9451
DISCHARGE OF ENERGY OF A SUPERCONDUCTING INDUCTANCE INTO A
FLASH LAMP

9461
INDUCTIVE ENERGY STORAGE FOR PULSED DISCHARGES

9584
ANODE FOR AN ACCELERATOR WITH AN INDUCTIVE ENERGY
ACCUMULATOR

9650
ENERGY TRANSFER FROM AN INDUCTIVE STORAGE TO AN INDUCTIVE
LOAD BY MEANS OF AN EXPLOSIVE CURRENT DISCONNECT

9700
MATCHING OF AN INDUCTIVE ENERGY STORE AND A COIL WITH LINER
WITH LIMITING OF BREAKING VOLTAGE

9702
DIRECT-ACTION ACCELERATORS WITH INDUCTIVE ENERGY STORAGE AND
EXPLODING CONDUCTORS

10273
INDUCTIVE STORE PULSE COMPRESSION SYSTEM FOR DRIVING HIGH
SPEED PLASMA IMPLOSIONS

Electron Ring

18339
CONCEPT FOR ENERGY-STORAGE RINGS AT 10-100 MJ

INTENTIONALLY LEFT BLANK

Reviews

I277
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY;
LECTURE I: INTRODUCTION TO POWER CONDITIONING SYSTEMS

Rotating Machines

I45
HIGH ENERGY STORAGE AND SWITCHED PULSE POWER SUPPLY

I88
THE MRL MULTI-MEGAJOULE INERTIAL-INDUCTIVE ENERGY STORAGE
SYSTEM

I91
APPLYING A HOMOPOLAR POWER SUPPLY TO A TOKAMAK

201
PULSED POWER FROM INERTIAL STORAGE WITH HOMOPOLAR MACHINES
FOR CONVERSION

250
DETAILED DESIGN, FABRICATION AND TESTING OF AN ENGINEERING
PROTOTYPE COMPENSATED PULSED ALTERNATOR

574
PARAMETER ESTIMATION FOR GENERATOR SIMULATION STUDIES

580
PROGRAM FOR THE DEVELOPMENT OF A SUPERCONDUCTING GENERATOR

828
A MODEL AIR-SUPPORTED DRUM-TYPE HOMOPOLAR GENERATOR

871
COMPUTER BASED ELECTRICAL ANALYSIS OF HOMOPOLAR GENERATOR
DRIVEN, BITTER PLATE STORAGE INDUCTORS WITH RADIAL CURRENT
DIFFUSION

I275
APPLICATION OF GENERATOR ANALYSIS METHODS

I297
CURRENT INTERRUPTION IN INDUCTIVE STORAGE SYSTEMS WITH
INERTIAL CURRENT SOURCE

I582
SUPERCONDUCTING ROTOR RESEARCH

I523
SCIENTIFIC-TECHNICAL CONFERENCE ON HOMOPOLAR GENERATORS

I555
INVESTIGATION OF OPERATING MODES OF HOMOPOLAR SHOCK
GENERATOR WITH REGULATION OF EXCITATION FLOW

2718
CIRCUIT AND MAGNETIC ANALYSIS FOR A SYSTEM OF FARADAY
ROTATOR COILS DRIVEN BY A TWO-SPOOL, FOUR-ROTOR HOMOPOLAR
GENERATOR

2881
CONTROLLABLE HOMOPOLAR MOTOR-GENERATOR ENERGY STORAGE FOR
APPLICATION IN A FUSION POWER REACTOR

2887
PRELIMINARY ENGINEERING DESIGN OF A PULSED HOMOPOLAR
GENERATOR POWER SUPPLY

5099
AN INDUCTIVE ENERGY STORAGE SYSTEM BASED ON A SELF-EXCITED
HOMOPOLAR GENERATOR

5705
CONCEPTUAL ENGINEERING DESIGN OF A ONE-GJ FAST DISCHARGING
HOMOPOLAR MACHINE FOR THE REFERENCE THETA-PINCH FUSION
REACTOR

4681
AN ELECTROMECHANICAL PULSE GENERATOR

4691
INERTIAL ENERGY STORAGE RESEARCH AT THE UNIVERSITY OF TEXAS
AT AUSTIN

4698
ONE MILLISECOND DISCHARGE TIME HOMOPOLAR MACHINE

4712
U.S. AIR FORCE SUPERCONDUCTING GENERATOR DEVELOPMENT

4999
FAST CIRCUIT BREAKER FOR THE DISCHARGE OF A STORAGE INDUCTOR

5082
ELECTRICAL ENGINEERING (SELECTED ARTICLES)

5418
REBUILDING THE FIVE MEGAJOULE HOMOPOLAR MACHINE AT THE
UNIVERSITY OF TEXAS

5581
DEVELOPMENT OF SOLID AND/OR LIQUID-METAL COLLECTORS FOR
ACYCLIC MACHINES

5598
MECHANICAL TANGENT STRESSES IN THE ROTOR DISC OF THE
SHOCK-EXCITED HOMOPOLAR GENERATOR AT ITS BRAKING

5682
ANALYSIS OF HOMOPOLAR GENERATORS AND SUPERCONDUCTING
INDUCTIVE ENERGY STORAGE SYSTEMS AS POWER SUPPLIES FOR
HIGH-ENERGY, SPACE-BASED LASERS

5685
USE OF THE HOMOPOLAR GENERATOR TO POWER XENON DISCHARGE
TUBES AND SOME ASSOCIATED SWITCHING PROBLEMS

5802
ENERGY STORAGE AND TRANSFER WITH HOMOPOLAR MACHINE FOR A
LINEAR THETA-PINCH HYBRID REACTOR

6795
ACYCLIC GENERATORS WITHOUT A FERROMAGNETIC MAGNETIC CIRCUIT
FOR SUPPLYING ELECTROPHYSICAL APPARATUS USED IN MHD RESEARCH

6865
THE CHARGING OF INDUCTIVE STORAGE DEVICES BY MEANS OF
ELECTRICAL ROTARY AGGREGATES

7175
FUNDAMENTAL LIMITATIONS AND DESIGN CONSIDERATIONS FOR
COMPENSATED PULSED ALTERNATORS

7281
PULSAR: AN INDUCTIVE PULSE POWER SOURCE

7215
DESIGN OF THE ARMATURE WINDINGS OF A COMPENSATED PULSED
ALTERNATOR ENGINEERING PROTOTYPE

7219
THE MECHANICAL DESIGN OF A COMPENSATED PULSED ALTERNATOR
PROTOTYPE

7275
FUSION APPLICATIONS OF FAST DISCHARGING HOMOPOLAR MACHINES

7496
TESTING AND ANALYSIS OF A FAST DISCHARGE HOMOPOLAR MACHINE
(FOX)

7666
HOMOPOLAR GENERATOR EFFECT OF SUDDEN SHORT CIRCUIT

7874
PULSED HIGH VOLTAGE AND HIGH CURRENT OUTPUTS FROM HOMOPOLAR
ENERGY STORAGE SYSTEM

8184
TESTS ON THE CAMBERRA HOMOPOLAR GENERATOR ARRANGED TO
SUPPLY THE 5 MEGAWATT MAGNET

8526
THEORETICAL AND EXPERIMENTAL STUDY OF THE CURRENT
DISTRIBUTION IN COILS COUPLED TO IMPULSE DYNAMOS

8547
FOX: A FAST DISCHARGE HOMOPOLAR GENERATOR

8555
HOMOPOLAR GENERATOR DEVELOPMENT AT THE UNIVERSITY OF TEXAS

8561
MODEL AIR-SUPPORTED DRUM-TYPE HOMOPOLAR GENERATOR

18188
DESCRIPTION OF THE ENERGY SOURCE PROJECT DELIVERING 1
MEGAJOULE IN 1 MICROSECOND

18189
FUSION R/D ON ADVANCED FUELS, HOMOPOLAR GENERATORS, CIRCUIT
BREAKERS AND TOKAMAK DIAGNOSTICS

10215
POSSIBILITY OF USING A HOMOPOLAR GENERATOR AS A PULSE
GENERATOR

10214
PULSED HIGH-VOLTAGE AND HIGH-CURRENT OUTPUTS FROM HOMOPOLAR
ENERGY STORAGE SYSTEM

Rotating Machines, Materials

1876
PULSED HIGH POWER BRUSH RESEARCH

2885
THE TESTING OF SLIDING ELECTRICAL CONTACTS FOR HOMOPOLAR
GENERATORS

2745
TEST DATA ON ELECTRICAL CONTACTS AT HIGH SURFACE VELOCITIES
AND HIGH CURRENT DENSITIES FOR HOMOPOLAR GENERATORS

**ENERGY STORAGE
MECHANICAL**

7583
DESIGN OF BRUSH GEAR FOR HIGH CURRENT PULSES AND HIGH
RUBBING VELOCITIES

9159
HIGH CURRENT AND HIGH CURRENT DENSITY PULSE TESTS OF
BRUSHES AND COLLECTORS FOR HOMOPOLAR ENERGY STORES

9458
DESIGN OF THE LIQUID-METAL CONTACTOR IN HOMOPOLAR MACHINES

9786
HIGH-CURRENT BRUSHES, PART IV: MACHINE ENVIRONMENT TESTS

Conferences

9867
IEEE 1981 CONFERENCE ON ELECTRICAL INSULATION AND
DIELECTRIC PHENOMENA

9868
1981 IEEE 7TH INTERNATIONAL CONFERENCE ON CONDUCTION AND
BREAKDOWN IN DIELECTRIC LIQUIDS

INTENTIONALLY LEFT BLANK

- 199
MAGNETICALLY INSULATED PULSE POWER DRIVEN LINAC
- 922
INFLUENCE OF NONUNIFORM EXTERNAL MAGNETIC FIELDS AND
ANODE-CATHODE SHAPING ON MAGNETIC INSULATION IN COAXIAL
TRANSMISSION LINES
- 923
STEADY STATE NUMERICAL SOLUTION OF MAGNETICALLY INSULATED
CHARGE FLOW IN COAXIAL GEOMETRY
- 925
MAGNETIC INSULATION IN SHORT COAXIAL VACUUM STRUCTURES
- 927
MITL-A 2-D CODE TO INVESTIGATE ELECTRON FLOW THROUGH
NON-UNIFORM FIELD REGION OF MAGNETICALLY INSULATED
TRANSMISSION LINES
- 1594
MAGNETICALLY INSULATED TRANSFORMER FOR ATTAINING ULTRAHIGH
VOLTAGES
- 1677
MAGNETIC INSULATION AND MICROWAVE GENERATION
- 1715
ATTAINMENT OF GIGAVOLT POTENTIALS BY MAGNETIC INSULATION
- 1729
ON THE CONCEPT OF MAGNETIC INSULATION
- 1809
PROPAGATION OF A MAGNETIC-INSULATION WAVE IN A COAXIAL LINE
- 1881
MAGNETIC INSULATION
- 4129
MAGNETIC INSULATION OF HIGH VOLTAGES IN VACUUM: COMPARISON
OF EXPERIMENT WITH SIMULATIONS
- 5466
BREAKDOWN OF MAGNETIC INSULATION DUE TO DIAMAGNETISM
- 5584
SIMULATION OF POWER FLOW IN MAGNETICALLY INSULATED
CONVOLUTIONS FOR PULSED MODULAR ACCELERATORS
- 5537
TWO SPECIES FLOW IN RELATIVISTIC DIODES NEAR THE CRITICAL
FIELD FOR MAGNETIC INSULATION
- 5867
MAGNETIC INHIBITION OF SURFACE FLASHOVER OF INSULATORS IN
VACUUM
- 6982
CROSS-FIELD CURRENT FLOW IN A MAGNETICALLY INSULATED DIODE
- 7214
COMPTON SCATTERING OF PHOTONS FROM ELECTRONS IN
MAGNETICALLY INSULATED TRANSMISSION LINES
- 7224
SELF-MAGNETICALLY INSULATED POWER FLOW
- 7771
MICROSECOND-PULSE INSULATION AND INTENSE ION BEAM
GENERATION IN A MAGNETICALLY INSULATED VACUUM DIODE
- 7775
PRODUCTION OF INTENSE PROTON FLUXES IN A MAGNETICALLY
INSULATED DIODE
- 8245
NEGATIVE ION LOSSES IN MAGNETICALLY INSULATED VACUUM DIODES
- 9146
STRUCTURE OF THE FRONT OF A MAGNETIC-INSULATION WAVE
- 9393
ONE- AND TWO-SPECIES EQUILIBRIA FOR MAGNETIC INSULATION IN
CO-AXIAL GEOMETRY
- 10171
EXPERIMENTAL STUDY OF A MAGNETICALLY INSULATED DIODE FOR
PULSE LENGTHS $\approx 10^{-5}$ SEC
- 10225
MEASUREMENT OF MAGNETICALLY INSULATED LINE VOLTAGE USING A
THOMSON PARABOLA CHARGED PARTICLE ANALYSER
- 10467
ONE- AND TWO-SPECIES EQUILIBRIA FOR MAGNETIC INSULATION IN
COAXIAL GEOMETRY
- 10485
MAGNETIC INSULATION OF AN INTENSE RELATIVISTIC ELECTRON BEAM

INTENTIONALLY LEFT BLANK

3649
SYNTHETIC PAPER FOR EXTRA HIGH VOLTAGE CABLE

5612
EFFECTS OF COATING AND CLEANING ON CORONA AND HIGH-VOLTAGE
BREAKDOWN IN ELECTRONIC ASSEMBLIES

Composite

2621
A GAS-PHASE HIGH-VOLTAGE ELECTRICAL ISOLATOR WITH
CONTROLLED BREAKDOWN

7257
SF/SUB 6/ FOAMED INSULATION

7760
SOME PROPERTIES OF SOLID-LIQUID COMPOSITE DIELECTRIC SYSTEMS

Gas

392
A CIRCUIT WHICH PREDICTS AND DIVERTS FLASHOVER FROM A LONG
AIR GAP

1289
INVESTIGATION OF HIGH-VOLTAGE PARTICLE-INITIATED BREAKDOWN
IN GAS-INSULATED SYSTEMS

1386
PARTICLE-INITIATED BREAKDOWN IN GAS DIELECTRIC CABLE
INSULATION EXPANDED SCOPE PROGRAM

1387
SF/SUB 6/ OIL DIELECTRIC FOR POWER TRANSFORMERS

4216
BEHAVIOR OF AIR INSULATING GAPS OF DC SYSTEMS UNDER
IMPULSE, DC AND COMPOSITE VOLTAGES

4464
SPARKING POTENTIALS AND IONISATION COEFFICIENTS IN SF/SUB 6/

5236
COMPRESSED GAS INSULATION IN THE MILLION-VOLT RANGE: A
COMPARISON OF SF/SUB 6/ WITH N/SUB 2/ AND CO/SUB 2/

5249
FLUOROCARBON GASES

7070
EFFECT OF CATHODE SURFACE STATE ON THE DIELECTRIC STRENGTH
OF GASES AND LIQUIDS

7587
IMPULSE VOLTAGE TESTS ON AIR AND C/SUB 3/ F/SUB 8/

7759
DIELECTRIC GAS MIXTURES WITH POLAR COMPONENTS

7812
INSULATION PROPERTIES OF COMPRESSED ELECTRONEGATIVE GASES

8189
THE DIELECTRIC STRENGTH OF GASEOUS FLUOROCARBONS

9272
SOME MEASUREMENTS OF THE RELATIVE DIELECTRIC STRENGTH OF
GASES

9259
CORONA AND INSULATION

9554
DIELECTRIC STRENGTH OF COMPRESSED SULFUR HEXAFLUORIDE AND
THE ELECTRODE MATERIAL AND SURFACE STRUCTURE

10185
HIGH VOLTAGE RESEARCH (BREAKDOWN STRENGTHS OF GASEOUS AND
LIQUID INSULATORS) AND ENVIRONMENTAL EFFECTS OF DIELECTRIC
GASES. SEMIANNUAL REPORT, APRIL 1, 1979-SEPTEMBER 30, 1979

16222
SULFUR HEXAFLUORIDE

Liquid

728
THE COOLING OF OIL-FILLED ELECTRICAL EQUIPMENT, WITH
SPECIAL REFERENCE TO HIGH POWER LINE-TYPE PULSE GENERATORS

1261
HIGH-VOLTAGE OIL GAP TESTS USING PARALLEL-PLANE ELECTRODES

1291
CHARACTERISTICS OF INSULATING OIL FOR ELECTRICAL APPLICATION

1361
A PROGRAM TO EVALUATE, DEVELOP AND TEST POROPLASTIC
MATERIALS AS IMPROVED ELECTRICAL INSULATION FOR HIGH POWER
UNDERGROUND CABLES

1367
SF/SUB 6/ OIL DIELECTRIC FOR POWER TRANSFORMERS

1368
SLIDE DISCHARGES ON INSULATORS IN TRANSFORMER OIL DUE TO
VOLTAGE PULSES

1501
SUMMARY OF THE HERMES FLASH X-RAY PROGRAM

3789
INFLUENCE OF SPECIMEN SIZE ON THE DIELECTRIC STRENGTH OF
TRANSFORMER OIL

4186
THE ASSIGNMENT OF APPROPRIATE DIELECTRIC STRESSES IN LIQUIDS

4548
A HIGH VOLTAGE SOURCE WITH DIGITAL CONTROL FOR DIELECTRIC
MEASUREMENTS

5695
HIGH-VOLTAGE BREAKDOWN IN VACUUM AND IN OIL

6070
DETERMINATION OF HIGHLY STRESSED VOLUMES IN OIL DIELECTRICS

6297
THE INFLUENCE OF DISSOLVED GASES ON THE ELECTRIC STRENGTH
OF N-HEXANE

6441
AN INVESTIGATION OF THE ELECTRIC STRENGTH OF SOME LIQUID
DIELECTRICS SUBJECT TO MILLISECOND VOLTAGE PULSES

6590
DIELECTRIC STRENGTH OF PAPER-OIL INSULATION AFFECTED BY DC
VOLTAGE

6772
COMPARISON OF THE DIELECTRIC PROPERTIES OF NORMAL AND HEAVY
WATER, ADSORBED ON ZEOLITES

6949
MEGAVOLT ENERGY-CONCENTRATING DEVICE

7626
STUDY OF THE PULSE ELECTRICAL STRENGTH OF SOME LIQUIDS

7678
EFFECT OF CATHODE SURFACE STATE ON THE DIELECTRIC STRENGTH
OF GASES AND LIQUIDS

7136
DIELECTRIC MATERIALS FOR HIGH-VOLTAGE PULSE GENERATORS

7363
INCREASE OF DIELECTRIC STRENGTH OF WATER IN A SYSTEM WITH
'DIFFUSION' ELECTRODES

7752
EFFECT OF DISSOLVED GASES, ORGANIC ADDITIVES AND FIELD
CONFIGURATION ON CO-FIELD MOTION IN INSULATING OILS

7776
PROGRESS IN THE FIELD OF ELECTRIC BREAKDOWN IN DIELECTRIC
LIQUIDS

7886
LIQUID MOTION AND INTERNAL PRESSURE IN ELECTRICALLY
STRESSED INSULATING LIQUIDS

7908
FLUID DIELECTRIC CUTS SIZE AND WEIGHT OF HIGH-POWER
AIRBORNE EQUIPMENT. IT'S PARTICULARLY EFFECTIVE WITH
HIGH-FREQUENCY RADIO AND RADAR TRANSMITTERS

7934
AQUEOUS DIELECTRICS

8113
DIELECTRICS STUDY FINAL REPORT

8383
WATER AS DIELECTRIC IN HIGH-VOLTAGE IMPULSE DEVICES

Reviews

1278
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY;
LECTURE 2: DC POWER SUPPLIES AND HARD-TUBE POWER
CONDITIONING SYSTEMS

3729
REVIEW OF DIELECTRICS AND SWITCHING

5907
SELECTION OF MATERIALS FOR USE AS ELECTRICAL INSULATION-A
PHILOSOPHICAL AND SYSTEMATIC APPROACH

8149
HIGH VOLTAGE INSULATION OF LINES AND EQUIPMENT

INSULATION, MATERIAL

0237
INSULATING MATERIALS FOR DESIGN AND ENGINEERING PRACTICE

Solid

325
THE RESEARCH IN DISCHARGE SUPPRESSION OF HIGH VOLTAGE
CROSSLINKED POLYETHYLENE INSULATED POWER CABLE

409
SOLID INSULATORS IN VACUUM: A REVIEW

545
VERSATILE THREE-TERMINAL CELL FOR INVESTIGATING THE
ELECTRICAL PROPERTIES OF INSULATING MATERIALS OVER A WIDE
FREQUENCY AND TEMPERATURE RANGE

1501
A PROGRAM TO EVALUATE, DEVELOP AND TEST POROPLASTIC
MATERIALS AS IMPROVED ELECTRICAL INSULATION FOR HIGH POWER
UNDERGROUND CABLES

1359
EXPERIMENTAL RESULTS ON PLASMA INTERACTIONS WITH LARGE
SURFACES AT HIGH VOLTAGES

1564
STUDY OF THE EVOLUTION OF ELECTRICAL TREEING BY OBSERVATION
OF LUMINOUS PHENOMENA AND DISCHARGE DETECTION

1412
MODIFIED PLZT HIGH VOLTAGE DIELECTRICS

1421
HIGH VOLTAGE POWER CAPACITOR DIELECTRICS RECENT DEVELOPMENTS

1560
NEW DATA ON THE CREEP DISCHARGE AT THE SURFACE OF A
DIELECTRIC

2550
CORRELATION OF ELECTROCHEMICAL TREEING IN POWER CABLES
REMOVED FROM SERVICE AND IN CABLES TESTED IN THE LABORATORY

3024
BREAKDOWN OF INSULATING MATERIALS BY SURFACE DISCHARGE

5520
IONIZATION RADIATION EFFECTS IN INSULATORS AND INSULATING
PARTS

5655
MECHANISM OF SURFACE CHARGING OF HIGH-VOLTAGE INSULATORS IN
VACUUM

5701
AUTOMATED PARTIAL-DISCHARGE TESTING OF TRAVELING-WAVE TUBES

4577
COMMENTS ON MANY-BODY DIELECTRIC RELAXATION IN SOLIDS

4429
A PROGRAMMABLE D-C HIGH-VOLTAGE RAMPED TEST SYSTEM FOR
ELECTRICAL INSULATION

4456
DISTRIBUTION OF SURFACE CHARGES ON PERSPEX DUE TO PARTIAL
DISCHARGES

4744
A VERSATILE 60 KV SWITCHING SYSTEM FOR PULSED EXCITATION OF
LASERS

4919
FLASHOVER TESTS ON DUST-CONTAMINATED INSULATORS

4990
COMPARISON OF TRACKING TEST METHODS

5047
THERMAL EROSION OF ELECTRICAL INSULATING MATERIALS

5555
CONTAMINATION EFFECTS ON MVDC INSULATOR FLASHOVER

5472
ELECTRICAL CONDUCTION AND ELECTRICAL BREAKDOWN OF ORGANIC
INSULATORS AND SEMICONDUCTORS

5494
PHOTOCONDUCTIVITY OF HIGH VOLTAGE SPACE INSULATING
MATERIALS: MEASUREMENTS WITH METAL ELECTRODES

5577
COLLOQUIUM ON ELECTRICAL BREAKDOWN ON INSULATING SURFACES

5667
INSULATION STUDIES FOR HIGH POWER TUBES

5690
FOAM-IN-PLACE MATERIALS FOR HIGH VOLTAGE INSULATION IN A
SPACE ENVIRONMENT

5693
HIGH VOLTAGE-HIGH TEMPERATURE RUBBER INSULATION

5706
SILICONE RUBBER GRADED CONSTRUCTION FOR HIGH VOLTAGE
INSULATION

5710
THE INTERRELATIONSHIP BETWEEN DENSITY AND DIELECTRIC
STRENGTH OF HIGH PRESSURE POLYETHYLENE FOR HIGH VOLTAGE
APPLICATIONS IN INSULATED WIRES

6076
HIGH VOLTAGE INSULATORS FOR PARTICLE ACCELERATORS

6085
ELECTRIC FIELD CONFIGURATION FOR A GRAZING DISCHARGE

7016
NANOSECOND BREAKDOWN OF POLYMERS

7002
ELECTRICAL CONDUCTIVITY OF DIELECTRICS IN STRONG SHOCK WAVES

7136
DIELECTRIC MATERIALS FOR HIGH-VOLTAGE PULSE GENERATORS

7207
A LOW-INDUCTANCE 2-MV TUBE

7231
INVESTIGATION OF MECHANISM OF BREAKDOWN IN XLPE CABLES

7561
ELECTRODE-LIMITED AND SPACE-CHARGE-LIMITED TRANSIENT
CURRENTS IN INSULATORS

7750
A TUTORIAL ON TREEING

7747
DEGRADATION PRODUCT ANALYSIS FOR POLYMERIC DIELECTRIC
MATERIALS EXPOSED TO PARTIAL DISCHARGES

7751
DISCHARGES

7755
ELECTRIC FIELDS AND SECONDARY EMISSION NEAR A
DIELECTRIC-METAL INTERFACE

7769
LICHTENBERG FIGURES ON VARIOUS ELECTRICAL INSULATING
MATERIALS

7804
ELECTRIC STRESSES AT CONDUCTING SURFACES LOCATED IN THE
FIELD BETWEEN PLANE PARALLEL ELECTRODES

7805
ELECTRIC STRESSES IN GASEOUS CAVITIES IN SOLID DIELECTRICS

7909
A NOVEL CONDUCTING GLAZE

8511
MEASUREMENTS OF THE CHARGE DISTRIBUTIONS ON AN ALUMINA
INSULATOR IN VACUUM RESULTING FROM HIGH-VOLTAGE STRESS

8312
METHODS FOR CREATION OF HIGH-VOLTAGE, HIGH-TEMPERATURE
ELECTRIC INSULATION

9255
CHARGING OF INSULATOR SURFACES BY IONIZATION AND TRANSPORT
IN GASES

9259
CORONA AND INSULATION

9580
INTERACTION OF CORONA WITH DIELECTRIC MATERIAL UNTIL DAMAGE

9000
ELECTRON AVALANCHE AND SURFACE CHARGING ON ALUMINA
INSULATORS DURING PULSED HIGH-VOLTAGE STRESS

9001
EXPERIMENTAL OBSERVATION OF SURFACE CHARGING OF
HIGH-VOLTAGE INSULATORS FOR VACUUM APPARATUS

9921
THE APPLICATION OF WEIBULL STATISTICS TO INSULATION AGING
TESTS

10127
PHYSICAL MODEL OF ELECTRIC AGING AND BREAKDOWN OF EXTRUDED
POLYMERIC INSULATED POWER CABLES

10175
MICRODISCHARGES ON THE SURFACE OF A DIELECTRIC IN A VACUUM

10180
BEHAVIOR OF COMPOSITE INSULATION UNDER THE ACTION OF
SUPERFICIAL ARCS. APPLICATION TO LINE INSULATORS

10196
DESTRUCTION OF POLYMER DIELECTRICS BY PARTIAL DISCHARGES

Systems

4143
A GAS-SUPPLY LINE WHICH PERMITS A HIGH VOLTAGE TO BE
MAINTAINED ACROSS ITS ENDS

Testing

9257
FUNDAMENTAL LIMITATIONS IN THE MEASUREMENT OF CORONA AND
PARTIAL DISCHARGE

9387
PARTIAL DISCHARGE EVALUATION OF POLYETHYLENE CASLE-MATERIAL
BY PHASE ANGLE AND PULSE SHAPE ANALYSIS

INTENTIONALLY LEFT BLANK

1699
PREVENTION OF ELECTRICAL BREAKDOWN IN SPACECRAFT

5251
INSULATOR FLASHOVER MECHANISM IN VACUUM INSULATED CRYOCABLES

5528
IN-SITU OBSERVATION OF MICROPARTICLES IN A VACUUM-INSULATED
GAP USING A SCANNING ELECTRON MICROSCOPE

5483
HIGH-VOLTAGE VACUUM INSULATION WITH EPOXY-COATED CATHODES

3623
HIGH-VOLTAGE CONDITIONING AT LARGE GAPS IN INDUSTRIAL VACUUM

5695
HIGH-VOLTAGE BREAKDOWN IN VACUUM AND IN OIL

7694
VACUUM INSULATION OF HIGH VOLTAGES UTILIZING DIELECTRIC
COATED ELECTRODES

10837
THE INSULATION OF HIGH VOLTAGES IN VACUUM

Reviews

5729
REVIEW OF DIELECTRICS AND SWITCHING

4194
HIGH VOLTAGE BREAKDOWN STUDY: HANDBOOK OF VACUUM INSULATION

9695
VACUUM ELECTRICAL INSULATION, PRINCIPAL PROPERTIES AND
RESEARCH PROBLEMS

INTENTIONALLY LEFT BLANK

Generation

5955
ION SHEATH MOTION IN PLASMA-FILLED DIODES

6595
FORMATION OF INTENSE CHARGED PARTICLE BEAMS IN A
CURRENT-CARRYING PLASMA

7992
A NEW COLLECTIVE PARTICLE ACCELERATOR

8805
IMPROVED DESIGN AURORA MODIFICATION PROGRAM (IDAMP)

Miscellaneous

477
ESTIMATES ON THE ACCELERATION OF PELLETS BY GAS-DYNAMIC AND
ELECTROSTATIC MEANS

Reviews

4580
ELECTRON-BEAM-FUSION PROGRESS REPORT JULY THROUGH SEPTEMBER
1976

4386
PARTICLE BEAM FUSION PROGRESS REPORT APRIL 1978 THROUGH
DECEMBER 1978

5208
DEVELOPMENTS IN SANDIA LABORATORIES PARTICLE BEAM FUSION
PROGRAM

5329
PARTICLE BEAM FUSION PROGRESS REPORT JANUARY 1980 THROUGH
JUNE 1980

6916
ALL-UNION CONFERENCE ON THE APPLICATION OF CHARGED-PARTICLE
ACCELERATORS IN THE NATIONAL ECONOMY

8367
PROCEEDINGS OF THE INTERNATIONAL TOPICAL CONFERENCE ON HIGH
POWER ELECTRON AND ION BEAM RESEARCH AND TECHNOLOGY (2ND),
OCTOBER 3-5, 1977: VOLUME I

8368
PROCEEDINGS OF THE INTERNATIONAL TOPICAL CONFERENCE ON HIGH
POWER ELECTRON AND ION BEAM RESEARCH AND TECHNOLOGY (2ND),
OCTOBER 3-5, 1977: VOLUME II

INTENTIONALLY LEFT BLANK

Diagnostics

7292
THE GENERATION AND DIAGNOSIS OF PULSED RELATIVISTIC
ELECTRON BEAMS ABOVE 100 WATTS

10468
POTENTIAL OF A HOLLOW ELECTRON BEAM IN A
MAGNETICALLY-INSULATED DIODE

Generation

109
THE EXPERIMENTAL TEST ACCELERATOR (ETA)

119
UPGRADING THE AURORA SIMULATOR

123
OPERATION OF A 300-KV, 100-MZ, 30-KW AVERAGE POWER FULSER

164
SIMPLE, PULSED, ELECTRON BEAM GUN

236
CHARACTERIZATION OF ELECTRON AND ION CURRENT FLOW IN VERY
LARGE ASPECT-RATIO TERAWATT DIODES EMPLOYING HEATED AND
UNHEATED ANODES

247
DESIGN STUDY FOR AN AURORA MODIFICATION LEADING TO A
100-TERAWATT NUCLEAR WEAPON RADIATION SIMULATOR

300
PULSED MICROSECOND HIGH-ENERGY ELECTRON BEAM ACCELERATOR

335
PULSED POWER TECHNOLOGY FOR CONTROLLED THERMONUCLEAR FUSION

370
ELECTRON BEAM GUN SIMULATION

517
COMPACT ELECTRON ACCELERATOR FOR PUMPING GAS LASERS

540
ON THE DEVELOPMENT OF A REPETITIVELY PULSED ELECTRON BEAM
SYSTEM

567
ON THE FORMATION OF PRECISION BEAMS IN MULTISECTION LINEAR
ELECTRON ACCELERATORS

589
MARF, A SHORT PULSE, HIGH CURRENT ELECTRON BEAM ACCELERATOR

605
A NEW METHOD OF EXCITING UNIFORM DISCHARGES FOR HIGH
PRESSURE LASERS

618
PRODUCTION AND DYNAMICS OF HIGH INTENSITY ELECTRON BEAMS

622
THE HYDRA ELECTRON BEAM GENERATOR

626
NEREUS, A 250 KV, 80 KA ELECTRON BEAM GENERATOR

630
A STUDY OF THE DOUBLE-FOCUSING DIODE

737
HIGH-CURRENT NANSECONDO-PULSE ELECTRON ACCELERATOR WITH
INDUCTIVE SHAPING ELEMENT

753
ANODE BEHAVIOR IN HIGH INTENSITY FIELD EMISSION DIODES

843
DEVELOPMENT AND INVESTIGATION OF RELATIVISTIC ELECTRON
BEAMS WITH FINITE ENERGY SPREAD AND IMPROVED EMITTANCE

938
REPETITIVELY PULSED ELECTRON BEAM DIODE LIFETIME AND
STABILITY

973
A COAXIAL E-BEAM EXCITATION SYSTEM FOR HIGH POWER EXCIMER
LASERS

1078
A COMPACT PULSED ELECTRON ACCELERATOR WITH AN INDEPENDENT
POWER SUPPLY

1096
CURRENT SWITCHING IN TESLA TRANSFORMERS

1099
GENERATORS OF POWERFUL SUBNANOSECOND PULSES

1157
'NEPTUNE' HIGH-CURRENT PULSED RELATIVISTIC-ELECTRON
ACCELERATOR

1160
PRODUCTION OF AN INTENSE ELECTRON BEAM

1167
ACCELERATOR MODULE OF 'AURORA-S'

1340
A PULSED ACCELERATOR BASED ON THE 'ELIT-I' ACCELERATOR

1445
OPTIMIZATION OF A HIGH ENERGY REB GENERATOR AND CONTRIBUTED
STUDY OF THE PULSED REB

1501
SUMMARY OF THE HERMES FLASH X-RAY PROGRAM

1502
A LONG PULSE, HIGH-CURRENT ELECTRON GUN FOR E-BEAM
SUSTAINED EXCIMER LASERS

1593
MAGNETICALLY INSULATED AND INDUCTIVELY CHARGED CAPACITOR
FOR THE ATTAINMENT OF GIGA-VOLT POTENTIALS

1622
PULSE ELECTRON ACCELERATOR TO EXCITE LARGE GAS VOLUMES

1771
LOW PRESSURE, HIGH VOLTAGE DISCHARGES FOR THE PRODUCTION OF
ENERGETIC ELECTRON BEAMS

1776
RECENT DEVELOPMENTS IN HIGH AVERAGE POWER DRIVER TECHNOLOGY

1777
RIG FOR TESTING COLO CATHODES

1862
ELECTRON GUN FOR GENERATION OF SUBNANOSECOND ELECTRON
PACKETS AT VERY HIGH REPETITION RATE

2161
ANALYSIS OF AN INDUCTIVE ENERGY HIGH-PERFORMANCE
ELECTRON-BEAM GENERATOR

2176
HIGH-POWER ELECTRON AND ION BEAM GENERATION

2505
PROTECTING A HIGH-VOLTAGE ELECTRON GUN POWER SUPPLY FROM
BREAKDOWNS

3275
ACCELERATING AND SWITCHING OPTOELECTRONIC SYSTEM OF A
HIGH-POWERED ACCELERATOR WITH AN INDUCTIVE STORAGE ELEMENT

3286
COLO CATHODE ELECTRON GUNS IN THE LASL HIGH POWER
SHORT-PULSE CO/SUB 2/ LASER PROGRAM

3502
PLASMA-INDUCED FIELD EMISSION AND THE CHARACTERISTICS OF
HIGH-CURRENT RELATIVISTIC ELECTRON FLOW

3732
TRANSFORMER-TYPE HIGH-CURRENT ACCELERATOR

4051
BEHAVIOR OF LOW-IMPEDANCE RELATIVISTIC ELECTRON DIODES IN
CONVERGING MAGNETIC GRADIENTS

4074
CURRENT FLOW IN A HIGH-VOLTAGE DIODE SUBJECTED TO A CROSSED
MAGNETIC FIELD

4123
EXPERIMENTAL INVESTIGATION OF HIGH-CURRENT RELATIVISTIC
ELECTRON FLOW IN DIODES

4208
ON THE DIODE STUDY

4263
HIGH-CURRENT PULSED ELECTRON ACCELERATOR WITH AN ANNULAR
BEAM

4410
HIGH-CURRENT, HIGH PULSE RATE ELECTRON ACCELERATOR WITH
INDUCTIVE ENERGY STORAGE

4427
ANALYSIS OF COUPLING REGION IN TRANSMISSION-LINE
ACCELERATORS

4459
RELATIVISTIC ELECTRON BEAM SOURCE WITH AN AIR-CORE STEP-UP
TRANSFORMER

4570
RESONANT TRANSFORMER ELECTRON BEAM FULSER

PARTICLE BEAM, ELECTRON

4572
SHAPING OF VOLTAGE PULSES BY DISCHARGING AN INDUCTIVE
STORAGE BANK WITH A CHARGED-PARTICLE BEAM

4640
ION-INDUCED PINCH AND THE ENHANCEMENT OF ION CURRENT BY
PINCHED ELECTRON FLOW IN RELATIVISTIC DIODES

4696
MICROWAVE EMISSION FROM MAGNETICALLY INSULATED RELATIVISTIC
ELECTRON-BEAM DIODES

4702
PULSED POWER SYSTEMS FOR THE LASL HIGH ENERGY GAS LASER
FACILITY

4724
LILL, A 0.5-1.5 MICROSECOND, 600 KV ELECTRON BEAM
ACCELERATOR

4725
MODULATOR-REPETITIVELY PULSED FIELD EMISSION ELECTRON BEAM
GUN INTERFACE

4729
RECTANGULAR BEAM SCALING LAWS

4732
SPACE-CHARGE FLOW IN A NON-CYLINDRICALLY SYMMETRIC DIODE

4756
100 GW ELECTRON BEAM GENERATOR

4950
RELATIVISTIC BRILLOUIN FLOW IN THE HIGH MU/GAMMA DIODE

4977
A NEW DIODE FOR THE PRODUCTION OF HIGH POWER RELATIVISTIC
ELECTRON BEAMS

5040
TRANSIENTS IN LARGE TANDEM ACCELERATORS

5161
ANALYSIS OF TRANSMISSION-LINE ACCELERATOR CONCEPTS

5179
INVESTIGATION OF A HIGH VOLTAGE HOLLOW CATHODE ELECTRON
BEAM SOURCE

5192
RED FOCUSING IN A HIGH-VOLTAGE DIODE

5456
ADVANCED SIMULATION RESEARCH: VOLUME II-VACUUM ENERGY
STORAGE

5657
AURORA ELECTRON BEAM MODIFICATION

5513
VOLTAGE AND CURRENT MEASUREMENTS IN HIFX DIODES

5519
MICROSECOND DURATION INTENSE RELATIVISTIC ELECTRON BEAMS

5537
TWO SPECIES FLOW IN RELATIVISTIC DIODES NEAR THE CRITICAL
FIELD FOR MAGNETIC INSULATION

5855
ELECTRON BEAM FOCUSING USING CURRENT-CARRYING PLASMAS IN
HIGH-MU/GAMMA DIODES

5895
 $Z/\text{SUB } E/ < 1$ OHM PINCHED ELECTRON DIODES

5921
ELECTRON BEAM GENERATION IN PLASMA-FILLED DIODES

5928
HIGH POWER ELECTRON BEAM ACCELERATORS FOR GAS LASER
EXCITATION

6174
NANOSECOND PULSED ELECTRON ACCELERATOR

6432
INTENSE ELECTRON-BEAM PINCH FORMATION AND PROPAGATION IN
ROD PINCH DIODES

6443
CERTAIN CHARACTERISTICS OF COLO CATHODES

6449
COMPUTATION OF THE ELECTRIC FIELD AT MULTIPPOINT CATHODES

6456
ELECTRON ENERGY SPECTRUM IN HIGH-ENERGY NANOSECOND
ACCELERATORS

6457
EMISSION OF ELECTRONS FROM THE PLASMA OF AN UNCOMPLETED
DISCHARGE ALONG A DIELECTRIC IN A VACUUM

6461
HIGH-CURRENT CAVITY ELECTRON ACCELERATOR

6467
MULTIELEMENT ACCELERATORS BASED ON RADIAL LINES

6479
SELF-ACCELERATION OF AN ELECTRON BEAM IN A DYROTROPIC MEDIUM

6485
THE EMISSION OF OXIDE CATHODES IN A STRONG LONGITUDINAL
MAGNETIC FIELD

6494
ARRANGEMENT FOR STUDYING FIELD EMISSION IN THE NANOSECOND
AND SUBNANOSECOND RANGES

6505
ELECTRON ACCELERATION IN A TWO-CONDUCTOR STRUCTURE

6532
PULSED DESORPTION SLOT CATHODE

6535
SELF-ACCELERATION OF A CHOPPED ELECTRON BEAM IN A
FERRITE-FILLED WAVEGUIDE

6543
THE GROWTH RATE OF THE POWER IN A PULSED HIGH-CURRENT BEAM
OF ACCELERATED ELECTRONS

6548
TRANSFORMER TYPE ACCELERATORS FOR INTENSE ELECTRON BEAMS

6552
A MULTIELECTRODE ELECTRON-OPTIC SYSTEM WITH AN INDUCTIVE
STORAGE DEVICE FOR A HIGH-CURRENT ACCELERATOR

6598
HIGH-CURRENT PULSED ELECTRON ACCELERATOR

6608
SPARK SOURCE IN A HIGH-CURRENT ELECTRON INJECTOR

6646
SUPPLY AND CONTROL OF AN ACCELERATOR ACTING ON THE
PRINCIPLE OF A TESLA TRANSFORMER

6655
ACCELERATION OF IONS IN AN ELECTRON BEAM

6660
DIRECT-ACTION ACCELERATORS WITH INDUCTIVE ENERGY STORAGE
AND EXPLODING CONDUCTORS

6668
ELECTRON EMISSION PROPERTIES OF A VACUUM SPARK. II.
ELECTRON BEAMS

6671
EXPLODING FOILS FOR ACCELERATOR APPLICATIONS

6677
INCREASING ELECTRON BEAM POWER BY INDUCTIVE ACCUMULATOR

6689
SCREENING EFFECT IN HIGH-CURRENT DIODES

6826
HIGH-CURRENT ELECTRON ACCELERATOR FOR OPTICAL PUMPING OF
GASES

6952
ON POSSIBILITIES OF TRANSFORMER TYPE ACCELERATORS

6971
'MINUS' PULSED, HIGH-CURRENT, NANOSECOND, ELECTRON
ACCELERATOR

6972
A GENERATOR PRODUCING NANOSECOND PULSES OF FAST ELECTRONS

6979
CHARACTERISTICS OF A HOLLOW ELECTRON BEAM IN A MAGNETICALLY
INSULATED DIODE

6982
CROSS-FIELD CURRENT FLOW IN A MAGNETICALLY INSULATED DIODE

7009
IMPROVED STABILITY OF EXPLOSIVE-EMISSION MULTIPLE-TIP
CATHODES

7014
MICROSECOND HIGH-CURRENT ELECTRON-BEAM ACCELERATOR

7047
GENERATION AND FOCUSING OF A HIGH-CURRENT ELECTRON BEAM
IN A LOW-IMPEDANCE DIODE

7055
LINEAR INDUCTIVE ACCELERATORS WITHOUT IRON

7056
MICROSECOND HIGH-CURRENT ELECTRON BEAM

7059
NANOSECOND ELECTRON ACCELERATOR

7060
NUMERICAL ANALYSIS OF THE FORMATION OF AN INTENSE
NANOSECOND ELECTRON BEAM

7064
REGULATING THE MAGNETIZATION OF FERRITE IN EXPERIMENTS ON
THE SELF-ACCELERATION OF AN ELECTRON BEAM

7086
EXPLOSIVE ELECTRON EMISSION AND EXPLODING WIRES

7095
THE LIU-10 HIGH-POWER ELECTRON ACCELERATOR

7099
A PULSED ELECTRON BEAM ACCELERATOR 'AQUAGEN'

7117
HIGH-CURRENT PULSED ELECTRON GUN BASED ON AN ELIT-I
ACCELERATOR

7135
DEVELOPMENT OF HIGH-CURRENT ELECTRON ACCELERATORS

7142
HIGH-CURRENT, MICROSECOND-RANGE RELATIVISTIC ELECTRON BEAM

7154
OBTAINING HEAVY CURRENT ELECTRON BEAMS (SURVEY)

7158
PREPULSE DISCHARGES IN THE DIODES OF A HIGH-CURRENT
ACCELERATOR WITH A DOUBLE SHAPING LINE

7174
SIMULATIONS OF INTENSE RELATIVISTIC ELECTRON BEAM
GENERATION BY FOILLESS DIODES

7180
PULSED ELECTRON FIELD EMISSION FROM PREPARED CONDUCTORS

7189
DEVELOPMENT OF HIGH CURRENT ELECTRON PULSE ACCELERATORS AT
THE INSTITUTE OF HIGH TEMPERATURES

7191
EMIANCE MEASUREMENTS ON FIELD Emitter DIODES

7195
A DOUBLE-SIDED ELECTRON BEAM GENERATOR FOR KRF LASER
EXCITATION

7196
A LARGE-AREA COLD-CATHODE GRID-CONTROLLED ELECTRON GUN FOR
ANTARES

7225
VOLTAGE DISTRIBUTION AND CURRENT IN A CYLINDRICAL
RELATIVISTIC DIODE

7262
AURORA, AN ELECTRON ACCELERATOR

7266
COUPLED MARX-YESLA CIRCUIT FOR PRODUCTION OF INTENSE
RELATIVISTIC ELECTRON BEAMS

7276
HIGH CURRENT PULSED ELECTRON BEAM GENERATOR

7290
SELF-ACCELERATION EXPERIMENT BY INTERRUPTION OF AN INTENSE
ELECTRON BEAM

7292
THE GENERATION AND DIAGNOSIS OF PULSED RELATIVISTIC
ELECTRON BEAMS ABOVE 100 MW

7447
PHYSICAL PROPERTIES OF THIN-FILM FIELD EMISSION CATHODES
WITH MOLYBDENUM CONES

7489
THE CURRENT IN A CYLINDRICAL RELATIVISTIC DIODE

7576
IMPEDANCE CHARACTERISTICS OF DIODES OPERATING IN THE
SELF-PINCH MODE

7590
INTENSE FOCUSING OF RELATIVISTIC ELECTRONS BY COLLAPSING
MOLLOWS

7583
INTERACTION OF ACCELERATING HIGH-CURRENT ELECTRON BEAMS
WITH EXTERNAL MAGNETIC FIELDS

7606
RELATIVISTIC ELECTRON BEAM PINCH FORMATION PROCESSES IN LOW
IMPEDANCE DIODES

7672
MAGNETIC CUTOFF IN HIGH-CURRENT DIODES

7706
PULSED FIELD EMISSION CATHODE EMISSION MEASUREMENTS

7746
CHARGED, INTERNALLY SWITCHED TRANSMISSION LINE
CONFIGURATIONS FOR ELECTRON ACCELERATION

7801
DEVELOPMENT OF AN ADVANCED PULSED ELECTRON BEAM ACCELERATOR

7906
INTENSE ELECTRON BEAM GENERATION AND COMPRESSION

8045
LOCALIZATION OF FIELD EMISSION IN SMALL SOLID ANODES

8114
PRODUCTION OF DENSE THERMONUCLEAR PLASMAS BY INTENSE
RELATIVISTIC ELECTRON BEAMS

8155
ON THE THEORY OF FIELD EMISSION FROM METALS

8230
BEAM GENERATION IN FOIL-LESS DIODES

8239
EXACT RELATIVISTIC SOLUTION FOR THE ONE-DIMENSIONAL DIODE

8246
PRODUCTION OF ANNULAR ELECTRON BEAMS BY FOILLESS DIODES

8248
RELATIVISTIC PLANAR DIODE IN A MAGNETIC FIELD

8250
THEORY OF FOIL-LESS DIODE GENERATION OF INTENSE
RELATIVISTIC ELECTRON BEAMS

8996
KAL'MAR-I PULSED ELECTRON ACCELERATOR WITH RELATIVISTIC
ELECTRON BEAM POWER OF UP TO 50 MW

9391
EXACT SOLUTION OF POISSON'S EQUATION FOR
SPACE-CHARGE-LIMITED FLOW IN A RELATIVISTIC PLANAR DIODE

9584
ANODE FOR AN ACCELERATOR WITH AN INDUCTIVE ENERGY
ACCUMULATOR

9702
DIRECT-ACTION ACCELERATORS WITH INDUCTIVE ENERGY STORAGE AND
EXPLODING CONDUCTORS

9797
DEVELOPMENT OF 36-MEGAWATT MODULATORS FOR THE ASTRON
1000-MEGAWATT ELECTRON ACCELERATOR

9805
NANOSECOND PULSED ELECTRON SOURCE CONTROLLED WITH A
MERCURY-WETTED SWITCH

9807
NANOSECOND PULSED ELECTRON SOURCE WITH DOUBLE PULSE CONTROL

10074
EXPLOSIVE EMISSION ELECTRONS FROM METALLIC NEEDLES

10171
EXPERIMENTAL STUDY OF A MAGNETICALLY INSULATED DIODE FOR
PULSE LENGTHS $\gg 10^{-9}$ SEC

10179
THE 'TEREK-2' HIGH-CURRENT PULSED ELECTRON ACCELERATOR

10226
INTENSE, NANOSECOND ELECTRON BEAMS

10259
FIELD CURRENTS FROM POINTS

10339
CONCEPT FOR ENERGY-STORAGE RINGS AT 10-100 MJ

10446
NANOSECOND MEGAJoule ACCELERATOR FOR BEAM INDUCED
THERMONUCLEAR MICROEXPLOSIONS

10473
STRUCTURE OF THE HIGH-CURRENT RELATIVISTIC ELECTRON BEAM
FORMED BY A COAXIAL GUN WITH MAGNETIC INSULATION

PARTICLE BEAM, ELECTRON

10482
ELECTRICALLY DRIVEN 200-JOULE PULSED LASER

Generator

10471
RETURN CURRENT IN MICROSECOND HIGH-CURRENT MAGNETICALLY
INSULATED DIODES

Reviews

1272
PARTICLE BEAM FUSION PROGRESS REPORT OCTOBER 1977 THROUGH
MARCH 1978

1978
CIVILIAN APPLICATIONS OF PARTICLE-BEAM-INITIATED INERTIAL
CONFINEMENT FUSION TECHNOLOGY

2459
COMPACT HIGH-VOLTAGE ACCELERATORS OF CHARGED PARTICLES IN
SPACE EXPERIMENTS

5788
HIGH POWER RELATIVISTIC ELECTRON BEAMS IN PLASMA AND IN
VACUUM

4379
ELECTRON-BEAM-FUSION PROGRESS REPORT JANUARY-JUNE 1976

4584
ISSUES IN UNCLASSIFIED PARTICLE BEAM RESEARCH (PROCEEDINGS
OF THE 1980 PARTICLE BEAM RESEARCH WORKSHOP)

4585
LASER-FUSION AND ELECTRON-BEAM-FUSION RESEARCH PROGRESS
REPORT JANUARY-JUNE 1974

4387
PARTICLE BEAM WEAPONS-A TECHNICAL ASSESSMENT

5284
LASER-FUSION AND ELECTRON-BEAM-FUSION PROGRESS REPORT
JULY-DECEMBER 1974

7988
ELECTRON BEAM FUSION PROGRESS REPORT APRIL THROUGH
SEPTEMBER 1977

8083
ELECTRON BEAM FUSION PROGRESS REPORT OCTOBER 1976 THROUGH
MARCH 1977

Systems

194
INITIAL PROTO II PULSED POWER TESTS

4728
REBLE, A RADIALLY CONVERGING ELECTRON BEAM ACCELERATOR

Target Interactions

296
DIELECTRIC GUIDE CONTROLLED COLLECTIVE ION ACCELERATION

1255
RADIATION FROM RELATIVISTIC ELECTRONS IN A MAGNETIC WIGGLER

2458
COLLECTIVE ACCELERATION WITH INTENSE ELECTRON BEAMS

2445
INTENSE RELATIVISTIC ELECTRON BEAM INTERACTION WITH A COOL
THETA PINCH PLASMA

2446
MAGNETIC-FIELD-INDUCED ENHANCEMENT OF
RELATIVISTIC-ELECTRON-BEAM ENERGY DEPOSITION

3418
ELECTRON BEAM FOCUSING AND APPLICATION TO PULSED FUSION

3733
TWO-DIMENSIONAL FLUID SIMULATION OF RELATIVISTIC ELECTRON
BEAM-HIGH Z TARGET INTERACTIONS

5525
CHARGING DIELECTRICS WITH A BEAM OF CHARGED PARTICLES

5468
DEVELOPMENT OF AN INTENSE ELECTRON BEAM ENVIRONMENT FOR
MATERIAL CHARACTERIZATION

5914
DEEP CRATERS PRODUCED BY SHOCK FOCUSING IN RELATIVISTIC
ELECTRON-BEAM DIODES

8108
HIGH-POWER ELECTRON BEAM PREIONIZED CO/SUB 2/ CW LASER
MODELLING I: DESCRIPTION OF THE INVESTIGATED DEVICE AND
NUMERICAL CALCULATIONS ON E-BEAM IONIZATION

8114
PRODUCTION OF DENSE THERMONUCLEAR PLASMAS BY INTENSE
RELATIVISTIC ELECTRON BEAMS

Transport

618
PRODUCTION AND DYNAMICS OF HIGH INTENSITY ELECTRON BEAMS

1298
EXPERIMENTS ON THE INJECTION OF RELATIVISTIC ELECTRON BEAMS
INTO PREFORMED CHANNELS IN THE ATMOSPHERE

1785
INTENSE RELATIVISTIC ELECTRON BEAM INVESTIGATIONS

2266
BEAM CHOPPER FOR SUBNANOSECOND PULSES IN SCANNING ELECTRON
MICROSCOPY

2448
RADIANCE AND RADIANT ENERGY DENSITY IN LIGHT OPTICS AND
ELECTRON OPTICS ANALOGIES, DIFFERENCES, AND PRACTICAL
CONSEQUENCES

3418
ELECTRON BEAM FOCUSING AND APPLICATION TO PULSED FUSION

5717
STUDY OF ELECTRON BEAM PROPAGATION EFFICIENCIES IN NEUTRAL
GAS AS A FUNCTION OF MU/GAMMA

4136
TRANSPORT OF A RELATIVISTIC ELECTRON BEAM TO A FUSION TARGET

4695
METAL FOILS FOR USE IN PULSED LASER APPLICATIONS

4729
RECTANGULAR BEAM SCALING LAWS

5456
ADVANCED SIMULATION RESEARCH: VOLUME II-VACUUM ENERGY
STORAGE

5468
DEVELOPMENT OF AN INTENSE ELECTRON BEAM ENVIRONMENT FOR
MATERIAL CHARACTERIZATION

5593
ON THE PROPAGATION OF HIGH INTENSITY, HIGH VOLTAGE ELECTRON
BEAMS AND THE MAXIMUM CURRENT WHICH SUCH BEAMS MAY POSSESS

7487
EXTENDED WORKING RANGE FOR ELECTRON BEAMS IN THE ATMOSPHERE

7906
INTENSE ELECTRON BEAM GENERATION AND COMPRESSION

Generation

100
GENERATION OF ULTRA-INTENSE HEAVY ION BEAMS FOR INERTIAL
CONFINEMENT FUSION

114
LINEAR INDUCTION ACCELERATORS MADE FROM PULSE-LINE CAVITIES
WITH EXTERNAL PULSE INJECTION

133
QUASI-STATIC DRIFT-TUBE ACCELERATING STRUCTURES FOR
LOW-SPEED HEAVY IONS

198
MAGNETICALLY INSULATED PULSE POWER DRIVEN LINAC

296
ELECTRIC QUOTE CONTROLLED COLLECTIVE ION ACCELERATION

482
PULSED ION DIODE EXPERIMENT

438
FORMATION OF COMPLEX MAGNETIC CYCLES IN A 7-0EV PROTON
SYNCHROTRON

538
MICROSECOND-PULSED ION BEAM FROM A MARX GENERATOR

595
MAGNETICALLY INSULATED LINAC DRIVEN BY A MULTISTAGE MARX
GENERATOR

958
HIGH-POWER ION BEAM GENERATION WITH AN INVERSE REFLEX
TETRODE

951
ION BEAM GENERATION THROUGH A MOVING FLASMA BOUNDARY

1895
THERMONUCLEAR MICRO-EXPLOSIONS WITH INTENSE ION BEAMS

1292
BEAM REQUIREMENTS FOR LIGHT-ION DRIVEN INERTIAL-CONFINEMENT
FUSION

1294
HIGH IMPEDANCE ION DIODE EXPERIMENT ON AURORA

1351
STUDY OF THE GENERAL PLASMA CHARACTERISTICS OF A HIGH POWER
MULTIFILAMENT ION SOURCE

1381
ACCELERATION OF IONS BY A MODULATED ELECTRON BEAM

1448
HIGH-IMPEDANCE ION-DIODE EXPERIMENT ON THE AURORA PULSER

1883
PROGRESS IN INTENSE PULSED ION SOURCES

1785
INTENSE RELATIVISTIC ELECTRON BEAM INVESTIGATIONS

2176
HIGH-POWER ELECTRON AND ION BEAM GENERATION

2384
PRODUCTION OF INTENSE FOCUSED ION BEAMS IN A SPHERICAL
MAGNETICALLY INSULATED DIODE

2391
HIGH VOLTAGE PROTECTION OF HIGH POWER ION SOURCES BY FAST
VACUUM TUBE SWITCHES

2438
COLLECTIVE ACCELERATION WITH INTENSE ELECTRON BEAMS

2435
A COMPACT 250-KV INJECTOR SYSTEM FOR PION

3338
PLASMA-SURFACE SOURCE OF NEGATIVE IONS

3728
MICROSECOND OPERATION OF A GENERAL PURPOSE PULSED PROTON GUN

4014
ADVANCES IN THE EFFICIENT GENERATION OF INTENSE PULSED
PROTON BEAMS

4205
GENERATION OF INTENSE ION BEAMS IN PULSED DIODES

4935
PRODUCTION OF INTENSE NEUTRON BEAMS

5183
THEORY OF INTENSE ION BEAM ACCELERATION

5179
DESIGN PHILOSOPHY AND USE OF HIGH VOLTAGE POWER SYSTEMS FOR
MULTI-MEGAWATT ION BEAM ACCELERATORS

5488
IMPROVED BEAM CURRENT DENSITIES AT HIGH VOLTAGES

5578
DEPENDENCE OF THE ION CURRENT ON VOLTAGE IN A REFLEX TRIODE

5619
HIGH POWER ELECTROSTATIC ION ACCELERATORS

5831
THE USE OF FINITE J/SUB TETA/ FOR INCREASING THE ION
EFFICIENCY OF HIGH IMPEDANCE DIODES

5848
ACCELERATION OF CHARGED PARTICLES BY INTENSE ELECTRON BEAMS

5872
NEUTRON PRODUCTION AND COLLECTIVE ION ACCELERATION IN A
HIGH-CURRENT DIODE

8447
COLLECTIVE ACCELERATION OF IONS IN RELATIVISTIC ELECTRON
BEAMS

6448
COLLECTIVE ION ACCELERATION BY A HIGH-CURRENT RELATIVISTIC
ELECTRON BEAM

6458
EXPERIMENTS ON ACCELERATION OF DEUTERONS AND PROTONS IN AN
ELECTRON BEAM PASSING THROUGH A DAS

6586
EMISSION PROPERTIES OF THE PLASMA OF VACUUM SPARKS. I. ION
BEAMS

6654
ACCELERATION OF IONS BY A RELATIVISTIC ELECTRON BEAM

6687
PULSED ION BEAMS FROM A HIGH-CURRENT PLASMA DIODE

6975
ACCELERATION OF IONS FROM AN EXPLOSIVE-EMISSION PLASMA

7433
NEW TYPE OF ACCELERATOR FOR HEAVY IONS

7759
EXTRACTION AND FOCUSING OF INTENSE ION BEAMS FROM A
MAGNETICALLY INSULATED DIODE

7771
MICROSECOND-PULSE INSULATION AND INTENSE ION BEAM
GENERATION IN A MAGNETICALLY INSULATED VACUUM DIODE

7775
PRODUCTION OF INTENSE PROTON FLUXES IN A MAGNETICALLY
INSULATED DIODE

7987
ELECTRODE EMISSION PROCESSES IN PULSED PLASMA THRUSTERS

7921
LASER SOURCES FOR MULTIPLY-CHARGED HEAVY IONS

8048
PARTICLE ACCELERATION BY COLLECTIVE EFFECTS

8126
SERIES II: DESIGN REQUIREMENTS FOR INTEGRATING ELECTRIC
PROPULSION INTO A SPACECRAFT

8128
COMPUTATIONAL STUDY OF MAGNETIC DAM EFFECTS IN A HIGH
IMPEDANCE DIODE

8243
METHOD OF GENERATING VERY INTENSE POSITIVE-ION BEAMS

8247
PRODUCTION OF B.S.-TH PROTON PULSES WITH A SPHERICAL
FOCUSING, MAGNETICALLY INSULATED DIODE

9141
NEW TYPE OF PULSED ION SOURCE WITH CRYOGENIC ANODE

10267
SMALL-APERTURE DIAPHRAGMS IN ION-ACCELERATOR TUBES

Reviews

1253
NRL LIGHT ION BEAM RESEARCH FOR INERTIAL CONFINEMENT FUSION

**PARTICLE BEAM,
ION**

1272
PARTICLE BEAM FUSION PROGRESS REPORT OCTOBER 1977 THROUGH
MARCH 1978

1342
OVERVIEW OF HEAVY ION FUSION PROGRAM IN U.S.A.

Target Interactions

1095
THERMONUCLEAR MICRO-EXPLOSIONS WITH INTENSE ION BEAMS

1292
BEAM REQUIREMENTS FOR LIGHT-ION DRIVEN INERTIAL-CONFINEMENT
FUSION

1500
MATERIAL RESPONSE TO 300 KEV PROTON BEAMS AT INTENSITIES
BELOW 1 GW/CM².

2398
ION BEAM EROSION OF ROUGH GLASS SURFACES

Transport

1095
THERMONUCLEAR MICRO-EXPLOSIONS WITH INTENSE ION BEAMS

1292
BEAM REQUIREMENTS FOR LIGHT-ION DRIVEN INERTIAL-CONFINEMENT
FUSION

1415
A HIGH VOLTAGE DEFLECTION CONDENSER OPERATED UNDER HIGH
VACUUM CONDITIONS

2448
RADIANCE AND RADIANT ENERGY DENSITY IN LIGHT OPTICS AND
ELECTRON OPTICS ANALOGIES, DIFFERENCES, AND PRACTICAL
CONSEQUENCES

7739
EXTRACTION AND FOCUSING OF INTENSE ION BEAMS FROM A
MAGNETICALLY INSULATED DIODE

Generation

4565
MICROPARTICLE ENERGY ENHANCEMENT FOLLOWING A BOUNCING
IMPACT IN A HIGH-VOLTAGE GAP

INTENTIONALLY LEFT BLANK

Generation

341
PULSED POWER APPLICATIONS TO INTENSE NEUTRON SOURCE
DEVELOPMENT

778
LARGE AREA NEGATIVE ION SOURCE FOR HIGH VOLTAGE NEUTRAL
BEAMS

3178
DESIGN PHILOSOPHY AND USE OF HIGH VOLTAGE POWER SYSTEMS FOR
MULTI-MEGAWATT ION BEAM ACCELERATORS

3186
PRESENT AND FUTURE TECHNOLOGY OF HIGH VOLTAGE SYSTEMS FOR
NEUTRAL BEAM INJECTIONS

3326
CROSS SECTIONS FOR CHARGE TRANSFER COLLISIONS INVOLVING
HYDROGEN ATOMS

3334
FIELD-REVERSED MIRROR PILOT REACTOR

3872
NEUTRON PRODUCTION AND COLLECTIVE ION ACCELERATION IN A
HIGH-CURRENT DIODE

8322
STUDY OF EFFICIENT HIGH-POWER, HIGH-ENERGY NEUTRAL BEAMS
FOR THE REFERENCE MIRROR REACTOR

Reviews

1272
PARTICLE BEAM FUSION PROGRESS REPORT OCTOBER 1977 THROUGH
MARCH 1978

Target Interactions

3334
FIELD-REVERSED MIRROR PILOT REACTOR

Transport

3334
FIELD-REVERSED MIRROR PILOT REACTOR

INTENTIONALLY LEFT BLANK

Cable Terminations

- 3636
DAMPING OF VOLTAGE REFLECTIONS AT OPEN CIRCUIT ENDS OF CHARGED CABLES

Clippers

- 725
SOLID STATE CLIPPER DIODES FOR HIGH POWER MODULATORS

Current Limiters

- 4694
LIQUID NITROGEN COOLED WIRES AS SWITCHABLE HIGH-POWER DIRECT CURRENT LIMITING ELEMENTS
- 7245
ENERGY CONSIDERATIONS IN THE PULSED OPERATION OF A VACUUM ARC CURRENT LIMITER

Diodes

- 8194
A KILOAMPERE CURRENT DIODE BASED ON THE QUENCHED SPARK PRINCIPLE

Linear Inductors

- 8120
FERRITES FOR LINEAR APPLICATIONS II-PERFORMANCE REQUIREMENTS

Metal Oxide Switches

- 6555
PULSE SHARPENING WITH METAL-OXIDE BULK SWITCHING DEVICES

Nonlinear Resistors

- 6686
PRECISION PEAKING DISCHARGER WITH A NONLINEAR ELEMENT IN AN INDUCTIVE STORAGE CIRCUIT WITH POIL BREAKER
- 8166
TIME-DEPENDENT CRITICAL DAMPING OF A CAPACITOR-DISCHARGE CIRCUIT

Peaking Gaps

- 3806
PEAKING THE TRAILING EDGE OF A HIGH-VOLTAGE NANOSECOND PULSE IN AN UNMATCHED LOAD
- 3104
LOW-VOLTAGE SPARK PEAKER
- 6957
SPARK PULSE PEAKING DEVICES WITH LOW SENSITIVITY TO PULSE HEIGHT

Pulse Forming Lines

- 334
PULSED POWER GENERATORS
- 428
A FAST HIGH VOLTAGE PULSE GENERATOR
- 675
HIGH-POWER CURRENT PULSE GENERATOR
- 1008
PULSE SHARPENING IN FERRITE TRANSMISSION LINES
- 1225
LOW-IMPEDANCE HIGH-VOLTAGE PULSERS FOR TRAVELLING-WAVE EXCITATION OF HIGH-POWER UV GAS LASERS
- 1295
DESIGN STUDY FOR AN AURORA MODIFICATION LEADING TO A 100-TERAWATT NUCLEAR WEAPON RADIATION
- 3636
A TRANSMISSION LINE CIRCUIT FOR RELIABLE SPARK GAP OPERATION
- 4386
PARTICLE BEAM FUSION PROGRESS REPORT APRIL 1978 THROUGH DECEMBER 1978
- 4775
HIGH-VOLTAGE GENERATOR PRODUCING SINGLE NANOSECOND PULSES ACROSS A VARIABLE LOAD
- 5329
PARTICLE BEAM FUSION PROGRESS REPORT JANUARY 1980 THROUGH JUNE 1980
- 6981
CORRECTION OF THE CHARACTERISTIC OF A SPARK COMMUTATOR WITH A HETEROGENEOUS SHAPING LINE

- 7088
FORMATION AND DEVELOPMENT OF ELECTROMAGNETIC SHOCK WAVES IN TRANSMISSION LINES CONTAINING UNSATURATED FERRITE

- 7096
THE STRUCTURE OF THE FRONT OF ELECTROMAGNETIC SHOCK WAVES IN TRANSMISSION LINES WITH NONLINEAR PARAMETERS

- 8998
PRODUCTION OF PULSED MAGNETIC FIELDS WITH A FLAT PULSE TOP OF 440 KOE AND 1 MSEC DURATION

- 9599
HIGH-FREQUENCY MAGNETOTHRISTOR GENERATOR OF POWERFUL NANOSECOND PULSES

- 10355
HIGH-VOLTAGE PULSE GENERATOR FOR A LOW-RESISTANCE LOAD

Pulse Forming Networks

- 405
GENERATION OF HIGH CURRENT, LONG DURATION RECTANGULAR PULSES

- 562
HIGH-VOLTAGE MICROSECOND PULSE-FORMING NETWORK

- 1280
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY; LECTURE 4: TRANSMISSION LINES AND CAPACITORS

- 1281
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY; LECTURE 5: DISCHARGE CIRCUITS AND LOADS

- 1429
PFM CHARACTERIZATION AND LIFE TEST

- 1566
THE POWER BEHIND THE PULSE

- 2156
PULSE-FORMING NETWORKS WITH TIME-VARYING OR NONLINEAR RESISTIVE LOADS

- 2164
A MODULAR PFM WITH PULSEWIDTH AGILITY

- 3748
A POST-CHARGE REGULATOR

- 3744
DESIGN CHARTS FOR DROOP-COMPENSATION NETWORKS

- 4075
DIGITAL SIMULATION AND PARAMETER ESTIMATION TECHNIQUES FOR THE E-LINE PULSE-FORMING NETWORK

- 4079
HIGH VOLTAGE NANOSECOND PULSE GENERATORS

- 4550
SCEPTRE MODELS OF A PULSE FORMING SYSTEM

- 4685
A HALF MEGAWATT PULSE FORMING NETWORK

- 4687
CONSTANT CURRENT PFM

- 4697
NETWORKS FOR DRIVING TEA LASERS

- 4699
PFM DESIGN INTERFACE WITH E-BEAM SUSTAINED GAS DISCHARGE

- 7101
A SHAPER THAT PRODUCES SHORT PULSES ACROSS A CAPACITIVE LOAD

- 7199
ELECTRIC DISCHARGE CHARACTERISTICS OF CABLE PFM USED AS A PUMP

- 7255
PFM LOSS CALCULATIONS

- 8500
CONTROL OF THE SHAPE OF HIGH-CURRENT, HIGH-VOLTAGE PULSES GENERATED BY AN ARTIFICIAL LINE

- 8529
A PULSE-FORMING NETWORK FOR PARTICLE PATH VISUALIZATION

Pulse Inverters

- 10069
A TRANSMISSION-LINE PULSE INVERTER

POWER CONDITIONING

Pulse Transformers

146
THE 10 MILLISECOND 150 KILOAMPERE PULSED POWER SUPPLY FOR
THE PERMILAB NEUTRINO FOCUSING HORN

224
OFF-RESONANCE TRANSFORMER CHARGING FOR 250-KV WATER BLUMLEIN

327
A NOMINAL ONE-MEGAVOLT, PULSED POWER GENERATOR

443
A REPETITIVE 666 KV STACKED LINE TRANSFORMER PULSE GENERATOR

787
USE OF TRANSFORMERS IN PRODUCING HIGH POWER OUTPUT FROM
HOMOPOLAR GENERATORS

914
DESIGN OF PULSE TRANSFORMERS FOR PPL CHARGING

1894
CURRENT SWITCHING IN TESLA TRANSFORMERS

1285
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY;
LECTURE 9: PULSE TRANSFORMERS AND DIELECTRICS

1327
AN IMPROVED PULSE TRANSFORMER FOR HIGH-VOLTAGE APPLICATIONS

1552
SURGE GENERATOR IN THE MEGAVOLT RANGE

1432
A THREE MEGAVOLT TRANSFORMER FOR PPL PULSE CHARGING

1774
RECENT DEVELOPMENTS IN HIGH AVERAGE POWER DRIVER TECHNOLOGY

2159
DESIGN OF TESLA TRANSFORMERS USED IN DIRECT-VOLTAGE
ACCELERATORS

2169
DESIGN OF COAXIAL-CABLE PULSE TRANSFORMERS

2191
PULSE TRANSFORMERS

2244
566 KV NANOSECOND SQUARE WAVE PULSE GENERATOR

2815
THE PREDICTION OF PULSE PERMEABILITY AND LOSS OF NI/PE
ALLOYS IN TOROIDAL CORE PULSE CURRENT TRANSFORMERS

3191
CIRCUIT FOR SHAPING SHORT HIGH-VOLTAGE PULSES

3425
FOCUS ON PULSE TRANSFORMERS

3744
DEVELOPMENT OF A 5 MV PULSE TRANSFORMER

3845
INCREASING THE MAXIMUM GRADIENTS IN THE WINDINGS OF THE
PULSE TRANSFORMERS OF ACCELERATOR FOREINJECTORS

3954
ENERGY TRANSFER FROM A LOW-VOLTAGE CAPACITOR BANK TO A HIGH
INDUCTANCE WITH THE AID OF AN AIR PULSE TRANSFORMER

4489
RELATIVISTIC ELECTRON BEAM SOURCE WITH AN AIR-CORE STEP-UP
TRANSFORMER

4578
RESONANT TRANSFORMER ELECTRON BEAM PULSER

4713
ANALYSIS OF POWER TRANSFORMERS UNDER TRANSIENT CONDITIONS

4715
AN ANALYSIS OF CO-AXIAL PULSE TRANSFORMERS

5191
PULSE TRANSFORMER DESIGN STUDY

5197
STREAMER CHAMBER POWER SUPPLY ON THE BASE OF A 566KV PULSE
TRANSFORMER

5288
THE THEORY OF THE OPTIMUM TRANSMISSION-LINE
PULSE-TRANSFORMER

5537
AIRCORE PULSE TRANSFORMERS FOR HIGHPOWER LASERS

5531
DIELECTRICS STUDY: FINAL REPORT

5654
POWER PULSE TRANSFORMER

6054
SPARK CHAMBER PULSING SYSTEM

6549
USING A CABLE PULSE TRANSFORMER IN THE POWER SYSTEM OF A
GAS LASER

6603
NEW PULSED X-RAY MACHINES, TYPE IRA-1 AND TYPE IRA-10

6612
TRANSFORMERS FOR HEAVY-CURRENT NANOSECOND IMPULSES

6476
HIGH-VOLTAGE MEGA-AMPERE CABLE TRANSFORMER

6695
USE OF AN EXPLOSIVE MAGNETIC GENERATOR TO SUPPLY A GAS
DISCHARGE

6755
HIGH VOLTAGE IMPULSE SYSTEM

6790
A HIGH-VOLTAGE CABLE TRANSFORMER FOR PRODUCING STRONG
PULSED CURRENTS

6859
MATCHING AN EXPLOSIVE-MAGNETIC GENERATOR TO A RESISTIVE
LOAD USING A TRANSFORMER

7105
CO/SUB 2/ LASER HIGH-VOLTAGE POWER SUPPLY BASED ON A PULSED
AUTOTRANSFORMER

7114
GENERALIZED CHARACTERISTICS OF THE OSCILLATORY SYSTEM OF A
TUNED HIGH-VOLTAGE TRANSFORMER FOR SUPPLYING HIGH-CURRENT
PULSED ACCELERATORS

7266
COUPLED MARX-TESLA CIRCUIT FOR PRODUCTION OF INTENSE
RELATIVISTIC ELECTRON BEAMS

7280
IMPEDANCE MATCHING BY TAPERED TRANSMISSION LINES

7570
HALF-MEGAMPERE MAGNETIC-ENERGY-STORAGE PULSE GENERATOR

8019
EFFECT OF CORE CHARACTERISTICS ON PULSE-SHAPE DISTORTION BY
A PULSE TRANSFORMER

8128
PERRITES FOR LINEAR APPLICATIONS II-PERFORMANCE REQUIREMENTS

8155
MEGAMPERE PULSE TRANSFORMER FOR COAXIAL LOAD

14045
A PULSE TRANSFORMER FOR LARGE WIRE SPARK CHAMBERS

16129
SOME TRANSMISSION LINE DEVICES FOR USE WITH
MILLIMICROSECOND PULSES

18241
COMPACT TRANSFORMER BASED ON SECTIONS OF COAXIAL CABLE

18528
A HIGH-VOLTAGE PULSE GENERATOR WITH AN EXTENDED ZONE OF
STABLE OPERATION

Pulse Transformers, Materials

544
PERRITES FOR LINEAR APPLICATIONS I-PROPERTIES

5427
REVIEW OF MAGNETIC PROPERTIES OF PE-NI ALLOYS

8947
METALLIC GLASSES: A MAGNETIC ALTERNATIVE

10415
EDDY-CURRENT-LIMITED GROWTH OF FERROMAGNETIC DOMAINS ON THE
SURFACE OF SQUARE-LOOP ALLOY TAPES

16029
POTENTIAL OF AMORPHOUS ALLOYS FOR APPLICATION IN MAGNETIC
DEVICES

Reviews

1277
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY;
LECTURE 1: INTRODUCTION TO POWER CONDITIONING SYSTEMS

5478
TECHNIQUES OF SHAPING HIGH-VOLTAGE NANOSECOND PULSES

7359
ENERGY STORAGE, COMPRESSION, AND SWITCHING

Saturable Reactors

517
GENERATOR PRODUCING NANOSECOND PULSES WITH AN INCREASED
REPETITION FREQUENCY

5886
PEAKING THE TRAILING EDGE OF A HIGH-VOLTAGE NANOSECOND
PULSE IN AN UNMATCHED LOAD

4685
A PULSE COMPRESSION NETWORK

5195
POSSIBILITY OF USING MAGNETIC PULSE GENERATORS IN LINEAR
INDUCTION ACCELERATORS

5685
A MAGNETO-DYNAMIC TRIGGER

6546
THE USE OF FERRITES FOR THE GENERATION OF POWERFUL
HIGH-VOLTAGE PULSES OF NANOSECOND DURATION

6399
HIGH-VOLTAGE GENERATORS OF NANOSECOND PULSES

6617
A CIRCUIT USING FERRITES TO OBTAIN HIGH-VOLTAGE NANOSECOND
PULSES

6624
CONTROLLED DELAY OF HIGH-POWER NANOSECOND PULSES WITH THE
USE OF THE MAGNETIZATION REVERSAL TIME OF FERRITES

6644
SHORTENING THE FRONTS OF HIGH-VOLTAGE PULSES WITH THE AID
OF A NONLINEAR INDUCTANCE

6922
DEFORMATION OF INTENSE WAVES TRAVERSING A FERRITE
DISCONTINUITY IN A TRANSMISSION LINE

6957
SPARK PULSE PEAKING DEVICES WITH LOW SENSITIVITY TO PULSE
HEIGHT

7888
FORMATION AND DEVELOPMENT OF ELECTROMAGNETIC SHOCK WAVES IN
TRANSMISSION LINES CONTAINING UNSATURATED FERRITE

7296
THE USE OF SATURABLE REACTORS AS DISCHARGE DEVICES FOR
PULSE GENERATORS

8884
MAGNETIC SWITCHES AND CIRCUITS

9599
HIGH-FREQUENCY MAGNETOTHYRISTOR GENERATOR OF POWERFUL
NANOSECOND PULSES

9681
HIGH-POWER MAGNETOTHYRISTOR PULSE GENERATOR

9635
THYRATRON GENERATOR OF HIGH-POWER NANOSECOND PULSES WITH
INCREASED EFFICIENCY

9696
THREE-DIMENSIONAL ANALYSIS OF THE MAGNETODYNAMIC FIELDS IN
ELECTROMAGNETIC DEVICES TAKEN INTO ACCOUNT THE DYNAMIC
HYSTERESIS LOOPS

Saturable Reactors, Materials

8947
METALLIC GLASSES: A MAGNETIC ALTERNATIVE

10013
EDDY-CURRENT-LIMITED GROWTH OF FERROMAGNETIC DOMAINS ON THE
SURFACE OF SQUARE-LOOP ALLOY TAPES

Systems

247
DESIGN STUDY FOR AN AURORA MODIFICATION LEADING TO A
100-TERAWATT NUCLEAR WEAPON RADIATION SIMULATOR

438
FORMATION OF COMPLEX MAGNETIC CYCLES IN A T-DEVIATION
SYNCHROTRON

1571
HIGH POWER STUDY-POWER CONDITIONING

4805
POWER CONDITIONING SYSTEMS FOR HIGH-POWER, AIRBORNE, PULSED
APPLICATIONS

6949
MEGAVOLT ENERGY-CONCENTRATING DEVICE

7194
VACUUM ARC SWITCHED INVERTER TESTS AT 2.5 MVA

7209
ANALYSIS OF THE MULTIPHASE INDUCTOR-CONVERTER BRIDGE

7210
APPLICATION OF SUBSYSTEM SUMMARY ALGORITHMS FOR HIGH POWER
SYSTEM STUDIES

7213
BALANCED, PARALLEL OPERATION OF FLASHLAMPS

8098
PICOSECOND OPTOELECTRONIC SWITCHING AND GATING IN SILICON

Transient Suppressors

2814
AN ELECTRICAL SURGE ARRESTOR (ESA) MODEL FOR
ELECTROMAGNETIC PULSE ANALYSIS

8127
SIX WAYS TO CONTROL TRANSIENTS: VARISTOR, GAS-DISCHARGE AND
RC SUPPRESSORS PROTECT CIRCUITS FROM DESTRUCTIVE SURGES

Voltage Regulation

650
HIGH-POWER PULSE GENERATION

7192
HIGH POWER VERY LONG PULSE TESTING OF A 200 KV. TETRODE
REGULATION TUBE

INTENTIONALLY LEFT BLANK

Applications

7211
APPLYING A COMPENSATED PULSED ALTERNATOR TO A FLASHLAMP
LOAD FOR MOVA

7220
APPLYING A COMPENSATED PULSED ALTERNATOR TO A FLASHLAMP
LOAD FOR MOVA-PART II

Blumlein Lines

5649
ELECTRICAL AND OPTICAL CHARACTERISTICS OF A MULTICHANNEL
M/SUB 2/-LASER

Blumlein Lines

1137
'NEPTUNE' HIGH-CURRENT PULSED RELATIVISTIC-ELECTRON
ACCELERATOR

1279
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY;
LECTURE 5: PULSE VOLTAGE CIRCUITS

1300
A MINIATURE, HIGH VOLTAGE, HIGH CURRENT NANOSECOND PULSE
GENERATOR

1376
HIGH AVERAGE POWER PULSER DESIGN FOR COPPER HALIDE LASER
SYSTEMS

1643
HIGH-VOLTAGE PULSE GENERATOR FOR THE TWO-METER STREAMER
CHAMBER OF THE JINR

4381
A BLUMLEIN MODULATOR FOR A TIME-VARYING LOAD

4725
MODULATOR-REPEATIVELY PULSED FIELD EMISSION ELECTRON BEAM
GUN INTERFACE

4767
GENERATOR WITH AMPLITUDE AND LENGTH STABILIZATION OF THE
PULSE FOR SUPPLYING A STREAMER CHAMBER

4888
THREE-ELECTRODE BLUMLEIN LINE FOR SUPPLYING A STREAMER
CHAMBER

4887
A COMPACT HIGH SPEED LOW IMPEDANCE BLUMLEIN LINE FOR HIGH
VOLTAGE PULSE SHAPING

4941
OPERATIONAL EXPERIENCE WITH A PROTOTYPE FAST KICKER
MODULATOR

5197
STREAMER CHAMBER POWER SUPPLY ON THE BASE OF A 500KV PULSE
TRANSFORMER

7172
THE USE OF A PLANAR THREE-ELECTRODE BLUMLEIN LINE FOR THE
SUPPLY OF SYMMETRIC STREAMER CHAMBERS

7620
TRAVELING WAVE EXCITATION OF HIGH POWER DYE LASERS

Capacitive

225
SIMPLE, FAST RISE TIME, HIGH REPETITION RATE POKELS CELL
DRIVER

248
HIGH-POWER, HIGH-REPETITION RATE PULSER FOR PHOTO-IMPULSE
IONIZED LASERS

299
CONSTANT PULSE ENERGY POWER SUPPLY FOR A HIGH REPETITION
RATE LASER SYSTEM

327
A NOMINAL ONE-MEGAVOLT, PULSED POWER GENERATOR

419
THYRATRON GENERATOR WHICH PRODUCES HIGH-VOLTAGE LONG PULSES
FOR HIGH-OMM LOADS

429
A HIGH-VOLTAGE PULSE GENERATOR FOR SPARK CHAMBERS IN SPACE

453
A DOUBLE-TUNED CURRENT GENERATOR WITH ELECTRONIC AMPLITUDE
CONTROL

468
SQUARE PULSE GENERATOR WITH PULSES OF LARGE AMPLITUDE AND
OF VARYING DURATION AND FREQUENCY

483
A CERAMIC THYRATRON WIRE SPARK CHAMBER PULSER

471
A FLEXIBLE HIGH POWER PULSE GENERATOR USING THYRISTORS

1100
HIGH CURRENT SUBNANOSECOND PULSE GENERATOR

1352
SOURCE GENERATOR IN THE MEGAVOLT RANGE

1926
HIGH VOLTAGE PULSED CIRCUIT FOR OPTIC STUDIES

1973
TACITRON GENERATOR OF LONG HIGH-VOLTAGE PULSES

2030
PULSE GENERATOR FOR A THIN-ECHO NUCLEAR MAGNETIC RESONANCE
RELAXOMETER

2090
HIGH-VOLTAGE PULSE GENERATOR

2094
NANOSECOND-PULSE GENERATOR USING THYRISTORS

2100
PULSED SUPPLY OF PHOTOMULTIPLIERS

2107
SPARK-CHAMBER POWER-SUPPLY CIRCUIT WITH SEMICONDUCTOR
TRIGGER

2110
THYRISTOR PULSE CIRCUIT FOR CONTROLLING THE EXPLOSION OF A
THIN WIRE

4309
AN IMPROVED METHOD OF TRIGGERING FLASHLAMP'S POWERED FROM AN
ENERGY STORAGE INDUCTOR

5162
BIG OPTICAL SPARK CHAMBERS AND PULSE GENERATORS FOR THEIR
SUPPLYING

5336
A PULSED CURRENT SOURCE WITH ENERGY RECOVERY

6034
SPARK CHAMBER PULSING SYSTEM

6454
DRIVEN HIGH-VOLTAGE NANOSECOND PULSE GENERATOR TRIGGERED BY
LASER RADIATION

7943
A COMPACT MAGNETIC-FIELD-PULSE GENERATOR

8166
TIME-DEPENDENT CRITICAL DAMPING OF A CAPACITOR-DISCHARGE
CIRCUIT

8193
A HIGH-VOLTAGE MERCURY-WETTED REED PULSE GENERATOR WITH
SECONDARY PULSE SUPPRESSION

8225
A PULSE CIRCUIT FOR EXCITATION OF A PARTICLE ACCELERATOR
ELECTROMAGNET

9827
A RELIABLE 60KV FLASHLAMP TRIGGERING SYSTEM

10478
AN ELECTROMAGNETIC, PLANE STRESS-WAVE GENERATOR

Capacitor Banks

196
MODULAR FAST CAPACITOR BANK FINAL REPORT

298
A 230 KJ PULSED POWER SUPPLY

311
AN INEXPENSIVE PULSED POWER SUPPLY FOR A SEPTUM MAGNET

336
PULSE GENERATOR PRODUCING A HIGH-POWER CURRENT

4070
CURRENT SHAPING TECHNIQUES FOR HIGH-VOLTAGE CAPACITOR BANKS

5190
PULSE MODULATOR FOR AN EXPERIMENTAL ELECTRON GUN

5663
GENERATION OF RAPID RISE CURRENT PULSES IN THE MSEC RANGE
FOR FAST COMPRESSION EXPERIMENTS

PULSE GENERATORS

6733
HIGH VOLTAGE IMPULSE SYSTEM

7089
A GENERATOR THAT PRODUCES POWERFUL PULSES USING
GAS-DISCHARGE COMMUTATORS OF THE TRIOTRON AND
TRIOPLASMATRON TYPE

7940
SOME DESIGN CONSIDERATIONS OF A LASER TRIGGERED IMPULSE
GENERATOR

8990
PRODUCTION OF PULSED MAGNETIC FIELDS WITH A FLAT PULSE TOP
OF 440 KOE AND 1 MSEC DURATION

9791
A PULSE GENERATOR FOR SHORT MEGAVOLT PULSES WITH A RISE TIME
IN THE NANOSECOND REGION

10211
CURRENT PULSE GENERATOR WITH AMPLITUDE OF 1,000,000 A AND
STABILITY OF ± 0.001 AT A REPETITION RATE OF TWO HZ

10220
HIGH VOLTAGE, HIGH CURRENT, PULSED ENERGY SOURCE HAVING
DUTY CYCLES OF 2E12 A/S

10331
GENERATION OF UNIPOLAR CURRENT PULSES OF 10 TO 100 KA
AMPLITUDE

Control Systems

1023
A DIGITAL CONTROL SYSTEM FOR HV IMPULSE GENERATORS

Current

6451
CURRENT PULSE GENERATOR

8151
CURRENT PULSE GENERATOR

9518
A GENERATOR WHICH PRODUCES CURRENT PULSES OF UP TO 10 KA AT
A VOLTAGE APPROXIMATELY 100 V

Electrostatic

298
VARIABLE CAPACITANCE ELECTROSTATIC ELECTRICAL PULSE
GENERATOR

Field Reversal

1279
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY;
LECTURE 3: PULSE POWER CIRCUITS

Flux Compression

187
TERAWATT PULSE POWER SYSTEMS UTILIZING INDUCTIVE STORAGE

714
EXPLOSIVE MAGNETIC FLUX COMPRESSION PLATE GENERATORS AS
FAST HIGH-ENERGY POWER SOURCES

733
EXPLOSIVE ELECTRICAL GENERATOR

1331
DESIGN OF EFFICIENT EXPLOSIVELY DRIVEN ELECTROMECHANICAL
ENERGY CONVERTERS

2417
EXPLOSIVE-DRIVEN ENERGY GENERATORS WITH TRANSFORMER COUPLING

3150
EXPLOSIVELY PRODUCED MEGA GAUSS FIELDS AND APPLICATIONS

5332
AN INTRODUCTION TO EXPLOSIVE MAGNETIC FLUX COMPRESSION
GENERATORS

5408
A COMPRESSED MAGNETIC FIELD GENERATOR SYSTEMS MODEL

6433
LIMITING CAPABILITIES OF A PLANAR EXPLOSIVE MAGNETIC
GENERATOR AS A PULSED ENERGY SOURCE

6509
EXPERIMENTS WITH AN EXPLOSIVE-MAGNETIC GENERATOR IN
LABORATORY CONDITIONS

6607
SOME CHARACTERISTIC FEATURES OF DIFFUSION OF A MAGNETIC
FIELD INTO A MOVING CONDUCTOR

6621
AN APPROXIMATE THEORY OF MAGNETIC FIELD-UP

6648
THE ELECTROMAGNETIC FIELD IN A CAVITY UNDERGOING COMPRESSION

6657
CALCULATING SCHEME AND SWITCHING-ON OF THE LOAD OF PLANE
EXPLOSIVE-DRIVEN MAGNETIC GENERATORS

6672
EXPLOSIVE GENERATORS

6673
FLUX DIFFUSION DURING MAGNETIC ACCUMULATION IN NARROW
CAVITIES

6674
FLUX DIFFUSION UPON THE COMPRESSION OF A MAGNETIC FIELD BY
FLAT STRIPS OF VARIABLE WIDTH

6675
FLUX LOSSES DURING COMPRESSION OF A MAGNETIC FIELD BY FLAT
STRIPS

6680
LIMITING CURRENTS IN THE COMPRESSION OF MAGNETIC FLUX
BETWEEN FLAT AND COAXIAL CONDUCTORS

6681
MAGNETIC FIELD IN A CYLINDRICAL CONDUCTOR MOVING WITH A
VELOCITY PROPORTIONAL TO R/\sqrt{L}

6683
METHOD OF DESIGNING EXPLOSIVE-DRIVEN MAGNETIC FIELD
GENERATORS

6695
USE OF AN EXPLOSIVE MAGNETIC GENERATOR TO SUPPLY A GAS
DISCHARGE

6800
CHARGING OF AN INDUCTIVE ACCUMULATOR FROM AN EXPLOSIVE-TYPE
MAGNETIC GENERATOR THROUGH AN ELECTRICAL EXPLOSIVE-TYPE
CURRENT BREAKER

6837
MAGNETIC ACCUMULATION IN A PLANE LINER OF FINITE THICKNESS

6838
MAGNETIC ACCUMULATION IN A TAILORED-PROFILE, PLANE,
EXPLOSIVE-MAGNETIC GENERATOR WITH ARBITRARY LOAD

6839
MATCHING AN EXPLOSIVE-MAGNETIC GENERATOR TO A RESISTIVE
LOAD USING A TRANSFORMER

6874
WORK PERFORMED BY A PLANAR EXPLOSION MAGNETIC GENERATOR ON A
RESISTIVE LOAD

6917
APPROXIMATE THEORY FOR AMPLIFICATION OF MAGNETIC FIELDS

6937
EXPLOSIVELY-DRIVEN MAGNETIC GENERATOR WITH FAST MEGA GAUSS
FIELD

6938
FLUX LOSS IN THE PRODUCTION OF ULTRA STRONG FIELDS BY RAPID
COMPRESSION OF CONDUCTING SHELLS

7044
EXTRACTION OF ENERGY FROM INDUCTIVE STORES AND
EXPLOSIVE-MAGNETIC GENERATORS INTO AN INDUCTIVE LOAD USING
CIRCUIT BREAKING

7061
NUMERICAL CALCULATION OF THE MAGNETIC CUMULATION PROCESS

7062
PULSED AIR-CORED BETATRON POWERED FROM A MAGNETOCUMULATIVE
GENERATOR

7067
TAKE-OFF OF ENERGY FROM EXPLOSIVE-MAGNETIC GENERATORS TO AN
INDUCTIVE LOAD USING THE BREAKING OF A CIRCUIT

7120
MAGNETIC CUMULATION

7121
MAGNETOIMPLOSIVE GENERATORS

7136
EXPLOSION-MAGNETIC GENERATOR WITH AN INDUCTIVE LOAD

7217
MAGNET OPTIMIZATION FOR PULSED ENERGY CONVERSION

9505
MAGNETOIMPLOSIVE GENERATORS FOR RAPID-RISE TIME MEGA AMPERE
PULSES

998T
GENERATION OF MEGAAMPERE MAGNETIC FIELDS USING A LINER
COMPRESSED BY HIGH-PRESSURE GAS

10245
EXPLOSIVE FLUX COMPRESSION GENERATORS FOR RAIL GUN POWER
SOURCES

Hard Tube

1333
A VARIABLE LOW FREQUENCY HIGH VOLTAGE GENERATOR USING
VALVES WITH PIRE OPTIC LIGHT GUIDE CONTROL

Hard-tube

1278
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY;
LECTURE 2: DC POWER SUPPLIES AND HARD-TUBE POWER
CONDITIONING SYSTEMS

3242
HIGH POWER MODULATOR/REGULATORS FOR NEUTRAL BEAM SOURCES

5711
AEDIS AN/SPY-1 CPA CONSTANT-CURRENT HARD-TUBE MODULATOR

5738
A CONSTANT CURRENT HARD TUBE MODULATOR

5743
DESIGN AND PERFORMANCE OF THE LAMP-1-1/4 MW RLYSTROM
MODULATOR

5753
QUENCH MODULATOR FOR COLD-CATHODE CROSSED-FIELD AMPLIFIER

5762
TRADEX S-BAND TRANSMITTER MODULATOR

5763
600 KW PEAR HIGH REPETITION RATE HARD TUBE MODULATOR

5345
A BROADBAND PULSE POWER AMPLIFIER

7240
A MODULATOR FOR THE SEASAT-A RADAR ALTIMETER

7252
PEAR SWITCH CURRENT ENHANCEMENT FILTER

Line Type

25T
A 1200 MEGAWATT VAN-MOUNTED LINE-TYPE MODULATOR

51T
GENERATOR PRODUCING NANOSECOND PULSES WITH AN INCREASED
REPETITION FREQUENCY

55I
HIGH-VOLTAGE PULSE GENERATOR FOR WIRE SPARK CHAMBERS

410
THYRATRON GENERATOR THAT PRODUCES RECTANGULAR PULSES HAVING
A SHOOTINGLY CONTROLLABLE LENGTH

830
WAVE PROCESSES IN HIGH-POWER NANOSECOND PULSE GENERATORS

68I
AN ALL SOLID-STATE MODULATOR FOR THE ARSR-3 TRANSMITTER

942
A 500 KV REP-RATE MARX GENERATOR

1135
HIGH-VOLTAGE PULSER DEVELOPMENT

2008
500 KV RECTANGULAR PULSE GENERATOR WITH NANOSECOND RISE TIME

3734
PULSE GROUP OPERATION OF HIGH POWER LINE TYPE MODULATORS

3737
SOLID-STATE MODULATOR TECHNIQUES TO PROMOTE FAST PULSE RISE
TIMES

4879
HIGH VOLTAGE NANOSECOND PULSE GENERATORS

4419
GENERATOR OF HIGH VOLTAGE NANOSECOND PULSES WITH PRECISE
LENGTH

4680
AN AMENDED LINE-TYPE PULSE GENERATOR CIRCUIT

4692
INVERSE VOLTAGE CONTROL IN LINE-TYPE PULSE GENERATING
CIRCUITS

5295
MULTIMEGAVOLT MODULATOR STUDY

5344
COMPACT MEGAWATT AVERAGE POWER BURST PULSE GENERATOR

5395
HIGH-VOLTAGE NANOSECOND PULSE GENERATOR WITH COMPENSATION
USING NONLINEAR COMPONENTS

5620
HIGH POWER MODULATOR TECHNIQUES (SCR)

4709
A GENERATOR OF CURRENT PULSES OF ADJUSTABLE SHAPE AND
DURATION FOR SUPPLYING GAS-DISCHARGE TUBES

7186
A HIGH CURRENT PULSER FOR EXPERIMENT 225, 'NEUTRINO
ELECTRON ELASTIC SCATTERING'

7246
MAYSTACK HILL LONG-RANGE IMAGING RADAR TRANSMITTER

8139
PRODUCTION AND MEASUREMENT OF ULTRA-HIGH SPEED IMPULSES

8191
A HIGH-POWER RP LINE GENERATOR OF NOVEL DESIGN

8310
PRODUCTION OF MILLIMICROSECOND CURRENT PULSES USING A
PRESSURIZED SPARK GAP

9381
TRANSIENTS IN HIGH-POWER MODULATORS

9686
HIGH-VOLTAGE SQUARE-PULSE GENERATOR WITH ENHANCED PULSE-TOP
STABILITY

9705
SYSTEM FOR TWO-PULSE SUPPLY OF A LARGE STREAMER CHAMBER

9797
DEVELOPMENT OF 56-MEGAWATT MODULATORS FOR THE ASTRON
1000-MEGAWATT ELECTRON ACCELERATOR

10479
AVALANCHE TRANSISTOR PULSER FOR PAST-GATED OPERATION OF
MICROCHANNEL PLATE IMAGE-INTENSIFIERS

Linear Amplifiers

9604
HIGH-VOLTAGE LINEAR PULSE AMPLIFIER

10475
A LOW-COST SUB-NANOSECOND PULSE AMPLIFIER

LC

485
GENERATION OF HIGH CURRENT, LONG DURATION RECTANGULAR PULSES

579
IS-RJ LC GENERATOR: LOW INDUCTANCE DEVICE FOR A 100-GW
PULSED ELECTRON ACCELERATOR

1011
HIGH REPETITION RATE LC OSCILLATOR

1366
THE POWER BEHIND THE PULSE

5191
CIRCUIT FOR SHAPING SHORT HIGH-VOLTAGE PULSES

4686
A 3 MA, 600 KV FAST CAPACITOR BANK FOR A SHOCK-HEATED TORUS

5339
A POWERFUL THYRISTOR MODULATOR

5642
DRIVING CIRCUITS FOR COPPER HALIDE LASERS - A PARAMETRIC
STUDY

6288
NOVEL PRINCIPLE OF TRANSIENT HIGH-VOLTAGE GENERATION

8170
VOLTAGE-MULTIPLICATION OF STEEP PULSES

PULSE GENERATORS

Marx

- 140 HIGH DENSITY Z-PINCH PULSE POWER SUPPLY
- 208 HIGH-VOLTAGE SOURCE FOR 2-MEV ION AND ELECTRON ACCELERATORS
- 315 CHARACTERISTICS OF CO-AXIAL MARX GENERATOR AND ITS APPLICATION TO ELECTRON BEAM FUSION
- 550 300-RJ, 266-RA MARX MODULE FOR ANTARES
- 597 OVERVOLTAGE AND BREAKDOWN PATTERNS OF FAST MARX GENERATORS
- 605 A NEW METHOD OF EXCITING UNIFORM DISCHARGES FOR HIGH PRESSURE LASERS
- 611 COMPACT, ULTRA-HIGH DENSITY MARX GENERATOR
- 619 PULSE GENERATORS AND MODULATORS FOR LASER APPLICATIONS
- 621 THE GENERATION OF LIGHTNING AND SWITCHING IMPULSE VOLTAGES IN THE UNV REGION WITH AN IMPROVED MARX CIRCUIT
- 628 DEVELOPMENT OF AN 18-MEGAVOLT MARX GENERATOR
- 635 LOW-IMPEDANCE, COAXIAL-TYPE MARX GENERATOR WITH A QUASI-RECTANGULAR OUTPUT WAVEFORM
- 642 A LOW INDUCTANCE, COMPACT, 1 MV, 16 RJ MARX GENERATOR
- 675 HIGH-POWER CURRENT PULSE GENERATOR
- 942 A 500 RV REP-RATE MARX GENERATOR
- 1279 LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY; LECTURE 5: PULSE VOLTAGE CIRCUITS
- 1325 HIGH-VOLTAGE PULSE VOLTAGE GENERATOR
- 1361 SUMMARY OF THE HERMES FLASH X-RAY PROGRAM
- 1366 THE POWER BEHIND THE PULSE
- 1946 BOOTSTRAP CIRCUIT GENERATES HIGH-VOLTAGE PULSE TRAIN
- 1991 GENERATORS PRODUCING VOLTAGE FOR A TRANSVERSE DISCHARGE
- 3131 STABILIZATION OF THE TIME CHARACTERISTICS OF AN ARRAO'EV-MARX GENERATOR
- 4693 THE MOLEULE, A COMPACT, HIGH-DENSITY, HIGH-PRECISION MARX GENERATOR
- 4552 A 2-MV PULSED ELECTROVACUUM INSTALLATION
- 4917 FIRING AND VOLTAGE SHAPE OF MULTISTAGE IMPULSE GENERATORS
- 4976 506-KV IMPULSING GENERATOR
- 5646 TRANSIENT PHENOMENA IN THE MARX-TYPE MULTIPLIER CIRCUIT AFTER FIRING THE FIRST SWITCHING SPARK GAP
- 5798 A SOLID STATE NANOSECOND PULSER USING MARX BANK TECHNIQUES
- 5861 CHARGING TIME OF A HIGH-VOLTAGE IMPULSE GENERATOR
- 5827 MARX--AND MARX-LINE--HIGH-VOLTAGE GENERATORS
- 6620 A 500-RV NANOSECOND PULSE GENERATOR

6835 LOW-INDUCTANCE GENERATOR OF PULSED VOLTAGE AT 1 MV

7264 COUPLED MARX-TESLA CIRCUIT FOR PRODUCTION OF INTENSE RELATIVISTIC ELECTRON BEAMS

8240 HIGH-VOLTAGE PULSE GENERATOR IN THE NANOSECOND RANGE

8252 ARRAO'EV-MARX GENERATOR IN A CONDUCTING SHIELD

8518 PULSE CIRCUIT FOR N/SU6 2/ LASERS

8493 COAXIAL MARX GENERATOR FOR PRODUCING INTENSE RELATIVISTIC ELECTRON BEAMS

9424 IONITRON-SWITCHED 6.6- TO 90-RV IMPULSE GENERATOR

9528 A MOBILE GENERATOR OF 500 RV, 16 CPS VOLTAGE PULSES

10221 HIGH-VOLTAGE SYSTEM FOR THE RISR FACILITY: PART I. BIPOLAR GENERATOR MODEL OF VOLTAGE PULSES WITH THE AMPLITUDE UP TO 200 KV

10320 A HIGH-VOLTAGE PULSE GENERATOR WITH AN EXTENDED ZONE OF STABLE OPERATION

16334 OUTPUT PERFORMANCE OF THE COAXIAL-TYPE MARX GENERATOR CONSISTING OF 6AT10/SUB 3/ SERIES CERAMIC CAPACITORS

10336 250-KV PULSE GENERATOR FOR ELECTRICAL-PULSE TECHNOLOGY

Miscellaneous

206 THE PLASMA FOCUS AS A PULSED POWER SOURCE FOR DRIVING FUSION MICROEXPLOSIONS

2003 SUBNANOSECOND RISE TIME PULSES FROM INJECTION LASERS

2036 SIMPLE INSTRUMENTATION FOR RISE AND DECAY TIME MEASUREMENT OF CATHODOLUMINESCENCE IN AN ELECTRON MICROPROBE

2041 TUNNEL DIODE NARROW PULSE GENERATOR

4733 THE BOUNCING CONDUCTOR GENERATOR

10477 A TECHNIQUE FOR VERY-HIGH-SPEED PULSE GENERATION WITH VARIABLE REPETITION RATE

10400 EFFECT OF DISSOCIATION PULSE CIRCUIT INDUCTANCE ON THE CUCI LASER

16489 SINGLE-CHIP PULSE GENERATOR PROVIDES 50 MHz WITH ADJUSTABLE DUTY CYCLE

16493 WIDE-BAND PULSE AMPLIFIER

Pulse Forming Lines

247 DESIGN STUDY FOR AN AURORA MODIFICATION LEADING TO A 166-TERAWATT NUCLEAR WEAPON RADIATION SIMULATOR

444 SHORT-CURRENT-PULSE GENERATOR FOR SUPPLYING SEMICONDUCTOR LASERS

3736 NANOSECOND PULSES OF VERY LOW IMPEDANCE

5997 INTENSE PULSED NEUTRON SOURCE (IPNS-1) ACCELERATOR 566 MEV FAST KICKERS

6469 IMPROVEMENTS ON TRANSMISSION-LINE PULSERS

6616 A SUPPLY GENERATOR FOR A STREAMER CHAMBER WITH A LARGE INTERELECTRODE GAP

6626 A 506-RV NANOSECOND PULSE GENERATOR

6648
OBTAINING HIGH-VOLTAGE SQUARE PULSES

6855
PUMPING OSCILLATOR FOR LASERS HAVING TRANSVERSE EXCITATION

7857
GENERATOR OF HIGH-VOLTAGE RECTANGULAR PULSES

7243
DRIVING POKKELS CELLS IN MULTI-ARM LASERS

7746
CHARGED, INTERNALLY SWITCHED TRANSMISSION LINE CONFIGURATIONS FOR ELECTRON ACCELERATION

8517
A GENERATOR FOR SHAPING SINGLE HIGH-VOLTAGE NANOSECOND PULSES ACROSS AN UNMATCHED LOAD

10184
HIGH VOLTAGE NANOSECOND PULSE GENERATOR

Reviews

162
PULSED POWER FOR EMP SIMULATORS

354
PULSED POWER GENERATORS

335
PULSED POWER TECHNOLOGY FOR CONTROLLED THERMONUCLEAR FUSION

599
DESIGN CONSIDERATIONS FOR SUPER POWER PULSE MODULATORS

424
VERY HIGH FREQUENCY PULSE GENERATORS USING HYDROGEN THYRATONS

1089
GENERATORS OF POWERFUL SUBNANOSECOND PULSES

1133
TECHNOLOGY OF LARGE IMPULSE CURRENTS AND MAGNETIC FIELDS

1277
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY; LECTURE 1: INTRODUCTION TO POWER CONDITIONING SYSTEMS

1988
GENERATION OF ULTRA-HIGH POWER ELECTRICAL PULSES

5727
ANALYSIS OF PHASED ARRAY RADAR POWER SUPPLY SYSTEMS OPERATING UNDER VARIABLE PULSE LOADING CONDITIONS

5758
HIGH VOLTAGE PULSE GENERATORS FOR KICKER MAGNET EXCITATION

3812
BE KIND TO YOUR PULSE GENERATOR

4875
FORMATION OF NANOSECOND PULSES OF HIGH VOLTAGE

4726
NANOSECOND PULSE GENERATORS FOR MAGNETRON OPERATION

5413
DEVELOPMENT OF HIGH REPETITION-RATE PULSED POWER GENERATORS

7485
PULSE POWER REQUIREMENTS FOR LASER ISOTOPE SEPARATION

9757
A METHOD OF PRODUCING STRONG MAGNETIC FIELDS

Rotating Machines

250
DETAILED DESIGN, FABRICATION AND TESTING OF AN ENGINEERING PROTOTYPE COMPENSATED PULSED ALTERNATOR

3388
FUNDAMENTAL LIMITATIONS AND TOPOLOGICAL CONSIDERATIONS FOR FAST DISCHARGE HOMOPOLAR MACHINES

4651
AN ELECTROMECHANICAL PULSE GENERATOR

7175
FUNDAMENTAL LIMITATIONS AND DESIGN CONSIDERATIONS FOR COMPENSATED PULSED ALTERNATORS

7215
DESIGN OF THE ARMATURE WINDINGS OF A COMPENSATED PULSED ALTERNATOR ENGINEERING PROTOTYPE

7218
THE DESIGN, ASSEMBLY, AND TESTING OF A DESK MODEL COMPENSATED PULSED ALTERNATOR

7210
THE MECHANICAL DESIGN OF A COMPENSATED PULSED ALTERNATOR PROTOTYPE

7574
HOMOPOLAR CURRENT SOURCE FOR MASS ACCELERATORS

Spiral

164
SIMPLE, PULSED, ELECTRON BEAM GUN

5417
HIGH-VOLTAGE SPIRAL GENERATORS

6288
NOVEL PRINCIPLE OF TRANSIENT HIGH-VOLTAGE GENERATION

6973
A HELICAL PULSE-VOLTAGE GENERATOR

Stacked Line

641
A COMPACT POWERFUL-PULSE GENERATOR

6288
NOVEL PRINCIPLE OF TRANSIENT HIGH-VOLTAGE GENERATION

Stripline

10887
A SIMPLE STRIPLINE PULSER FOR SPARK CHAMBERS

Systems

123
OPERATION OF A 388-KV, 100-MJ, 38-KW AVERAGE POWER PULSER

127
POWER SYSTEM FOR A HIGH-POWER BURST MODE PULSED LOAD

144
NEUTRINO BEAM OF THE INSTITUTE OF HIGH-ENERGY PHYSICS. V. PULSED POWER SUPPLY FOR THE NEUTRINO FOCUSING SYSTEM

182
MAGNETIC FIELD CALCULATIONS FOR HIGH-ENERGY PULSED POWER SUPPLIES

585
A GENERATOR FOR STARTING ACOUSTIC CHAMBERS

487
CONVERTERS FOR SUPPLYING PULSED POWER LOADS

595
MAGNETICALLY INSULATED LINAC DRIVEN BY A MULTISTAGE MARX GENERATOR

686
A SIMPLE SYSTEM PRODUCING A 450 KV PULSE WITH 1 NS RISE TIME

632
DISTRIBUTED PARAMETER MODEL OF THE TRESTLE PULSER

638
THE DESIGN APPROACH TO A HIGH-VOLTAGE SURST GENERATOR

649
HIGH VOLTAGE NANOSECOND PULSE GENERATOR WITH VERY FAST RISE TIME

806
TRIODE-A MEGAVOLT PULSE GENERATOR USING INDUCTIVE ENERGY STORAGE

1040
NANOSECOND PULSE GENERATORS WITH INDUCTIVE STORAGE

1287
CURRENT INTERRUPTION IN INDUCTIVE STORAGE SYSTEMS WITH INERTIAL CURRENT SOURCE

1663
TWO TANGENT PULSE GENERATORS PROVIDE WAVEFORM FLEXIBILITY

2108
PULSED SUPPLY OF PHOTOMULTIPLIERS

2107
SPARK-CHAMBER POWER-SUPPLY CIRCUIT WITH SEMICONDUCTOR TRIODE

2244
500 KV NANOSECOND SQUARE WAVE PULSE GENERATOR

PULSE GENERATORS

3702
CONCEPTS STUDY FOR MILLISECOND RISETIME MULTI-MEGAJOULE
IMPULSE POWER SYSTEMS

3714
SHIVA ELECTROMAGNETIC IMPLOSION X-RAY SOURCE

3748
HIGH POWER SOLID STATE MODULATOR FOR COHERENT ABILE
MICROWAVE AMPLIFIER

4088
PULSER FOR EMP SIMULATION

4489
RELATIVISTIC ELECTRON BEAM SOURCE WITH AN AIR-CORE STEP-UP
TRANSFORMER

4570
RESONANT TRANSFORMER ELECTRON BEAM PULSER

4688
DISCHARGE CIRCUITRY FOR HIGH REPETITION RATE METAL VAPOUR
LASERS

4718
A HIGH CURRENT, HIGH FREQUENCY CAPACITIVE ENERGY STORAGE
SYSTEM USED TO PRODUCE INTENSE MAGNETIC FIELDS

4719
A MODULAR POWER-CROWBAR BANK FOR THE GENERATION OF A 50 MA,
50 MICROSECOND CURRENT PULSE FOR THE TOROIDAL PLASMA
EXPERIMENT NBS II AT OAKRIDGE

4722
HIGH-VOLTAGE PULSE GENERATORS OF THE BASE OF THE SHOCK
TRANSFORMER

4788
MULTI-STAGE SYNTHETIC CIRCUIT FOR EXTRA-HIGH-VOLTAGE
CIRCUIT-BREAKER TESTING

4999
FAST CIRCUIT BREAKER FOR THE DISCHARGE OF A STORAGE INDUCTOR

5201
TRIGGER AND CONTROL CIRCUITS FOR HIGH-VOLTAGE GENERATORS

5345
MULTIPLE-CIRCUIT PULSE GENERATOR FOR HIGH REPETITION RATE
RARE GAS HALIDE LASERS

5414
HIGH-DENSITY Z-FINCH PULSE-POWER SUPPLY SYSTEM

5419
STATUS OF THE UPGRADED VERSION OF THE NRL GAMBLE II PULSE
POWER GENERATOR

5573
MODULATOR CHARGING SYSTEM UPGRADE FOR A 5-MEV ELECTRON
ACCELERATION

6438
A GENERATOR OF POWERFUL PULSES OF COMPLEX SHAPE

6599
HIGH-VOLTAGE GENERATORS OF MILLISECOND PULSES

6612
TRANSFORMERS FOR HEAVY-CURRENT MILLISECOND IMPULSES

6758
METHOD OF PRODUCING A FAST CURRENT RISE FROM ENERGY STORAGE
CAPACITORS

7221
A COMPACT 5012 AMP/SEC RAIL-GUN PULSER FOR A LASER PLASMA
SHUTTER

8049
SUBMILLISECOND RISETIME MULTIKILOVOLT PULSE GENERATOR

8113
DIELECTRICS STUDY FINAL REPORT

8178
VOLTAGE-MULTIPLICATION OF STEEP PULSES

9399
HIGH-FREQUENCY MAGNETOTHRISTOR GENERATOR OF POWERFUL
MILLISECOND PULSES

9601
HIGH-POWER MAGNETOTHRISTOR PULSE GENERATOR

9635
THRATRON GENERATOR OF HIGH-POWER MILLISECOND PULSES WITH
INCREASED EFFICIENCY

10048
MILLISECOND CURRENT PULSE GENERATOR FOR SUPPLYING
SEMICONDUCTOR LASERS

10221
HIGH-VOLTAGE SYSTEM FOR THE RISK FACILITY; PART I. BIPOLAR
GENERATOR MODEL OF VOLTAGE PULSES WITH THE AMPLITUDE UP TO
200 KV

10535
STEPPED HIGH-VOLTAGE PULSE GENERATOR

10492
SYSTEM FOR CALIBRATION OF SPEAR TRANSPORT LINE TOROIDS

Trigger

782
SIMPLE PULSE GENERATOR FOR A POWERFUL MODULATOR

912
A 130 KV LOW IMPEDANCE MULTIPLE OUTPUT TRIGGER GENERATOR

996
LIGHT ACTIVATED 10 KV LOW JITTER PULSER

1337
GENERATION OF VOLTAGE PULSES FOR TRANSVERSE DISCHARGES

1350
SIX CHANNEL DIGITAL DELAY GENERATOR

1927
HIGH-VOLTAGE PULSE GENERATOR OFFERS VARIABLE DELAY AND ONLY
5-NS JITTER

1943
PULSE AMPLIFIER CAN DELIVER OVER 500 V WITH FREQUENCIES TO
100 KHZ

2018
GENERATOR PRODUCING TRAINS OF HIGH-VOLTAGE PULSES IN THE
MILLISECOND RANGE

2189
THYRISTOR HIGH-VOLTAGE PULSE GENERATORS

2277
A HIGH VOLTAGE PULSE GENERATOR FOR ACOUSTOELECTRIC STUDIES

3105
AVALANCHING TRANSISTORS SPEED UP HIGH-VOLTAGE PULSES

3199
OPTICALLY ISOLATED HIGH-VOLTAGE TRIGGER SYSTEM

3429
HIGH-SPEED SWITCH HANDLES +OR- 400-V PEAK AND IS CONTROLLED
BY LOGIC LEVELS

3615
DOUBLING BREAKDOWN VOLTAGE WITH CASCODED TRANSISTORS

3838
FOUR-CHANNEL UNIT FOR FIRING SPARK GAPS SYNCHRONOUSLY

4119
SCR TURN-OFF PROBLEM ELIMINATED IN RAPID-FIRE STROBOSCOPE
TRIGGER

4585
PICOSECOND TRIGGER SYSTEM USEFUL IN MODE-LOCKED LASER PULSE
MEASUREMENTS

4714
AN AIR-POWERED FIBER-OPTIC COUPLED PULSER SYSTEM FOR CTR
EXPERIMENTS

4935
LASER-TRIGGERED AVALANCHE-TRANSISTOR VOLTAGE GENERATOR FOR
A PICOSECOND STREAK CAMERA

5033
SPARK GAP TRIGGER AMPLIFIER WITH 1-MSEC RECOVERY TIME

5101
LIMITING CONDITIONS IN A FERRORESONANT TRIGGER CIRCUIT

5624
INVESTIGATIONS ON HIGH VOLTAGE PULSERS AND AMPLIFIERS FOR
THE EXACT TIMING OF THE IGNITION OF SPARK DISCHARGES

5670
MODEL-10 PRECISION DELAY TRIGGER GENERATOR

5685
A MAGNETO-DYNAMIC TRIGGER

5686
A 15 KV TRIGGER-GENERATOR WITH SPARK GAP

5689
DEVICE FOR TRIGGERING DISCHARGE TUBES IN A HIGH-VOLTAGE
PULSE GENERATOR

6026
GENERATOR PRODUCING RECTANGULAR VOLTAGE PULSES HAVING AN
AMPLITUDE OF 50 RV

6491
A PROGRAMMING GENERATOR PRODUCING POWERFUL NANOSECOND PULSES

6974
A 20-CHANNEL GENERATOR OF HIGH-VOLTAGE PULSES

7100
A PULSE GENERATOR BASED ON TACITRONS

7910
HIGH-VOLTAGE PULSER SPARES BATTERY SUPPLY

8316
A MAGNETIC-THYRISTOR GENERATOR PRODUCING HIGH-VOLTAGE
NANOSECOND PULSES

9384
HIGH-VOLTAGE PULSE GENERATOR WITH RISE TIME <10 NSEC

9612
LIGHT CONTROL-PULSE DETECTOR FOR THE CURRENT SWITCHES IN A
HIGH-VOLTAGE PULSE GENERATOR

9981
'CROWBAR' TRIGGERING METHOD FOR HIGH POWER PULSE CIRCUIT

10100
HIGH SPEED TRIGGER SYSTEM FOR TOTAL DEPOSITED ENERGY
MEASUREMENT IN A LIQUID AROON CALORIMETER

10333
HIGH-VOLTAGE PULSE GENERATOR FOR A LOW-RESISTANCE LOAD

INTENTIONALLY LEFT BLANK

Conferences

- 1341
1978 IEEE THIRTEENTH PULSE POWER MODULATOR SYMPOSIUM
- 2321
CURRENT INTERRUPTION IN HIGH-VOLTAGE NETWORKS
- 2835
SYMPOSIUM PROCEEDINGS NEW CONCEPTS IN FAULT CURRENT LIMITERS AND POWER CIRCUIT BREAKERS
- 4149
IEEE 1973 MODULATOR SYMPOSIUM
- 4679
1976 IEEE PULSED POWER CONFERENCE PROCEEDINGS
- 6916
ALL-UNION CONFERENCE ON THE APPLICATION OF CHARGED-PARTICLE ACCELERATORS IN THE NATIONAL ECONOMY
- TI15
IEEE 2ND INTERNATIONAL PULSED POWER CONFERENCE DIGEST OF TECHNICAL PAPERS
- T559
ENERGY STORAGE, COMPRESSION, AND SWITCHING
- 8367
PROCEEDINGS OF THE INTERNATIONAL TOPICAL CONFERENCE ON HIGH POWER ELECTRON AND ION BEAM RESEARCH AND TECHNOLOGY (2ND), OCTOBER 3-5, 1977, VOLUME I
- 8368
PROCEEDINGS OF THE INTERNATIONAL TOPICAL CONFERENCE ON HIGH POWER ELECTRON AND ION BEAM RESEARCH AND TECHNOLOGY (2ND), OCTOBER 3-5, 1977, VOLUME II
- 9697
CONFERENCE ON MEGAGAUSS MAGNETIC FIELD GENERATION BY EXPLOSIVES AND RELATED EXPERIMENTS
- 9867
IEEE 1981 CONFERENCE ON ELECTRICAL INSULATION AND DIELECTRIC PHENOMENA
- 9868
1981 IEEE 7TH INTERNATIONAL CONFERENCE ON CONDUCTION AND BREAKDOWN IN DIELECTRIC LIQUIDS
- 9918
5TH INTERNATIONAL CONFERENCE ON GAS DISCHARGES
- 18112
EXPLODING WIRES, VOLUME III
- 18177
EXPLODING WIRES, VOLUME IV

Reviews

- 285
THE EVOLUTION OF PULSED POWER
- 686
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY
- 1887
PULSED HIGH-CURRENT ELECTRON TECHNOLOGY
- 1135
TECHNOLOGY OF LARGE IMPULSE CURRENTS AND MAGNETIC FIELDS
- 1277
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY; LECTURE I: INTRODUCTION TO POWER CONDITIONING SYSTEMS
- 1288
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY; LECTURE II: GROUNDING AND SHIELDING TECHNIQUES
- 1389
EMP INTERACTION: PRINCIPLES, TECHNIQUES, AND REFERENCE DATA (A COMPLETE CONCATEANATION OF TECHNOLOGY FROM THE EMP INTERACTION NOTES) EMP INTERACTION 2-1
- 1372
HIGH VOLTAGE DESIGN GUIDE FOR AIRBORNE EQUIPMENT
- 1776
RECENT DEVELOPMENTS IN HIGH AVERAGE POWER DRIVER TECHNOLOGY
- 1875
PULSED POWER FOR FUSION
- 1998
GENERATION OF ULTRA-HIGH POWER ELECTRICAL PULSES
- 3729
REVIEW OF DIELECTRICS AND SWITCHING

- 3768
GENERAL CONSIDERATION OF ENERGY COMPRESSION
- 4875
FORMATION OF NANOSECOND PULSES OF HIGH VOLTAGE
- 4248
BASIC PROCESSES OF GASEOUS ELECTRONICS
- 4379
ELECTRON-BEAM-FUSION PROGRESS REPORT JANUARY-JUNE 1976
- 4388
ELECTRON-BEAM-FUSION PROGRESS REPORT JULY THROUGH SEPTEMBER 1976
- 4385
LASER-FUSION AND ELECTRON-BEAM-FUSION RESEARCH PROGRESS REPORT JANUARY-JUNE 1976
- 4388
PULSED-POWER RESEARCH AND DEVELOPMENT IN THE USSR
- 4695
LIGHTWEIGHT MULTIMEGAWATT POWER TECHNOLOGY-A SURVEY
- 4726
NANOSECOND PULSE GENERATORS FOR MAGNETRON OPERATION
- 5416
OVERVIEW OF INERTIAL CONFINEMENT FUSION
- 5535
INVESTIGATIONS INTO ELECTRICAL DISCHARGES IN GASES
- 5550
GROUNDING AND SHIELDING TECHNIQUES IN INSTRUMENTATION
- 5554
NOISE REDUCTION TECHNIQUES IN ELECTRONIC SYSTEMS
- 7225
THE NEAR AND LONG TERM PULSE POWER REQUIREMENT FOR LASER DRIVEN INERTIAL CONFINEMENT FUSION
- 7934
AQUEOUS DIELECTRICS
- 8172
INDUCTANCE CALCULATIONS: WORKING FORMULAS AND TABLES
- 8175
AN INTRODUCTION TO HIGH-VOLTAGE EXPERIMENTAL TECHNIQUE
- 8174
ELECTRICAL BREAKDOWN OF GASES
- 8295
TRANSMISSION LINES WITH PULSE EXCITATION
- 8249
MILLIMICROSECOND PULSE TECHNIQUES (SECOND EDITION)
- 8287
INSULATING MATERIALS FOR DESIGN AND ENGINEERING PRACTICE
- 8487
CRITICAL PULSE POWER COMPONENTS
- 10178
PULSED HIGH MAGNETIC FIELDS
- 10224
HIGH POWER ELECTRON AND ION BEAM CONFERENCE

INTENTIONALLY LEFT BLANK

1349
OVERVOLTAGE PROTECTION BY POINT-PLANE SPARK GAPS

3465
BACKGROUND INFORMATION ON HIGH-VOLTAGE FIELDS

5676
SAFETY PROBLEMS IN THE JULIETTA CAPACITOR BANK

7202
SAFETY GROUNDING SWITCHES IN LARGE EXPERIMENTS; GENERAL CONSIDERATIONS AND THE TEXT APPLICATION

INTENTIONALLY LEFT BLANK

Reviews

1998
GENERATION OF ULTRA-HIGH POWER ELECTRICAL PULSES

7559
ENERGY STORAGE, COMPRESSION, AND SWITCHING

INTENTIONALLY LEFT BLANK

Applications

1281
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY;
LECTURE 5: DISCHARGE CIRCUITS AND LOADS

Avalanche Transistors, Electrical

2217
METHOD OF APPLYING AN AVALANCHE TRANSISTOR GENERATED 70 NS
GATING IMPULSE TO A FOCUSED PHOTOMULTIPLIER

6054
SPARK CHAMBER PULSING SYSTEM

8276
THE APPLICATION OF AVALANCHE TRIODES IN NUCLEAR-ELECTRONICS
CIRCUITS

Avalanche Transistors, Optical

4935
LASER-TRIGGERED AVALANCHE-TRANSISTOR VOLTAGE GENERATOR FOR
A PICOSECOND STREAK CAMERA

EBS

5741
CHARACTERISTICS AND CAPABILITIES OF THE MODULAR EBS

Gas Gaps, Crossed-field

1164
THE TRIGATRON-A CONTROLLABLE DEVICE WITH CROSSED FIELDS

2180
OPERATING CHARACTERISTICS OF THE CROSSED-FIELD CLOSING
SWITCH

3006
HIGH AVERAGE POWER TESTS OF A CROSSED-FIELD CLOSING SWITCH

3759
THE CROSSED FIELD SWITCH TUBE AND ITS APPLICATION TO HIGH
POWER MODULATORS

4192
CROSSED-FIELD CLOSING SWITCH DEVELOPMENT

7256
THE CROSSED-FIELD CLOSING SWITCH-A STATUS REPORT

8988
FEASIBILITY OF A HIGH AVERAGE POWER CROSSED FIELD CLOSING
SWITCH

Gas Gaps, E-beam

780
REPETITIVE ELECTRON-BEAM CONTROLLED SWITCHING

864
AN ELECTRON-BEAM-TRIGGERED SPARK GAP

897
REPETITIVE ELECTRON BEAM CONTROLLED SWITCHING

4261
HIGH VOLTAGE SWITCH USING EXTERNALLY IONIZED PLASMAS

4689
ELECTRON BEAM CONTROLLED SWITCHING

4931
INITIATION OF A DISCHARGE IN A MEGAVOLT GAS SPARK GAP BY AN
ELECTRON BEAM

6931
ELECTRIC-FIELD INSTABILITIES OF A VOLUME GAS DISCHARGE
EXCITED BY AN ELECTRON BEAM

6956
SOME CHARACTERISTICS OF A SPARK DISCHARGE INITIATED BY AN
ELECTRON BEAM

6988
DISCHARGE IN A HIGH-PRESSURE GAS, INITIATED BY A BEAM OF
FAST ELECTRONS

Gas Gaps, Electrical

231
ADVANCES IN THE DEVELOPMENT OF A GAS DISCHARGE SWITCH
HAVING A REPETITIVE CURRENT INTERRUPTING CAPABILITY

263
LOW INDUCTANCE SPARK GAP SWITCH FOR GLUMLEIN-DRIVEN LASERS

666
A SIMPLE SYSTEM PRODUCING A 456 RV PULSE WITH 1 NS RISE TIME

747
LONG-LIFE HIGH-REPETITION-RATE TRIGGERED SPARK GAP

869
A 3-MV LOW-JITTER TRIGGERED GAS SWITCH

917
HIGH REPETITION RATE MINIATURE TRIGGERED SPARK SWITCH

928
PARALLEL COMBINATIONS OF PRE-IONIZED LOW JITTER SPARK GAPS

961
SIMULATION OF INDUCTIVE AND ELECTROMAGNETIC EFFECTS
ASSOCIATED WITH SINGLE AND MULTICHANNEL TRIGGERED SPARK GAPS

1087
A MULTISPARK HIGH-VOLTAGE TRIGATRON

1120
PLASMA TRIGATRON SPARK GAP

1159
NEW HIGH-POWER NANOSECOND SWITCH

1162
THE AUTRON-A CONTROLLED PLASMA-CATHODE GAS-DISCHARGE DEVICE

1501
SUMMARY OF THE HERMES FLASH X-RAY PROGRAM

2175
HIGH REPETITION RATE BURST-MODE SPARK GAP

2178
MULTICHANNEL SURFACE SPARK GAPS

2188
DEVELOPMENT OF A 100-KV MULTIMEGAWATT REPETITION RATE GAS
SWITCH

2360
DESIGN AND STRUCTURE OF AN EXTENDED LIFE HIGH CURRENT
SPARK GAP

2437
ARC VOLTAGE OF PULSED HIGH CURRENT SPARK GAPS

2724
DEVELOPMENT OF THE SWITCHING COMPONENTS FOR ZT-46

2757
MULTICHANNEL, HIGH-ENERGY RAILGAP SWITCH

5198
NOVEL SHORT RECOVERY TIME HIGH-VOLTAGE SWITCH

3374
FAST AIR GAP CROWBAR SWITCH DECOUPLED BY A LOW PRESSURE GAP

3644
SPARK GAPS CAN SWITCH AS WELL AS PROTECT

3646
SPECIAL SPARK-GAP SWITCHES FOR USE IN SYNTHETIC TEST
CIRCUITS

5725
HIGH POWER SPARK GAP SWITCH DEVELOPMENT

3840
HIGH-VOLTAGE GAS-FILLED SPARK GAP

3861
SUBNANOSECOND-JITTER LASER-TRIGGERED SWITCHING AT MODERATE
REPETITION RATES

4067
A 100 KV, FAST, HIGH ENERGY, NONUNIFORM FIELD DISTORTION
SWITCH

4069
CROWBARRING TECHNIQUE FOR HIGH-VOLTAGE CAPACITOR BANKS

4200
HIGH POWER SWITCH DEVELOPMENT

4262
INVESTIGATION OF THE RESISTIVE PHASE IN HIGH POWER GAS
SWITCHING

4209
PARAMETERS AFFECTING FIRING TIME OF SIMULTANEOUSLY
TRIGGERED TRIGATRON SPARK GAP SWITCHES

4236
MODEL FOR A LOW PRESSURE SPARK GAP

4237
HIGH POWER SPARK GAP SWITCH PROGRAM

SWITCHES, CLOSING

4582
FERRITE DECOUPLED CROWBAR SPARK GAP

4444
A THREE-GAP SPARK-DISCHARGE DEVICE FOR SUPPLYING SPARK CHARGERS

4492
STARTING CHARACTERISTICS OF A 100-KV TRIGATRON FILLED WITH SF₆/SUB 6/

4641
ROTARY SPARK GAP SWITCHING FOR HIGH POWER GYE LASERS

4644
SIMPLE SPARK GAP FOR A HIGH REPETITION RATE NITROGEN LASER

4698
GASEOUS SWITCHES: THE PAST AND PRESENT STATE OF THE ART

4745
A TRIGGERED SPARK GAP WITH ROTATING ELECTRODES

4744
A VERSATILE 60 KV SWITCHING SYSTEM FOR PULSED EXCITATION OF LASERS

4780
MULTI-STAGE SYNTHETIC CIRCUIT FOR EXTRA-HIGH-VOLTAGE CIRCUIT-BREAKER TESTING

4878
STUDY OF A 46 KV MULTISTAGE SPARK GAP OPERATED IN AIR AT ATMOSPHERIC PRESSURE

4875
THE EFFECT OF IONIZATION AND FLOW VELOCITY UPON SPARK GAP RECOVERY

4897
ALTERNATE POLARITY MULTIPLE SPARK GAP FOR HIGH EFFICIENCY SHOWER DETECTORS

5644
HIGH-CURRENT 66 KV MULTIPLE-ARC SPARK GAP SWITCH OF 1.7 MN INDUCTANCE

5119
A NEW HIGH-VOLTAGE TRIGGERED SPARK GAP

5277
THE ADVANCED DEVELOPMENT OF WATER TRIGATRON AND THREE-ELECTRODE SULFUR HEXAFLUORIDE SWITCHES

5295
MULTIMEGAVOLT MODULATOR STUDY

5346
A REPETITIVELY OPERABLE, HIGH-CURRENT INTERRUPTER

5412
CHARACTERIZATION OF HIGH POWER GAS SWITCH FAILURE MECHANISMS

5431
HIGH POWER SPARK GAP OPTIMIZATION

5591
MULTICHANNEL SPARK-GAP TECHNOLOGY FOR STAGED THETA-PINCH MACHINES

5689
CONTROL OF HIGH ENERGY CAPACITOR BANKS

5655
CROWBAR SYSTEM IN ISAR 1

5669
INVESTIGATIONS ON LOW-INDUCTIVE SPARK GAPS FOR HIGH VOLTAGES IN AIR

5672
PRESSURIZED SWITCHING UNIT DESIGNED TO START AND TO CROWBAR A TURBULENCE HEATING EXPERIMENT

5677
SWITCHES FOR HIGH CURRENT DEVICES

6034
SELF-CROWBARRING, LOAD-ISOLATING TRIGGERED SPARK GAP

6054
SPARK CHAMBER PULSING SYSTEM

6655
SPARK-GAP SWITCHING OF A 584-KJ LOW INDUCTANCE CAPACITOR BANK

6657
TRIGGERING MECHANISM OF LOW-PRESSURE SPARK GAPS

6376
A SIMPLE SWITCHING SYSTEM FOR REPEATABLE PULSED DISCHARGES

6477
REPRODUCIBILITY OF DELAY TIME FOR BREAKDOWN OF HIGH-PRESSURE TRIGGERED SPARK GAPS

6480
SPARK CURRENT AND VOLTAGE IN NANOSECOND BREAKDOWN OF A GAS GAP

6516
FAST HIGH-VOLTAGE HIGH-CURRENT SWITCH: THYRATRON-SPARK GAP HYBRID

6610
STUDY OF OPERATION OF CONTROLLED SPARK GAPS IN AIR

6619
A TRIGATRON FOR LARGE CURRENTS IN HIGH-VOLTAGE APPARATUS

6636
METHOD OF MEASURING THE DISPERSION OF THE DELAY TIMES OF BREAKDOWN OF CONTROLLED SPARK GAPS

6641
ON THE USE OF GAS-DISCHARGE MICROGAPS IN HIGH-VOLTAGE NANOSECOND PULSE DEVICES

6856
LOW-PRESSURE GAS-DISCHARGE COMMUTATORS

6887
FORMATION OF A MULTICHANNEL SPARK IN AIR

6894
CROWBAR GAP SWITCH WITH TWO TRIGGERING PULSES OF OPPOSITE POLARITIES AND ITS SIMPLIFIED GAP SWITCHES

7041
ELECTRICAL CHARACTERISTICS OF CONTROLLED HIGH-CURRENT TRIGGERED AIR SPARK GAPS

7051
INVESTIGATION OF PREIGNITION PROCESSES IN TRIGATRONS OPERATING IN AIR

7655
INVESTIGATION OF TRIGGERING DELAY IN A LOW-PRESSURE HOLLOW-CATHODE SPARK GAP

7089
A GENERATOR THAT PRODUCES POWERFUL PULSES USING GAS-DISCHARGE COMMUTATORS OF THE TRIOTRON AND TRIOPLASMATRON TYPE

7098
TRANSIENT BEHAVIOR OF A HIGH-VOLTAGE LOW-PRESSURE TRIGGERED SPARK GAP

7166
TWO-CHAMBER HEAVY-CURRENT HIGH-VOLTAGE SWITCH

7188
A SIMULATION APPROACH TO HIGH AVERAGE POWER REPETITIVELY PULSED SWITCH TESTING

7495
THE PARALLEL OPERATION OF LOW-INDUCTANCE HIGH-CURRENT SPARK GAPS WITHOUT TRANSIT TIME ISOLATION

7615
THE DG SWITCH OPERATION AT 4 MILLION VOLTS AND 860 KILOAMPERES

7767
HIGH-VOLTAGE, LOW-INDUCTANCE SWITCH FOR MEGAMPERE PULSE CURRENTS

7901
HIGH REPETITION RATE SPARK GAP

8049
SUBNANOSECOND RISETIME MULTIKILOVOLT PULSE GENERATOR

8050
CHARACTERISTICS OF THE TRIGATRON SPARK-GAP

8051
THE CHARACTERISTICS OF THE TRIGATRON SPARK-GAP AT VERY HIGH VOLTAGES

8832
THE DEVELOPMENT OF THE DISCHARGE IN THE TRIGATRON SPARK GAP AT VERY HIGH VOLTAGES

8115
100-KHZ QUENCHING SPARKGAPS HAVE 1E12 A/S CURRENT RISE

8149
HIGH VOLTAGE INSULATION OF LINES AND EQUIPMENT

8194
A KILOAMPERE CURRENT DIODE BASED ON THE QUENCHED SPARK PRINCIPLE

HD-A131 752


PULSED POWER BIBLIOGRPPHY VOLUME 1 INDICES(U) AIR FORCE
WEAPONS LAB KIRTLAND AFB NM J BEMESDERFER ET AL.
AUG 83 AFWL-TR-83-74-VOL-1

2/

UNCLASSIFIED

F/G 20/5

NL





MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

8244
MULTIPLE-SPARK OPERATION OF A MEGAVOLT TRIGATRON

8278
THE BREAKDOWN MECHANISM OF CERTAIN TRIGGERED SPARK GAPS

8585
GASEOUS DISCHARGE SWITCH IN OVERSIZED WAVEGUIDE

8518
PRODUCTION OF MILLIMICROSECOND CURRENT PULSES USING A PRESSURIZED SPARK GAP

8971
SWITCHING CHARACTERISTICS OF A THREE-ELECTRODE SPARK GAP

9551
CONTROLLED DOUBLE-TRIGGER SPARK GAP

9582
AMPLITUDE STABILIZATION OF HIGH-VOLTAGE PULSES USING POWERFUL COMMUTATORS

9866
HIGH POWER SPARK GAP SWITCHES-A NUMERICAL MODEL AND EXPERIMENTAL INVESTIGATION

9988
LOW-INDUCTANCE 100 KV SWITCH (SPARK GAP) FOR STARTING, DIVERTING AND CLAMPING CAPACITOR DISCHARGES

1B184
HIGH VOLTAGE NANOSECOND PULSE GENERATOR

1B338
GAS MIXTURE $N_2/SUB 2/ + SF_6/SUB 6/ + AR$ FOR A HIGH-PRESSURE DISCHARGER

Gas Gaps, Materials

763
EROSION OF SPARK GAP ELECTRODES

851
ELECTRODES FOR HIGH-CURRENT COMMUTATORS

952
SURFACE AGING IN HIGH REPETITION RATE SPARK SWITCHES WITH ALUMINUM AND BRASS ELECTRODES

956
ACOUSTIC PHENOMENA IN EROSION OF SPARK-GAP ELECTRODES

962
SPARK GAP EROSION RESULTS

1282
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY; LECTURE 6: SPARK GAPS

1517
INVESTIGATION OF ELECTRODE EROSION IN HIGH CURRENT ELECTRIC ARCS

1524
SPARK-GAP STUDIES

1556
ELECTRODE EROSION BY SPARK DISCHARGES

1557
ELECTRODE EROSION IN PULSED HIGH-CURRENT DISCHARGES

1558
ELECTRODE VAPOUR JETS IN SPARK DISCHARGES

2725
RECOIL MOMENTUM AND EJECTION OF METAL PARTICLES UNDER THE ACTION OF A DIAMT LASER PULSE

2995
AVOIDING PLASHOVERS IN LOW INDUCTANCE HIGH VOLTAGE SPARK GAPS AT ATMOSPHERIC PRESSURE

5698
ENERGY DISSIPATION AND ELECTRODE EROSION IN ARCS

5786
ELECTRODE PHENOMENA IN A HIGH CURRENT 20-NANOSECOND SPARK

3718
INVESTIGATION OF THE EROSION PHENOMENA IN HIGH CURRENT, HIGH PRESSURE GAS DISCHARGES

3719
IR ABSORPTION OF HIGHLY EXCITED $SF_6/SUB 6/$

3728
NONLINEAR SURFACE PHOTOELECTRIC EFFECT IN METALS SUBJECTED TO INTENSE LIGHT

4581
THE RECOVERY OF HIGH CURRENT LOAD GAPS IN HYDROGEN AND ARGON

4819
CURRENT DENSITY IN ELECTRODE SPOTS OF ARC WITH METAL ELECTRODES

5128
SURVEY OF EFFECT OF SURFACE PROPERTIES ON ANODE EROSION

5196
SPARK GAP OVERPRESSURES IN THE TRANSFER CAPACITOR DEVICE

5328
ELECTRODE MATERIAL RELEASE DURING HIGH VOLTAGE BREAKDOWN

5412
CHARACTERIZATION OF HIGH POWER GAS SWITCH FAILURE MECHANISMS

5552
EXPLOSIVE ANODE EROSION IN HIGH CURRENT SPARKS

5684
CASTING COPPER TO TUNGSTEN FOR HIGH POWER ARC LAMP CATHODES

6698
A THEORY OF THE PRODUCTION OF ELECTRODE VAPOR JETS BY SPARKS AND ARCS

6928
EFFECT OF THE MEDIUM ON THE ELECTRICAL EROSION OF ELECTRODES AT HIGH CURRENTS

7491
THE EFFECT OF ROTATING ARC VELOCITY ON COPPER CATHODE EROSION

8177
DESTRUCTION OF ELECTRODES BY ELECTRIC DISCHARGES OF HIGH CURRENT DENSITY

8198
CARBON SEGREGATION AND ARC DAMAGE OF TUNGSTEN ELECTRODES

8242
INVESTIGATION OF THE NEAR-ELECTRODE REGIONS OF AN ARC DISCHARGE BETWEEN ELECTRODES OF DIFFERENT CHEMICAL COMPOSITION

8254
CONSUMPTION AND DEGREE OF USE OF ELECTRODE MATERIAL IN A HIGH-FREQUENCY CONDENSED SPARK DISCHARGE

8285
VAPORIZATION OF METAL ELECTRODES BY PULSED CURRENTS

8951
EROSION OF CATHODE MATERIAL IN A PULSED DISCHARGE BETWEEN PARALLEL ELECTRODES

10330
GAS MIXTURE $N_2/SUB 2/ + SF_6/SUB 6/ + AR$ FOR A HIGH-PRESSURE DISCHARGER

Gas Gaps, Optical

271
ELECTRO-OPTICAL SHUTTER WITH SYNCHRONIZATION BY LASER RADIATION

615
PRECISE LASER INITIATED CLOSURE OF MULTIMEGAVOLT SPARK GAPS

656
THE LASER TRIGGERING OF HIGH-VOLTAGE SWITCHES

746
LASER TRIGGERING THROUGH FIBER OPTICS OF A LOW JITTER SPARK GAP

888
LOW JITTER LASER TRIGGERED SPARK GAP USING FIBER OPTIC

948
ELECTRON DENSITIES IN LASER-TRIGGERED SPARK GAP DISCHARGES

952
KRF LASER-TRIGGERED $SF_6/SUB 6/$ SPARK GAP FOR LOW-JITTER TIMING

1145
COMPUTATION OF SPARK GAPS BY MEANS OF A PULSED GAS LASER OPERATING IN THE ULTRAVIOLET RANGE

1402
LASER-CONTROLLED SWITCHING

2002
STARTING HIGH-VOLTAGE GENERATORS AT A VOLTAGE OF UP TO 1 MV BY MEANS OF PULSED X RADIATION

SWITCHES, CLOSING

2626
MEASUREMENT OF THE ACTUATION TIME OF SPARK GAPS IN A CASCADE PULSE-VOLTAGE GENERATOR

2779
PRESSURE DEPENDENCE OF THE RISE TIME OF LASER-TRIGGERED SPARK GAPS

3134
CASCADE IONIZATION OF A GAS BY A LIGHT PULSE

3484
APPLICATIONS OF A LASER-TRIGGERED SPARK GAP (LTSO)

3537
FORMATION AND GUIDING OF HIGH-VELOCITY ELECTRICAL STREAMERS BY LASER-INDUCED IONIZATION

3587
INFLUENCE OF RADIATION ON THE SPARKOVER OF SPHERE GAPS AND CROSSED-CYLINDER GAPS STRESSED WITH IMPULSE VOLTAGES

3684
TRIGGERING MECHANISM OF A LASER-TRIGGERED SPARK GAP

3648
SWITCHING JITTER IN SPARK GAP TRIGGERED BY A TEM/SUB 00/-MODE MODE-LOCKED RUBY LASER

3747
A CO/SUB 2/-LASER-TRIGGERED SPARK GAP

3920
TRIGGERING OF SPARK GAPS BY LASER-INDUCED ION EMISSION

4204
LASER CONTROL OF SPARK GAPS

4212
SYMPATHETIC BREAKDOWN IN AIR

4586
PARTICLE BEAM FUSION PROGRESS REPORT APRIL 1978 THROUGH DECEMBER 1978

4409
USE OF A 'LASER SPARK' TO INITIATE A HIGH-POWER HIGH-PRESSURE GAS DISCHARGE

4445
A MULTICHANNEL LASER TRIGGERED SPARK GAP WITH SUBNANOSECOND RISETIME FOR ELECTRO-OPTIC SWITCHING

4581
UV LASER TRIGGERING OF SPARK GAPS BY TWO-QUANTUM PHOTOELECTRIC EFFECT

4598
A DYE LASER TRIGGERED SPARK GAP

4769
EFFECTS OF SPARK GAP GEOMETRY AND LASER COMPONENTS ON THE LASER-TRIGGERED ELECTRIC BREAKDOWN

4945
PICOSECOND TRIGGERING OF A LASER-TRIGGERED SPARK GAP

4943
THE LASER TRIGGERED SPARK GAP

4998
EFFECT OF CATHODE MATERIAL IN A LASER TRIGGERED SPARK GAP

5855
A SIMPLE LASER-TRIGGERED SPARK GAP WITH SUBNANOSECOND RISETIME

5102
LOW-JITTER MULTIGAP LASER-TRIGGERED SWITCHING AT 50 PPS

5134
TRIGGERING OF A PRESSURIZED SPARK GAP BY A LASER BEAM

5207
LASER TRIGGERED SPARK GAP USING FIBER OPTIC TRANSMISSION

5255
INVESTIGATION OF A LASER TRIGGERED SPARK GAP

5329
PARTICLE BEAM FUSION PROGRESS REPORT JANUARY 1988 THROUGH JUNE 1988

5432
STUDIES OF TRANSIENT DISCHARGES

5839
ELECTRICAL DISCHARGE THROUGH LASER-INDUCED SPARK

5848
INVESTIGATION OF AN ELECTRIC DISCHARGE ACROSS A LASER SPARK

5881
PREIONIZATION CONTROL OF STREAMER PROPAGATION

6038
A LASER-TRIGGERED 50 PPS HIGH-VOLTAGE SWITCH WITH NANOSECOND JITTER

6454
DRIVEN HIGH-VOLTAGE NANOSECOND PULSE GENERATOR TRIGGERED BY LASER RADIATION

T803
EFFECTS OF TARGET-ELECTRODE POLARITY AND FOCAL-PLANE POSITION ON A LASER-TRIGGERED GAP

T911
A SIMPLE LASER-TRIGGERED SPARK GAP FOR KILOVOLT PULSES OF ACCURATELY VARIABLE TIMING

T913
AN ELECTRICAL DISCHARGE THROUGH TWO LASER SPARKS

T915
BREAKDOWN OF A SPARK GAP IN AIR TRIGGERED BY A LASER

T924
INVESTIGATION OF BREAKDOWN IN N/SUB 2/ UNDER THE INFLUENCE OF A PICOSECOND RUBY-LASER PULSE

T926
LASER INITIATED SPARK DEVELOPMENT IN AN AIR GAP

T931
LASER-TRIGGERED SPARK GAP

T932
LASER-TRIGGERED SPARK-GAP SWITCH

T948
SOME DESIGN CONSIDERATIONS OF A LASER TRIGGERED IMPULSE GENERATOR

T941
SPARK DISCHARGE TRIGGERED BY A PULSE LASER BEAM

T948
TIME CONSTANTS OF SPARK DISCHARGES INITIATED BY A GAS-LASER BEAM OF $\lambda = 0.3371$ MICRONS

T951
12.2-LASER-TRIGGERED MEGAVOLT SWITCHING

8809
INVESTIGATION OF LASER PULSE FORMING BY LTSO AND POCKELS CELLS

8888
OPTICALLY-INITIATED DIRECTED ELECTRIC BREAKDOWN IN A GAS

B124
NANOSECOND TRIGGERING OF AIR GAPS WITH INTENSE ULTRAVIOLET LIGHT

B106
INVESTIGATION OF THE CHARACTERISTICS OF FAST-RESPONSE SEALED DISCHARGES TRIGGERED BY LASER RADIATION

B215
ELECTRON DENSITIES IN LASER-TRIGGERED HYDROGEN SPARKS

B944
REP LASER-TRIGGERED SP/SUB 6/ SPARK GAP FOR LOW JITTER TIMING

I0049
VOLT-AMPERE CHARACTERISTIC AND TRANSITION CURRENT OF A GAS GAP WHEN ACTED UPON BY PULSED IONIZING RADIATION

I0348
UV LASER TRIGGERING OF HIGH-VOLTAGE GAS SWITCHES

I0484
INVESTIGATION OF THE INFLUENCE OF THE DISCHARGE MEDIUM ON THE CHARACTERISTICS OF LASER-RADIATION-TRIGGERED DISCHARGE GAPS

Gas Gaps, Radiation

T063
REDUCTION OF GAS BREAKDOWN VOLTAGE WITH PULSED IONIZING RADIATION

Gas Gaps, Recovery

T49
TESTING OF A 100-KV 100-HZ REP-RATE GAS SWITCH

943
GAS COOLING AND ELECTRIC STRENGTH RECOVERY AFTER A SPARK DISCHARGE

2976
THE INFLUENCE OF ELECTRODE HEAT TRANSPORT IN SPARK RECOVERY

3045
THE INFLUENCE OF FORMATIVE TIME LAGS ON SPARK-GAP RECOVERY MEASUREMENTS

6926
DISCHARGER WITH HIGH PULSE REPETITION FREQUENCY

Gas Gaps, Reviews

1202
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY;
LECTURE 6: SPARK GAPS

Gas Gaps, Self

749
TESTING OF A 100-KV 100-HZ REP-RATE GAS SWITCH

1100
HIGH CURRENT SUBNANOSECOND PULSE GENERATOR

1153
HIGH-VOLTAGE MEGA-AMP ARC GAP WITH DESTRUCTIBLE ELECTRODES

1349
OVERVOLTAGE PROTECTION BY POINT-PLANE SPARK GAPS

1403
STATISTICAL STUDY OF NANOSECOND BREAKDOWN DELAY IN NARROW GAS GAPS IN SUPERHIGH ELECTRIC FIELDS

2106
TIME-RESOLVED RESISTANCE DURING SPARK GAP BREAKDOWN

2014
AN ELECTRICAL SURGE ARRESTOR (ESA) MODEL FOR ELECTROMAGNETIC PULSE ANALYSIS

3151
GENERATOR PRODUCING SINGLE NANOSECOND PULSES WITH CONTROLLABLE AMPLITUDE AND DURATION

3644
SPARK GAPS CAN SWITCH AS WELL AS PROTECT

3722
COMPUTATION OF IONISATION GROWTH AT HIGH CURRENT DENSITIES

4013
RISE TIME AND TIME-DEPENDENT SPARK-GAP RESISTANCE IN NITROGEN AND HELIUM

4302
PERRITE DECOUPLED CROWBAR SPARKGAP

5666
INHOMOGENEOUS AIR SPARK GAPS AT DIFFERING VOLTAGE LOAD

6505
THE 'HOURGLASS' ENERGY DIVERTER

6892
PULSED BREAKDOWN OF SMALL GAPS IN THE NANOSECOND RANGE

6960
THE DIFFUSE AND CHANNEL STAGES IN THE OVERVOLTAGE BREAKDOWN OF A GAS GAP

7023
STABILIZATION OF IGNITION VOLTAGE IN HIGH-PRESSURE SPARKS

7170
BREAKDOWN IN SMALL, FLOWING GAS SPARK GAPS

7204
TESTING OF A 100 KV, 100 HZ REP-RATE GAS SWITCH

9322
BREAKDOWN-VOLTAGE STABILITY OF GAS-FILLED SWITCHES FOR VOLTAGE PULSE GENERATOR

9502
AMPLITUDE STABILIZATION OF HIGH-VOLTAGE PULSES USING POWERFUL COMPUTATORS

Gas Gaps, Systems

6505
THE 'HOURGLASS' ENERGY DIVERTER

6632
INDUCTANCE OF MULTICHANNEL HIGH-VOLTAGE DISCHARGERS

6726
AROUS-A SIMPLE DEVICE FOR SIMULTANEOUS MEASUREMENT OF BREAKDOWN TIMES OF MANY SPARK GAPS

T066
STUDY OF PARALLEL OPERATION OF CONTROLLED SPARK GAPS

Gas Gaps, Thermal

5907
THE HOT-WIRE TRIGGERED SPARK GAP AT VERY HIGH VOLTAGES

6270
THE BREAKDOWN MECHANISM OF CERTAIN TRIGGERED SPARK GAPS

Hollow-cathode

9643
A TWO-CHAMBER HEAVY-CURRENT HIGH-VOLTAGE SWITCH

Ignitrons

124
ORIENTATION INDEPENDENT IGNITRON

449
2X II 10-MEGAJoule IGNITRON CROWBAR

466
ROLE OF SILICON CARBIDE/MERCURY INTERFACE IN IGNITRONS

602
REVERSE CURRENT AND ARC-BACK IN A SINGLE-GAP MERCURY-ARC VALVE

1223
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY;
LECTURE 7: THYRATRONS AND IGNITRONS

6067
BEHAVIOR OF THE RESISTANCE IGNITOR IN MERCURY

6001
ON ANCHORING THE MERCURY POOL CATHODE SPOT

6097
THE PRODUCTION OF HIGH VELOCITY MERCURY VAPOR JETS BY SPARK DISCHARGE

Ignitrons, Materials

8233
PIELO ELECTRON EMISSION FROM LIQUID MERCURY

Krytrons

1927
HIGH-VOLTAGE PULSE GENERATOR OFFERS VARIABLE DELAY AND ONLY 3-NS JITTER

8195
A LASER-TRIGGERED KRYTRON-SLUMLEIN ELECTRO-OPTIC SWITCH

Liquid Gaps, Electrical

4374
TIME-LAG CHARACTERISTICS OF A LIQUID TRIODATRON

3277
THE ADVANCED DEVELOPMENT OF WATER TRIODATRON AND THREE-ELECTRODE SULFUR HEXAFLUORIDE SWITCHES

7036
CONTROLLED DISCHARGE IN A LIQUID

9502
AMPLITUDE STABILIZATION OF HIGH-VOLTAGE PULSES USING POWERFUL COMPUTATORS

Liquid Gaps, Materials

832
DEPENDENCE OF ELECTRODE EROSION UPON FORM OF CURRENT PULSE

8177
DESTRUCTION OF ELECTRODES BY ELECTRIC DISCHARGES OF HIGH CURRENT DENSITY

8279
THE MECHANISM OF ELECTRICAL EROSION OF METALS IN LIQUID DIELECTRIC MEDIA

Liquid Gaps, Optical

4347
ON THE USE OF PERFLUOROPOLYETHER FLUIDS IN HV SPARK-GAPS

4547
A HIGH-VOLTAGE WATER SPARK GAP WITH LASER FIRING

6946
LASER IGNITION OF THE WATER DISCHARGER FOR THE TWIN PULSE-FORMING LINE OF AN ELECTRON ACCELERATOR

SWITCHES, CLOSING

Liquid Gaps, Seif

882
INDUCTANCE AND RESISTANCE CHARACTERISTICS OF SINGLE-SITE
UNTRIGGERED WATER SWITCHES IN WATER TRANSFER CAPACITOR
CIRCUITS

1779
LOW PREPULSE, HIGH POWER DENSITY WATER DIELECTRIC SWITCHING

3362
WATER SPARK GAP FOR A NITROGEN LASER

5866
HIGH POWER DENSITY WATER DIELECTRIC SWITCHING

5976
UNTRIGGERED WATER SWITCHING

7167
A STREAMER MODEL FOR HIGH VOLTAGE WATER SWITCHES

7588
MULTIPLE CHANNEL SWITCHING IN WATER DIELECTRIC PULSE
GENERATORS

Liquid Metal

4768
THE LIQUID METAL PLASMA VALVE CLOSING SWITCH

6562
PULSE MODULATOR BEHAVIOR OF THE LIQUID METAL PLASMA VALVE
(LMPV)

Liquid, Seif

16491
SWITCHING CHARACTERISTICS OF A DISCHARGE IN WATER

LA55

1266
LIGHT-FIRED THYRISTOR DEVELOPMENT

1363
OPTICALLY ACTIVATED SWITCH

5575
OPTICAL DRIVE REQUIREMENTS FOR LASER-ACTIVATED
SEMICONDUCTOR SWITCHES

5589
DEVELOPMENT AND APPLICATION OF LIGHT ACTIVATED SILICON
SWITCHES

6546
MULTICHANNEL SEMICONDUCTOR NANOSECOND SWITCH FOR EXCITATION
OF COPPER VAPOR BY A TRANSVERSE DISCHARGE

9695
HIGH-POWER SWITCHING WITH PICOSECOND PRECISION

8898
PICOSECOND OPTOELECTRONIC SWITCHING AND SATING IN SILICON

8117
A LIGHT-CONTROLLED, HIGH-POWER PULSE SHAPER

16118
THYRISTOR DEVICES FOR ELECTRIC POWER SYSTEMS

Mechanical

1267
MULTICHANNEL HIGH-CURRENT PULSED COMMUTATOR

3151
GENERATOR PRODUCING SINGLE NANOSECOND PULSES WITH
CONTROLLABLE AMPLITUDE AND DURATION

4741
A SIMPLE CIRCUIT FOR THE PRODUCTION OF A HIGH VOLTAGE STEP

6885
EXPERIENCE IN SWITCHING KILOAMPERE DIRECT CURRENT BY MEANS
OF LIQUID METAL

6686
FAST-ACTING VACUUM COMMUTATOR WITH CONNECTION BY
LIQUID-METAL CONTACTS

6593
INVESTIGATION OF THE COMMUTATION OF A KILOAMPERE DIRECT
CURRENT BY A LIQUID METAL IN A ROTATING FIELD

9566
NANOSECOND PULSED ELECTRON SOURCE CONTROLLED WITH A
MERCURY-WETTED SWITCH

9667
NANOSECOND PULSED ELECTRON SOURCE WITH DOUBLE PULSE CONTROL

Miscellaneous

3737
APPLICATION OF THE RSR SWITCH

3739
A NEW SOLID-STATE SWITCH FOR POWER PULSE MODULATOR
APPLICATIONS, THE REVERSE SWITCHING RECTIFIER

3749
LIGHT ACTIVATED SEMICONDUCTOR SWITCHES

7203
STABILIZATION OF METAL-OXIDE SILK SWITCHING DEVICES WITH
DIFFUSED GI CONTACTS

Miscellaneous Solid State

669
NEW TECHNOLOGIES ADVANCE POWER SEMICONDUCTOR
STATE-OF-THE-ART

2627
SUBNANOSECOND SWITCH FOR USE IN SHOCK WAVE EXPERIMENTS

5457
HIGH VOLTAGE, HIGH POWER TRANSISTORS: CHARACTERISTICS OF
DEVELOPMENTAL UNITS

5468
INVESTIGATION OF DESIGN OF HIGH VOLTAGE, HIGH CURRENT SOLID
STATE SWITCHING DEVICES (FINAL TECHNICAL REPORT)

6353
PULSE SHARPENING WITH METAL-OXIDE SILK SWITCHING DEVICES

7248
HYBRID SCR SWITCH

Molecular Solve

2621
A GAS-PHASE HIGH-VOLTAGE ELECTRICAL ISOLATOR WITH
CONTROLLED BREAKDOWN

Relays

8193
A HIGH-VOLTAGE MERCURY-WETTED REED PULSE GENERATOR WITH
SECONDARY PULSE SUPPRESSION

Reviews

239
HIGH POWER SWITCHING CAPABILITIES

1699
GENERATORS OF POWERFUL SUBNANOSECOND PULSES

1277
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY;
LECTURE I: INTRODUCTION TO POWER CONDITIONING SYSTEMS

1763
SOVIET RESEARCH AND DEVELOPMENT OF HIGH-POWER GAP SWITCHES

2458
SOME SWITCHING PROBLEMS IN THERMONUCLEAR RESEARCH

3729
REVIEW OF DIELECTRICS AND SWITCHING

4498
GASEOUS SWITCHES: THE PAST AND PRESENT STATE OF THE ART

5264
LASER-FUSION AND ELECTRON-BEAM-FUSION PROGRESS REPORT
JULY-DECEMBER 1974

5425
A REVIEW OF HIGH-POWER SWITCH TECHNOLOGY

5594
R AND D RECOMMENDATIONS FOR FUTURE ERDA SWITCH REQUIREMENTS

6636
A CRITICAL ANALYSIS AND ASSESSMENT OF HIGH POWER SWITCHES

RBDT

661
AN ALL SOLID-STATE MODULATOR FOR THE ARSR-3 TRANSMITTER

9569
COMPLETE CHARACTERIZATION STUDIES PROVIDE VERIFICATION OF
RBDT (RSR) RELIABILITY

Solid Dielectric, Electrical

- 1898
BREAKDOWN OF A SOLID-DIELECTRIC SWITCH
- 3789
HIGH-PRECISION FAST-ACTING DISCHARGER WITH A SOLID DIELECTRIC
- 6758
METHOD OF PRODUCING A FAST CURRENT RISE FROM ENERGY STORAGE CAPACITORS
- 7628
TRAVELING WAVE EXCITATION OF HIGH POWER GAS LASERS

Solid Dielectric, Optical

- 624
LASER-TRIGGERED SOLID DIELECTRIC SWITCHING
- 997
LOW JITTER, LOW INDUCTANCE SOLID DIELECTRIC SWITCHES
- 7959
SOLID-DIELECTRIC NANOSECOND SPARK GAP WITH LASER TRIGGERING

Surface Discharge, Electrical

- 1295
HIGH-PRESSURE SURFACE-DISCHARGE PLASMA SWITCHES
- 4191
A TEST OF A VACUUM/DIELECTRIC SURFACE FLASHOVER SWITCH
- 4276
LOW-INDUCTANCE MEGAAMPERE-CURRENT COMMUTATOR BASED ON SLIDING DISCHARGE
- 7165
TIME CHARACTERISTICS OF A MULTICHANNEL GRAZING-DISCHARGE HIGH-VOLTAGE SWITCH
- 10389
X RADIATION OF A NANOSECOND GRAZING DISCHARGE IN A GAS

Systems

- 5751
IMPROVED MULTIGAP ELECTRONIC CROWBAR
- 3755
MULTIGAP CROWBAR TRIGGERING STUDY
- 3756
RAPID RECYCLE CROWBAR CIRCUITS
- 4888
PULSER FOR EMP SIMULATION
- 4212
SYNTHETIC BREAKDOWN IN AIR
- 5985
HERTZIAN ARRAY SWITCH INVESTIGATION
- 5655
CROWBAR SYSTEM IN ISAR I
- 6028
LOW-INDUCTANCE SWITCHING USING PARALLEL SPARK-GAPS
- 8117
A LIGHT-CONTROLLED, HIGH-POWER PULSE SHAPER

Tactitrons

- 1975
TACITRON GENERATOR OF LONG HIGH-VOLTAGE PULSES
- 7188
A PULSE GENERATOR BASED ON TACITRONS

Thyratrons

- 217
HIGH FREQUENCY THYRATRON EVALUATION
- 219
HOLLOW-CATHODE MULTIGAP THYRATRONS
- 225
NEW HYDROGEN THYRATRONS FOR ADVANCED HIGH POWER SWITCHING
- 255
DEVELOPMENT OF A PORTY KILOVOLT MEGAWATT AVERAGE POWER THYRATRON (MAPS-48)

- 255
DOUBLE GAP METAL ENVELOPE THYRATRONS

- 257
FLANGE MOUNTING GLASS ENVELOPE HYDROGEN THYRATRONS

- 248
HIGH-POWER, HIGH-REPETITION RATE PULSER FOR PHOTO-IMPULSE IONIZED LASERS

- 246
NEW DEVELOPMENTS IN SUPER-FAST, HIGH-POWER, HYDROGEN THYRATRON SWITCHING

- 251
THYRATRONS FOR SHORT PULSE LASER CIRCUITS

- 267
HIGH RATE OF RISE OF CURRENT PULSE GENERATION USING LOW COST GLASS ENVELOPE THYRATRONS

- 270
MEGAWATT AVERAGE POWER ADIABATIC MODE THYRATRONS

- 272
OPERATING HYDROGEN THYRATRONS IN PARALLEL

- 594
A MULTIGAP, DOUBLE-ENDED, HYDROGEN THYRATRON

- 485
GENERATION OF HIGH CURRENT, LONG DURATION RECTANGULAR PULSES

- 414
THE DISCHARGE CURRENT DISTRIBUTION OVER THE SURFACE OF THE ELECTRODES OF A HYDROGEN THYRATRON DURING A PULSE

- 417
THE USE OF HYDROGEN THYRATRONS AS HIGH SPEED, HIGH VOLTAGE RECTIFIERS

- 424
VERY HIGH FREQUENCY PULSE GENERATORS USING HYDROGEN THYRATRONS

- 445
SOME OBSERVATIONS ON ARC POTENTIALS IN HYDROGEN THYRATRON PULSE DISCHARGES

- 468
SQUARE PULSE GENERATOR WITH PULSES OF LARGE AMPLITUDE AND OF VARYING DURATION AND FREQUENCY

- 485
A CERAMIC THYRATRON WIRE SPARK CHAMBER PULSER

- 716
HIGH VOLTAGE, LOW INDUCTANCE HYDROGEN THYRATRON STUDY PROGRAM

- 1096
CURRENT SWITCHING IN TESLA TRANSFORMERS

- 1146
CONTROLLED GAS DISCHARGE SWITCH WITH A COLD CATHODE

- 1283
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY; LECTURE 7: THYRATRONS AND IGNITRONS

- 1296
INSTANT START THYRATRON SWITCH

- 2172
DOUBLE-ENDED HYDROGEN THYRATRONS FOR CROWBAR PROTECTION OF HIGH-POWER TWT SYSTEMS

- 5759
THE DEVELOPMENT OF DEUTERIUM THYRATRONS FOR OPERATION AT HIGH DUTY-RATIOS AND HIGH AVERAGE CURRENTS

- 4882
HIGH VOLTAGE PULSE SUPPLY FOR WIRE SPARK CHAMBER BY MEANS OF THYRATRON

- 4415
PLASMA CATHODE THYRATRON

- 5558
DOUBLE-ENDED THYRATRONS IN HIGH-POWER BURST MODE PULSE MODULATOR APPLICATIONS

- 5568
THE MAPS-48 BURST-MODE 40-RV MEGAWATT AVERAGE POWER HYDROGEN THYRATRON

- 5362
THE PLASMA-HEATED THYRATRON

- 5380
100-RV HYDROGEN THYRATRON WITHOUT GRADIENT GRIDS

SWITCHES, CLOSING

5465
ADIABATIC MODE OPERATION OF THYRATRONS FOR MEGAWATT AVERAGE POWER APPLICATIONS

6185
CATHODE-CURRENT DEPENDENCE ON PULSE WIDTH FOR HYDROGEN THYRATRONS

6186
DEVELOPMENT OF A HYDROGEN THYRATRON HAVING A LONG PULSE CAPABILITY

6118
MULTI-MEGAWATT HYDROGEN THYRATRONS WITH NANO-SECOND RISE TIMES

6518
FAST HIGH-VOLTAGE HIGH-CURRENT SWITCH: THYRATRON-SPARR GAP HYBRID

6921
CONTROLLED MEGAVOLT GAS-FILLED DISCHARGER

7493
THE HOLLOW THERMIONIC CATHODE SYSTEM USED IN THYRATRONS

9278
LOW INDUCTANCE CURRENT VIEWING RESISTORS FOR HYDROGEN THYRATRONS

9635
THYRATRON GENERATOR OF HIGH-POWER NANOSECOND PULSES WITH INCREASED EFFICIENCY

Thyratrons, Materials

435
DIELECTRIC INVESTIGATION OF ELECTRIC DISCHARGES IN A MERCURY VAPOUR FILLED THYRATRON

7648
HYDROGEN GENERATORS FOR SEALED SWITCHES

Thyristors

199
NEW OPTIONS IN PULSE POWER UTILIZING LASS SWITCHES

671
A FLEXIBLE HIGH POWER PULSE GENERATOR USING THYRISTORS

885
INSULATED-GATE PLANAR THYRISTORS. I. STRUCTURE AND BASIC OPERATION

1585
LIGHT-TRIGGERED THYRISTORS FOR ELECTRIC POWER SYSTEMS

1584
LIGHT-TRIGGERED THYRISTORS FOR ELECTRIC POWER SYSTEMS (PHASE 2)

1431
THE DESIGN OF A REPETITIVELY PULSED MEGAJOULE DENSE-PLASMA FOCUS

2180
THYRISTOR HIGH-VOLTAGE PULSE GENERATORS

3713
NANOSECOND SWITCHING OF HIGH POWER LASER ACTIVATED SILICON SWITCHES

5757
SOLID-STATE MODULATOR TECHNIQUES TO PROMOTE FAST PULSE FALL TIMES

3761
THYRISTORS FOR PULSE MODULATION AT HIGH PEAK AND AVERAGE POWERS

4767
SOLID STATE HIGH POWER PULSE SWITCHING

5339
A POWERFUL THYRISTOR MODULATOR

5628
HIGH POWER MODULATOR TECHNIQUES (SCR)

5714
THE SCR AS A HIGH POWER MODULATOR SWITCH

18138
THYRISTOR DEVICES FOR ELECTRIC POWER SYSTEMS

Vacuum Gaps, E-beam

4749
BREAKDOWN OF A VACUUM SPARR GAP TRIGGERED BY AN ELECTRON BEAM

7888
INITIATION OF ELECTRICAL BREAKDOWN IN VACUUM BY AN ELECTRON BEAM

Vacuum Gaps, Electrical

244
ELECTRON CURRENT IN DELAYED TRIGGERING OF HIGH-VOLTAGE, HIGH-VACUUM PULSED DISCHARGES

2147
MAGNETICALLY CONTROLLED VACUUM-ARC ON-OFF SWITCH

2283
RELAXATION PULSING WITH A VACUUM ARC DEVICE

2284
BREAKDOWN MECHANISMS AND ELECTRICAL PROPERTIES OF TRIGGERED VACUUM GAPS

2541
HIGH REPETITION-RATE, HIGH POWER PULSE TESTS OF VACUUM ARC SWITCHES

2547
DELAY CHARACTERISTICS OF VACUUM DISC SWITCHES

2598
ELECTRICAL STRENGTH OF VACUUM DISC SWITCHES

2888
RECENT RESULTS OF VACUUM-ARC SWITCHED MULTI-MEGAWATT INVERTER TESTS

3287
CONTROLLED VACUUM SPARK GAPS RATED AT A VOLTAGE OF 50 KV FOR MULTIPLE COMMUTATION OF MEGA-AMPERE CURRENTS

3787
FIRING CHARACTERISTICS OF A TRIGGERED VACUUM GAP EMPLOYING DIELECTRIC COATED WITH A SEMICONDUCTING LAYER

4382
LOW-VOLTAGE AND HIGH-CURRENT DELAY CHARACTERISTICS OF A SIMPLE TRIGGERED VACUUM GAP

4786
RANGE OF COMMUTABLE VOLTAGES OF VACUUM SPARR GAPS

5186
MULTICHANNEL VACUUM SPARR GAP

5661
FIRING CHARACTERISTICS OF MULTIPLE-ELECTRODE TRIGGERED VACUUM GAPS

5671
MULTIPLE-ELECTRODE TRIGGERED VACUUM GAPS

6368
TRIGGERED VACUUM GAPS

7888
FORMATION OF NEW EMISSION CENTERS ON A CATHODE DURING CURRENT SWITCHING IN VACUUM. I. FORMATION OF NEW EMISSION CENTERS

7881
FORMATION OF NEW EMISSION CENTERS ON A CATHODE DURING CURRENT SWITCHING IN VACUUM. II. EXPERIMENTAL CONFIRMATION FOR VACUUM DISCHARGES

7884
SPECTROSCOPIC STUDY OF A CONTROLLED DISCHARGE IN A HIGH-VOLTAGE VACUUM SWITCH

7184
VACUUM ARC SWITCHED INVERTER TESTS AT 2.5 MVA

7258
MAGNETIC FLUX CONCENTRATION WITH THE ANODE IN A VACUUM ARC SWITCH

7251
MAGNETICALLY MODULATED VACUUM ARC FOR DC SWITCHING

7492
THE EFFECT OF TEMPERATURE ON THE ELECTRICAL CHARACTERISTICS OF A VACUUM GAP

7765
HIGH-POWER VACUUM SPARR GAP

7778
SOME PROPERTIES OF A GRADED VACUUM SPARR GAP

7871
INITIAL STAGES OF LOW-PRESSURE PULSE DISCHARGE

7874
LOW VOLTAGE FIRING CHARACTERISTICS OF A TRIGGERED VACUUM GAP

8982
TIME DELAY IN TRIGGERED VACUUM GAP

9887
RECOVERY CHARACTERISTICS OF A TRIGGERED-VACUUM GAP AT HIGH CURRENTS

9831
INDUCTANCE AND INTERNAL RESISTANCE OF VACUUM DISK SWITCHES

18174
FORMATION OF NEW EMISSION CENTERS ON THE CATHODE IN THE PROCESS OF SWITCHING ELECTRICAL CURRENT IN A VACUUM. III. THE EFFECT OF A TRANSVERSE MAGNETIC FIELD

10232
A TRIGGERED VACUUM SPARK-GAP SWITCH

18261
MINIMUM ENERGY FOR INITIATION OF ELECTRICAL BREAKDOWN IN VACUUM

18272
A LOW-INDUCTANCE CONTROLLED VACUUM SPARK GAP OPERATING AT A VOLTAGE OF 100 KV AND CURRENT OF UP TO 1.5 MA

Vacuum Gaps, Materials

831
ELECTRODES FOR HIGH-CURRENT COMMUTATORS

2635
ELECTRODE EROSION IN VACUUM GAP BREAKDOWN BY NANOSECOND PULSES

3787
PIRING CHARACTERISTICS OF A TRIGGERED VACUUM GAP EMPLOYING DIELECTRIC COATED WITH A SEMICONDUCTING LAYER

4187
EROSION CRATERS AND ARC CATHODE SPOTS IN VACUUM

4185
EROSION STRUCTURES ON CATHODES ARCED IN VACUUM

6182
ELECTRODE EROSION IN SPARK DISCHARGES

8269
PLASMA EXPANSION AS A CAUSE OF METAL DISPLACEMENT IN VACUUM-ARC CATHODE SPOTS

9219
EXPERIMENTAL STUDY OF THE DYNAMICS OF CATHODE SPOTS DEVELOPMENT

Vacuum Gaps, Optical

3322
LASER-TRIGGERED VACUUM SWITCH

4291
LASER-TRIGGERED-SWITCH STUDY (PROJECT LASWITCH)

4593
A VACUUM SPARK GAP WITH LASER PIRING

5841
LASER-INITIATED VACUUM DISCHARGE

T929
LASER TRIGGERED SWITCH STUDY

Vacuum Gaps, Plasma-Injection

3495
PLASMA-INJECTION VACUUM ENERGY DIVERTER (CROWBAR)

Vacuum Gaps, Reviews

6835
VACUUM ARCS AND SWITCHING

Vacuum Gaps, RF

4723
CONTROLLED DISCHARGE IN A VACUUM GAP SWITCHED BY 1 MC CURRENT PULSES OF UP TO 150 KA

Vacuum Gaps, Self

2442
EFFECTS OF VOLTAGE POLARITY, ELECTRIC CURRENT, EXTERNAL RESISTANCE, NUMBER OF SPARKINGS, SUPPLY FREQUENCY, AND ADDITION OF HYDROGEN AND AIR ON ELECTRICAL BREAKDOWN IN VACUUM

3699
AC (50 HZ) AND DC ELECTRICAL BREAKDOWN OF VACUUM GAPS AND WITH VARIATION OF AIR PRESSURE IN THE RANGE $1\text{E-}9$ - $1\text{E-}2$ TORR USING OFHC COPPER, NICKEL, ALUMINUM, AND NIOBIUM PARALLEL PLANE ELECTRODES

3785
EFFECTS OF ELECTRODE CURVATURE, DISTANCE FROM GLASS INSULATOR, AND ADDITION OF HYDROGEN ON FIELD-EMISSION CURRENTS AND BREAKDOWN VOLTAGE IN VACUUM

5357
CURRENT GROWTH IN PULSE BREAKDOWN OF A SHORT VACUUM GAP

18192
EMISSION CHARACTERISTICS OF AN EXPLOSIVE GALLIUM CATHODE

Vacuum Tubes

188
HIGH VOLTAGE SWITCH PERFORMANCE OF THE EIMAC X-2159 TETRODE

T88
VERY FAST, HIGH PEAK POWER PLANAR TRIODE AMPLIFIERS FOR DRIVING OPTICAL GATES

1532
A NEW DESIGN FOR A HIGH-VOLTAGE DISCHARGE TUBE

3752
LONG PULSE SWITCH AND POWER AMPLIFIER TUBES FOR PHASED ARRAY RADAR

3764
4CM 100,000 TETRODE PULSE TESTS AT RADC

4786
RECENT DEVELOPMENTS IN HIGH POWER SWITCH TUBES FOR HIGH POWER RADAR AND FUSION RESEARCH

5648
TUBE FAILURE MECHANISMS

T242
A 100 KV, 80 AMP, LONG PULSE SWITCH TUBE

T249
LONG PULSE HIGH EFFICIENCY SWITCH TUBE DEVELOPMENT

INTENTIONALLY LEFT BLANK

Conferences

2855
SYMPOSIUM PROCEEDINGS NEW CONCEPTS IN FAULT CURRENT
LIMITERS AND POWER CIRCUIT BREAKERS

Diodes, Self

9584
ANODE FOR AN ACCELERATOR WITH AN INDUCTIVE ENERGY
ACCUMULATOR

Electrostatic Confinement

1692
A SIMPLE HIGH-VOLTAGE OPENING SWITCH USING SPIDLED
ELECTROSTATIC CONFINEMENT

Explosive Fuses

105
INDUCTIVE STORAGE PULSE-TRAIN GENERATOR

179
A METHOD FOR ENHANCING EXPLODING ALUMINUM FOIL FUSES FOR
INDUCTIVE STORAGE SWITCHING

295
A TWO-STAGE ELECTRICAL-EXPLOSION MECHANICAL COMMUTATOR

701
ELECTRICAL EXPLOSION OF CYLINDRICAL FOILS IN AIR II.
HIGH-CURRENT SHUNT PINCH

704
ELECTRICAL EXPLOSION OF CYLINDRICAL FOILS IN AIR I.
ELECTRICAL CHARACTERISTICS OF THE EXPLOSION

737
HIGH-CURRENT NANOSECOND-PULSE ELECTRON ACCELERATOR WITH
INDUCTIVE SHAPING ELEMENT

1127
ELECTRICAL EXPLOSION OF FOILS. II

1188
ELECTRICAL EXPLOSION OF FOILS. I

1297
CURRENT INTERRUPTION IN INDUCTIVE STORAGE SYSTEMS WITH
INERTIAL CURRENT SOURCE

1321
METHOD OF UTILIZING SPARK-GAP FOIL SWITCHES IN DETERMINING
DETONATION VELOCITIES OF SOLID EXPLOSIVE MATERIALS

1415
PULSED CHARGING OF CAPACITORS BY MEANS OF EXPLODING WIRES

1420
EXPLOSIVELY ACTUATED FAST-OPENING SWITCHES FOR VERY LARGE
CURRENTS

1724
METHOD FOR FAST COMMUTATION OF LARGE CURRENTS IN AN
INDUCTIVE STORAGE DEVICE

1736
COMMENTS ON THE LIQUID-METAL MODEL FOR THE CALCULATED
ELECTRICAL RESISTIVITY OF AN EXPLODING COPPER WIRE

1745
LIQUID-COPPER RESISTIVITY

1804
OPTICAL FLASHES FROM DOUBLE WIRE EXPLOSION

1848
EXPLOSIVELY ACTUATED 100 KA OPENING SWITCH FOR HIGH VOLTAGE
APPLICATIONS

3734
MYRAC, A NEW MODULAR ONE-DIMENSIONAL EXPLODING WIRE CODE

5205
MICROWAVE DOPPLER MEASUREMENTS OF THE IONIZATION FRONT IN
CYLINDRICAL SHOCK WAVES FROM EXPLODING WIRES

5206
PRECURSOR ELECTROMS AHEAD OF CYLINDRICAL SHOCK WAVES

5529
PARTICLE BEAM FUSION PROGRESS REPORT JANUARY 1980 THROUGH
JUNE 1980

5516
CHARACTERISTICS OF A MAGNETIC ENERGY STORAGE SYSTEM USING
EXPLODING FOILS

5518
HIGH-POWER PULSE STEEPENING BY MEANS OF EXPLODING WIRES

5521
RAPID TRANSFER OF MAGNETIC ENERGY BY MEANS OF EXPLODING
FOILS

5895
CORRELATED ELECTRICAL AND OPTICAL MEASUREMENTS OF EXPLODING
WIRES

5896
CURRENT MEASUREMENT AND TRANSIENT SKIN EFFECTS IN EXPLODING
WIRE CIRCUITS

5897
HIGH-ENERGY DENSITIES BEFORE DWELL IN ELECTRICALLY EXPLODED
WIRES

5898
INITIAL PHASE OF THE EXPLODING WIRE PHENOMENON

5899
ON THE MECHANISM OF EXPLODING WIRES

5900
SHOCK-PRODUCING MECHANISMS FOR EXPLODING WIRES

6660
DIRECT-ACTION ACCELERATORS WITH INDUCTIVE ENERGY STORAGE
AND EXPLODING CONDUCTORS

6671
EXPLODING FOILS FOR ACCELERATOR APPLICATIONS

6750
METHOD OF PRODUCING A FAST CURRENT RISE FROM ENERGY STORAGE
CAPACITORS

6817
ENERGY TRANSFER FROM AN INDUCTIVE STORAGE BY MEANS OF AN
EXPLOSIVE CURRENT DISCONNECT

6872
USE OF ELECTRIC EXPLOSION OF WIRES IN A HIGH-PRESSURE GAS
TO BREAK A CURRENT CIRCUIT

6976
CURRENT DIFFUSION IN CYLINDRICAL EXPLODING WIRES AND FUSES
DURING MICROSECOND ELECTRICAL PULSES

6978
CERTAIN FEATURES OF EXPLODING WIRES

7067
TAKE-OFF OF ENERGY FROM EXPLOSIVE-MAGNETIC GENERATORS TO AN
INDUCTIVE LOAD USING THE BREAKING OF A CIRCUIT

7071
A MEGAAMPERE SWITCH WITH AN EXPLODING FOIL FOR THE
INVESTIGATION OF MAGNETIC CUMULATION

7124
SWITCHING CHARACTERISTICS OF EXPLOSIVE DISCONNECTORS WITH
RAPID DESTRUCTION OF THE CONTACT ELEMENT

7125
VOLTAGE WAVEFORM FOR EXPLODING WIRES

7190
EFFECTS OF SURROUNDING MEDIUM ON THE PERFORMANCE OF
EXPLODING ALUMINUM FOIL FUSES

7200
PRELIMINARY INDUCTIVE ENERGY TRANSFER EXPERIMENTS

7308
EFFECTS OF SURROUNDING MEDIUM ON ELECTRICALLY EXPLODED
ALUMINUM FOIL FUSES

7605
RECOVERY CHARACTERISTIC OF EXPLODING WIRE FUSES IN AIR AND
VACUUM

7903
INDUCTIVE CHARGING OF PULSE LINES IN 0.1 TO 1.0 MJ RANGE
USING FOIL FUSES STAGED WITH EXPLOSIVELY ACTUATED SWITCHES

7904
INTERPRETATION OF X-RAY LINE SPECTRA FROM EXPLODED-WIRE
ARRAYS

7905
SPECTROSCOPY AND X-RADIATION FROM EXPLODED-WIRE ARRAYS AND
GAS PUFF PLASMAS

8111
THE EXPLODING WIRE PHENOMENON

8112
THEORETICAL ANALYSIS OF THE HYDRODYNAMIC FLOW IN EXPLODING
WIRE PHENOMENA

8184
EXPLODING FOIL DEVICES FOR SHAPING MEGA-AMPERE CURRENT PULSES

SWITCHES, OPENING

8977
THE VOLTAGE ACROSS A PUSE DURING THE CURRENT INTERRUPTION PROCESS

9126
TIME RESOLVED ELECTRICAL MEASUREMENTS IN HIGH CURRENT DISCHARGES

9455
EXPLOSIVE SWITCHING OF AN ELECTRIC CURRENT

9658
ENERGY TRANSFER FROM AN INDUCTIVE STORAGE TO AN INDUCTIVE LOAD BY MEANS OF AN EXPLOSIVE CURRENT DISCONNECT

9679
USE OF AN EXPLODING WIRE AS A CURRENT COMMUTATOR

9782
DIRECT-ACTION ACCELERATORS WITH INDUCTIVE ENERGY STORAGE AND EXPLODING CONDUCTORS

18188
DESCRIPTION OF THE ENERGY SOURCE PROJECT DELIVERING 1 MEGAJOULE IN 1 MICROSECOND

18289
THE PERFORMANCE OF ELECTRICAL PUSES UNDER IMPULSIVE CONDITIONS I: DC SUPPLIES

18275
INDUCTIVE STORE PULSE COMPRESSION SYSTEM FOR DRIVING HIGH SPEED PLASMA IMPLSIONS

18388
A POWERFUL POIL BREAKER FOR A CURRENT OF 0.5 MA, WHICH ACTUATES IN 5 MICROSECONDS

EDS

3741
CHARACTERISTICS AND CAPABILITIES OF THE MODULAR EDS

Fuses

3745
EVALUATION OF HVDC FUSES AS TWT PROTECTIVE DEVICES

3749
HIGH VOLTAGE PUSES FOR PHASED ARRAY RADAR TRANSMITTERS

Gas Gaps, Compression

9385
MAGNETOIMPLOSIVE GENERATORS FOR RAPID-RISE TIME MEGAMPERE PULSES

Gas Gaps, Crossed-field

2211
A HIGH SPEED HVDC CIRCUIT BREAKER WITH CROSSED-FIELD INTERRUPTERS

3758
THE CROSSED FIELD SWITCH TUBE AND ITS APPLICATION TO HIGH POWER MODULATORS

6342
THE GAMITRON-A HIGH POWER CROSSED-FIELD SWITCH TUBE FOR HVDC INTERRUPTION

Gas Gaps, E-beam

788
REPETITIVE ELECTRON-BEAM CONTROLLED SWITCHING

897
REPETITIVE ELECTRON BEAM CONTROLLED SWITCHING

1058
CURRENT BREAKER WITH SPACE DISCHARGE CONTROLLED BY ELECTRON BEAM

3772
RAPID CUTOFF OF A HIGH CURRENT IN AN ELECTRON-BEAM-EXCITED DISCHARGE

4281
HIGH VOLTAGE SWITCH USING EXTERNALLY IONIZED PLASMAS

6951
ELECTRIC-FIELD INSTABILITIES OF A VOLUME GAS DISCHARGE EXCITED BY AN ELECTRON BEAM

6985
DISCHARGE IN A HIGH-PRESSURE GAS, INITIATED BY A BEAM OF FAST ELECTRONS

Gas Gaps, Magnetic Field

231
ADVANCES IN THE DEVELOPMENT OF A GAS DISCHARGE SWITCH HAVING A REPETITIVE CURRENT INTERRUPTING CAPABILITY

916
DEVELOPMENT OF DISTRIBUTION AND SUBTRANSMISSION SP/SUB 6/ CIRCUIT BREAKER AND HYBRID TRANSMISSION INTERRUPTER

9546
A REPETITIVELY OPERABLE, HIGH-CURRENT INTERRUPTER

7089
A GENERATOR THAT PRODUCES POWERFUL PULSES USING GAS-DISCHARGE COMMUTATORS OF THE TRIOTRON AND TRIOPLASMATRON TYPE

Gas Gaps, Materials

1556
ELECTRODE EROSION BY SPARK DISCHARGES

1558
ELECTRODE VAPOUR JETS IN SPARK DISCHARGES

3786
ELECTRODE PHENOMENA IN A HIGH CURRENT 20-NAANOSECOND SPARK

3713
INVESTIGATION OF THE EROSION PHENOMENA IN HIGH CURRENT, HIGH PRESSURE GAS DISCHARGES

4569
HIGH VOLTAGE RESEARCH (BREAKDOWN STRENGTHS OF GASEOUS AND LIQUID INSULATORS) AND ENVIRONMENTAL EFFECTS OF DIELECTRIC GASES

Gate Turnoff Rectifier

8517
POWER AMPLIFICATION WITH GATE TURN-OFF CONTROLLED RECTIFIERS

Hall Effect

6495
APPLICATION OF THE HALL EFFECT TO THE SWITCHING OF INDUCTIVE CIRCUITS

Mechanical

295
A TWO-STAGE ELECTRICAL-EXPLOSION MECHANICAL COMMUTATOR

507
STUDY OF THE EFFECTS OF GAS FLOW ON THE PERFORMANCE OF GAS-BLAST CIRCUIT BREAKERS

916
DEVELOPMENT OF DISTRIBUTION AND SUBTRANSMISSION SP/SUB 6/ CIRCUIT BREAKER AND HYBRID TRANSMISSION INTERRUPTER

968
THE EFFECT OF GLASS DEBRIS ON ELECTRON EMISSION AND ELECTRICAL BREAKDOWN OF VACUUM INTERRUPTERS

1063
FAST-ACTING ELECTRODYNAMIC CIRCUIT BREAKER

1267
FUNDAMENTAL INVESTIGATION OF ARC INTERRUPTION IN GAS FLOWS

1320
DEVELOPMENT OF A CURRENT LIMITER USING VACUUM ARC CURRENT COMMUTATION

2321
CURRENT INTERRUPTION IN HIGH-VOLTAGE NETWORKS

2396
EFFECT OF MECHANICAL CONTACT FORCE ON WITHSTAND VOLTAGE OF COPPER-BISMUTH AND CLR VACUUM INTERRUPTERS

2440
DEVELOPMENT OF A PULSED HIGH-ENERGY INDUCTIVE ENERGY STORAGE SYSTEM

4910
DIELECTRIC RECOVERY AND SHIELD-CURRENTS IN VACUUM-ARC INTERRUPTERS

4999
FAST CIRCUIT BREAKER FOR THE DISCHARGE OF A STORAGE INDUCTOR

6869
THE TIME REQUIRED FOR TRANSFER OF CURRENT FROM A LIQUID-METAL COMMUTATOR INTO A SHUNTING CIRCUIT

6885
EXPERIENCE IN SWITCHING KILOAMPERE DIRECT CURRENT BY MEANS OF LIQUID METAL

6886
FAST-ACTING VACUUM COMMUTATOR WITH CONNECTION BY
LIQUID-METAL CONTACTS

6893
INVESTIGATION OF THE COMMUTATION OF A KILOAMPERE DIRECT
CURRENT BY A LIQUID METAL IN A ROTATING FIELD

7146
INFLUENCE OF A DIELECTRIC MEDIUM ON THE CHARACTERISTICS OF
A HIGH-SPEED EXPLOSIVE CIRCUIT BREAKER

7171
THE TRANSIENT RECOVERY VOLTAGE APPLICATION OF POWER CIRCUIT
BREAKERS

7193
THE EARLY COUNTERPULSE TECHNIQUE APPLIED TO VACUUM
INTERRUPTERS

7208
A 33-GVA INTERRUPTER TEST FACILITY

7226
DEVELOPMENT OF A HIGH-POWER VACUUM INTERRUPTER

7234
MODELING OF ARC DISCHARGES IN POWER CIRCUIT BREAKERS

7257
THE USE OF VACUUM INTERRUPTERS AND BYPASS SWITCHES TO CARRY
CURRENTS FOR LONG TIMES

7258
THE USE OF VACUUM INTERRUPTERS AT VERY HIGH CURRENTS

7594
NEW TYPE OF ULTRAFAST CIRCUIT BREAKER: ITS PRINCIPLE AND
PERFORMANCES

7689
THE NATURE OF METAL-ELECTRODES/SF/SUB 6/ REACTIONS IN
SF/SUB 6/ DECOMPOSITION DUE TO DIRECT-CURRENT INTERRUPTION
UNDER SIMULATED CIRCUIT-BREAKER CONDITIONS

7827
THE TIME CONSTANT OF HIGH VOLTAGE CIRCUIT BREAKER ARCS
BEFORE CURRENT ZERO

8917
ARC-GAS FLOW INTERACTIONS IN A DOUBLE-NOZZLE FLOW SYSTEM

8922
CURRENT CHOPPING INTRODUCED BY ARC COLLAPSE

8932
EXPERIMENTAL INVESTIGATION OF LOW-CURRENT VACUUM ARC
INSTABILITIES

8933
EXPERIMENTAL INVESTIGATION ON ARC PHENOMENA IN SF/SUB 6/
PUFFER CIRCUIT BREAKERS

8937
FREE RECOVERY OF THE GAS-BLAST ARC COLUMN

8942
INTERRUPTION CAPABILITY OF GASES AND GAS MIXTURES IN A
PUFFER-TYPE INTERRUPTER

8956
PRESSURE TRANSIENTS IN A MODEL GAS-BLAST CIRCUIT BREAKER
OPERATING AT EXTRA HIGH CURRENT LEVELS

8961
QUENCHING PROCESSES OF AXIALLY INHOMOGENEOUS ARCS IN SF/SUB
6/ CIRCUIT BREAKERS

8962
QUENCHING PROPERTIES OF AN ARC IN A DOUBLE FLOW WITH A
VORTEX

8964
SCALING LAWS FOR GAS-BLAST CIRCUIT-BREAKER ARCS DURING THE
HIGH CURRENT PHASE

8966
SIMPLIFIED ESTIMATION OF CRITICAL QUANTITIES FOR SHORT-LINE
FAULT INTERRUPTION

8978
THEORETICAL AND EXPERIMENTAL INVESTIGATION OF THE
STOCHASTIC BEHAVIOR OF AN SF/SUB 6/ BLAST-SWITCHING ARC

9798
A HALF CYCLE AIR BLAST GENERATOR BREAKER FOR HIGH POWER
TESTING FIELDS

9997
SWITCHING IN VACUUM: A REVIEW

10188
DESCRIPTION OF THE ENERGY SOURCE PROJECT DELIVERING 1
MEGAJoule IN 1 MICROSECOND

18189
FUSION R/O ON ADVANCED FUELS, MONOPOLAR GENERATORS, CIRCUIT
BREAKERS AND TOKAMAK DIAGNOSTICS

18268
THE BRIDGE STAGE OF ELECTRODE EROSION IN SWITCHING
1000-5000-A CURRENTS IN VACUUM

18274
MECHANISMS FOR TEMPERATURE DECAY IN THE FREELY RECOVERING
OAS BLAST ARC

Mechanical, Materials

9812
DEVELOPMENT OF CONTACT MATERIALS FOR VACUUM INTERRUPTERS

Microscopic Solid State

5487
HIGH VOLTAGE, HIGH POWER TRANSISTORS: CHARACTERISTICS OF
DEVELOPMENTAL UNITS

6353
PULSE SHARPENING WITH METAL-OXIDE GULK SWITCHING DEVICES

Plasma Erosion

339
PLASMA EROSION SWITCHES WITH IMPLODING PLASMA LOADS ON A
MULTITERAWATT PULSED POWER GENERATOR

Reviews

1277
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY;
LECTURE I: INTRODUCTION TO POWER CONDITIONING SYSTEMS

1767
INDUCTIVE STORAGE-PROSPECTS FOR HIGH POWER GENERATION

2458
SOME SWITCHING PROBLEMS IN THERMONUCLEAR RESEARCH

3729
REVIEW OF DIELECTRICS AND SWITCHING

5425
A REVIEW OF HIGH-POWER SWITCH TECHNOLOGY

7050
INDUCTIVE ENERGY STORAGE IN PULSED ACCELERATORS

Superconductive

4108
INVESTIGATIONS ON FAST SWITCHING
SUPERCONDUCTIVE/NORMALCONDUCTIVE CURRENT BREAKERS
(CRYOTRONS)

5154
HIGH MAGNETIC FIELD PRODUCTION BY ELECTROMAGNETIC ENERGY
STORAGE IN A SUPERCONDUCTING COIL

5583
EXPERIMENTAL RESULTS WITH SC/NC BREAKERS

5640
SUPERCONDUCTING SWITCH WITH IMPULSE CURRENT TRIGGERING

Tacitron

1973
TACITRON GENERATOR OF LONG HIGH-VOLTAGE PULSES

Thyatron, Electrical

1727
MECHANISM FOR NANOSECOND GRID CUTOFF OF HIGH-CURRENT
DISCHARGES

Vacuum Gaps, Electrical

875
EXPERIMENTS ON VACUUM INTERRUPTERS IN HIGH VOLTAGE 72 KV
CIRCUITS

Vacuum Gaps, Electrical

5622
HIGH-VOLTAGE ARC INTERRUPTION STUDY

Vacuum Gaps, Magnetic Field

1373
INVESTIGATION OF FEASIBILITY OF VACUUM-ARC FAULT-CURRENT
LIMITING DEVICE

SWITCHES, OPENING

1977
STABILITY OF AC VACUUM ARCS IN TRANSVERSE PULSED MAGNETIC
FIELD

2147
MAGNETICALLY CONTROLLED VACUUM-ARC ON-OFF SWITCH

4718
THE PRESENT STATUS AND PROJECTED CAPABILITIES OF VACUUM ARC
OPENING SWITCHES

7228
DEVELOPMENT OF A VACUUM ARC FAULT CURRENT LIMITER

7250
MAGNETIC FLUX CONCENTRATION WITH THE ANODE IN A VACUUM ARC
SWITCH

7251
MAGNETICALLY MODULATED VACUUM ARC FOR DC SWITCHING

8941
INTERACTION BETWEEN VACUUM ARCS AND TRANSVERSE MAGNETIC
FIELDS WITH APPLICATION TO CURRENT LIMITATION

Vacuum Gaps, Plasma Erosion

4709
THE PLASMA EROSION SWITCH

Vacuum Gaps, Self

2283
RELAXATION PULSING WITH A VACUUM ARC DEVICE

2541
HIGH REPETITION-RATE, HIGH POWER PULSE TESTS OF VACUUM ARC
SWITCHES

7228
DEVELOPMENT OF A VACUUM ARC FAULT CURRENT LIMITER

Vacuum Tubes

188
HIGH VOLTAGE SWITCH PERFORMANCE OF THE EIMAC X-2159 TETRODE

239
HIGH POWER SWITCHING CAPABILITIES

708
VERY FAST, HIGH PEAK POWER PLANAR TRIODE AMPLIFIERS FOR
DRIVING OPTICAL GATES

3752
LONG PULSE SWITCH AND POWER AMPLIFIER TUBES FOR PHASED
ARRAY RADAR

3764
4CM 100,000 TETRODE PULSE TESTS AT RAOC

4786
RECENT DEVELOPMENTS IN HIGH POWER SWITCH TUBES FOR HIGH
POWER RADAR AND FUSION RESEARCH

5648
TUBE FAILURE MECHANISMS

7242
A 100 KV, 80 AMP, LONG PULSE SWITCH TUBE

7249
LONG PULSE HIGH EFFICIENCY SWITCH TUBE DEVELOPMENT

AUTHOR

Abdulin, E.N.

10175
MICRODISCHARGES ON THE SURFACE OF A DIELECTRIC IN A VACUUM

Abramova, K.S.

8183
EXPERIMENTAL STUDY OF ELECTRICAL EXPLOSION

Abramovich, V.U.

1145
COMPUTATION OF SPARK GAPS BY MEANS OF A PULSED GAS LASER OPERATING IN THE ULTRAVIOLET RANGE

Abramowitz, S.B.C.M.

3498
INVESTIGATIONS OF THE EXPLODING WIRE PROCESS AS A SOURCE FOR HIGH TEMPERATURE STUDIES

Abramson, I.S.

5684
A HIGH-POWER ELECTRIC SPARK IN AIR AT ATMOSPHERIC PRESSURE

Abramyan, E.A.

4722
HIGH-VOLTAGE PULSE GENERATORS OF THE BASE OF THE SHOCK TRANSFORMER

4931
INITIATION OF A DISCHARGE IN A MEGAVOLT GAS SPARK GAP BY AN ELECTRON BEAM

8548
TRANSFORMER TYPE ACCELERATORS FOR INTENSE ELECTRON BEAMS

8598
HIGH-CURRENT PULSED ELECTRON ACCELERATOR

8949
MEGAVOLT ENERGY-CONCENTRATING DEVICE

8952
ON POSSIBILITIES OF TRANSFORMER TYPE ACCELERATORS

7189
DEVELOPMENT OF HIGH CURRENT ELECTRON PULSE ACCELERATORS AT THE INSTITUTE OF HIGH TEMPERATURES

Abramyan, Ya. A.

3732
TRANSFORMER-TYPE HIGH-CURRENT ACCELERATOR

Academician, A.D.

7128
MAGNETIC CUMULATION

Adamo, R.C.

5634
PHOTOCODUCTIVITY OF HIGH-VOLTAGE SPACE INSULATING MATERIALS

Adams, V.W.

10219
THE INFLUENCE OF GAS STREAMS AND MAGNETIC FIELDS ON ELECTRIC DISCHARGES: PART 3-ARCS AT PRESSURES UP TO 10 ATMOSPHERES IN ANNULAR GAPS

Adamski, J.L.

7284
NANOSECOND RESPONSE 'BASKET-TYPE' MAGNETIC LOOP CURRENT MONITOR FOR RELATIVISTIC ELECTRON BEAM CURRENT MEASUREMENTS

Adlam, J.M.

8318
PRODUCTION OF MILLIMICROSECOND CURRENT PULSES USING A PRESSURIZED SPARK GAP

Afanasev, V.M.

393
A GENERATOR FOR STARTING ACOUSTIC CHAMBERS

Affinito, D.

2368
DESIGN AND STRUCTURE OF AN EXTENDED LIFE HIGH CURRENT SPARK GAP

Afanin, I.F.

3192
REB FOCUSING IN A HIGH-VOLTAGE DIODE

Afanin, Yu.V.

1078
A COMPACT PULSED ELECTRON ACCELERATOR WITH AN INDEPENDENT POWER SUPPLY

Agapov, G.

1227
SUPERCONDUCTING INDUCTIVE ENERGY STORAGE UNIT FOR LASER PUMPING SYSTEMS

Ahmed, S.R.

7382
EVIDENCE FOR REVERSE PHOTOELECTRONS IN LASER-INDUCED CURRENT

Ahne, N.

3472
ELECTRICAL CONDUCTION AND ELECTRICAL BREAKDOWN OF ORGANIC INSULATORS AND SEMICONDUCTORS

Al, S.

10189
BEHAVIOR OF COMPOSITE INSULATION UNDER THE ACTION OF SUPERFICIAL ARCS. APPLICATION TO LINE INSULATORS

Alhara, Y.

3014
IMPULSE PLASMA CHARACTERISTICS OF LONG AIR GAPS AND ATMOSPHERIC CORRECTION

Alroy, D.R.

8281
TIME-RESOLVED RADIAL TEMPERATURE PROFILES FOR 10 KA SP/SUB 3/ ARCS

Akatnev, M.I.

7834
COMPRESSION OF A MAGNETIC FIELD BY A CYLINDRICAL CONDUCTING BLANKET OF FLUID

Aked, A.

5438
LIGHTNING STRIKE POINT LOCATION STUDIES ON SCALE MODELS

Aker, M.P.

10337
ASSEMBLY AND HANDLING APPARATUS FOR THE EBPA MARX GENERATOR

Akhmerov, N.A.

7124
SWITCHING CHARACTERISTICS OF EXPLOSIVE DISCONNECTORS WITH RAPID DESTRUCTION OF THE CONTACT ELEMENT

7146
INFLUENCE OF A DIELECTRIC MEDIUM ON THE CHARACTERISTICS OF A HIGH-SPEED EXPLOSIVE CIRCUIT BREAKER

Akkuratov, V.A.

4884
HIGH-VOLTAGE SUPPLY SYSTEM FOR ELECTROSTATIC DEPLECTOR

Akhmedov, A.G.

8356
OPTICALLY-INITIATED DIRECTED ELECTRIC BREAKDOWN IN A GAS

Aksenov, I.I.

4434
METHOD OF MEASURING THE DISPERSION OF THE DELAY TIMES OF
BREAKDOWN OF CONTROLLED SPARK GAPS

4834
LOW-PRESSURE GAS-DISCHARGE COMMUTATORS

7334
CONTROLLED DISCHARGE IN A LIQUID

7846
HIGH-CURRENT, HOLLOW-CATHODE GLOW DISCHARGE

7855
INVESTIGATION OF TRIGGERING DELAY IN A LOW-PRESSURE
HOLLOW-CATHODE SPARK GAP

13199
POSITION OF THE CATHODE SPOT OF A VACUUM ARC IN AN
INHOMOGENEOUS MAGNETIC FIELD

Al'bertinskii, V.I.

205
HIGH-VOLTAGE SOURCE FOR 2-MEV ION AND ELECTRON ACCELERATORS

Albergo, G.E.

601
A NANOSECOND RISE TIME DIFFERENTIAL PULSE TRANSFORMER

Aibin, A.L.

18284
SHIELDING EFFICIENCY OF ELECTRICALLY CONDUCTIVE PROTECTIVE
COATINGS FOR MAGNESIUM AND ALUMINUM SURFACES

15299
DESIGNING THE RFI SHIELDED PACKAGE

Aibright, H.W.

4932
IONIZING POTENTIAL WAVES AND HIGH-VOLTAGE BREAKDOWN
STREAMERS

Aiceck, A.J.

2175
MULTICHANNEL SURFACE SPARK GAPS

4334
HIGH-VOLTAGE PROBE SYSTEM WITH SUBNANOSECOND RISE TIME

5053
A SIMPLE LASER-TRIGGERED SPARK GAP WITH SUBNANOSECOND
RISETIME

Aleksandrin, A.I.

3151
GENERATOR PRODUCING SINGLE NANOSECOND PULSES WITH
CONTROLLABLE AMPLITUDE AND DURATION

Aleksandrov, G.N.

7955
PECULIARITIES OF THE DEVELOPMENT OF THE ELECTRIC BREAKDOWN
OF AIR IN EXTREMELY LONG DISCHARGE GAPS

Aleksandrov, M.N.

5312
METHODS FOR CREATION OF HIGH-VOLTAGE, HIGH-TEMPERATURE
ELECTRIC INSULATION

Aleksandrov, M.L.

9155
ELECTRON DISTRIBUTION FUNCTION IN 4:1 M/SUB 2/-0/SUB 2/
MIXTURE

Aleksandrov, V.M.

4845
MULTICHANNEL SEMICONDUCTOR NANOSECOND SWITCH FOR EXCITATION
OF COPPER VAPOR BY A TRANSVERSE DISCHARGE

Aleksanyan, A.S.

7128
A NANOSECOND PULSE GENERATOR FOR SPARK CHAMBERS

Alekseev, G.O.

4444
A THREE-GAP SPARK-DISCHARGE DEVICE FOR SUPPLYING SPARK
CHAMBERS

18449
THREE-GAP SPARK DISCHARGER FOR SPARK CHAMBER SUPPLY

Alexander, F.H.

2521
AN OPTIMIZED CHARGE SIMULATION METHOD FOR THE CALCULATION
OF HIGH VOLTAGE FIELDS

Alesoff, I.

1492
A SIMPLE HIGH-VOLTAGE OPENING SWITCH USING SPOILED
ELECTROSTATIC CONFINEMENT

Algaard, M.J.

18424
A HIGH INTENSITY PULSED SOURCE OF POLARIZED ELECTRONS

All, A.W.

2445
INTENSE RELATIVISTIC ELECTRON BEAM INTERACTION WITH A COOL
THETA PINCH PLASMA

7534
CHARACTERISTICS OF LASER-INITIATED IONIZATION CHANNELS IN
AIR

Alievskii, B.L.

4795
ACYCLIC GENERATORS WITHOUT A FERROMAGNETIC MAGNETIC CIRCUIT
FOR SUPPLYING ELECTROPHYSICAL APPARATUS USED IN PWD RESEARCH

Alikhanev, S.G.

9429
CREATION OF MEGAGAUSS FIELDS BY THE METHOD OF
MAGNETODYNAMIC ACCUMULATION

9513
THE PRODUCTION OF PULSED MEGAGAUSS FIELDS BY COMPRESSION OF
THE METALLIC CYLINDER IN Z-PINCH CONFIGURATION

Alkhanyan, A.I.

7128
A NANOSECOND PULSE GENERATOR FOR SPARK CHAMBERS

Aliyevskiy, S.L.

1325
SCIENTIFIC-TECHNICAL CONFERENCE ON HOMOPOLAR GENERATORS

Alkhimov, A.P.

4492
THE DEVELOPMENT OF ELECTRICAL DISCHARGE IN WATER

Allen, R.H.

3540
PREBREAKDOWN PHENOMENA IN VACUUM WITH DIRECT AND
ALTERNATING VOLTAGES AT ROOM AND CRYOGENIC TEMPERATURES

Allen, J.E.

7742
HIGH CURRENT SPARK CHANNELS

18408
100-KA DIRECT DRIVE EMP PULSER

Allen, L.

1298
EXPERIMENTS ON THE INJECTION OF RELATIVISTIC ELECTRON BEAMS
INTO PREPARED CHANNELS IN THE ATMOSPHERE

Allen, M.R.,

2453
THE SOURCE OF HIGH-BETA ELECTRON EMISSION SITES ON
BROAD-AREA HIGH-VOLTAGE ALLOY ELECTRODES

Allen, M.L.

2419
INFLUENCE OF HUMIDITY ON THE SPARKOVER OF ROD-ROD GAPS OF
SEVERAL GEOMETRICAL FORMS SUBJECTED TO POSITIVE IMPULSE
VOLTAGES OF VARYING WAVESHAPES

Allen, M.A.

9762
ELECTRONIC SHUTTER PHOTOGRAPHS OF EXPLODING BRIDGE WIRES

Allibone, T.E.

2419
INFLUENCE OF HUMIDITY ON THE SPARKOVER OF ROD-ROD GAPS OF
SEVERAL GEOMETRICAL FORMS SUBJECTED TO POSITIVE IMPULSE
VOLTAGES OF VARYING WAVESHAPES

5529
EFFECT OF HUMIDITY ON SPARKOVER OF AIRGAPS UNDER IMPULSE
VOLTAGES

5587
INFLUENCE OF RADIATION ON THE SPARKOVER OF SPHERE GAPS AND
CROSSED-CYLINDER GAPS STRESSED WITH IMPULSE VOLTAGES

4668
VARIATION OF ION DENSITY IN A HIGH-VOLTAGE LABORATORY
DURING IMPULSE-VOLTAGE TESTING

9748
THE DEVELOPMENT OF THE SPARK DISCHARGE

Alpert, D.

1787
INITIATION OF ELECTRICAL BREAKDOWN IN ULTRAHIGH VACUUM

8257
EFFECT OF GAS PRESSURE ON ELECTRICAL BREAKDOWN AND FIELD
EMISSION

Alsmeyer, R.

3738
A CONSTANT CURRENT HARD TUBE MODULATOR

Aleton, L.L.

7766
HIGH-TEMPERATURE EFFECTS ON FLASHOVER IN AIR

Altshch, L.

3699
AC (50 HZ) AND DC ELECTRICAL BREAKDOWN OF VACUUM GAPS AND
WITH VARIATION OF AIR PRESSURE IN THE RANGE 10^{-9} - 10^{-2} TORR
USING OFHC COPPER, NICKEL, ALUMINUM, AND NIOBIUM PARALLEL
PLANAR ELECTRODES

Altshch, L.

1544
AC (50 HZ) AND DC ELECTRICAL BREAKDOWN OF VACUUM GAPS AND
WITH VARIATION OF AIR PRESSURE IN THE RANGE 10^{-9} - 10^{-2}
TORR USING OFHC COPPER, NICKEL, ALUMINUM, AND NIOBIUM
PARALLEL PLANAR ELECTRODES

Alting-Mess, M.

8986
FEASIBILITY OF A HIGH AVERAGE POWER CROSSED FIELD CLOSING
SWITCH

Amberger, O.J.

19436
SOLID STATE PULSER USING PARALLEL STORAGE CAPACITORS

Amenda, M.

5585
EXPERIMENTAL RESULTS WITH SC/NC BREAKERS

Amirov, R.Kh.

8954
PAUSE IN PLASMA EMISSION AFTER NANOSECOND-PULSE EXCITATION

Amstutz, L.I.

4693
LIGHTWEIGHT MULTIMEGAWATT POWER TECHNOLOGY-A SURVEY

Anan'ev, Y.

2887
TUBULAR PULSE-DISCHARGE LAMPS AS CIRCUIT ELEMENTS

Anan'ev, Yu.A.

9461
INDUCTIVE ENERGY STORAGE FOR PULSED DISCHARGES

9675
USE OF AN EXPLODING WIRE AS A CURRENT COMMUTATOR

Anan'in, P.S.

1358
ELEMENTS OF HIGH-VOLTAGE NANOSECOND PULSE GENERATORS ON
COAXIAL CABLES

4419
GENERATOR OF HIGH VOLTAGE NANOSECOND PULSES WITH PRECISE
LENGTH

6974
A 20-CHANNEL GENERATOR OF HIGH-VOLTAGE PULSES

Anderson, J.A.

18271
THE SPECTRAL ENERGY DISTRIBUTION AND OPACITY OF WIRE
EXPLOSION VAPORS

Anderson, J.M.

8185
WIDE FREQUENCY RANGE CURRENT TRANSFORMERS

Anderson, O.

7476
HYDROMAGNETIC CAPACITOR

Anderson, R.A.

954
MECHANISM OF PULSED SURFACE FLASHOVER INVOLVING
ELECTRON-STIMULATED DESORPTION

1271
MECHANISM OF PAST SURFACE FLASHOVER IN VACUUM

2864
PROPAGATION VELOCITY OF CATHODE-INITIATED SURFACE FLASHOVER

Anderson, R.E.

5582
PLASMA-INDUCED FIELD EMISSION AND THE CHARACTERISTICS OF
HIGH-CURRENT RELATIVISTIC ELECTRON FLOW

5102
LOW-JITTER MULTIGAP LASER-TRIGGERED SWITCHING AT 50 PPS

Anderson, R.J.

8245
NEGATIVE ION LOSSES IN MAGNETICALLY INSULATED VACUUM GAPS

Anderson, R.L.

18835
SPECIFYING POWER CONDITIONING EQUIPMENT

Anderson, R.S.

4688
DISCHARGE CIRCUITRY FOR HIGH REPETITION RATE METAL VAPOR
LASERS

Anderson, S.O.

3429
HIGH-SPEED SWITCH NANODES +0R- 400-V PEAK AND IS CONTROLLED
BY LOGIC LEVELS

Anderson, M.E.

1535
AN INTERNATIONAL COMPARISON OF HIGH VOLTAGE CAPACITOR
CALIBRATIONS

5541
RECENT REFINEMENTS AND DEVELOPMENTS IN RRR SYSTEM
ELECTRICAL MEASUREMENT TECHNIQUES

Anderson, L.

15885
A PULSE TRANSFORMER FOR LARGE WIRE SPARK CHAMBERS

Andreev, A.A.

15199
MOTION OF THE CATHODE SPOT OF A VACUUM ARC IN AN
INHOMOGENEOUS MAGNETIC FIELD

Andreev, P.A.

5454
DRIVEN HIGH-VOLTAGE NANOSECOND PULSE GENERATOR TRIGGERED BY
LASER RADIATION

Andreev, S.

5258
NANOSECOND VOLUME DISCHARGE IN AIR AT ATMOSPHERIC PRESSURE

Andreev, S.I.

5496
BREAKDOWN MECHANISM OF A NARROW AIR GAP. II

6955
EFFICIENCY OF ENERGY TRANSFER TO AN ELECTRODELESS
HIGH-FREQUENCY DISCHARGE

7811
INVESTIGATION OF THE ENERGY TRANSFER EFFICIENCY FOR A
PULSED INDUCTION DISCHARGE

7134
DEVELOPMENT OF A SPARK DISCHARGE. I

7751
GROWTH OF THE SPARK DISCHARGE CANAL FOR A DISCHARGE CIRCUIT
WITH A RAPIDLY INCREASING CURRENT

Andreev, S.I. Vanyukov, M.F.

5546
THE USE OF FERRITES FOR THE GENERATION OF POWERFUL
HIGH-VOLTAGE PULSES OF NANOSECOND DURATION

Andreev, O.

5472
ELECTRICAL CONDUCTION AND ELECTRICAL BREAKDOWN OF ORGANIC
INSULATORS AND SEMICONDUCTORS

Andreev, A.

267
HIGH RATE OF RISE OF CURRENT PULSE GENERATION USING LOW
COST GLASS ENVELOPE THYRATRONS

Andreev, A.J.

5642
DRIVING CIRCUITS FOR COPPER HALIDE LASERS - A PARAMETRIC
STUDY

Andreev, J.O.

4751
ELECTRIC-FIELD DISTRIBUTION AROUND AN ISOLATED STRANDED
CONDUCTOR

Andreev, J.O.

457
SPHERICAL PROBE IN A FLOWING PLASMA

Andreev, J.R.

1529
IMPULSE GENERATOR SPECTRUM AMPLITUDE MEASUREMENT TECHNIQUES

10157
SNP IMPULSE GENERATOR

10412
FEMTOSECOND PULSE RESEARCH AT NBS

10425
PICOSECOND PULSE GENERATORS USING MICROMINIATURE MERCURY
SWITCHES

Andreev, K.R.

7196
A LARGE-AREA COLD-CATHODE GRID-CONTROLLED ELECTRON GUN FOR
ANTARES

Andreev, L.A.

4212
SYNTHETIC BREAKDOWN IN AIR

Andreev, A.S.

1099
BREAKDOWN OF A SOLID-DIELECTRIC SWITCH

6571
EXPLOSION FOILS FOR ACCELERATOR APPLICATIONS

6534
LOW-INDUCTANCE CAPACITOR MODULE FOR CHARGING TO 100 KV AND
ENERGY STORAGE CAPACITY 50 RJ

Andrianov, A.M.

555
PULSE GENERATOR PRODUCING A HIGH-POWER CURRENT

1197
HIGH PULSED MAGNETIC FIELDS FOR NUCLEAR FUEL ROD SEALING

Andrushko, A.I.

444
SHORT-CURRENT-PULSE GENERATOR FOR SUPPLYING SEMICONDUCTOR
LASERS

Anis, M.

9257
PRE-BREAKDOWN DISCHARGES IN HIGHLY NON-UNIFORM FIELDS IN
RELATION TO GAS-INSULATED SYSTEMS

18128
RANDOM PRE-BREAKDOWN DISCHARGES IN SF₆/SUB 5/ - A POSSIBLE
DIAGNOSTIC CRITERION FOR PARTICLE-CONTAMINATED COMPRESSED
GAS APPARATUS

Anisimov, Y.S.

18545
SYSTEM FOR HIGH-VOLTAGE SUPPLY OF MAGNETOSTRICTION SPARK
CHAMBERS IN THE 'PHOTON' FACILITY

18546
STUDY ON THE T011-SBB/16 THYRATRON CHARACTERISTICS

Anis, R.

5895
INFLUENCE OF AIR DENSITY ON FLASHOVER VOLTAGES OF AIR GAPS
AND INSULATORS

Antipov, I.Yu.

3131
STABILIZATION OF THE TIME CHARACTERISTICS OF AN
ARKAD'EV-MARK GENERATOR

Antonev, E.A.

1895
MOLOGRAPHIC INVESTIGATION OF ELECTRICAL EXPLOSIONS OF
CONDUCTORS

Antonev, O.O.

18541
HIGH-CURRENT HIGH-PRESSURE DISCHARGE CHAMBER. I

Antonsen Jr., T.M.

5185
THEORY OF INTENSE ION BEAM ACCELERATION

5258
THEORY OF FOIL-LESS DIODE GENERATION OF INTENSE
RELATIVISTIC ELECTRON BEAMS

Antoupev, F.S.

5190
PULSE MODULATOR FOR AN EXPERIMENTAL ELECTRON GUN

Anvari, A.

4878
STUDY OF A 48 KV MULTISTAGE SPARK GAP OPERATED IN AIR AT ATMOSPHERIC PRESSURE

8318
PULSE CIRCUIT FOR M/SUB 2/ LASERS

Aoshima, Y.

3489
RESISTOR DIVIDER WITH DIVIDING ELEMENT ON HIGH VOLTAGE SIDE FOR IMPULSE VOLTAGE MEASUREMENTS

8898
INFLUENCE OF AIR DENSITY ON PLASMOVER VOLTAGES OF AIR GAPS AND INSULATORS

Aoshima, Y. Ito, Y.

3814
IMPULSE PLASMOVER CHARACTERISTICS OF LONG AIR GAPS AND ATMOSPHERIC CORRECTION

ApeIionov, V.V.

7103
CO/SUB 2/ LASER HIGH-VOLTAGE POWER SUPPLY BASED ON A PULSED AUTOTRANSFORMER

Arai, T.

1265
A CM X-RAY PREIONIZER FOR HIGH-REPETITION-RATE GAS LASERS

Archibald, P.C.

8166
TIME-DEPENDENT CRITICAL DAMPING OF A CAPACITOR-DISCHARGE CIRCUIT

Artev, O.N.

2547
DELAY CHARACTERISTICS OF VACUUM DISC SWITCHES

2595
ELECTRICAL STRENGTH OF VACUUM DISC SWITCHES

9831
INDUCTANCE AND INTERNAL RESISTANCE OF VACUUM DISK SWITCHES

Argries, J.

8386
HIGH POWER, LOW NOISE PULSE CABLE

Argunov, V.A.

18849
VOLT-AMPERE CHARACTERISTIC AND TRANSITION CURRENT OF A GAS GAP WHEN ACTED UPON BY PULSED IONIZING RADIATION

Arikawa, T.

5526
CROSS SECTIONS FOR CHARGE TRANSFER COLLISIONS INVOLVING HYDROGEN ATOMS

Arkatov, Y.M.

18327
A DIVIDER FOR MEASURING NANOSECOND ENT PULSES

Armstrong, O.

3788
ARTIFICIAL INITIATION OF LIGHTNING DISCHARGES

Armstrong, R.J.

445
SOME OBSERVATIONS ON ARC POTENTIALS IN HYDROGEN THYRATRON PULSE DISCHARGES

Arcklesamy, R.

658
HIGH-POWER PULSE GENERATION

Artemonov, I.I.

215
DESIGN AND CONSTRUCTION OF AN INDUCTIVE STORAGE UNIT FOR LASER PUMPING

7145
INDUCTIVE STORAGE BANK FOR DYE-LASER PUMPING

Artem'ev, V.A.

2189
THYRISTOR HIGH-VOLTAGE PULSE GENERATORS

Artemov, V.I.

563
ON THE FORMATION OF PRECISION BEAMS IN MULTISECTION LINEAR ELECTRON ACCELERATORS

Artyukh, V.O.

1726
NETWORK FOR FAST COMPUTATION OF LARGE CURRENTS IN AN INDUCTIVE STORAGE DEVICE

6869
THE TIME REQUIRED FOR TRANSFER OF CURRENT FROM A LIQUID-METAL COMMUTATOR INTO A SHUNTING CIRCUIT

Asaoka, S.

8649
HIGH VOLTAGE PULSE GENERATOR FOR IMPECTOR

Asatima, C.L.

1358
SIX CHANNEL DIGITAL DELAY GENERATOR

Ashby, S.

7286
A COMPUTERIZED MEASURING SYSTEM FOR NANOSECOND RISETIME PULSED ACCELERATORS

Asimovskii, E.I.

8954
PAUSE IN PLASMA EMISSION AFTER NANOSECOND-PULSE EXCITATION

Aslin, M.

5191
PULSE TRANSFORMER DESIGN STUDY

Aslin, M.

162
PULSED POWER FOR EMP SIMULATORS

18415
TEMPS (TRANSPORTABLE EMP SIMULATOR) FINAL REPORT: VOLUME II. APPENDICES

18416
TEMPS (TRANSPORTABLE EMP SIMULATOR) FINAL REPORT: VOLUME I

Asnech, E.Z.

8312
METHODS FOR CREATION OF HIGH-VOLTAGE, HIGH-TEMPERATURE ELECTRIC INSULATION

Asaad, A.A.

4919
PLASMOVER TESTS ON DUST-CONTAMINATED INSULATORS

Astrelin, V.T., Boyerintsev, E.L.

7899
A PULSED ELECTRON BEAM ACCELERATOR 'AQUAGEN'

Ateev, S.M.

18486
MECHANISM FOR A SECONDARY SURFACE BREAKDOWN IN A REVERSE-BIAS HIGH-VOLTAGE SILICON P-N JUNCTION

Atnashev, Yu.B.

7125
SOME CHARACTERISTICS OF A DOUBLE, HOLLOW CATHODE WITH THE PULSED SUPPLY OF THE CATHODE-EXCITER

Auger, O.J.

4726
NANOSECOND PULSE GENERATORS FOR MAGNETRON OPERATION

Aulikh, M.

1246
MAGNETOOPTICAL CURRENT TRANSFORMER. 2: COMPONENTS

Austin, M.E.

8115
100-KHZ QUENCHING SPARKGAPS HAVE IEI2 A/S CURRENT RISE

Auston, D.N.

8098
PICOSECOND OPTOELECTRONIC SWITCHING AND GATING IN SILICON

Authors Unknown

1315
HIGH VOLTAGE BREAKDOWN STUDY

4379
ELECTRON-SEAM-FUSION PROGRESS REPORT JANUARY-JUNE 1976

4380
ELECTRON-SEAM-FUSION PROGRESS REPORT JULY THROUGH SEPTEMBER 1976

9334
FIELD-REVERSED MIRROR PILOT REACTOR

5335
STUDY OF ARC BY-PRODUCTS IN GAS-INSULATED EQUIPMENT

9431
HIGH POWER SPARK GAP OPTIMIZATION

6527
HIGH ENERGY HIGH DUTY PULSER

7988
ELECTRON SEAM FUSION PROGRESS REPORT APRIL THROUGH SEPTEMBER 1977

7981
HIGH REPETITION RATE SPARK GAP

8553
ELECTRON SEAM FUSION PROGRESS REPORT OCTOBER 1976 THROUGH MARCH 1977

8131
GUIDE FOR SHIELDED ENCLOSURE CONSTRUCTION PROBLEMS

15323
PULSER FOR VERTICALLY POLARIZED DIPOLE FACILITY (VPD-II)

10361
INVERSE DIODE STUDY (FINAL REPORT)

10402
MARK DEVELOPMENT PROJECT

15431
ESS (ELECTRON SEAM SEMICONDUCTOR) PULSE AMPLIFIER LIFE TEST

Avdienko, A.A.

6436
SURFACE BREAKDOWN OF A SOLID DIELECTRIC IN VACUUM. III. QUANTITATIVE MODEL

Avustinovich, V.A.

778
PULSE BREAKDOWN OF GASEOUS HELIUM AT LOW TEMPERATURES

Avilov, E.A.

7825
STABILIZATION OF IGNITION VOLTAGE IN HIGH-PRESSURE SPARKS

8149
VACUUM BREAKDOWN WITH NANOSECOND PULSES

Avramenko, M.I.

4263
HIGH-CURRENT PULSED ELECTRON ACCELERATOR WITH AN ANNULAR BEAM

Avrarov, A.P.

7099
A PULSED ELECTRON SEAM ACCELERATOR 'AQUAGEN'

Avrutskii, V.A.

6876
ANALYSIS OF THE TRUMP-VAN DE GRAAFF CONDITION FOR VACUUM BREAKDOWN

6923
DELAY IN PULSED BREAKDOWN OF WEAKLY-ILLUMINATED GAPS

8179
EFFECT OF ELECTRODE ROUGHNESS ON BREAKDOWN VOLTAGE

8188
EFFECT OF ELECTRODE ROUGHNESS ON THE ELECTRICAL STRENGTH OF COMPRESSED GASES

Ayyasamy, P.S.

8927
EFFECT OF PLUG FLOW ON THE STABILITY OF TWO-DIMENSIONAL ARCS

Azam, M.M.

8165
TIME LAGS IN THE ELECTRICAL BREAKDOWN OF GLASS IMMersed IN WATER

Azerkevich, E.I.

733
EXPLOSIVE ELECTRICAL GENERATOR

6928
CONDITIONS FOR THE CURRENT PAUSE IN EXPLODING WIRES

Azizev, E.A.

7124
SWITCHING CHARACTERISTICS OF EXPLOSIVE DISCONNECTORS WITH RAPID DESTRUCTION OF THE CONTACT ELEMENT

7146
INFLUENCE OF A DIELECTRIC MEDIUM ON THE CHARACTERISTICS OF A HIGH-SPEED EXPLOSIVE CIRCUIT BREAKER

10453
HIGH-CURRENT DISCHARGES IN NITROGEN WITH AN INDUCTIVE STORAGE BANK

Azurov, E.A.

1088
PLASMA ACCELERATION IN A COAXIAL INJECTOR WITH NONCYLINDRICAL ELECTRODES DRIVEN BY AN INDUCTIVE STORAGE DEVICE

BebeLin, A.I.

3843
INCREASING THE MAXIMUM GRADIENTS IN THE WINDINGS OF THE PULSE TRANSFORMERS OF ACCELERATOR FOREINJECTORS

7932
LASER-TRIGGERED SPARK-GAP SWITCH

7939
SOLID-DIELECTRIC NANOSECOND SPARK GAP WITH LASER TRIGGERING

Seben (Ed.), S.Y.

4865
CERAMIC HIGH-VOLTAGE CAPACITORS K-15U-1, K-15U-2, AND K-15U-3

Seberina, L.V.

6937
EXPLOSIVELY-DRIVEN MAGNETIC GENERATOR WITH PAST MEGA GAUSS FIELD

Seberitskii, A.I.

9186
MULTICHANNEL VACUUM SPARK GAP

Sebenko, N.S.

10119
METHODS OF MEASURING VARYING AND PULSED MAGNETIC FIELDS (REVIEW)

Sebich, L.P.

6947
MECHANISM FOR NANOSECOND VACUUM PULSED DISCHARGE

9781
THE PHYSICS OF HIGH-VOLTAGE NANOSECOND DISCHARGES IN DENSE GASES

Babyskin, M.V.

- 5192
RED FOCUSING IN A HIGH-VOLTAGE DIODE
- 7155
DEVELOPMENT OF HIGH-CURRENT ELECTRON ACCELERATORS

Bacon, B.F.

- 13287
VECTOR-POTENTIAL FLOW IN RELATIVISTIC BEAM DIODES

Badalyants, O.R.

- 6826
HIGH-CURRENT ELECTRON ACCELERATOR FOR OPTICAL PUMPING OF GASES

Beav, B.V.

- 5192
RED FOCUSING IN A HIGH-VOLTAGE DIODE

Begramov, V.G.

- 5395
HIGH-VOLTAGE NANOSECOND PULSE GENERATOR WITH COMPENSATION USING NONLINEAR COMPONENTS

Begrov, M.A.

- 18194
DESTRUCTION OF POLYMER DIELECTRICS BY PARTIAL DISCHARGES

Behder, G.

- 18127
PHYSICAL MODEL OF ELECTRIC AGING AND BREAKDOWN OF EXTRUDED POLYMERIC INSULATED POWER CABLES

Belkev, A.P.

- 6632
A COMPENSATED SHUNT FOR MEASUREMENT OF POWERFUL NONSTATIONARY CURRENTS
- 6815
ELECTRICAL CONDUCTIVITY OF AN ALUMINUM FOIL IN AN ELECTRICAL EXPLOSION
- 6819
EXPLODING WIRES WITH HIGH ENERGY INPUT

Belkev, O.G.

- 7511
INVESTIGATION OF THE ENERGY TRANSFER EFFICIENCY FOR A PULSED INDUCTION DISCHARGE

Belkov, V.I.

- 10841
VISIBLE AND NEAR-UV EMISSION IN THE ELECTRICAL EXPLOSION OF A THIN METAL FOIL

Belley, O.

- 10434
HERTZIAN GENERATOR DEVELOPMENT

Belley, V.

- 8146
ADVANCED CONCEPTS FOR PHOTON SOURCES VOLUME 2: FAST SWITCHING OF VACUUM MAGNETIC ENERGY STORES
- 8292
ADVANCED CONCEPTS FOR PHOTON SOURCES: VOLUME 2. FAST SWITCHING OF VACUUM MAGNETIC ENERGY STORES

Belley, V.L.

- 236
CHARACTERIZATION OF ELECTRON AND ION CURRENT FLOW IN VERY LARGE ASPECT-RATIO TERAWATT DIODES EMPLOYING HEATED AND UNHEATED ANODES

Belrd, O.H.

- 5585
HERTZIAN ARRAY SWITCH INVESTIGATION

Bejda, J.

- 1588
A MINIATURE, HIGH VOLTAGE, HIGH CURRENT NANOSECOND PULSE GENERATOR

Bekasinski, I.I.

- 1727
MECHANISM FOR NANOSECOND GRID CUTOFF OF HIGH-CURRENT DISCHARGES

Baker, A.J.

- 7802
EFFECTS OF FORCED CONVECTION UPON THE CHARACTERISTICS OF A STEADY-STATE CROSS-FLOW ARC IN THE PRESENCE OF AN APPLIED TRANSVERSE MAGNETIC FIELD

Baker, M.L.

- 5714
SHIVA ELECTROMAGNETIC IMPLSION X-RAY SOURCE

- 18273
INDUCTIVE STORE PULSE COMPRESSION SYSTEM FOR DRIVING HIGH SPEED PLASMA IMPLSIONS

Baker, W.F.

- 4214
THE STATISTICAL DISTRIBUTION OF VALUES OF BREAKDOWN VOLTAGE FOR AN AIR GAP

Baker, W.R.

- 969
ANALYSIS AND APPLICATION OF A TRANSFORMER CORE THAT ACTS AS AN ARC SHUTTER

- 5186
PRESENT AND FUTURE TECHNOLOGY OF HIGH VOLTAGE SYSTEMS FOR NEUTRAL BEAM INJECTIONS

- 7476
HYDROMAGNETIC CAPACITOR

- 7767
HIGH-VOLTAGE, LOW-INDUCTANCE SWITCH FOR MEGAFERE PULSE CURRENTS

- 10398
PULSE GENERATOR WITH STANDING WAVE ENERGY STORAGE

Bekashev, Y.L.

- 5715
ION ACCELERATION IN A MAGNETICALLY INSULATED DIODE

Bekasht, R.B.

- 4851
MEASUREMENT OF THE ELECTRON TEMPERATURE OF THE PLASMA OF A QUASI-STABLE PULSED GLOW DISCHARGE IN SPARK GAPS WITH HIGH OVERVOLTAGES

- 4617
A CIRCUIT USING FERRITES TO OBTAIN HIGH-VOLTAGE NANOSECOND PULSES

- 4624
CONTROLLED DELAY OF HIGH-POWER NANOSECOND PULSES WITH THE USE OF THE MAGNETIZATION REVERSAL TIME OF FERRITES

- 4922
DEFORMATION OF INTENSE WAVES TRAVERSING A FERRITE DISCONTINUITY IN A TRANSMISSION LINE

- 6998
FORMATION OF A HIGH-CURRENT VACUUM SPARK BY THE HIGH-SPEED INTERFEROMETRY METHOD

- 7885
FORMATION OF PLASMA CHANNEL BY A VACUUM SPARK

- 7884
FORMATION OF THE SPARK CHANNEL AND CATHODE SPOT IN A PULSED VOLUME DISCHARGE

Bakulin, Yu.D.

6669
DIRECT-ACTION ACCELERATORS WITH INDUCTIVE ENERGY STORAGE
AND EXPLODING CONDUCTORS

7891
FWD CALCULATION FOR EXPLODING WIRES

9792
DIRECT-ACTION ACCELERATORS WITH INDUCTIVE ENERGY STORAGE AND
EXPLODING CONDUCTORS

Balakin, V.A.

7080
ELECTRICAL BREAKDOWN IN WATER BY 0.5-1.7-MV PULSES 0.5-5
MICROSECONDS LONG

Baldwin, A.

429
A HIGH-VOLTAGE PULSE GENERATOR FOR SPARK CHAMBERS IN SPACE

Baldwin, E.E.

10357
SWF IMPULSE GENERATOR

Balygin, L.E.

7892
PREDISCHARGE PHENOMENA IN LIQUIDS

Bandos, J.

4718
A HIGH CURRENT, HIGH FREQUENCY CAPACITIVE ENERGY STORAGE
SYSTEM USED TO PRODUCE INTENSE MAGNETIC FIELDS

Bendopadhyaya, T.K.

435
DIELECTRIC INVESTIGATION OF ELECTRIC DISCHARGES IN A
MERCURY VAPOUR FILLED THYRATRON

Benford, H.M.

2958
THE USE OF A PHOTOMULTIPLIER IN THE DETERMINATION OF
IONIZATION COEFFICIENTS IN GASES STRESSED WITH HIGH VOLTAGE

Bennister, L.N.

1946
BOOTSTRAP CIRCUIT GENERATES HIGH-VOLTAGE PULSE TRAIN

Bar-Avraham, E.

2360
DESIGN AND STRUCTURE OF AN EXTENDED LIFE HIGH CURRENT
SPARK GAP

3954
ENERGY TRANSFER FROM A LOW-VOLTAGE CAPACITOR BANK TO A HIGH
INDUCTANCE WITH THE AID OF AN AIR PULSE TRANSFORMER

Barabash, L.S.

10454
SOME PECULIARITIES OF OPERATION OF CURRENT COMMUTATOR ON
INDUCTIVE LOAD

Barabash, L.Z.

2890
HIGH-VOLTAGE PULSE GENERATOR

Baraboshkin, V.V.

1120
PLASMA TRIGATRON SPARK GAP

Baranov, V. Yu

3731
THEORETICAL AND EXPERIMENTAL INVESTIGATION OF PULSED
DISCHARGES IN GASES

Baranov, V.Yu.

6875
VOLUME DISCHARGE WITH UV PREIONIZATION

7107
CONTRACTION OF THE DECAYING PLASMA IN A NITROGEN DISCHARGE

Barantsev, V.S.

9520
A MOBILE GENERATOR OF 300 KV, 10 CFS VOLTAGE PULSES

Barash, M.I.

10289
SYNCHRONIZING THE START OF 400-KV VOLTAGE PULSE GENERATOR
(GIN-400) AND MEASURING CIRCUIT DURING OSCILLOGRAPHING OF
SHORT-TERM PROCESSES

Baratov, D.O.

144
NEUTRINO BEAM OF THE INSTITUTE OF HIGH-ENERGY PHYSICS. V.
PULSED POWER SUPPLY FOR THE NEUTRINO FOCUSING SYSTEM

Barber, D.C.

5170
DESIGN PHILOSOPHY AND USE OF HIGH VOLTAGE POWER SYSTEMS FOR
MULTI-MEGAWATT ION BEAM ACCELERATORS

8302
DEVELOPMENT AND USE OF 60 KV, AND 150 KV FLOATING DECK
MODULATORS FOR HIGH VOLTAGE PROTECTION OF MULTI-MEGAWATT
ION BEAM ACCELERATORS

Barbour, J.F.

2021
THE FIELD EMISSION INITIATED VACUUM ARC. I. EXPERIMENTS ON
ARC INITIATION

10226
INTENSE, NANOSECOND ELECTRON BEAMS

Barchukov, A.I.

7105
CO/SUB 2/ LASER HIGH-VOLTAGE POWER SUPPLY BASED ON A PULSED
AUTOTRANSFORMER

Barikhin, B.A.

215
DESIGN AND CONSTRUCTION OF AN INDUCTIVE STORAGE UNIT FOR
LASER PUMPING

7145
INDUCTIVE STORAGE BANK FOR DYE-LASER PUMPING

Barken, F.

9012
DEVELOPMENT OF CONTACT MATERIALS FOR VACUUM INTERRUPTERS

Barker, R.J.

923
STEADY STATE NUMERICAL SOLUTION OF MAGNETICALLY INSULATED
CHARGE FLOW IN COAXIAL GEOMETRY

1253
MRL LIGHT ION BEAM RESEARCH FOR INERTIAL CONFINEMENT FUSION

5431
THE USE OF FINITE J/SUB THETA/ FOR INCREASING THE ION
EFFICIENCY OF HIGH IMPEDANCE DIODES

8128
COMPUTATIONAL STUDY OF MAGNETIC DAM EFFECTS IN A HIGH
IMPEDANCE DIODE

Barnea, P.M.

7495
THE PARALLEL OPERATION OF LOW-INDUCTANCE HIGH-CURRENT SPARK
GAPS WITHOUT TRANSIT TIME ISOLATION

Baronate, P.M.

6661
DYNAMICS OF THE DEVELOPMENT OF HIGH-CURRENT INDUCTION
DISCHARGE

Barr, O.C.

10428
ANALYSIS OF DISCRETE PULSE FORMING NETWORKS DRIVING
NON-LINEAR FLASH LAMP LOADS

Barr, M.L.

8322
STUDY OF EFFICIENT HIGH-POWER, HIGH-ENERGY NEUTRAL BEAMS
FOR THE REFERENCE MIRROR REACTOR

Barrault, M.R.

3691
SPECTROSCOPIC INVESTIGATION OF THE SPARR CHANNEL

Barratt, D.

962
SPARR GAP EROSION RESULTS

Barrone, L.L.

4399
ANTARES PROTOTYPE 300-RJ, 250-KA MARX GENERATOR (FINAL REPORT)

Bartnikas, B.

10476
A SIMPLE PULSE-HEIGHT ANALYZER FOR PARTIAL-DISCHARGE-RATE MEASUREMENTS

Barton, H.A.

1932
A NEW DESIGN FOR A HIGH-VOLTAGE DISCHARGE TUBE

Bartov, A.V.

7135
DEVELOPMENT OF HIGH-CURRENT ELECTRON ACCELERATORS

Barvinko, G.O.

8254
CONSUMPTION AND DEGREE OF USE OF ELECTRODE MATERIAL IN A HIGH-FREQUENCY CONDENSED SPARR DISCHARGE

Basenkav, S.V.

1167
ACCELERATOR MODULE OF 'ANDARA-S'

Basharov, R.

8931
EROSION OF CATHODE MATERIAL IN A PULSED DISCHARGE BETWEEN PARALLEL ELECTRODES

Bashkin, A.S.

1185
HIGH-POWER 1 USEC ULTRAVIOLET RADIATION SOURCE FOR PUMPING OF GAS LASERS

Beiladze, S.O.

18315
SHAPER-AMPLIFIER FOR GRIET CHAMBERS

18364
UNIVERSAL PULSE GENERATOR WITH A NANOSECOND FAST RESPONSE

Beelin, Yu.G.

5981
A DEVICE FOR MEASURING PULSE POWER

Besmenov, V.P.

7895
THE LIU-1B HIGH-POWER ELECTRON ACCELERATOR

Beav, H.O.

355
OPTICAL BREAKDOWN OF COMPRESSED GASES BY CO/SUB 2/ LASER RADIATION

10482
ELECTRICALLY DRIVEN 250-JOULE PULSED LASER

Beating, G.

4598
A QYE LASER TRIGGERED SPARR GAP

Botolin, V.A.

8675
PERFORMANCES OF THE OUTLET PULSE VALVE FOR THE PROTON SOURCE OF THE I-2 LINEAR ACCELERATOR

Botea Ed., S.

2835
SYMPOSIUM PROCEEDINGS NEW CONCEPTS IN FAULT CURRENT LIMITERS AND POWER CIRCUIT BREAKERS

Botea, D.J.

3741
CHARACTERISTICS AND CAPABILITIES OF THE MODULAR EBS

Baum, C. E.

2449
SENSORS FOR ELECTROMAGNETIC PULSE MEASUREMENTS BOTH INSIDE AND AWAY FROM NUCLEAR SOURCE REGIONS

Baum, G.M.

18319
EXPLOSIVE MHO RESEARCH

Baum, O.

18424
A HIGH INTENSITY PULSED SOURCE OF POLARIZED ELECTRONS

Baumatz, G.

18315
FOUR-CHANNEL DELAY GENERATOR MODEL 5748

Boxendale, J.P.

10283
THE ELECTRON BEAM SEMICONDUCTOR (EB3) AMPLIFIER

Boyanov, B.P.

10322
GENERATOR OF CURRENT PULSES WITH AN AMPLITUDE OF 1E6 A AND STABILITY OF $\pm 0.1\%$ AT A REPETITION RATE OF 2 HZ

Boyanov, B.P.

6451
CURRENT PULSE GENERATOR

10211
CURRENT PULSE GENERATOR WITH AMPLITUDE OF 1,000,000 A AND STABILITY OF $\pm 0.01\%$ AT A REPETITION RATE OF TWO HZ

Boyleas, J.R.

124
ORIENTATION INDEPENDENT IGNITRON

4708
THE LIQUID METAL PLASMA VALVE CLOSING SWITCH

6562
PULSE MODULATOR BEHAVIOR OF THE LIQUID METAL PLASMA VALVE (LMPV)

Bozalyan, E.M.

8257
EFFECT OF CORONA CHARGE ON THE FORMATION OF A LONG POSITIVE SPARK UNDER THE ACTION OF A VOLTAGE PULSE

Boelling, R.

8184
EXPLODING POIL DEVICES FOR SHAPING MEGAMP CURRENT PULSES

Booms, J.W.

5558
THE FALL OF POTENTIAL IN THE INITIAL STAGES OF ELECTRICAL DISCHARGES

8288
FIELD ELECTRON EMISSION FROM LIQUID MERCURY

Boonnan, E.

8143
A CURRENT TRANSFORMER FOR LOW LEVEL MICROSECOND PULSES

Boord, M.

3764
4CM 100,000 TETRODE PULSE TESTS AT RAOC

Beck, W.

1246
MAGNETOOPTICAL CURRENT TRANSFORMER. 2: COMPONENTS

Becker, E.B.

182
MAGNETIC FIELD CALCULATIONS FOR HIGH-ENERGY PULSED POWER SUPPLIES

4491
INERTIAL ENERGY STORAGE RESEARCH AT THE UNIVERSITY OF TEXAS AT AUSTIN

Becker, M.

1258
HIGH POWER MAGNETOHYDRODYNAMIC SYSTEM (VOL II)

1259
HIGH POWER MAGNETOHYDRODYNAMIC SYSTEM (VOL I)

Becker, J.J.

18829
POTENTIAL OF AMORPHOUS ALLOYS FOR APPLICATION IN MAGNETIC DEVICES

Beckner, E.M.

4385
LASER-FUSION AND ELECTRON-BEAM-FUSION RESEARCH PROGRESS REPORT JANUARY-JUNE 1974

9424
IGNITRON-SWITCHED 0.6- TO 90-KV IMPULSE GENERATOR

Bednarek, T.

18374
THE APPLICATION OF STEEP PULSE CURRENTS TO THE ELECTROHYDRAULIC AND MAGNETIC FORMING OF METALS

Bedrin, A.G.

9668
PHOTOINDUCED SURFACE DISCHARGE

Begun, M.

7987
ELECTRODE EROSION PROCESSES IN PULSED PLASMA THRUSTERS

Bekafi, G.

4074
CURRENT FLOW IN A HIGH-VOLTAGE DIODE SUBJECTED TO A CROSSED MAGNETIC FIELD

4387
PARTICLE BEAM WEAPONS-A TECHNICAL ASSESSMENT

4696
MICROWAVE EMISSION FROM MAGNETICALLY INSULATED RELATIVISTIC ELECTRON-BEAM DIODES

10485
MAGNETIC INSULATION OF AN INTENSE RELATIVISTIC ELECTRON BEAM

Beichenko, Yu.I.

3338
PLASMA-SURFACE SOURCE OF NEGATIVE IONS

Beikov, E.P.

943
GAS COOLING AND ELECTRIC STRENGTH RECOVERY AFTER A SPARK DISCHARGE

Belan, N.V.

4749
BREAKDOWN OF A VACUUM SPARK GAP TRIGGERED BY AN ELECTRON BEAM

4663
EFFECT OF INTERRUPTION TIME ON PLASMOID ACCELERATION IN AN INDUCTIVE ENERGY-STORAGE ACCELERATOR

6693
TRANSIENTS IN INDUCTIVE ENERGY-STORAGE DEVICES FOR PLASMA INJECTORS

6898
PLASMA INJECTORS WITH CAPACITY AND INDUCTANCE ENERGY STORAGE

7090
INITIATION OF ELECTRICAL BREAKDOWN IN VACUUM BY AN ELECTRON BEAM

9784
EFFECT OF ELEMENT DISTRIBUTION IN A CAPACITOR BANK ON THE CURRENT PULSE IN A PULSED PLASMA INJECTOR

Belan, V.D.

9429
CREATION OF MEGAGAUSS FIELDS BY THE METHOD OF MAGNETODYNAMIC ACCUMULATION

9513
THE PRODUCTION OF PULSED MEGAGAUSS FIELDS BY COMPRESSION OF THE METALLIC CYLINDER IN Z-PINCH CONFIGURATION

Belanov, E.M.

333
OPTICAL BREAKDOWN OF COMPRESSED GASES BY CO/SUB 2 LASER RADIATION

Belkin, G.S.

1957
ELECTRODE EROSION IN PULSED HIGH-CURRENT DISCHARGES

4928
EFFECT OF THE MEDIUM ON THE ELECTRICAL EROSION OF ELECTRODES AT HIGH CURRENTS

8283
VAPORIZATION OF METAL ELECTRODES BY PULSED CURRENTS

Belkin, M.V.

6972
A GENERATOR PRODUCING NANOSECOND PULSES OF FAST ELECTRONS

7825
STABILIZATION OF IGNITION VOLTAGE IN HIGH-PRESSURE SPARKS

7198
PREPULSE DISCHARGES IN THE DIODES OF A HIGH-CURRENT ACCELERATOR WITH A DOUBLE SHAPING LINE

8169
VACUUM BREAKDOWN WITH NANOSECOND PULSES

Bell, J.A.

3434
NANOSECOND BREAKDOWN IN HEXANE

Bell, R.

1269
SF/SUB 6 DIELECTRIC FILL GAS GAUGE

Bell, M.R.

3789
INFLUENCE OF SPECIMEN SIZE ON THE DIELECTRIC STRENGTH OF TRANSFORMER OIL

Belomytsev, S.Ye.

6449
COMPUTATION OF THE ELECTRIC FIELD AT MULTIPPOINT CATHODES

Belomytsev, S.Ye.

4689
SCREENING EFFECT IN HIGH-CURRENT DIODES

4979
CHARACTERISTICS OF A HOLLOW ELECTRON BEAM IN A MAGNETICALLY INSULATED DIODE

Belosheev, V.P.

4887
FORMATION OF A MULTICHANNEL SPARK IN AIR

Beloue, V.A.

7048
HIGH-CURRENT, HOLLOW-CATHODE GLOW DISCHARGE

7833
INVESTIGATION OF TRIGGERING DELAY IN A LOW-PRESSURE HOLLOW-CATHODE SPARK GAP

Belyaev, G.I.

7163
TIME CHARACTERISTICS OF A MULTICHANNEL GRAZING-DISCHARGE
HIGH-VOLTAGE SWITCH

Belventsev, A.M.

7896
THE STRUCTURE OF THE FRONT OF ELECTROMAGNETIC SHOCK WAVES
IN TRANSMISSION LINES WITH NONLINEAR PARAMETERS

Belyaev, V.I.

675
HIGH-POWER CURRENT PULSE GENERATOR

Ben-Yasef, M.

1745
LIQUID-COPPER RESISTIVITY

Benenson, D.M.

1267
FUNDAMENTAL INVESTIGATION OF ARC INTERRUPTION IN GAS FLOWS

7802
EFFECTS OF FORCED CONVECTION UPON THE CHARACTERISTICS OF A
STEADY-STATE CROSS-FLOW ARC IN THE PRESENCE OF AN APPLIED
TRANSVERSE MAGNETIC FIELD

8972
TEMPERATURE DIAGNOSTICS IN TURBULENT ARCS

Benford, J.

7287
A LOW-INDUCTANCE 2-MV TUBE

8146
ADVANCED CONCEPTS FOR PHOTON SOURCES VOLUME 2: FAST
SWITCHING OF VACUUM MAGNETIC ENERGY STORES

8292
ADVANCED CONCEPTS FOR PHOTON SOURCES: VOLUME 2. FAST
SWITCHING OF VACUUM MAGNETIC ENERGY STORES

Bennett, F.D.

5899
CORRELATED ELECTRICAL AND OPTICAL MEASUREMENTS OF EXPLODING
WIRES

5896
CURRENT MEASUREMENT AND TRANSIENT SKIN EFFECTS IN EXPLODING
WIRE CIRCUITS

5988
SHOCK-PRODUCING MECHANISMS FOR EXPLODING WIRES

6976
CURRENT DIFFUSION IN CYLINDRICAL EXPLODING WIRES AND FUSES
DURING MICROSECOND ELECTRICAL PULSES

9785
VISUALIZATION OF CYLINDRICAL SHOCK WAVES

9884
HIGH-TEMPERATURE CORES IN EXPLODING WIRES

10301
ENERGY PARTITION IN THE EXPLODING WIRE PHENOMENA

Bennett, M.H.

7284
NANOSECOND RESPONSE 'BASKET-TYPE' MAGNETIC LOOP CURRENT
MONITOR FOR RELATIVISTIC ELECTRON BEAM CURRENT MEASUREMENTS

Bennetto, C.J.

1669
ELECTRICAL BREAKDOWN BETWEEN METAL ELECTRODES IN HIGH
VACUUM. I. THEORY

1686
ELECTRICAL BREAKDOWN BETWEEN METAL ELECTRODES IN HIGH
VACUUM. II. EXPERIMENTAL

Benning, C.J.

8049
SUBNANOSECOND RISETIME MULTIKILOVOLT PULSE GENERATOR

Benson, P.A.

2284
BREAKDOWN MECHANISMS AND ELECTRICAL PROPERTIES OF TRIGGERED
VACUUM GAPS

3787
FIRING CHARACTERISTICS OF A TRIGGERED VACUUM GAP EMPLOYING
DIELECTRIC COATED WITH A SEMICONDUCTING LAYER

Bereuter, M.A.

9298
SHIELDING EFFECTIVENESS OF METALLIC HONEYCOMBS

Berg, O.

8266
NEGATIVE ION FORMATION AND ELECTRIC BREAKDOWN IN SOME
HALOGENATED GASES

Berger, K.

684
SURVEY ON ACTUAL KNOWLEDGE AND PHYSICAL PROBLEMS

Berger, T.L.

7198
EFFECTS OF SURROUNDING MEDIUM ON THE PERFORMANCE OF
EXPLODING ALUMINUM FOIL FUSES

7888
EFFECTS OF SURROUNDING MEDIUM ON ELECTRICALLY EXPLODED
ALUMINUM FOIL FUSES

Bergeron, K.O.

174
SPACE-CHARGE EFFECTS IN LONG COAXIAL VACUUM TRANSMISSION
LINES

4129
MAGNETIC INSULATION OF HIGH VOLTAGES IN VACUUM: COMPARISON
OF EXPERIMENT WITH SIMULATIONS

9337
TWO SPECIES FLOW IN RELATIVISTIC DIODES NEAR THE CRITICAL
FIELD FOR MAGNETIC INSULATION

9867
MAGNETIC INHIBITION OF SURFACE FLASHOVER OF INSULATORS IN
VACUUM

7792
THEORY OF THE SECONDARY ELECTRON AVALANCHE AT ELECTRICALLY
STRESSED INSULATOR-VACUUM INTERFACES

9393
ONE- AND TWO-SPECIES EQUILIBRIA FOR MAGNETIC INSULATION IN
CO-AXIAL GEOMETRY

10467
ONE- AND TWO-SPECIES EQUILIBRIA FOR MAGNETIC INSULATION IN
COAXIAL GEOMETRY

Bergmann, E.E.

2798
MEASUREMENT OF NANOSECOND HV TRANSIENTS WITH KERR EFFECT

Bernstein, B.

7262
AURORA, AN ELECTRON ACCELERATOR

Bernstein, I.B.

2446
MAGNETIC-FIELD-INDUCED ENHANCEMENT OF
RELATIVISTIC-ELECTRON-BEAM ENERGY DEPOSITION

Berteault, F.

2957
THE ROLE OF THE CATHODE ZONE IN THE TRANSITION CORONA
EFFECT ARC

Bertin, M.

1269
SP/SUB 6/ DIELECTRIC FILL GAS GAUGE

Bertini, S.

873
ELECTRIC POTENTIAL MEASUREMENTS IN GASEOUS INSULATING
MATERIALS BY CORONA PROBE IN A CONTROLLED ENVIRONMENT

Bertinov, A.I.

5547
ELECTRODYNAMIC PULSE GENERATOR

6793
ACYCLIC GENERATORS WITHOUT A FERROMAGNETIC MAGNETIC CIRCUIT
FOR SUPPLYING ELECTROPHYSICAL APPARATUS USED IN HHO RESEARCH

9451
DISCHARGE OF ENERGY OF A SUPERCONDUCTING INDUCTANCE INTO A
FLASH LAMP

9985
MAGNETIC FIELD COMPRESSION BY A STRONG SHOCK WAVE

Besancon, J.

4734
THE MEGA GAUSS MAGNETIC FIELD LABORATORY IN GRENoble

Bespalov, O.O.

7166
TWO-CHAMBER HEAVY-CURRENT HIGH-VOLTAGE SWITCH

9443
A TWO-CHAMBER HEAVY-CURRENT HIGH-VOLTAGE SWITCH

Bessonov, E.O.

6383
ELECTRON ACCELERATION IN A TWO-CONDUCTOR STRUCTURE

Betha, M.A.

7433
NEW TYPE OF ACCELERATOR FOR HEAVY IONS

Bettenhausen, L.H.

5495
HIGH-VOLTAGE BREAKDOWN IN VACUUM AND IN OIL

Bottle, J.R.

615
PRECISE LASER INITIATED CLOSURE OF MULTIMEGAVOLT SPARK GAPS

656
THE LASER TRIGGERING OF HIGH-VOLTAGE SWITCHES

997
LOW JITTER, LOW INDUCTANCE SOLID DIELECTRIC SWITCHES

3585
LASER TRIGGERED SWITCHING OF A PULSED, CHARGED, OIL FILLED
SPARK GAP

3641
SUBNANOSECOND-JITTER LASER-TRIGGERED SWITCHING AT MODERATE
REPETITION RATES

5182
LOW-JITTER MULTIGAP LASER-TRIGGERED SWITCHING AT 50 PPS

7951
12.2-LASER-TRIGGERED MEGAVOLT SWITCHING

Baukema, G.P.

5386
INFLUENCE OF ADSORBED GASES ON PREBREAKDOWN CURRENTS IN
VACUUM

Bezdeinyi, A.M.

9438
ELECTRICAL BREAKDOWN OF CYLINDRICAL POLES IN AIR. III.
HIGH-CURRENT EXPANDING DISCHARGE

Bhallo, M.S.

8264
MEASUREMENT OF IONIZATION AND ATTACHMENT COEFFICIENTS IN
SULFUR HEXAFLUORIDE IN UNIFORM FIELDS

Bhallo, R.

2056
SIMPLE INSTRUMENTATION FOR RISE AND DECAY TIME MEASUREMENT
OF CATHODOLUMINESCENCE IN AN ELECTRON MICROSCOPE

Bhat, B.K.

1745
EXPLOSION OF BARE AND INSULATED COPPER WIRES

Bhattacharya, M.O.

5499
RADIATION GENERATION FROM EXPLODING WIRE

Bichenkov, E.I.

6589
EXPERIMENTS WITH AN EXPLOSIVE-MAGNETIC GENERATOR IN
LABORATORY CONDITIONS

6687
SOME CHARACTERISTIC FEATURES OF DIFFUSION OF A MAGNETIC
FIELD INTO A MOVING CONDUCTOR

6637
CALCULATING SCHEME AND SWITCHING-ON OF THE LOAD OF PLANE
EXPLOSIVE-DRIVEN MAGNETIC GENERATORS

6672
EXPLOSIVE GENERATORS

6673
PLUX DIFFUSION DURING MAGNETIC ACCUMULATION IN NARROW
CAVITIES

6674
PLUX DIFFUSION UPON THE COMPRESSION OF A MAGNETIC FIELD BY
PLAT STRIPS OF VARIABLE WIDTH

6680
LIMITING CURRENTS IN THE COMPRESSION OF MAGNETIC PLUX
BETWEEN PLAT AND COAXIAL CONDUCTORS

6681
MAGNETIC FIELD IN A CYLINDRICAL CONDUCTOR MOVING WITH A
VELOCITY PROPORTIONAL TO $R/\sqrt{1-\beta^2}$

6690
SELF-SIMILAR ELECTRICAL SKIN EXPLOSION OF A CONDUCTOR

9455
EXPLOSIVE SWITCHING OF AN ELECTRIC CURRENT

Bichenkov, F.I.

6675
PLUX LOSSES DURING COMPRESSION OF A MAGNETIC FIELD BY PLAT
STRIPS

Bick, P.A.

10312
TMCF ELECTRON BEAM TESTING PROGRAM: VOLUME IV. TMCF
ELECTRON BEAM TESTS

10315
TMCF ELECTRON BEAM TESTING PROGRAM: VOLUME I. SUMMARY

Bickford, J.

558
300-KJ, 200-KA MARX MODULE FOR ANTARES

Bickford, K.J.

8399
ANTARES PROTOTYPE 300-KJ, 250-KA MARX GENERATOR (FINAL
REPORT)

Bidichand, K.

8047
PHOTOPREIONIZATION OF THE 5571-ANGSTROM PULSED H/SUB 2/
LASER

Bigio, I.J.

1503
PREIONIZATION OF PULSED GAS LASERS BY RADIOACTIVE SOURCE

Bilekii, S.M.

10454
SOME PECULIARITIES OF OPERATION OF CURRENT COMMUTATOR ON
INDUCTIVE LOAD

Bikbulatov, N.Z.

144
NEUTRINO BEAM OF THE INSTITUTE OF HIGH-ENERGY PHYSICS. V.
PULSED POWER SUPPLY FOR THE NEUTRINO FOCUSING SYSTEM

Billings, M.J.

5647
THERMAL EROSION OF ELECTRICAL INSULATING MATERIALS

5808
CRACKING IN POLYMERIC INSULATION

Bingham, N.N.

5897
HIGH-ENERGY DENSITIES BEFORE DWELL IN ELECTRICALLY EXPLODED WIRES

Blondl, M.A.

1728
MECHANISM OF DC ELECTRICAL BREAKDOWN BETWEEN EXTENDED ELECTRODES IN VACUUM

7868
DETECTION OF ELECTRODE VAPOR BETWEEN PLANE PARALLEL COPPER ELECTRODES PRIOR TO CURRENT AMPLIFICATION AND BREAKDOWN IN VACUUM

Bird, S.R.

681
AN ALL SOLID-STATE MODULATOR FOR THE ARSR-5 TRANSMITTER

Bird, W.

4727
PULSED ENERGY AND SWITCHING REQUIREMENTS FOR TOKAMAK OHMIC HEATING

Bird, W.L.

258
DETAILED DESIGN, FABRICATION AND TESTING OF AN ENGINEERING PROTOTYPE COMPENSATED PULSED ALTERNATOR

2887
PRELIMINARY ENGINEERING DESIGN OF A PULSED HOMOPOLAR GENERATOR POWER SUPPLY

4691
INERTIAL ENERGY STORAGE RESEARCH AT THE UNIVERSITY OF TEXAS AT AUSTIN

5418
REBUILDING THE FIVE MEGAJOULE HOMOPOLAR MACHINE AT THE UNIVERSITY OF TEXAS

7175
FUNDAMENTAL LIMITATIONS AND DESIGN CONSIDERATIONS FOR COMPENSATED PULSED ALTERNATORS

7215
DESIGN OF THE ARMATURE WINDINGS OF A COMPENSATED PULSED ALTERNATOR ENGINEERING PROTOTYPE

7218
THE DESIGN, ASSEMBLY, AND TESTING OF A QESR MODEL COMPENSATED PULSED ALTERNATOR

7219
THE MECHANICAL DESIGN OF A COMPENSATED PULSED ALTERNATOR PROTOTYPE

7228
APPLYING A COMPENSATED PULSED ALTERNATOR TO A PLASMLAMP LOAD FOR NOVA-PART II

Birnbaum, L.

1996
GENERATION OF ULTRA-HIGH POWER ELECTRICAL PULSES

Birke, P.V.

6070
DETERMINATION OF HIGHLY STRESSED VOLUMES IN OIL DIELECTRICS

Birk, O.B.

16559
PULSE GENERATOR UTILIZING SUPERCONDUCTING APPARATUS

Birk, O.L.

7478
BASIC PRINCIPLES GOVERNING THE DESIGN OF MAGNETIC SWITCHES

8627
EXPERIMENTS IN MAGNETIC SWITCHING

Bishop, A.E.

9988
LOW-INDUCTANCE 168 KV SWITCH (SPARK GAP) FOR STARTING, OVERTURNING AND CLAMPING CAPACITOR DISCHARGES

Bishop, J.E.L.

10615
EDDY-CURRENT-LIMITED GROWTH OF FERROMAGNETIC DOMAINS ON THE SURFACE OF SQUARE-LOOP ALLOY TAPES

Black, I.A.

1555
A VARIABLE LOW FREQUENCY HIGH VOLTAGE GENERATOR USING VALVES WITH FIBRE OPTIC LIGHT GUIDE CONTROL

Black, S.

7176
COMMAND CHARGE USING SATURABLE INDUCTORS

Black, W.M.

5570
DEPENDENCE OF THE ION CURRENT ON VOLTAGE IN A REFLEX TRIODE

8628
EXPERIMENTS ON THE INTERACTION OF HIGHPOWER MICROWAVES WITH AIR

Blackburn, J.C.

2668
366 KV RECTANGULAR PULSE GENERATOR WITH NANOSECOND RISE TIME

8390
A SIMPLE GENERATOR OF SEVERAL-MICROSECOND-KILOVOLT PULSES WITH NANOSECOND RISE TIMES

Blackman, V.

16570
RESEARCH ON THE PHYSICS OF CONTINUOUS AND PULSED PMO GENERATORS

Blackman, V.N.

16569
RESEARCH ON THE PHYSICS OF PULSED PMO GENERATORS

16581
GENERATION OF SHORT DURATION PULSES IN LINEAR PMO GENERATORS

Blagoveshchenski, V.V.

18041
VISIBLE AND NEAR-UV EMISSION IN THE ELECTRICAL EXPLOSION OF A THIN METAL FOIL

Blair, O.T.A.

8275
STATISTICAL TIME LAGS IN GAS DISCHARGE GAPS IRRADIATED WITH A RADIOACTIVE MATERIAL

Blaugrund, A.E.

7580
INTENSE FOCUSING OF RELATIVISTIC ELECTRONS BY COLLAPSING HOLLOW BEAMS

7696
RELATIVISTIC ELECTRON BEAM PINCH FORMATION PROCESSES IN LOW IMPEDANCE DIODES

Blach, R.O.

0601
AN X-RAY DIAGNOSTIC FOR LIGHT-ION CURRENT MEASUREMENTS

Blaker, J.J.

7949
SOME DESIGN CONSIDERATIONS OF A LASER TRIGGERED IMPULSE GENERATOR

Blajer, O.J.

1535
CURRENTS AND CHARGES ON CYLINDERS IN A PARALLEL-PLATE TRANSMISSION LINE

Blavins, O.J.

4886
0.54-MJ SUPERCONDUCTING MAGNETIC ENERGY TRANSFER AND STORAGE

Blinchikoff, M.J.

2164
A MODULAR PFN WITH PULSEWIDTH ADILITY

1936B
LIGHTWEIGHT LINE PULSER

Blinov, P.I.

5715
ION ACCELERATION IN A MAGNETICALLY INSULATED DIODE

6677
INCREASING ELECTRON BEAM POWER BY INDUCTIVE ACCUMULATOR

9584
ANODE FOR AN ACCELERATOR WITH AN INDUCTIVE ENERGY
ACCUMULATOR

Bliss, E.S.

3648
SWITCHING JITTER IN SPARK GAP TRIGGERED BY A TEM/SUB
887-MODE MODE-LOCKED RUBY LASER

Blitshtein, A.A.

8912
ACCURACY OF THE NET METHOD OF CALCULATING THE ELECTRICAL
CHARACTERISTICS OF THE CHANNEL IN A PWD GENERATOR

Bloomberg, M.W.

3734
MNYRAC, A NEW MODULAR ONE-DIMENSIONAL EXPLODING WIRE CODE

Bocharov, V.K.

4786
RANGE OF COMMUTABLE VOLTAGES OF VACUUM SPARK GAPS

6638
METHOD OF MEASURING THE DISPERSION OF THE DELAY TIMES OF
BREAKDOWN OF CONTROLLED SPARK GAPS

7836
CONTROLLED DISCHARGE IN A LIQUID

7849
HYDROGEN GENERATORS FOR SEALED SWITCHES

Badulinakii, V.K.

7106
COMPRESSION OF MAGNETIC FIELD IN AN IMPLODING SPHERICAL
CAVITY

Baenning, R.A.

19389
WIDE PULSE LOW PRF PULSE GENERATOR

Boers, J.E.

9391
EXACT SOLUTION OF POISSON'S EQUATION FOR
SPACE-CHARGE-LIMITED FLOW IN A RELATIVISTIC PLANAR DIODE

Bogdanets, A.D.

5987
GENERATION OF MEGAGAUSS MAGNETIC FIELDS USING A LINER
COMPRESSED BY HIGH-PRESSURE GAS

Bogdanov, O.S.

5636
POWER PULSE TRANSFORMER

Bogdanov, V.M.

8116
A MAGNETIC-THYRISTOR GENERATOR PRODUCING HIGH-VOLTAGE
NANOSECOND PULSES

Boggs, S.A.

9257
FUNDAMENTAL LIMITATIONS IN THE MEASUREMENT OF CORDNA AND
PARTIAL DISCHARGE

Bogolyubov, V.V.

6972
A GENERATOR PRODUCING NANOSECOND PULSES OF FAST ELECTRONS

Bogomaz, A.A.

8938
HIGH-CURRENT DISCHARGE IN A DENSE PLASMA SOURCE

10463
HIGH-CURRENT DISCHARGES IN NITROGEN WITH AN INDUCTIVE
STORAGE BANK

Bogushevskii, V.A.

6885
EXPERIENCE IN SWITCHING KILOAMPERE DIRECT CURRENT BY MEANS
OF LIQUID METAL

4893
INVESTIGATION OF THE COMMUTATION OF A KILOAMPERE DIRECT
CURRENT BY A LIQUID METAL IN A ROTATING FIELD

Bolin, A.B.

7971
INITIAL STAGES OF LOW-PRESSURE PULSE DISCHARGE

Boltsova, L.S.

10345
SYSTEM FOR HIGH-VOLTAGE SUPPLY OF MAGNETOSTRICTION SPARK
CHAMBERS IN THE 'PHOTON' FACILITY

Bolin, P.C.

4196
HIGH VOLTAGE BREAKDOWN STUDY: HANDBOOK OF VACUUM INSULATION

Bollen, W.M.

8628
EXPERIMENTS ON THE INTERACTION OF HIGH-POWER MICROWAVES WITH
AIR

Boller, J.R.

1253
NRL LIGHT ION BEAM RESEARCH FOR INERTIAL CONFINEMENT FUSION

5479
STATUS OF THE UPGRADED VERSION OF THE NRL GAMBLE II PULSE
POWER GENERATOR

5536
THE GAMBLE I PULSED ELECTRON BEAM GENERATOR

Bolotin, L.I.

675
HIGH-POWER CURRENT PULSE GENERATOR

Bolotov, A.V.

8236
DYNAMICS OF ELECTRODE SPOTS IN AN ELECTRIC ARC

Bolotov, B.V.

3685
A MAGNETO-DYNAMIC TRIGGER

Bolshakov, V.M.

10439
DISCHARGING OF INDUCTIVE POWER ACCUMULATOR FOR GENERATING
SHORT-FRONT PULSE

Bonch-Bruyevich, A.M.

2725
RECOIL MOMENTUM AND EJECTION OF METAL PARTICLES UNDER THE
ACTION OF A GIANT LASER PULSE

3721
BREAKDOWN OF AIR NEAR TRANSPARENT DIELECTRICS

Bonder, Yu.F.

10179
THE 'TEREK-2' HIGH-CURRENT PULSED ELECTRON ACCELERATOR

Bondarenko, V.V.

6664
ELECTRIC EXPLOSION OF SPIRAL WIRES IN VACUUM

6666
ELECTRICAL EXPLOSION OF WIRES IN VACUUM

- 9742
RESISTANCE OF METALS AT HIGH CURRENT DENSITIES
- 9799
ELECTRICAL EXPLOSION OF METAL WIRES
- Benin, E.V.
- 8951
QUENCHING PROCESSES OF AXIALLY INHOMOGENEOUS ARCS IN SF/SUB
5/ CIRCUIT BREAKERS
- Bennel, J.P.
- 2153
SPECTRALLY RESOLVED OPTICAL DIAGNOSTICS FOR HIGH-POWER
NEUTRAL BEAMS
- 2555
OPTICAL DIAGNOSTICS ON HIGH-POWER NEUTRAL BEAMS
- Bennet, J.J.
- 13474
TECHNICAL PROBLEMS INVOLVED IN H/SUB 2/ STREAMER CHAMBERS
- Bonnevier, B.
- 5683
BREAKDOWN AND PLASMA FORMATION IN A ROTATING PLASMA DEVICE
- Boneev, V.M.
- 5873
VOLUME DISCHARGE WITH UV PREIONIZATION
- Booker Ed., M.G.
- 8255
TRANSMISSION LINES WITH PULSE EXCITATION
- Booker, S.R.
- 3541
RECENT REFINEMENTS AND DEVELOPMENTS IN KERR SYSTEM
ELECTRICAL MEASUREMENT TECHNIQUES
- 4735
CALIBRATION OF A KERR CELL SYSTEM FOR HIGH-VOLTAGE PULSE
MEASUREMENTS
- 5635
PORTABLE KERR SYSTEM FOR THE MEASUREMENT OF HIGH VOLTAGE
PULSES
- Borbat, A.M.
- 8254
CONSUMPTION AND DEGREE OF USE OF ELECTRODE MATERIAL IN A
HIGH-FREQUENCY CONDENSED SPARK DISCHARGE
- Bordachev, E.
- 2807
TUBULAR PULSE-DISCHARGE LAMPS AS CIRCUIT ELEMENTS
- Bordoloi, P.K.
- 3348
PREBREAKDOWN PHENOMENA IN VACUUM WITH DIRECT AND
ALTERNATING VOLTAGES AT ROOM AND CRYOGENIC TEMPERATURES
- Borisov, R.K.
- 6588
RESTORATION OF THE DIELECTRIC STRENGTH FOLLOWING EXPLOSION
OF A WIRE
- Boriseva, T.V.
- 8235
DYNAMICS OF ELECTRODE SPOTS IN AN ELECTRIC ARC
- Borkenhagen, M.N.
- 5591
MULTICHANNEL SPARK-GAP TECHNOLOGY FOR STAGED THETA-PINCH
MACHINES
- Borob'ev, V.V.
- 4931
INITIATION OF A DISCHARGE IN A MEGAVOLT GAS SPARK GAP BY AN
ELECTRON BEAM
- Borodin, V.S.
- 8938
HIGH-CURRENT DISCHARGE IN A DENSE PLASMA SOURCE
- 18341
HIGH-CURRENT HIGH-PRESSURE DISCHARGE CHAMBER. I
- Borovik, E.S.
- 8157
PULSED HIGH-PRESSURE ARC IN HELIUM AND HYDROGEN
- 8175
PULSED ARC IN ARGON AT PRESSURES UP TO 125 H/M/SUP 2/ (1555
ATM)
- 8252
LONG HIGH-PRESSURE ARCS
- Boravik, V.V.
- 215
DESIGN AND CONSTRUCTION OF AN INDUCTIVE STORAGE UNIT FOR
LASER PUMPING
- Boravkov, V.V.
- 7145
INDUCTIVE STORAGE BANK FOR DYE-LASER PUMPING
- Bortnik, I.M.
- 3517
ELECTRICAL BREAKDOWN AND THE SIMILARITY LAW IN SF/SUB 6/ AT
EXTRA-HIGH-VOLTAGES
- 7318
PREBREAKDOWN PROCESSES IN HIGH-PRESSURE GASES
- Bosomykin, V.S.
- 4975
585-KV IMPULSING GENERATOR
- 5467
MULTIELEMENT ACCELERATORS BASED ON RADIAL LINES
- 7555
LINEAR INDUCTIVE ACCELERATORS WITHOUT IRON
- 7895
THE LIU-18 HIGH-POWER ELECTRON ACCELERATOR
- Boschoje, I.
- 518
PRODUCTION AND DYNAMICS OF HIGH INTENSITY ELECTRON BEAMS
- Bostick (Ed.), W.M.
- 7559
ENERGY STORAGE, COMPRESSION, AND SWITCHING
- Bostick, W.
- 1431
THE DESIGN OF A REPETITIVELY PULSED MEGAJOULE DENSE-PLASMA
FOCUS
- 4582
A DESIGN APPROACH TO A REPETITIVELY PULSED SUPER FAST
CAPACITOR BANK
- Bouchard, K.G.
- 5548
TUBE FAILURE MECHANISMS
- Bouchouie, A.
- 1842
ELECTRON GUN FOR GENERATION OF SUBNANOSECOND ELECTRON
PACKETS AT VERY HIGH REPETITION RATE
- Bouidin, O.W.
- 4359
HIGH VOLTAGE RESEARCH (BREAKDOWN STRENGTHS OF GASEOUS AND
LIQUID INSULATORS) AND ENVIRONMENTAL EFFECTS OF DIELECTRIC
GASES
- Bourienoff, G.I.
- 18388
CONCEPTUAL DESIGN OF AN AUTO-RESONANT ACCELERATOR EXPERIMENT

Bourne Jr., H.C.

10529
COMPOSITION OF THE INTERELECTRODE PREBREAKDOWN CURRENT IN
HIGH VACUUM

Bourne, H.C.J.C.R.M.

10210
THE ROLE OF POSITIVE IONS IN HIGH VOLTAGE BREAKDOWN IN
VACUUM

Bowden, C.M.

619
PULSE GENERATORS AND MODULATORS FOR LASER APPLICATIONS

Bozman, O.

3095
ELECTRICAL AND PHOTOGRAPHIC MEASUREMENTS OF HIGH-POWER ARCS

Bozman, C.O.

7245
ENERGY CONSIDERATIONS IN THE PULSED OPERATION OF A VACUUM
ARC CURRENT LIMITER

Bozman, R.L.

8919
BEHAVIOR OF A HIGH CURRENT VACUUM ARC BETWEEN HOLLOW
CYLINDRICAL ELECTRODES IN A RADIAL MAGNETIC FIELD

Boyle, M.S.

7309
ELECTRICAL BREAKDOWN IN HIGH VACUUM

Boylett, F.D.A.

8106
THE POSSIBILITY OF PHOTODETACHMENT IN THE IMPULSE BREAKDOWN
OF POSITIVE POINT-PLANE GAPS IN AIR

Bozzoli, O.R.

3957
STUDY OF THE EFFECT OF DUST PARTICLES ON BREAKDOWN VOLTAGES
IN AIR

Bracca, O.

2133
SPECTRALLY RESOLVED OPTICAL DIAGNOSTICS FOR HIGH-POWER
NEUTRAL BEAMS

Bradbury, R.A.

3648
SWITCHING JITTER IN SPARK GAP TRIGGERED BY A TEM/SUB
00/-MODE MODE-LOCKED RUBY LASER

Bradford, R.C.

4145
A GAS-SUPPLY LINE WHICH PERMITS A HIGH VOLTAGE TO BE
MAINTAINED ACROSS ITS ENDS

Bradley, D.

2042
ULTRASHORT PULSE MEASUREMENTS

Bradley, L.F.

517
COMPACT ELECTRON ACCELERATOR FOR PUMPING GAS LASERS

1482
LASER-CONTROLLED SWITCHING

5872
NEUTRON PRODUCTION AND COLLECTIVE ION ACCELERATION IN A
HIGH-CURRENT DIODE

5881
PREIONIZATION CONTROL OF STREAMER PROPAGATION

7221
A COMPACT 30 kV/SEC RAIL-GUN PULSER FOR A LASER PLASMA
SHUTTER

Brady, M.M.

0260
HIGH-VOLTAGE PULSE MEASUREMENT WITH A PRECISION CAPACITIVE
VOLTAGE DIVIDER

Braginskii, S.I.

7791
THEORY OF THE DEVELOPMENT OF A SPARK CHANNEL

Brah, A.S.

4545
MICROPARTICLE ENERGY ENHANCEMENT FOLLOWING A BOUNCING
IMPACT IN A HIGH-VOLTAGE GAP

Brainerd, J.P.

954
MECHANISM OF PULSED SURFACE PLASMOVER INVOLVING
ELECTRON-STIMULATED DESORPTION

4212
SYNTHETIC BREAKDOWN IN AIR

0311
MEASUREMENTS OF THE CHARGE DISTRIBUTIONS ON AN ALUMINA
INSULATOR IN VACUUM RESULTING FROM HIGH-VOLTAGE STRESS

0000
ELECTRON AVALANCHE AND SURFACE CHARGING ON ALUMINA
INSULATORS DURING PULSED HIGH-VOLTAGE STRESS

Brandt, M.E.

10351
REFLEX TRIODE WITH UNIDIRECTIONAL ION FLOW

Bratenahl, A.

7476
HYDROMAGNETIC CAPACITOR

Brau, C.A.

164
SIMPLE, PULSED, ELECTRON BEAM GUN

Breude, C.

0011
SOME PROPERTIES OF HIGH CURRENT SPARK CHANNELS

Braun, M.

10421
ELECTRON BEAM DIODE POWER ACCUMULATOR

10455
ELECTRON BEAM SEMICONDUCTOR DEVICES

Brauttl, O.

618
PRODUCTION AND DYNAMICS OF HIGH INTENSITY ELECTRON BEAMS

Breese, J.M.

4889
A COMPUTER SIMULATED MODEL FOR DIFFUSION AND DRIFT OF
ELECTRONS IN PLASMA TUBES

Breux, O.P.

200
VARIABLE CAPACITANCE ELECTROSTATIC ELECTRICAL PULSE
GENERATOR

Braderson, J.D.

9295
RESPONSE OF A TWISTED PAIR EXCITED BY THE NONUNIFORM
ELECTROMAGNETIC FIELDS OF NEARBY LOOPS

Breen, E.L.

2440
SENSORS FOR ELECTROMAGNETIC PULSE MEASUREMENTS BOTH INSIDE
AND AWAY FROM NUCLEAR SOURCE REGIONS

Breit, E.

4719
A MODULAR POWER-CROWBAR BANK FOR THE GENERATION OF A 50 MA,
50 MICROSECOND CURRENT PULSE FOR THE TOROIDAL PLASMA
EXPERIMENT NBS II AT GARCHING

Breizman, B.N.

3788
HIGH POWER RELATIVISTIC ELECTRON BEAMS IN PLASMA AND IN
VACUUM

Brennan, M.

2885
THE TESTING OF SLIDING ELECTRICAL CONTACTS FOR HOMOPOLAR
GENERATORS

2745
TEST DATA ON ELECTRICAL CONTACTS AT HIGH SURFACE VELOCITIES
AND HIGH CURRENT DENSITIES FOR HOMOPOLAR GENERATORS

5418
REBUILDING THE FIVE MEGAJOULE HOMOPOLAR MACHINE AT THE
UNIVERSITY OF TEXAS

5882
ENERGY STORAGE AND TRANSFER WITH HOMOPOLAR MACHINE FOR A
LINEAR THETA-PINCH HYBRID REACTOR

7218
THE DESIGN, ASSEMBLY, AND TESTING OF A DESK MODEL
COMPENSATED PULSED ALTERNATOR

7219
THE MECHANICAL DESIGN OF A COMPENSATED PULSED ALTERNATOR
PROTOTYPE

Breton, C.

2155
SPECTRALLY RESOLVED OPTICAL DIAGNOSTICS FOR HIGH-POWER
NEUTRAL BEAMS

2555
OPTICAL DIAGNOSTICS ON HIGH-POWER NEUTRAL BEAMS

Brewster, J.L.

6824
DESIGN STUDIES FOR ULTRA-FAST, LOW-IMPEDANCE
HIGH-PEAK-POWER PULSED SYSTEMS

Brewster, J.B.

3739
A NEW SOLID-STATE SWITCH FOR POWER PULSE MODULATOR
APPLICATIONS, THE REVERSE SWITCHING RECTIFIER

5569
COMPLETE CHARACTERIZATION STUDIES PROVIDE VERIFICATION OF
RDOT (RSR) RELIABILITY

Brewster, J.L., Dyke, W.F.

18226
INTENSE, NANOSECOND ELECTRON BEAMS

Brice, C.M.

574
PARAMETER ESTIMATION FOR GENERATOR SIMULATION STUDIES

Brice, T.J.

8189
THE DIELECTRIC STRENGTH OF GASEOUS FLUOROCARBONS

Brichkin, A.V.

8256
DYNAMICS OF ELECTRODE SPOTS IN AN ELECTRIC ARC

Bricks, B.C.

4688
DISCHARGE CIRCUITRY FOR HIGH REPETITION RATE METAL VAPOR
LASERS

Bridges, J.E.

5349
GEOMETRICAL EFFECTS ON SHIELDING EFFECTIVENESS AT LOW
FREQUENCIES

Brient, S.J.

8849
SUBNANOSECOND RISETIME MULTIKILOVOLT PULSE GENERATOR

Briggs, R.J.

482
PULSED ION ODOE EXPERIMENT

Bright, A.W.

1595
PROGRESS IN RESEARCH ON ELECTROSTATIC GENERATORS

Brignell, J.E.

4548
A HIGH VOLTAGE SOURCE WITH DIGITAL CONTROL FOR DIELECTRIC
MEASUREMENTS

Brink, D.J.

1854
HIGH-POWER PHOTOPREIONIZATION-STABILIZED CARBON DIOXIDE
WAVEGUIDE LASERS OPERATING AT GAS PRESSURES OF UP TO 15 ATM

Brish, A.A.

7882
ELECTRICAL CONDUCTIVITY OF DIELECTRICS IN STRONG SHOCK WAVES

Broech, J.T.

487
CONVERTERS FOR SUPPLYING PULSED POWER LOADS

Broadbent, T.E.

5987
THE HOT-WIRE TRIGGERED SPARK GAP AT VERY HIGH VOLTAGES

5119
A NEW HIGH-VOLTAGE TRIGGERED SPARK GAP

8051
THE CHARACTERISTICS OF THE TRIGATRON SPARK-GAP AT VERY HIGH
VOLTAGES

8052
THE DEVELOPMENT OF THE DISCHARGE IN THE TRIGATRON SPARK GAP
AT VERY HIGH VOLTAGES

8278
THE BREAKDOWN MECHANISM OF CERTAIN TRIGGERED SPARK GAPS

Brockhurst, P.C.

7210
APPLICATION OF SUBSYSTEM SUMMARY ALGORITHMS FOR HIGH POWER
SYSTEM STUDIES

Brodie, I.

7447
PHYSICAL PROPERTIES OF THIN-FILM FIELD EMISSION CATHODES
WITH MOLYBDENUM CONES

Bromborsky, A.

10351
REFLEX TRIODE WITH UNIDIRECTIONAL ION FLOW

Brook, M.

5700
ARTIFICIAL INITIATION OF LIGHTNING DISCHARGES

Brooks, A.L.

8085
RESULTS OF RAILGUN EXPERIMENTS POWERED BY MAGNETIC FLUX
COMPRESSION GENERATORS

Brooks, M.

5426
GAS LASER DISCHARGES IN CONTINUOUS METAL TUBES

Brooks, W.F.

7281
FULSAR: AN INDUCTIVE PULSE POWER SOURCE

7217
MAGNET OPTIMIZATION FOR PULSED ENERGY CONVERSION

Brousseau, A.T.

4724
AN AIR-POWERED FIBER-OPTIC COUPLED PULSER SYSTEM FOR CTR EXPERIMENTS

5678
MODEL-1B PRECISION DELAY TRIGGER GENERATOR

Breveman, A.Y.

5178
DESIGN PHILOSOPHY AND USE OF HIGH VOLTAGE POWER SYSTEMS FOR MULTI-MEGAWATT ION BEAM ACCELERATORS

Brevman, Ye.S.

2178
THYRISTOR PULSE CIRCUIT FOR CONTROLLING THE EXPLOSION OF A THIN WIRE

Brewer, K.L.

7214
COMPTON SCATTERING OF PHOTONS FROM ELECTRONS IN MAGNETICALLY INSULATED TRANSMISSION LINES

Brown, D.

4983
A SPARK GAP MONITOR

Brown, D.E.

413
VOLTAGE INDUCED CAPACITANCE FLUCTUATIONS IN A COMPRESSED GAS, HIGH VOLTAGE CAPACITOR

Brown, E.R.

5612
EFFECTS OF COATING AND CLEANING ON CORONA AND HIGH-VOLTAGE BREAKDOWN IN ELECTRONIC ASSEMBLIES

Browne Jr., T.E.

8966
SIMPLIFIED ESTIMATION OF CRITICAL QUANTITIES FOR SHORT-LINE FAULT INTERRUPTION

Browning, J.L.

2437
ARC VOLTAGE OF PULSED HIGH CURRENT SPARK GAPS

Bruce, F.M.

7799
CALIBRATION OF UNIFORM-FIELD SPARK-GAPS FOR HIGH-VOLTAGE MEASUREMENT AT POWER FREQUENCIES

Bruggemann, G.

8961
QUENCHING PROCESSES OF AXIALLY INHOMOGENEOUS ARCS IN SF/SUB 6/ CIRCUIT BREAKERS

Brunfield, R.C.

18369
RESEARCH ON THE PHYSICS OF PULSED MMO GENERATORS

Bruno, G.

7926
LASER INITIATED SPARK DEVELOPMENT IN AN AIR GAP

Bryan, P.

3764
4CM 100-000 TETRODE PULSE TESTS AT RADC

Bryan, R.L.

1275
INDUCTOR NETWORK DEVELOPMENT FOR AIRCRAFT HIGH POWER SUPPLIES

Brzsko, J. S.

2436
ANALYSIS OF FLASHES ACCOMPANYING DISCHARGES IN AIR AT DIELECTRIC SURFACES

Brzsko, J.S.

1568
NEW DATA ON THE CREEP DISCHARGE AT THE SURFACE OF A DIELECTRIC

8134
THE RELATION BETWEEN THE CHARGE TRANSPORTED AND NUMBER OF PHOTONS EMITTED IN PARTIAL DISCHARGES ON DIELECTRIC SURFACES

Bubb, D.G.

189
THE EXPERIMENTAL TEST ACCELERATOR (ETA)

Bucaro, J.A.

798
MAGNETIC FIELD SENSITIVITY OF AN OPTICAL FIBER WITH MAGNETOSTRICTIVE JACKET

Buck, V.

7986
INTENSE ELECTRON BEAM GENERATION AND COMPRESSION

Budker, G.I.

9429
CREATION OF MEGAGAUSS FIELDS BY THE METHOD OF MAGNETODYNAMIC ACCUMULATION

Budovich, V.L.

1795
EFFECT OF STRUCTURAL INHOMOGENEITIES IN EXPLODING WIRES

6623
CALCULATION OF THE VOLTAGE IMPULSE IN ELECTRIC EXPLOSION OF CONDUCTORS

6688
RESTORATION OF THE DIELECTRIC STRENGTH FOLLOWING EXPLOSION OF A WIRE

7125
VOLTAGE WAVEFORM FOR EXPLODING WIRES

Butte, A.

3749
HIGH VOLTAGE FUSES FOR PHASED ARRAY RADAR TRANSMITTERS

Butte, A.J.

259
COMPACT MEGAWATT AVERAGE POWER PULSE GENERATOR

4381
A BLUMLEIN MODULATOR FOR A TIME-VARYING LOAD

5344
COMPACT MEGAWATT AVERAGE POWER BURST PULSE GENERATOR

5463
ADIABATIC MODE OPERATION OF THYRATONS FOR MEGAWATT AVERAGE POWER APPLICATIONS

5671
MULTIPLE-ELECTRODE TRIGGERED VACUUM GAPS

6336
INFLUENCE OF HYDROGEN ON MULTIPLE-ELECTRODE (VACUUM) GAP CHARACTERISTICS

6583
THE 'HOURLASS' ENERGY DIVERTER

Bugeev, S.F.

6449
COMPUTATION OF THE ELECTRIC FIELD AT MULTIPPOINT CATHODES

Bugeev, S.F.

6457
EMISSION OF ELECTRONS FROM THE PLASMA OF AN UNCOMPLETED DISCHARGE ALONG A DIELECTRIC IN A VACUUM

- 6998
FORMATION OF A HIGH-CURRENT VACUUM SPARK BY THE HIGH-SPEED
INTERFEROMETRY METHOD
- 7844
ELECTRON-OPTICAL OBSERVATION OF INITIATION AND DEVELOPMENT
OF PULSED BREAKDOWN IN A NARROW VACUUM GAP
- 7832
INVESTIGATION OF THE PULSED BREAKDOWN MECHANISM AT THE
SURFACE OF A DIELECTRIC IN A VACUUM II. NONUNIFORM FIELD
- 7974
NANOSECOND TIME DEVELOPMENT OF A PULSED DISCHARGE AT A
DIELECTRIC-VACUUM INTERFACE
- 9928
INVESTIGATION OF THE PULSED BREAKDOWN MECHANISM AT THE
SURFACE OF A DIELECTRIC IN A VACUUM I. UNIFORM FIELD
- 10175
MICRODISCHARGES ON THE SURFACE OF A DIELECTRIC IN A VACUUM
- 10386
SURFACE BREAKDOWN IN VACUUM ON BARIUM TITANATE
- 10448
POTENTIAL OF A HOLLOW ELECTRON BEAM IN A
MAGNETICALLY-INSULATED DIODE
- 10471
RETURN CURRENT IN MICROSECOND HIGH-CURRENT MAGNETICALLY
INSULATED DIODES
- Bulissen, J.
- 10458
SUSCEPTIBILITY OF PULSE NUCLEAR MEASURING EQUIPMENT TO
ELECTRICAL INTERFERENCES
- Buletov, M.U.
- 7007
GENERATOR OF HIGH-VOLTAGE RECTANGULAR PULSES
- Builion, T.M.
- 7215
DESIGN OF THE ARMATURE WINDINGS OF A COMPENSATED PULSED
ALTERNATOR ENGINEERING PROTOTYPE
- 7496
TESTING AND ANALYSIS OF A FAST DISCHARGE MONOPOLAR MACHINE
(FOX)
- Bulygin, V.S.
- 9322
LASER-TRIGGERED VACUUM SWITCH
- Bunkin, F.V.
- 2491
THE EXCITATION AND IONIZATION OF ATOMS IN A STRONG
RADIATION FIELD
- Burden, M.S.
- 5895
CORRELATED ELECTRICAL AND OPTICAL MEASUREMENTS OF EXPLODING
WIRES
- Burkes, T.
- 239
HIGH POWER SWITCHING CAPABILITIES
- Burkes, T.R.
- 184
PULSE POWER SYSTEMS EMPLOYING INDUCTIVE ENERGY STORAGE
- 217
HIGH FREQUENCY THYRATRON EVALUATION
- 765
EROSION OF SPARK GAP ELECTRODES
- 936
ACOUSTIC PHENOMENA IN EROSION OF SPARK-GAP ELECTRODES
- 962
SPARK GAP EROSION RESULTS
- 1288
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY;
LECTURE 15: GROUNDING AND SHIELDING TECHNIQUES
- 2156
PULSE-FORMING NETWORKS WITH TIME-VARYING OR NONLINEAR
RESISTIVE LOADS
- 4687
CONSTANT CURRENT PFN
- 3425
A REVIEW OF HIGH-POWER SWITCH TECHNOLOGY
- 6896
A CRITICAL ANALYSIS AND ASSESSMENT OF HIGH POWER SWITCHES
- 7176
COMMAND CHARGE USING SATURABLE INDUCTORS
- Burkhalter, F.
- 7904
INTERPRETATION OF X-RAY LINE SPECTRA FROM EXPLODED-WIRE
ARRAYS
- 7903
SPECTROSCOPY AND X-RADIATION FROM EXPLODED-WIRE ARRAYS AND
GAS PUFF PLASMAS
- Burkhardt, L.C.
- 5194
SPARK GAP OVERPRESSURES IN THE TRANSFER CAPACITOR DEVICE
- 5516
CHARACTERISTICS OF A MAGNETIC ENERGY STORAGE SYSTEM USING
EXPLODING POILS
- 10220
HIGH VOLTAGE, HIGH CURRENT, PULSED ENERGY SOURCE HAVING
DI/DT'S OF 2E12 A/S
- Burnett, N.H.
- 2352
CO/SUB 2/ LASER-INDUCED GAS BREAKDOWN IN HYDROGEN
- Burns, E.J.T.
- 8247
PRODUCTION OF 8.5-TM PROTON PULSES WITH A SPHERICAL
FOCUSING, MAGNETICALLY INSULATED DIODE
- Burrowbridge, D.
- 1505
THE PREVENTION OF ELECTRICAL BREAKDOWN IN SPACECRAFT
- Burrowbridge, D.R.
- 1699
PREVENTION OF ELECTRICAL BREAKDOWN IN SPACECRAFT
- Burrows, B.J.C.
- 9434
INDUCED VOLTAGES, MEASUREMENT TECHNIQUES AND TYPICAL VALUES
- 9437
INDUCED VOLTAGES IN FULL SIZE AIRCRAFT AT 10/SUP 11/ A/S
- Burton, J.K.
- 1767
INDUCTIVE STORAGE-PROSPECTS FOR HIGH POWER GENERATION
- 9419
STATUS OF THE UPGRADED VERSION OF THE NRL GAMBLE II PULSE
POWER GENERATOR
- 7588
MULTIPLE CHANNEL SWITCHING IN WATER DIELECTRIC PULSE
GENERATORS
- Burtsev, V.A.
- 701
ELECTRICAL EXPLOSION OF CYLINDRICAL POILS IN AIR II.
HIGH-CURRENT SHUNT FINCH
- 704
ELECTRICAL EXPLOSION OF CYLINDRICAL POILS IN AIR I.
ELECTRICAL CHARACTERISTICS OF THE EXPLOSION
- 1090
BREAKDOWN OF A SOLID-DIELECTRIC SWITCH
- 1187
ELECTRICAL EXPLOSION OF POILS. II

1188
ELECTRICAL EXPLOSION OF POILS. I

6671
EXPLODING POILS FOR ACCELERATOR APPLICATIONS

6799
CAPACITOR BATTERY FOR ONE MEGAJoule HAVING A SMALL TIME CONSTANT

6834
LOW-INDUCTANCE CAPACITOR MODULE FOR CHARGING TO 100 KV AND ENERGY STORAGE CAPACITY 80 KJ

7889
IMPROVED STABILITY OF EXPLOSIVE-EMISSION MULTIPLE-TIP CATHODES

7814
MICROSECOND HIGH-CURRENT ELECTRON-BEAM ACCELERATOR

7845
ELECTRICAL EXPLOSION OF A CYLINDRICAL POIL IN AIR. CURRENT DISTRIBUTION IN THE HIGH-CURRENT SHUNTING DISCHARGE

9438
ELECTRICAL BREAKDOWN OF CYLINDRICAL POILS IN AIR. III. HIGH-CURRENT EXPANDING DISCHARGE

10171
EXPERIMENTAL STUDY OF A MAGNETICALLY INSULATED DIODE FOR PULSE LENGTHS $\approx 10^{-9}$ SEC

Buser, R.

10392
ELECTRICAL PULSE GENERATORS

Bushnell, A.

4697
NETWORKS FOR DRIVING TEA LASERS

Bushnell, A.M.

912
A 130 KV LOW IMPEDANCE MULTIPLE OUTPUT TRIGGER GENERATOR

But, D.A.

5567
ELECTRODYNAMIC PULSE GENERATOR

9583
MAGNETIC FIELD COMPRESSION BY A STRONG SHOCK WAVE

Butcher, R.R.

1280
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY; LECTURE 4: TRANSMISSION LINES AND CAPACITORS

1287
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY; LECTURE II: PARTICULAR APPLICATIONS

7199
ELECTRIC DISCHARGE CHARACTERISTICS OF CABLE PPM USED AS A PUMP

Butkovich, V.G.

6590
DIELECTRIC STRENGTH OF PAPER-OIL INSULATION ACTED ON BY DC VOLTAGE

Butler, R.I.

1428
EXPLOSIVELY ACTUATED FAST-OPENING SWITCHES FOR VERY LARGE CURRENTS

Butters, W.O.

9129
A PORTABLE SYSTEM FOR FULL-SCALE AIRCRAFT LIGHTNING-INDUCED COUPLING TESTS

Button, E.J.

8044
EFFECT OF HIGH MAGNETIC FIELDS ON THE THRESHOLD OF LASER-INDUCED GAS BREAKDOWN

Buttram, M.T.

123
OPERATION OF A 300-KV, 100-MZ, 30-KW AVERAGE POWER PULSER

958
REPETITIVELY PULSED ELECTRON BEAM DIODE LIFETIME AND STABILITY

1776
RECENT DEVELOPMENTS IN HIGH AVERAGE POWER DRIVER TECHNOLOGY

4431
ONLINE DATA ACQUISITION SYSTEM FOR REPETITIVE PULSER DEVELOPMENT

3882
PRELIMINARY DESIGN OF A 100 MZ, 300 KV SHORT PULSE GENERATOR

7268
DESIGN AND DEVELOPMENT OF A 550 KV, 100 PPS ELECTRON BEAM ACCELERATOR

8834
OPERATION OF A 300 KV, 100 MZ, 30 KW AVERAGE POWER PULSER

10290
DEVELOPMENT OF A 50 MZ, 250 KV, 500 NS, 500 KW AVERAGE POWER PULSER

Buzhinskii, O.I.

6840
MULTICHANNEL SEMICONDUCTOR NANOSECOND SWITCH FOR EXCITATION OF COPPER VAPOR BY A TRANSVERSE DISCHARGE

Bychkov, Y.I.

3771
PULSED NANOSECOND ELECTRIC DISCHARGES IN GASES

10430
DEVELOPMENT OF AN ELECTRICAL DISCHARGE IN GAPS WITH GREAT OVERVOLTAGE AT LOW AIR PRESSURE

Bychkov, Yu.I.

1483
STATISTICAL STUDY OF NANOSECOND BREAKDOWN DELAY IN NARROW GAS GAPS IN SUPERHIGH ELECTRIC FIELDS

4831
MEASUREMENT OF THE ELECTRON TEMPERATURE OF THE PLASMA OF A QUASI-STABLE PULSED GLOW DISCHARGE IN SPARK GAPS WITH HIGH OVERVOLTAGES

6319
THE STEP VOLTAGE DROP ACROSS A SPARK WITH A PULSE DISCHARGE IN THE NANOSECOND RANGE

6641
ON THE USE OF GAS-DISCHARGE MICROGAPS IN HIGH-VOLTAGE NANOSECOND PULSE DEVICES

6694
TRANSITION FROM A NON-SELF-SUSTAINED VOLUME DISCHARGE MAINTAINED BY A BEAM OF FAST ELECTRONS TO A SPARK DISCHARGE

6902
PULSE DISCHARGES IN GASES UNDER CONDITIONS OF STRONG IONIZATION BY ELECTRONS

6927
DYNAMIC ATMOSPHERIC PRESSURE DISCHARGE EXCITED BY AN ELECTRON BEAM

6935
ENERGY INPUT IN ELECTRICAL IONIZATION LASERS

6951
NANOSECOND FORMATION TIME OF DISCHARGES IN SHORT AIR GAPS

6960
THE DIPOLE AND CHANNEL STAGES IN THE OVERVOLTAGE BREAKDOWN OF A GAS GAP

4997
EXTERNALLY MAINTAINED DISCHARGE WITH A GASDYNAMIC WINDOW FOR A LOW-ENERGY ELECTRON BEAM

7819
PROPERTIES OF A SPACE DISCHARGE EXCITED BY AN ELECTRON BEAM OF 10^{-9} SEC DURATION

7757
ELECTRON-OPTICS STUDY OF THE DEVELOPMENT OF AN ELECTRIC DISCHARGE IN A GAS AT HIGH-ELECTRIC FIELD INTENSITIES AND WITH ONE-ELECTRON IONIZATION

9306
STABLE STATES OF A VOLUME DISCHARGE EXCITED BY AN ELECTRON BEAM IN AIR WITH AN SP/500 G/ ADMIXTURE

Bychkova, L.G.

6519
THE STEP VOLTAGE DROP ACROSS A SPARK WITH A PULSE DISCHARGE
IN THE NANOSECOND RANGE

7757
ELECTRON-OPTICS STUDY OF THE DEVELOPMENT OF AN ELECTRIC
DISCHARGE IN A GAS AT HIGH-ELECTRIC FIELD INTENSITIES AND
WITH ONE-ELECTRON IGNITION

Bykhovskaya, L.N.

8186
INVESTIGATION OF THE CHARACTERISTICS OF FAST-RESPONSE
SEALED DISCHARGES TRIGGERED BY LASER RADIATION

10484
INVESTIGATION OF THE INFLUENCE OF THE DISCHARGE MEDIUM ON
THE CHARACTERISTICS OF LASER-RADIATION-TRIGGERED DISCHARGE
GAPS

Byram, R.E.

9752
LONG PULSE SWITCH AND POWER AMPLIFIER TUBES FOR PHASED
ARRAY RADAR

Byron, K.C.

3724
MEASUREMENT OF THE WAVELENGTH DEPENDENCE OF THE THRESHOLD
OF LASER-INDUCED GAS BREAKDOWN

Bystritskii, V.M.

6447
COLLECTIVE ACCELERATION OF IONS IN RELATIVISTIC ELECTRON
BEAMS

Byzowski, P.

7184
THE DESIGN OF SOLENOIDS FOR GENERATING HIGH MAGNETIC FIELDS

Byzowski, W.M.

7506
DEVELOPMENT OF OVERVOLTAGE BREAKDOWN AT HIGH GAS PRESSURE

BOLLINGER, L.E.

8726
VARIABLE PULSE-WIDTH GENERATOR

BRUNN, K.R.

18365
AN INVESTIGATION OF THE HOLLOW SPHERICAL CATHODE: PART I.
EMISSION MECHANISMS OF HOLLOW SPHERICAL CATHODES; PART II.
DEVELOPMENT OF A HIGH LEVEL PULSER

Cady, R.L.

5745
DESIGN AND PERFORMANCE OF THE LAMFF 1-1/4 MW KLYSTRON
MODULATOR

Caird, R.S.

714
EXPLOSIVE MAGNETIC FLUX COMPRESSION PLATE GENERATORS AS
FAST HIGH-ENERGY POWER SOURCES

3130
EXPLOSIVELY PRODUCED MEGAGAUSS FIELDS AND APPLICATIONS

5552
AN INTRODUCTION TO EXPLOSIVE MAGNETIC FLUX COMPRESSION
GENERATORS

6701
AN EXPLOSIVE-DRIVEN HIGH-FIELD SYSTEM FOR PHYSICS
APPLICATIONS

6759
PRODUCTION OF VERY HIGH MAGNETIC FIELDS BY IMPLOSION

6970
TECHNIQUE FOR MEASURING MEGAGAUSS MAGNETIC FIELDS USING
ZEEMAN EFFECT

8085
RESULTS OF RAILGUN EXPERIMENTS POWERED BY MAGNETIC FLUX
COMPRESSION GENERATORS

18245
EXPLOSIVE FLUX COMPRESSION GENERATORS FOR RAIL GUN POWER
SOURCES

Caldenwood, J.N.

3638
FIBREBREAKDOWN PROCESSES IN ELECTRICALLY STRESSED INSULATING
LIQUIDS

4974
TIME-LAG CHARACTERISTICS OF A LIQUID TRIOTRON

5564
SOME ASPECTS OF DIELECTRIC BREAKDOWN OF SOLIDS

7880
LIQUID MOTION AND INTERNAL PRESSURE IN ELECTRICALLY
STRESSED INSULATING LIQUIDS

8168
SPARKING POTENTIALS OF SATURATED HYDROCARBON GASES

Calvin, M.

882
INDUCTANCE AND RESISTANCE CHARACTERISTICS OF SINGLE-SITE
UNTRIGGERED WATER SWITCHES IN WATER TRANSFER CAPACITOR
CIRCUITS

Camecho, R.O.

8517
POWER AMPLIFICATION WITH GATE TURN-OFF CONTROLLED RECTIFIERS

Camilli, G.

8156
DIELECTRIC BEHAVIOR OF SOME FLUOROCARBONS AND THEIR MIXTURES
WITH NITROGEN

Canevan, G.M.

5416
OVERVIEW OF INERTIAL CONFINEMENT FUSION

Cannon, C.F.

18183
HIGH VOLTAGE INSTRUMENT CABLES FOR 658 DEG.C IN-VESSEL
BREEDER REACTOR SERVICE

Cardeiro, A.S.

5714
THE SCR AS A HIGH POWER MODULATOR SWITCH

Carder, S.

2872
ENERGY STORAGE OPTIONS FOR SHIVA UPGRADE

Carder, S.M.

7211
APPLYING A COMPENSATED PULSED ALTERNATOR TO A FLASHLAMP
LOAD FOR NOVA

7215
BALANCED, PARALLEL OPERATION OF FLASHLAMPS

7245
DRIVING POKELS CELLS IN MULTI-ARM LASERS

Caristi, R.

223
NEW HYDROGEN THYRATONS FOR ADVANCED HIGH POWER SWITCHING

Caristi, R.P.

251
ADVANCES IN THE DEVELOPMENT OF A GAS DISCHARGE SWITCH
HAVING A REPETITIVE CURRENT INTERRUPTING CAPABILITY

246
NEW DEVELOPMENTS IN SUPER-FAST, HIGH-POWER, HYDROGEN
THYRATRON SWITCHING

716
HIGH VOLTAGE, LOW INDUCTANCE HYDROGEN THYRATRON STUDY
PROGRAM

5195
REPETITIVE SERIES INTERRUPTER II

5546
A REPETITIVELY OPERABLE, HIGH-CURRENT INTERRUPTER

Carlson, O.J.

1266
ELECTRONIC CURRENT TRANSDUCER (ECT) FOR HIGH-VOLTAGE DC
LINES

Carmel, Y.

641
A COMPACT POWERFUL-PULSE GENERATOR

Carmel, Y.

443
A REPETITIVE 600 KV STACKED LINE TRANSFORMER PULSE GENERATOR

Carpenter, J.M.

18426
HIGH INTENSITY, PULSED THERMAL NEUTRON SOURCE

Carpenter, P.O.

8184
EXPLODING FOIL DEVICES FOR SHAPING MEGAMP CURRENT PULSES

Carpenter, T.M.

3451
CALIBRATION OF A FAR ULTRAVIOLET SPECTROGRAPH AND A STUDY
OF VACUUM SPARK BREAKDOWN

Carter, G.W.

1321
METHOD OF UTILIZING SPARK-GAP FOIL SWITCHES IN DETERMINING
DETONATION VELOCITIES OF SOLID EXPLOSIVE MATERIALS

Carter, J.

3749
HIGH VOLTAGE FUSES FOR PHASED ARRAY RADAR TRANSMITTERS

Carter, J.L.

6571
CONSTANT CURRENT CHARGING CIRCUITS FOR HIGH ENERGY
MODULATORS

Carter, W.J.

1261
HIGH-VOLTAGE OIL GAP TESTS USING PARALLEL-PLANE ELECTRODES

Cary Jr., W.K.

2186
TIME-RESOLVED RESISTANCE DURING SPARK GAP BREAKDOWN

7178
BREAKDOWN IN SMALL, FLOWING GAS SPARK GAPS

Casa Jr., R.S.

3069
BACKGROUND GAS PRESSURE DEPENDENCE AND SPATIAL VARIATION OF
SPONTANEOUSLY GENERATED MAGNETIC FIELDS IN LASER-PRODUCED
PLASMAS

Cesolero, R.H.

3762
TRADEX S-BAND TRANSMITTER MODULATOR

Ceson, C.

619
PULSE GENERATORS AND MODULATORS FOR LASER APPLICATIONS

18378
A NEW LASER POWER SUPPLY

Cessidy, E.C.

3641
RECENT REFINEMENTS AND DEVELOPMENTS IN KERR SYSTEM
ELECTRICAL MEASUREMENT TECHNIQUES

3686
PULSED LASER KERR SYSTEM POLARIMETER FOR ELECTRO-OPTICAL
FRINGE PATTERN MEASUREMENT OF TRANSIENT ELECTRICAL
PARAMETERS

4738
CALIBRATION OF A KERR CELL SYSTEM FOR HIGH-VOLTAGE PULSE
MEASUREMENTS

5490
INVESTIGATIONS OF THE EXPLODING WIRE PROCESS AS A SOURCE
FOR HIGH TEMPERATURE STUDIES

3652
CALIBRATION OF A KERR CELL SYSTEM FOR HIGH VOLTAGE PULSE
MEASUREMENTS

8363
OPTICAL METHODS OF ELECTRICAL MEASUREMENT AT HIGH VOLTAGE
LEVELS

9126
TIME RESOLVED ELECTRICAL MEASUREMENTS IN HIGH CURRENT
DISCHARGES

Costa, K.D.

4090
TANTALUM CAPACITOR BEHAVIOR UNDER FAST TRANSIENT
OVERVOLTAGES

Cathanoz, M.

18474
TECHNICAL PROBLEMS INVOLVED IN N/SUB 2/ STREAMER CHAMBERS

Coupers, F.

7594
NEW TYPE OF ULTRAFAST CIRCUIT BREAKER: ITS PRINCIPLE AND
PERFORMANCES

Celantano, R.A.

18436
SOLID STATE PULSER USING PARALLEL STORAGE CAPACITORS

Cervone, F.

7244
ELECTRO-OPTIC TRANSDUCERS AND OPTICAL FIBERS IN HIGH
VOLTAGE MICROWAVE MODULATORS

Chace (Ed.), W.G.

10112
EXPLODING WIRES: VOLUME III

10177
EXPLODING WIRES: VOLUME IV

Chace, W.

2281
A METHOD FOR DETERMINING DENSITY-RADIUS RELATIONS DURING
WIRE EXPLOSIONS

Chace, W.G.

10247
LIQUID BEHAVIOR OF EXPLODING WIRES

Chadband, W.O.

3638
FIBRE BREAKDOWN PROCESSES IN ELECTRICALLY STRESSED INSULATING
LIQUIDS

Chakhlov, D.I.

8191
CURRENT PULSE GENERATOR

Chalmers, I.D.

1312
PHOTOGRAPHIC OBSERVATIONS OF IMPULSE BREAKDOWN IN SHORT
VACUUM GAPS

Champney, P.

7276
HIGH CURRENT PULSED ELECTRON BEAM GENERATOR

7801
DEVELOPMENT OF AN ADVANCED PULSED ELECTRON BEAM ACCELERATOR

Champney, F. D'A.

1881
MAGNETIC INSULATION

Champney, F.D'A.

194
MODULAR FAST CAPACITOR BANK FINAL REPORT

Chan, C.C.

4349
HIGH VOLTAGE RESEARCH (BREAKDOWN STRENGTHS OF GASEOUS AND LIQUID INSULATORS) AND ENVIRONMENTAL EFFECTS OF DIELECTRIC GASES

Chang, DC

9298
SHIELDING EFFECTIVENESS OF METALLIC HONEYCOMBS

Chao, B.

7996
INTENSE ELECTRON BEAM GENERATION AND COMPRESSION

Chao, P.

10280
AIRCRAFT EMP ISOLATION STUDY

Charbonnier, F.M.

6024
DESIGN STUDIES FOR ULTRA-FAST, LOW-IMPEDANCE HIGH-PEAK-POWER PULSED SYSTEMS

Charbonnier, F.M.

1669
ELECTRICAL BREAKDOWN BETWEEN METAL ELECTRODES IN HIGH VACUUM. I. THEORY

1686
ELECTRICAL BREAKDOWN BETWEEN METAL ELECTRODES IN HIGH VACUUM. II. EXPERIMENTAL

10226
INTENSE, NANOSECOND ELECTRON BEAMS

Cheston, A.

10481
EHV AC PARALLEL TRANSMISSION LINE CALCULATIONS WITH APPLICATION TO THE NEAR RESONANCE PROBLEM

Chatterton, P.A.

2692
PROCESSES INVOLVED IN THE TRIGGERING OF VACUUM BREAKDOWN BY LOW-VELOCITY MICROPARTICLES

Chau, H.H.

10191
ELECTRIC GUN: A VERSATILE TOOL FOR HIGH-PRESSURE SHOCKWAVE RESEARCH

Chechikov, R.S.

5203
USE OF A CORONA IN THE NEEDLE-PLANE SYSTEM AS A HIGH-VOLTAGE DIVIDER ELEMENT

Chekalin, E.K.

10470
RADIATION FROM A DENSE PLASMA GENERATED BY AN EXPLODED WIRE IN VACUUM

Chekhunov, E.V.

6914
VOLTAGE-CURRENT CHARACTERISTIC OF GAS DISCHARGE WITH EXTERNAL IONIZATION

10049
VOLT-AMPERE CHARACTERISTIC AND TRANSITION CURRENT OF A GAS GAP WHEN ACTED UPON BY PULSED IONIZING RADIATION

Chen, C

9616
FAA LIGHTNING PROTECTION STUDY: LIGHTNING PROTECTION DEVICES

Chen, O.M.

1252
MODELING OF THE ANODE CONTRACTION REGION OF HIGH INTENSITY ARCS

8974
THE EFFECTS OF COLO GAS INJECTION ON A CONFINED ARC COLUMN

Chen, D.Y.

5167
POSTULATION OF THE ARC RESTRIKE MECHANISMS FOR EXPLODING WIRES AND TUBES

Chen, G.

4897
ALTERNATE POLARITY MULTIPLE SPARK GAP FOR HIGH EFFICIENCY SHOWER DETECTORS

Chen, J.

8230
BEAM GENERATION IN FOIL-LESS OZIDES

Chen, M.Y.

2881
CONTROLLABLE HOMOPOLAR MOTOR-GENERATOR ENERGY STORAGE FOR APPLICATION IN A FUSION POWER REACTOR

Chen, Y.B.

882
INDUCTANCE AND RESISTANCE CHARACTERISTICS OF SINGLE-SITE UNTRIGGERED WATER SWITCHES IN WATER TRANSFER CAPACITOR CIRCUITS

4967
A 100 KV, FAST, HIGH ENERGY, NONUNIFORM FIELD DISTORTION SWITCH

4686
A 3 MA, 600 KV FAST CAPACITOR BANK FOR A SHOCK-HEATED TORUS

7207
A LOW-INDUCTANCE 2-MV TUBE

Cheng, T. C.

9335
CONTAMINATION EFFECTS ON HVDC INSULATOR FLASHOVER

Chen, B-R

4733
THE BOUNCING CONDUCTOR GENERATOR

Chepkalenko, M.L.

7094
SPECTROSCOPIC STUDY OF A CONTROLLED DISCHARGE IN A HIGH-VOLTAGE VACUUM SWITCH

Cherepanov, V.N.

3838
FOUR-CHANNEL UNIT FOR FIRING SPARK GAPS SYNCHRONOUSLY

Cherkasskii, M.V.

7077
EFFECT OF A TRANSVERSE MAGNETIC FIELD ON THE BREAKDOWN IN A HIGH-VACUUM DISCHARGE GAP

Chernenko, V.F.

7010
INITIATION AND DEVELOPMENT OF NANOSECOND DISCHARGES IN LIQUIDS

Chernov, A.A.

9742
RESISTANCE OF METALS AT HIGH CURRENT DENSITIES

9799
ELECTRICAL EXPLOSION OF METAL WIRES

Chernov, A.V.

144
NEUTRINO BEAM OF THE INSTITUTE OF HIGH-ENERGY PHYSICS. V. PULSED POWER SUPPLY FOR THE NEUTRINO FOCUSING SYSTEM

Chernov, E.M.

7007
GENERATOR OF HIGH-VOLTAGE RECTANGULAR PULSES

Chernov, M.A.

7165
TIME CHARACTERISTICS OF A MULTICHANNEL GRAZING-DISCHARGE HIGH-VOLTAGE SWITCH

Chernukha, V.V.

9987
GENERATION OF MEGAGAUSS MAGNETIC FIELDS USING A LINER
COMPRESSED BY HIGH-PRESSURE GAS

Chernyshev, V.K.

7846
EXTRACTION OF ENERGY FROM INDUCTIVE STORES AND
EXPLOSIVE-MAGNETIC GENERATORS INTO AN INDUCTIVE LOAD USING
CIRCUIT BREAKING

7867
TAKE-OFF OF ENERGY FROM EXPLOSIVE-MAGNETIC GENERATORS TO AN
INDUCTIVE LOAD USING THE BREAKING OF A CIRCUIT

1129
MAGNETIC CUMULATION

Chesterman, A.

2175
HIGH REPETITION RATE BURST-MODE SPARK GAP

Chesterman, A.W.

199
THE EXPERIMENTAL TEST ACCELERATOR (ETA)

Chetvertkov, V.I.

1167
ACCELERATOR MODULE OF 'ANDARA-S'

Chetvarushkin, B.N.

5726
MODELING OF THE BREAKDOWN OF A DENSE MOLECULAR GAS BY LASER
RADIATION CLOSE TO A METALLIC SURFACE

Chien, Y.K.

8972
TEMPERATURE DIAGNOSTICS IN TURBULENT ARCS

Chikin, E.V.

6997
EXTERNALLY MAINTAINED DISCHARGE WITH A GASDYNAMIC WINDOW
FOR A LOW-ENERGY ELECTRON BEAM

Childers, R.

359
PLASMA EROSION SWITCHES WITH IMPLoding PLASMA LOADS ON A
MULTITERAWATT PULSED POWER GENERATOR

4208
OML II 0100E STUDY

Chida, S.E.

8999
A MODEL FOR DC INTERRUPTION IN DIFFUSE VACUUM ARCS

Chin-Pett, C.

4686
A 5 MA, 600 KV FAST CAPACITOR BANK FOR A SHOCK-HEATED TORUS

Chin, D.Y.

5027
REVIEW OF MAGNETIC PROPERTIES OF Fe-Ni ALLOYS

Chirchkin, V.S.

4889
THREE-ELECTRODE BLUMLEIN LINE FOR SUPPLYING A STREAMER
CHAMBER

Chishev, E.R.

6883
ELECTRIC FIELD CONFIGURATION FOR A GRAZING DISCHARGE

Chrepta, M.M.

5657
DESIGN AND ANALYSIS OF A STATISTICAL EXPERIMENT ON HIGH
VOLTAGE BREAKDOWN IN VACUUM

5698
INFLUENCE OF ELECTRODE MATERIAL ON HIGH-VOLTAGE VACUUM
BREAKDOWN

Christopherou, L.G.

4569
HIGH VOLTAGE RESEARCH (BREAKDOWN STRENGTHS OF GASEOUS AND
LIQUID INSULATORS) AND ENVIRONMENTAL EFFECTS OF DIELECTRIC
GASES

7744
CARBON INHIBITION IN SPARKED PERFLUOROCARBON-SF₆/SF₆ MIXTURES

7739
DIELECTRIC GAS MIXTURES WITH POLAR COMPONENTS

7775
ON THE ROLE OF THE ELECTRON IMPACT IONISATION AND ELECTRON
SCATTERING CROSS-SECTION IN THE BREAKDOWN STRENGTH OF
DIELECTRIC GASES

19185
HIGH VOLTAGE RESEARCH (BREAKDOWN STRENGTHS OF GASEOUS AND
LIQUID INSULATORS) AND ENVIRONMENTAL EFFECTS OF DIELECTRIC
GASES. SEMIANNUAL REPORT, APRIL 1, 1979-SEPTEMBER 30, 1979

Christopoulos, C.

18488
PLASMA BUILDUP AND BREAKDOWN DELAY IN A TRIGGERED VACUUM GAP

Chumakov, D.I.

19289
SYNCHRONIZING THE START OF 499-KV VOLTAGE PULSE GENERATOR
(GIN-499) AND MEASURING CIRCUIT DURING OSCILLOGRAPHING OF
SHORT-TERM PROCESSES

Chung, M.K.

575
PULSED SUPERCONDUCTING INDUCTIVE STORAGE SYSTEM

5524
THEORETICAL AND EXPERIMENTAL STUDY OF SUPERCONDUCTING
INDUCTIVE STORAGE SYSTEMS

Chureev, V.A.

7938
MOTION OF A CYLINDRICAL CONDUCTING SHELL UNDER
MAGNETODYNAMIC COMPRESSION

Church, C.M.

8692
ARC DISCHARGE SOURCES

Clark, F.M.

8287
INSULATING MATERIALS FOR DESIGN AND ENGINEERING PRACTICE

Clark, J.C.

199
THE EXPERIMENTAL TEST ACCELERATOR (ETA)

Clark, M.C.

5714
SHIVA ELECTROMAGNETIC IMPLOSION X-RAY SOURCE

Clark, R.J.

4291
LASER-TRIGGERED-SWITCH STUDY (PROJECT LASWITCH)

7929
LASER TRIGGERED SWITCH STUDY

Clark, R.S.

598
PULSED MICROSECOND HIGH-ENERGY ELECTRON BEAM ACCELERATOR

4724
LILL, A 0.5-1.5 MICROSECOND, 699 KV ELECTRON BEAM
ACCELERATOR

Clark, R.M.

7168
A SIMULATION APPROACH TO HIGH AVERAGE POWER REPETITIVELY
PULSED SWITCH TESTING

Clerk, W.

3723
HIGH POWER SPARK GAP SWITCH DEVELOPMENT

4237
HIGH POWER SPARK GAP SWITCH PROGRAM

5456
ADVANCED SIMULATION RESEARCH: VOLUME II-VACUUM ENERGY STORAGE

7984
INTERPRETATION OF X-RAY LINE SPECTRA FROM EXPLODED-WIRE ARRAYS

8297
ADVANCED SIMULATION RESEARCH: VOLUME II. VACUUM ENERGY STORAGE

Clerk, W.H.

8135
MEGAAMPERE PULSE TRANSFORMER FOR COAXIAL LOAD

Clerk, W.M.

1982
A LOW-PULSE, HIGH-CURRENT ELECTRON GUN FOR E-BEAM SUSTAINED EXCIMER LASERS

Clerke, G.

4741
A SIMPLE CIRCUIT FOR THE PRODUCTION OF A HIGH VOLTAGE STEP

Clewer, M.J.

541
PULSED POWER APPLICATIONS TO INTENSE NEUTRON SOURCE DEVELOPMENT

3418
ELECTRON BEAM FOCUSING AND APPLICATION TO PULSED FUSION

Clemente, R.M.

4875
THE EFFECT OF IONIZATION AND FLOW VELOCITY UPON SPARK GAP RECOVERY

Cleve, M.V.

3688
REDUCTION OF SPARKING VOLTAGES DUE TO A MAGNETIC FIELD PARALLEL TO THE AXIS OF ROD ELECTRODES

Cnere, E.C.

187
TERAWATT PULSE POWER SYSTEMS UTILIZING INDUCTIVE STORAGE

6741
MAGNETIC FLUX COMPRESSION BY MAGNETICALLY IMPLoded METALLIC POILS

7281
PULSAR: AN INDUCTIVE PULSE POWER SOURCE

7217
MAGNET OPTIMIZATION FOR PULSED ENERGY CONVERSION

10448
MULTIMEGAJoule PULSED POWER GENERATION FROM A REUSABLE COMPRESSED MAGNETIC FIELD DEVICE

Cobes, A.

7561
ELECTRODE-LIMITED AND SPACE-CHARGE-LIMITED TRANSIENT CURRENTS IN INSULATORS

Cobine, J.D.

6864
ANODE PHENOMENA IN METAL-VAPOR ARCS AT HIGH CURRENTS

6891
THE APPLICATION OF PASCHEN'S LAW TO THE RE-IGNITION OF AN ARC

9887
RECOVERY CHARACTERISTICS OF A TRIGGERED-VACUUM GAP AT HIGH CURRENTS

Cookin, J.A.

18477
A TECHNIQUE FOR VERY-HIGH-SPEED PULSE GENERATION WITH VARIABLE REPETITION RATE

Coffey, M.T.

5494
PHOTOCONDUCTIVITY OF HIGH VOLTAGE SPACE INSULATING MATERIALS: MEASUREMENTS WITH METAL ELECTRODES

5634
PHOTOCONDUCTIVITY OF HIGH-VOLTAGE SPACE INSULATING MATERIALS

Cohen, I.M.

7254
MODELING OF ARC DISCHARGES IN POWER CIRCUIT BREAKERS

8927
EFFECT OF PLUG FLOW ON THE STABILITY OF TWO-DIMENSIONAL ARCS

Colsson, R.

618
PRODUCTION AND DYNAMICS OF HIGH INTENSITY ELECTRON BEAMS

Coles, J.

8661
LOW NOISE, LARGE DYNAMIC RANGE PULSE AMPLIFIER

Collesser, R.O.

7171
THE TRANSIENT RECOVERY VOLTAGE APPLICATION OF POWER CIRCUIT BREAKERS

Coie, J.N.

798
MAGNETIC FIELD SENSITIVITY OF AN OPTICAL FIBER WITH MAGNETOSTRICTIVE JACKET

Coie, R.C.

7241
A STABLE LOAD-INVARIANT HIGH-FREQUENCY SCR SERIES RESONANT INVERTER FOR RADAR TRANSMITTER APPLICATIONS

Cole, T.T.

2827
SUBNANOSECOND SWITCH FOR USE IN SHOCK WAVE EXPERIMENTS

Colman, D.M.

1331
COMPUTATIONAL PROCEDURES FOR CHARACTERIZATION OF HIGH VOLTAGE SPARK SOURCES

5038
MEASUREMENT PROCEDURES FOR CHARACTERIZATION OF HIGH VOLTAGE SPARK SOURCES

Colman, L.W.

4953
LASER-TRIGGERED AVALANCHE-TRANSISTOR VOLTAGE GENERATOR FOR A PICOSECOND STREAK CAMERA

Collins, M.M.C.

5555
THE MEASUREMENT OF SHORT-DURATION IMPULSE VOLTAGES

Colombant, D.O.

1253
MRL LIGHT ION BEAM RESEARCH FOR INERTIAL CONFINEMENT FUSION

1292
BEAM REQUIREMENTS FOR LIGHT-ION DRIVEN INERTIAL-CONFINEMENT FUSION

3733
TWO-DIMENSIONAL FLUID SIMULATION OF RELATIVISTIC ELECTRON BEAM-HIGH Z TARGET INTERACTIONS

5734
MNYTRAC, A NEW MODULAR ONE-DIMENSIONAL EXPLODING WIRE CODE

Coleman, A.

4944
PERFORMANCE OF SPHERE AND ROD-ROD GAPS UNDER HIGH DIRECT VOLTAGES

Combs, L.S.

9981
'CROWBAR' TRIGGERING METHOD FOR HIGH POWER PULSE CIRCUITS

Condon, J.J.

5534
THE GAMBLE I PULSED ELECTRON BEAM GENERATOR

7576
IMPEDANCE CHARACTERISTICS OF DIODES OPERATING IN THE SELF-PINCH MODE

Cones, H. H.

4730
CALIBRATION OF A KERR CELL SYSTEM FOR HIGH-VOLTAGE PULSE MEASUREMENTS

Cones, H.H.

5452
CALIBRATION OF A KERR CELL SYSTEM FOR HIGH VOLTAGE PULSE MEASUREMENTS

8887
SURGE VOLTAGE BREAKDOWN OF AIR IN A NONUNIFORM FIELD

Conger, R.L.

10393
EXPLOSIVE PULSE GENERATOR

Conte, D.

179
A METHOD FOR ENHANCING EXPLODING ALUMINUM FOIL FUSES FOR INDUCTIVE STORAGE SWITCHING

787
USE OF TRANSFORMERS IN PRODUCING HIGH POWER OUTPUT FROM MONOPOLAR GENERATORS

788
REPETITIVE ELECTRON-BEAM CONTROLLED SWITCHING

897
REPETITIVE ELECTRON BEAM CONTROLLED SWITCHING

986
TRIODE-A MEGAVOLT PULSE GENERATOR USING INDUCTIVE ENERGY STORAGE

1297
CURRENT INTERRUPTION IN INDUCTIVE STORAGE SYSTEMS WITH INERTIAL CURRENT SOURCE

1747
INDUCTIVE STORAGE-PROSPECTS FOR HIGH POWER GENERATION

7588
MULTIPLE CHANNEL SWITCHING IN WATER DIELECTRIC PULSE GENERATORS

7905
INDUCTIVE CHARGING OF PULSE LINES IN 0.1 TO 1.0 MJ RANGE USING FOIL FUSES STAGED WITH EXPLOSIVELY ACTUATED SWITCHES

Cook, C.M.

3617
ELECTRICAL BREAKDOWN AND THE SIMILARITY LAW IN SF/SUB 6/ AT EXTRA-HIGH-VOLTAGES

Cook, E.O.

189
THE EXPERIMENTAL TEST ACCELERATOR (ETA)

224
OFF-RESONANCE TRANSFORMER CHARGING FOR 250-KV WATER BLUMLEIN

2175
HIGH REPETITION RATE BURST-MODE SPARK GAP

Cooke, C.

3253
IONIZATION, ELECTRODE SURFACES AND DISCHARGES IN SF/SUB 6/ AT EXTRA-HIGH-VOLTAGES

Cooke, C.M.

1386
PARTICLE-INITIATED BREAKDOWN IN GAS DIELECTRIC CABLE INSULATION EXPANDED SCOPE PROGRAM

5782
PARTICLE-INITIATED BREAKDOWN IN GAS DIELECTRIC CABLE INSULATION EXPANDED SCOPE PROGRAM (FINAL REPORT)

8314
PARTICLE-INITIATED BREAKDOWN IN GAS DIELECTRIC CABLE INSULATION EXPANDED SCOPE PROGRAM (FINAL REPORT)

9235
CHARGING OF INSULATOR SURFACES BY IONIZATION AND TRANSPORT IN GASES

Cooper, F.S.

8198
THE EFFECT OF PRESSURE ON THE POSITIVE POINT-TO-PLANE DISCHARGE IN N/SUB 2/, O/SUB 2/, CO/SUB 2/, SO/SUB 2/, SF/SUB 6/, CCL/SUB 2/F/SUB 2/, A, NE, AND N/SUB 2/

Cooper, J.

8993
ON THE HIGH-FREQUENCY RESPONSE OF A ROGOWSKI COIL

Cooperstein, G.

1253
HRL LIGHT ION BEAM RESEARCH FOR INERTIAL CONFINEMENT FUSION

1294
HIGH IMPEDANCE ION DIODE EXPERIMENT ON AURORA

1448
HIGH-IMPEDANCE ION-DIODE EXPERIMENT ON THE AURORA PULSER

3717
STUDY OF ELECTRON BEAM PROPAGATION EFFICIENCIES IN NEUTRAL GAS AS A FUNCTION OF NU/GAMMA

5556
THE GAMBLE I PULSED ELECTRON BEAM GENERATOR

6432
INTENSE ELECTRON-BEAM PINCH FORMATION AND PROPAGATION IN ROD PINCH DIODES

7576
IMPEDANCE CHARACTERISTICS OF DIODES OPERATING IN THE SELF-PINCH MODE

7588
INTENSE FOCUSING OF RELATIVISTIC ELECTRONS BY COLLAPSING HOLLOW BEAMS

7696
RELATIVISTIC ELECTRON BEAM PINCH FORMATION PROCESSES IN LOW IMPEDANCE DIODES

18287
VECTOR-POTENTIAL FLOW IN RELATIVISTIC BEAM DIODES

18511
ANALYSIS OF PROTON TRANSPORT EXPERIMENTS

CopeLand, R.L.

7284
NANOSECOND RESPONSE 'GASKET-TYPE' MAGNETIC LOOP CURRENT MONITOR FOR RELATIVISTIC ELECTRON BEAM CURRENT MEASUREMENTS

CopeLand, R.P.

3385
LASER TRIGGERED SWITCHING OF A PULSED, CHARGED, OIL FILLED SPARK GAP

Coplen, B.C.

5504
SIMULATION OF POWER LOSS IN MAGNETICALLY INSULATED CONVOLUTES FOR PULSED LINEAR ACCELERATORS

Corbiere, P.A.

257
A 1200 MEGAWATT VAN-MOUNTED LINE-TYPE MODULATOR

Cornet, E.P.

18588
CONCEPTUAL DESIGN OF AN AUTO-RESONANT ACCELERATOR EXPERIMENT

Cerson, C.A.

4185
PRECISION REGULATED, 20 KW, MODULATOR PFM CHARGING SYSTEM

Couch, W.H.

3695
HIGH VOLTAGE-HIGH TEMPERATURE RUBBER INSULATION

Cowan, M.

1827
TERAWATT PULSE POWER SYSTEMS UTILIZING INDUCTIVE STORAGE

7201
PULSAR: AN INDUCTIVE PULSE POWER SOURCE

8689
PULSED POWER FOR ELECTROMAGNETIC LAUNCHING

18448
MULTIMEGAJoule PULSED POWER GENERATION FROM A REUSABLE
COMPRESSED MAGNETIC FIELD DEVICE

Cowley, M.O.

8991
INTEGRAL METHODS OF ANALYSING ELECTRIC ARCS: I. FORMULATION

Cox, B.M.

2852
THE NATURE OF FIELD EMISSION SITES

2455
THE SOURCE OF HIGH-BETA ELECTRON EMISSION SITES ON
BROAD-AREA HIGH-VOLTAGE ALLOY ELECTRODES

Coyle, M.J.

18417
PULSE GENERATOR EMPLOYING PLURAL PULSE-FORMING-NETWORKS
WITH PULSE PRODUCING MEANS FOR CANCELLATION OF UNDESIRABLE
REFLECTED PULSE

18418
PULSE GENERATOR EMPLOYING PLURAL PULSE FORMING NETWORKS
PROVIDING OVERLAPPED PULSES TO EFFECT RIPPLE CANCELLATION

Craggs Ed., J.O.

8174
ELECTRICAL BREAKDOWN OF GASES

Craggs, J.O.

1538
ELECTRODE VAPOUR JETS IN SPARK DISCHARGES

5691
SPECTROSCOPIC INVESTIGATION OF THE SPARK CHANNEL

7762
HIGH CURRENT SPARK CHANNELS

8011
SOME PROPERTIES OF HIGH CURRENT SPARK CHANNELS

8264
MEASUREMENT OF IONIZATION AND ATTACHMENT COEFFICIENTS IN
SULPHUR HEXAFLUORIDE IN UNIFORM FIELDS

8272
SOME MEASUREMENTS OF THE RELATIVE DIELECTRIC STRENGTH OF
GASES

8995
PHOTOELECTRIC SPECTROSCOPY OF TRANSIENT DISCHARGES

Craig, B.R.

1257
DEMONSTRATION OF FIBER OPTIC LINK APPLICATIONS IN UTILITY
PLANT MULTIPLEXED INSTRUMENT AND CONTROL SYSTEMS

Craig, J.P.

4681
AN ELECTROMECHANICAL PULSE GENERATOR

5425
A REVIEW OF HIGH-POWER SWITCH TECHNOLOGY

5499
RADIATION GENERATION FROM EXPLODING WIRE

6856
A CRITICAL ANALYSIS AND ASSESSMENT OF HIGH POWER SWITCHES

18422
ELECTROMECHANICAL PULSER INVESTIGATION

Cranberg, L.

8080
THE INITIATION OF ELECTRICAL BREAKDOWN IN VACUUM

18267
SMALL-APERTURE DIAPHRAGMS IN ION-ACCELERATOR TUBES

Crandall, O.H.

2899
SYSTEM FOR DATA ACQUISITION FROM HIGH VOLTAGE TERMINALS

Crawford, F.W.

8089
THE REIGNITION VOLTAGE CHARACTERISTICS OF FREELY RECOVERING
ARCS

Creed, F.C.

5555
THE MEASUREMENT OF SHORT-DURATION IMPULSE VOLTAGES

8140
STEP RESPONSE OF MEASURING SYSTEMS FOR HIGH IMPULSE VOLTAGES

Creeden, J.

255
DEVELOPMENT OF A FORTY KILOVOLT MEGAWATT AVERAGE POWER
THYRATRON (MAPS-40)

4125
EXPERIMENTAL INVESTIGATION OF HIGH-CURRENT RELATIVISTIC
ELECTRON FLOW IN DIODES

7256
THE CROSSED-FIELD CLOSING SWITCH-A STATUS REPORT

Creeden, J.E.

259
COMPACT MEGAWATT AVERAGE POWER PULSE GENERATOR

270
MEGAWATT AVERAGE POWER ADIABATIC MODE THYRATRONS

725
SOLID STATE CLIPPER DIODES FOR HIGH POWER MODULATORS

5006
HIGH AVERAGE POWER TESTS OF A CROSSED-FIELD CLOSING SWITCH

4685
A HALF MEGAWATT PULSE FORMING NETWORK

5544
COMPACT MEGAWATT AVERAGE POWER BURST PULSE GENERATOR

5560
THE MAPS-40 BURST-MODE 40-KV MEGAWATT AVERAGE POWER
HYDROGEN THYRATRON

5465
ADIABATIC MODE OPERATION OF THYRATRONS FOR MEGAWATT AVERAGE
POWER APPLICATIONS

5441
FIRING CHARACTERISTICS OF MULTIPLE-ELECTRODE TRIGGERED
VACUUM GAPS

5671
MULTIPLE-ELECTRODE TRIGGERED VACUUM GAPS

6105
CATHODE-CURRENT DEPENDENCE ON PULSE WIDTH FOR HYDROGEN
THYRATRONS

6158
PLASMA PROPERTIES OF KILOAMPERE DISCHARGES

6556
INFLUENCE OF HYDROGEN ON MULTIPLE-ELECTRODE (VACUUM) GAP
CHARACTERISTICS

8732
A HALF MEGAWATT PULSE FORMING NETWORK (PFM)

10005
GAS-HEATING EFFECT ON PLASMA RESISTIVITY

Creeden, J.M.

1881
MAGNETIC INSULATION

4938
RELATIVISTIC BRILLOUIN FLOW IN THE HIGH MU/GAMMA DIODE

7672
MAGNETIC CUTOFF IN HIGH-CURRENT DIODES

8243
METHOD OF GENERATING VERY INTENSE POSITIVE-ION BEAMS

Cress, D.E.

3761
THYRISTORS FOR PULSE MODULATION AT HIGH PEAK AND AVERAGE POWERS

Crowson, M.F.J.

7613
THE DC SWITCH OPERATION AT 4 MILLION VOLTS AND 800 KILOAMPERES

7889
HIGH VOLTAGE PULSER TECHNIQUES FOR ELECTROMAGNETIC PULSE (EMP) SIMULATORS

Cripps, R.M.

8193
A HIGH-VOLTAGE MERCURY-WETTED REED PULSE GENERATOR WITH SECONDARY PULSE SUPPRESSION

Crockett, C.O.

4768
GROUNDED MONITOR FOR HIGH VOLTAGE ACCELERATORS

Cranson, H.M.

1961
PICOSECOND-PULSE SEQUENTIAL WAVEFORM GENERATION

Crook, K.

18492
SYSTEM FOR CALIBRATION OF SPEAR TRANSPORT LINE TOROIDS

Crosby, D.A.

9684
HIGH-VOLTAGE LINEAR PULSE AMPLIFIER

Cross, J.O.

3366
THE EFFECT OF CUPROUS OXIDE COATINGS ON SURFACE FLASHOVER OF DIELECTRIC SPACERS IN VACUUM

7663
HIGH SPEED PHOTOGRAPHY OF SURFACE FLASHOVER IN VACUUM

Crouch, J.M.

4887
A COMPACT HIGH SPEED LOW IMPEDANCE BLUMLEIN LINE FOR HIGH VOLTAGE PULSE SHAPING

Crow, J.T.

18238
COMBINATION OF PDFA I LINES IN A DISK FEED

Crows, R.W.

3644
INFLUENCE OF STATISTICAL TIME LAGS UPON ELECTRIC BREAKDOWN IN ELECTRONEGATIVE GASES

Crowfoot, T.P.

3742
CHARGING AND STABILISING SYSTEM FOR A PULSED CROSSED-FIELD AMPLIFIER USING AN SCR-SWITCHED ULTRASONIC INVERTER

Crumley, R.J.

948
ELECTRON DENSITIES IN LASER-TRIGGERED SPARK GAP DISCHARGES

8213
ELECTRON DENSITIES IN LASER-TRIGGERED HYDROGEN SPARKS

Cuio, C.M.

4877
HIGH VOLTAGE DOUBLE PULSE SYSTEM FOR THE STUDY OF THRESHOLD SWITCHING MATERIALS

Cummings, O.

658
THE DESIGN APPROACH TO A HIGH-VOLTAGE BURST GENERATOR

Cummings, D.B.

869
A 3-MV LOW-JITTER TRIGGERED GAS SWITCH

CundaII, C.M.

1358
ELECTRODE VAPOUR JETS IN SPARK DISCHARGES

8995
PHOTOELECTRIC SPECTROSCOPY OF TRANSIENT DISCHARGES

Cunin, B.

4383
PICOSECOND TRIODER SYSTEM USEFUL IN MODE-LOCKED LASER PULSE MEASUREMENTS

Curzon, F.L.

2976
THE INFLUENCE OF ELECTRODE HEAT TRANSPORT IN SPARK RECOVERY

5845
THE INFLUENCE OF FORMATIVE TIME LAGS ON SPARK-GAP RECOVERY MEASUREMENTS

6376
A SIMPLE SWITCHING SYSTEM FOR REPEATABLE PULSED DISCHARGES

D'Addario, M.

932
KRF LASER-TRIGGERED SF/SUB 6/ SPARK GAP FOR LOW-JITTER TIMING

D'Anna, E.

755
ANODE BEHAVIOR IN HIGH INTENSITY FIELD EMISSION DIODES

DeaIder, J.E.

4188
EROSION STRUCTURES ON CATHODES ARCED IN VACUUM

8984
A CATHODE SPOT MODEL AND ITS ENERGY BALANCE FOR METAL VAPOUR ARCS

8985
COMPONENTS OF CATHODE EROSION IN VACUUM ARCS

Dahlbecke, O.

7984
INTERPRETATION OF X-RAY LINE SPECTRA FROM EXPLODED-WIRE ARRAYS

DeIay, C.L.

1429
PFN CHARACTERIZATION AND LIFE TEST

Dakin, D.

339
PLASMA EROSION SWITCHES WITH IMPLODING PLASMA LOADS ON A MULTITERAWATT PULSED POWER GENERATOR

8468
DEVELOPMENT OF AN INTENSE ELECTRON BEAM ENVIRONMENT FOR MATERIAL CHARACTERIZATION

Dakin, T.W.

1421
HIGH VOLTAGE POWER CAPACITOR DIELECTRICS RECENT DEVELOPMENTS

Dale, S.J.

5438
LIGHTNING STRIKE POINT LOCATION STUDIES ON SCALE MODELS

7238
SUPERPOSITION GAS BREAKDOWN

Dalton, C.

5733
HIGH-VOLTAGE PULSE MONITOR SYSTEM FOR NEUTRINO ELECTRON ELASTIC SCATTERING

7186
A HIGH CURRENT PULSER FOR EXPERIMENT 225, 'NEUTRINO ELECTRON ELASTIC SCATTERING'

10330
HIGH CURRENT PULSER FOR EXPERIMENT NO. 225, NEUTRINO ELECTRON ELASTIC SCATTERING

Damidon, P.

18188
DESCRIPTION OF THE ENERGY SOURCE PROJECT DELIVERING 1 MEGAJOULE IN 1 MICROSECOND

Dancy, E.A.

7909
A NOVEL CONDUCTING GLAZE

Daniel, E.V.

2796
SPARK DISCHARGE OVER THE SURFACE OF FILMS OF DIFFERENT COMPOSITION

Danielis, G.A.

10337
ASSEMBLY AND HANDLING APPARATUS FOR THE EDPA MARK GENERATOR

Daniil'tsev, E.M.

1777
RIG FOR TESTING COLD CATHODES

6932
PULSED DESORPTION SLOT CATHODE

Danilychev, V.A.

333
OPTICAL BREAKDOWN OF COMPRESSED GASES BY CO/SUB 2/ LASER RADIATION

7117
HIGH-CURRENT PULSED ELECTRON GUN BASED ON AN ELIT-I ACCELERATOR

10482
ELECTRICALLY DRIVEN 200-JOULE PULSED LASER

Dannenberg, R.E.

5476
EXPLODING WIRE INITIATION AND ELECTRICAL OPERATION OF A 40-KV SYSTEM FOR ARC-HEATED DRIVERS UP TO 10 FEET LONG

Dentser, A.A.

7063
REDUCTION OF GAS BREAKDOWN VOLTAGE WITH PULSED IONIZING RADIATION

Das Gupta, A.K.

7666
HOMOPOLAR GENERATOR EFFECT OF SUDDEN SHORT CIRCUIT

10213
POSSIBILITY OF USING A HOMOPOLAR GENERATOR AS A PULSE GENERATOR

Dase, M.G.

2887
PRELIMINARY ENGINEERING DESIGN OF A PULSED HOMOPOLAR GENERATOR POWER SUPPLY

5002
ENERGY STORAGE AND TRANSFER WITH HOMOPOLAR MACHINE FOR A LINEAR THETA-PINCH HYBRID REACTOR

Oashuk, P.M.

3287
CONTROLLED VACUUM SPARK GAPS RATED AT A VOLTAGE OF 50 KV FOR MULTIPLE COMPUTATION OF MEGA-AMPERE CURRENTS

4723
CONTROLLED DISCHARGE IN A VACUUM GAP SWITCHED BY 1 MC CURRENT PULSES OF UP TO 150 KA

6883
ELECTRIC FIELD CONFIGURATION FOR A GRAZING DISCHARGE

7011
INVESTIGATION OF THE ENERGY TRANSFER EFFICIENCY FOR A PULSED INDUCTION DISCHARGE

7074
CREEPAGE DISCHARGE ALONG THE SURFACE OF SOLID DIELECTRICS IN WATER

7165
TIME CHARACTERISTICS OF A MULTICHANNEL GRAZING-DISCHARGE HIGH-VOLTAGE SWITCH

10309
X RADIATION OF A NANOSECOND GRAZING DISCHARGE IN A GAS

10326
MEASUREMENT OF THE GAS TEMPERATURE AND ELECTRON DENSITY IN AN 'INCOMPLETE' GRAZING DISCHARGE

Dats, M.

4961
A NEW METHOD OF HIGH MAGNETIC FIELD GENERATION AND ITS APPLICATIONS

Gattner, A.

7658
EXPERIMENTAL STUDY OF THE PROPAGATION OF AN IONIZING WAVE IN A COAXIAL PLASMA GUN

Davidenko, V.A.

2002
STARTING HIGH-VOLTAGE GENERATORS AT A VOLTAGE OF UP TO 1 MV BY MEANS OF PULSED X RADIATION

9705
SYSTEM FOR TWO-PULSE SUPPLY OF A LARGE STREAMER CHAMBER

9919
EXPERIMENTAL INVESTIGATION OF STREAMER DISCHARGE DEVELOPMENT IN NEON

Davidson, G.O.

5685
CHARACTERIZATION OF EMP PROTECTION DEVICES

Davies, A.J.

3722
COMPUTATION OF IONISATION GROWTH AT HIGH CURRENT DENSITIES

3735
SIMULATION OF THE GROWTH OF AXIALLY SYMMETRIC DISCHARGES BETWEEN PLANE PARALLEL ELECTRODES

3927
COMPUTATION OF AXIAL AND RADIAL DEVELOPMENT OF DISCHARGES BETWEEN PLANE PARALLEL ELECTRODES

5543
COMPUTER SIMULATION OF RAPIDLY DEVELOPING GASEOUS DISCHARGES

Davies, C.S.

5543
COMPUTER SIMULATION OF RAPIDLY DEVELOPING GASEOUS DISCHARGES

Davies, G.K.

1728
MECHANISM OF DC ELECTRICAL BREAKDOWN BETWEEN EXTENDED ELECTRODES IN VACUUM

7068
DETECTION OF ELECTRODE VAPOR BETWEEN PLANE PARALLEL COPPER ELECTRODES PRIOR TO CURRENT AMPLIFICATION AND BREAKDOWN IN VACUUM

Davies, M.H.

5659
ELECTRICAL BREAKDOWN BETWEEN ERBIUM OXIDE, ERBIUM DEUTERIDE, AND MOLYBDENUM ELECTRODES IN A VACUUM

Davis, T.J.

1482
LASER-CONTROLLED SWITCHING

Davis, C.M.

798
MAGNETIC FIELD SENSITIVITY OF AN OPTICAL FIBER WITH
MAGNETOSTRICTIVE JACKET

Davis, J.

7904
INTERPRETATION OF X-RAY LINE SPECTRA FROM EXPLODED-WIRE
ARRAYS

7905
SPECTROSCOPY AND X-RADIATION FROM EXPLODED-WIRE ARRAYS AND
GAS PUFF PLASMAS

Davis, L.A.

8947
METALLIC GLASSES: A MAGNETIC ALTERNATIVE

Davis, R.S.

1305
AN INTERNATIONAL COMPARISON OF HIGH VOLTAGE CAPACITOR
CALIBRATIONS

Davis, S.J.

798
VERY FAST, HIGH PEAK POWER PLANAR TRIODE AMPLIFIERS FOR
DRIVING OPTICAL GATES

10324
VERY FAST, HIGH PEAK-POWER, PLANAR TRIODE AMPLIFIERS FOR
DRIVING OPTICAL GATES

Dawson, J.M.

620
STREAMER CHAMBER CHARGING REGULATOR SYSTEM

De Biese, R.O.

1344
AUTOMATING THE E-BEAM LASER LABORATORY

De Marzo, C.

4897
ALTERNATE POLARITY MULTIPLE SPARK GAP FOR HIGH EFFICIENCY
SNOWER DETECTORS

De Pretis, M.

2993
AVOIDING FLASHOVERS IN LOW INDUCTANCE HIGH VOLTAGE SPARK
GAPS AT ATMOSPHERIC PRESSURE

De Turrell, C.M.

3433
MECHANISM OF SURFACE CHARGING OF HIGH-VOLTAGE INSULATORS IN
VACUUM

Deedrick, P.J.

7724
MAGRAC-A RAILGUN SIMULATION PROGRAM

8085
RESULTS OF RAILGUN EXPERIMENTS POWERED BY MAGNETIC FLUX
COMPRESSION GENERATORS

Dechamps, A.

8907
DIGITAL IMPULSE RECORDER FOR HIGH-VOLTAGE LABORATORIES

Deedrick, K.G.

8248
HIGH-VOLTAGE PULSE MEASUREMENT WITH A PRECISION CAPACITIVE
VOLTAGE DIVIDER

Degen, J.M.

3714
SHIVA ELECTROMAGNETIC IMPLSION X-RAY SOURCE

10273
INDUCTIVE STORE PULSE COMPRESSION SYSTEM FOR DRIVING HIGH
SPEED PLASMA IMPLSIONS

Deiters, K.

4434
TRIGGERING OF A HIGH-VOLTAGE PULSE SHAPER FOR IMPROVING
TIME STABILITY AND AMPLITUDE STABILITY

Deitz, A.

3242
HIGH POWER MODULATOR/REGULATORS FOR NEUTRAL BEAM SOURCES

Dellin, T.A.

5443
QUICKER: A ONE-DIMENSIONAL CODE FOR CALCULATING BULK AND
VACUUM EMITTED PHOTO-COMPTON CURRENTS

Dem'yanchuk, A.S.

8294
CONSUMPTION AND DEGREE OF USE OF ELECTRODE MATERIAL IN A
HIGH-FREQUENCY CONDENSED SPARK DISCHARGE

Dem'yanko, G.K.

563
ON THE FORMATION OF PRECISION BEAMS IN MULTISECTION LINEAR
ELECTRON ACCELERATORS

Dembinski, M.

951
ION BEAM GENERATION THROUGH A MOVING PLASMA BOUNDARY

Demchenko, P.A.

10335
STEPPED HIGH-VOLTAGE PULSE GENERATOR

Demchuk, A.P.

6509
EXPERIMENTS WITH AN EXPLOSIVE-MAGNETIC GENERATOR IN
LABORATORY CONDITIONS

Demeter, L.

8144
ADVANCED CONCEPTS FOR PHOTON SOURCES VOLUME 2: FAST
SWITCHING OF VACUUM MAGNETIC ENERGY STORES

8292
ADVANCED CONCEPTS FOR PHOTON SOURCES: VOLUME 2. FAST
SWITCHING OF VACUUM MAGNETIC ENERGY STORES

Demichev, V.F.

334
PULSE GENERATOR PRODUCING A HIGH-POWER CURRENT

1197
HIGH PULSED MAGNETIC FIELDS FOR NUCLEAR FUEL ROD SEALING

Demidov, S.A.

4947
A HIGH-VOLTAGE WATER SPARK GAP WITH LASER PIRING

5106
MULTICHANNEL VACUUM SPARK GAP

6946
LASER IONIZATION OF THE WATER DISCHARGER FOR THE TWIN
PULSE-FORMING LINE OF AN ELECTRON ACCELERATOR

7136
DIELECTRIC MATERIALS FOR HIGH-VOLTAGE PULSE GENERATORS

7142
HIGH-CURRENT, MICROSECOND-RANGE RELATIVISTIC ELECTRON BEAM

8996
KAL'MAR-I PULSED ELECTRON ACCELERATOR WITH RELATIVISTIC
ELECTRON BEAM POWER OF UP TO 5012 W/CM.

Danilov, V.A.

7946
EXTRACTION OF ENERGY FROM INDUCTIVE STORES AND
EXPLOSIVE-MAGNETIC GENERATORS INTO AN INDUCTIVE LOAD USING
CIRCUIT BREAKING

7947
TAKE-OFF OF ENERGY FROM EXPLOSIVE-MAGNETIC GENERATORS TO AN
INDUCTIVE LOAD USING THE BREAKING OF A CIRCUIT

Danes, L.J.

8992
INVESTIGATIONS OF GLOW DISCHARGE FORMATION WITH VOLUME
FREONIZATION

Danholm, A. S.

3729
REVIEW OF DIELECTRICS AND SWITCHING

Denning, R.

849
NEW TECHNOLOGIES ADVANCE POWER SEMICONDUCTOR
STATE-OF-THE-ART

Dene, O.W.

3298
ELECTROSTATIC AND ELECTROMAGNETIC EFFECTS OF
ULTRAHIGH-VOLTAGE TRANSMISSION LINES

Derevshnikov, V.A.

9121
SPECTROSCOPIC STUDY OF THE PLASMA OF A LOW-VOLTAGE PULSE
DISCHARGE IN VACUUM

9127
TRANSIENT CHARACTERISTICS OF RADIATION EMISSION FROM THE
PLASMA OF A PULSED DISCHARGE IN VACUUM

Deribas, A.A.

6589
EXPERIMENTS WITH AN EXPLOSIVE-MAGNETIC GENERATOR IN
LABORATORY CONDITIONS

Deryabina, M.A.

9121
SPECTROSCOPIC STUDY OF THE PLASMA OF A LOW-VOLTAGE PULSE
DISCHARGE IN VACUUM

Derzhavin, S.I.

7185
CO/SUB 2/ LASER HIGH-VOLTAGE POWER SUPPLY BASED ON A PULSED
AUTOTRANSFORMER

Derzhiev, V.I.

5844
PHYSICS OF A SPARK VACUUM DISCHARGE AND QUANTITATIVE
MASS-SPECTROMETRIC ANALYSIS. QUALITATIVE MODEL OF A WEAK
CURRENT VACUUM DISCHARGE

Oethliefson, R.

1317
INVESTIGATION OF ELECTRODE EROSION IN HIGH CURRENT ELECTRIC
ARCS

2147
MAGNETICALLY CONTROLLED VACUUM-ARC ON-OFF SWITCH

7251
MAGNETICALLY MODULATED VACUUM ARC FOR DC SWITCHING

Dettman, D.R.

8916
ANODE SHEATH GROWTH AND COLLAPSE IN A HOLLOW-ANODE VACUUM
ARC

Deutch, P.

5156
TRIGGERING OF A PRESSURIZED SPARK GAP BY A LASER BEAM

Devine, J.C.

7741
BREAKDOWN AND PREBREAKDOWN PHENOMENA IN LIQUIDS

7774
PROGRESS IN THE FIELD OF ELECTRIC BREAKDOWN IN DIELECTRIC
LIQUIDS

Dezhurav, R.J.

625
OBSERVATION OF HIGHLY IONIZED SPECIES IN PLASMA PRODUCED BY
FEMTOSECOND LASER PULSES

4945
PICOSECOND TRIGGERING OF A LASER-TRIGGERED SPARK GAP

Dexter, M.

2175
HIGH REPETITION RATE BURST-MODE SPARK GAP

5575
MODULATOR CHARGING SYSTEM UPGRADE FOR A 5-MEV ELECTRON
ACCELERATION

Dexter, M.L.

189
THE EXPERIMENTAL TEST ACCELERATOR (ETA)

Dozenberg, G.J.

4725
MODULATOR-REFRETTIVELY PULSED FIELD EMISSION ELECTRON BEAM
GUN INTERFACE

DeClario Ed., M.

8285
TRANSMISSION LINES WITH PULSE EXCITATION

DeGester, D.J.

10242
PHOTOGRAPHIC OBSERVATIONS OF A PREBREAKDOWN DISCHARGE
TRANSITION BETWEEN METAL ELECTRODES IN VACUUM

DeMichele, C.

2155
SPECTRALLY RESOLVED OPTICAL DIAGNOSTICS FOR HIGH-POWER
NEUTRAL BEAMS

2555
OPTICAL DIAGNOSTICS ON HIGH-POWER NEUTRAL BEAMS

DeSilva, A.

4686
A 3 MA, 600 KV PAST CAPACITOR BANK FOR A SHOCK-HEATED TORUS

DeSilva, A.W.

3774
A PRELIMINARY STUDY OF AEROSOL INITIATED CO/SUB 2/ LASER
PRODUCED AIR SPARKS AND THEIR ABILITY TO GUIDE ELECTRICAL
DISCHARGES

DeVora, R.V.

7238
FEASIBILITY STUDY OF THE USE OF AN ENVIRONMENTAL CHAMBER
FOR THE EXAMINATION OF TRANSMISSION LINE ELECTRIC FIELD AND
CORONA EFFECTS

Dhall, S.K.

8215
ELECTRON DENSITIES IN LASER-TRIGGERED HYDROGEN SPARKS

Di Capua, M.

4123
EXPERIMENTAL INVESTIGATION OF HIGH-CURRENT RELATIVISTIC
ELECTRON FLOW IN GIGAEV

Di Capua, M.S.

499
TWO-MEGAVOLT DIVIDER FOR PULSED HIGH VOLTAGES IN VACUUM

4129
MAGNETIC INSULATION OF HIGH VOLTAGES IN VACUUM: COMPARISON
OF EXPERIMENT WITH SIMULATIONS

18469
PROPAGATION OF POWER PULSES IN MAGNETICALLY INSULATED
VACUUM TRANSMISSION LINES

Dibeler, V.H.

8236
DISSOCIATION OF SP/SUB 6/, CP/SUB 4/, AND SIF/SUB 4/ BY
ELECTRON IMPACT

Dickey Jr., P.R.

1482
CONTRIBUTION TO THE THEORY OF IMPULSE BREAKDOWN

Dickinson, M.

8165
TIME LAGS IN THE ELECTRICAL BREAKDOWN OF GLASS IMMERSSED IN WATER

Didenko, A.M.

1255
RADIATION FROM RELATIVISTIC ELECTRONS IN A MAGNETIC WIGGLER

6982
CROSS-FIELD CURRENT FLOW IN A MAGNETICALLY INSULATED DIODE

Dievskii, V.A.

9450
DESIGN OF THE LIQUID-METAL CONTACTOR IN MONOPOLAR MACHINES

Dike, R.S.

2724
DEVELOPMENT OF THE SWITCHING COMPONENTS FOR ZT-40

5196
SPARK GAP OVERPRESSURES IN THE TRANSFER CAPACITOR DEVICE

10220
HIGH VOLTAGE, HIGH CURRENT, PULSED ENERGY SOURCE HAVING
DI/DI'S OF 2E12 A/S

Dineff, K.

6576
A SIMPLE SWITCHING SYSTEM FOR REPEATABLE PULSED DISCHARGES

Dinev, S.I.

3338
PLASMA-SURFACE SOURCE OF NEGATIVE IONS

Dinev, D.Kh.

2159
DESIGN OF TESLA TRANSFORMERS USED IN DIRECT-VOLTAGE
ACCELERATORS

Dinuiescu, M.A.

1248
ANALYSIS OF THE ANODE BOUNDARY LAYER OF HIGH INTENSITY ARCS

Dissado, L.A.

4377
COMMENTS ON MANY-BODY DIELECTRIC RELAXATION IN SOLIDS

Diatofano, M.

3644
SPARK GAPS CAN SWITCH AS WELL AS PROTECT

Dittbanner, S.

10181
ELECTRIC GUN: A VERSATILE TOOL FOR HIGH-PRESSURE SHOCKWAVE
RESEARCH

Dinov, I.I.

7135
EXPLOSION-MAGNETIC GENERATOR WITH AN INDUCTIVE LOAD

Dixon, M.E.

10445
METHOD OF GENERATING UNIPOLAR AND BIPOLAR PULSES

Oiyenkov, V.B.

6668
DIRECT-ACTION ACCELERATORS WITH INDUCTIVE ENERGY STORAGE
AND EXPLODING CONDUCTORS

9702
DIRECT-ACTION ACCELERATORS WITH INDUCTIVE ENERGY STORAGE AND
EXPLODING CONDUCTORS

DiCapue, M.S.

925
MAGNETIC INSULATION IN SHORT COAXIAL VACUUM STRUCTURES

DiGiacomo, A.

5475
EXPLODING WIRE FACILITY

DiMarco, J.M.

5516
CHARACTERISTICS OF A MAGNETIC ENERGY STORAGE SYSTEM USING
EXPLODING POILS

10220
HIGH VOLTAGE, HIGH CURRENT, PULSED ENERGY SOURCE HAVING
DI/DI'S OF 2E12 A/S

Dmitriev, A.I.

244
ELECTRON CURRENT IN DELAYED TRIGGERING OF HIGH-VOLTAGE,
HIGH-VACUUM PULSED DISCHARGES

Debbie, C.B.

912
A 130 KV LOW IMPEDANCE MULTIPLE OUTPUT TRIGGER GENERATOR

7045
ELECTRICALLY EXPLODED WIRES-EXPERIMENTS AND THEORY

Debbins, J.A.

5435
A SHEPTSTROKE EXPERIMENT WITH A ROCKET SLED

5436
ARCS ON METAL SHEETS IN SIMULATED LIGHTNING DISCHARGES

Dodge, J.S.

164
SIMPLE, PULSED, ELECTRON BEAM GUN

Doepken, H.C.

7231
INVESTIGATION OF MECHANISM OF BREAKDOWN IN XLPE CABLES

Doggett, W.O.

1785
INTENSE RELATIVISTIC ELECTRON BEAM INVESTIGATIONS

7284
NANOSECOND RESPONSE 'BASKET-TYPE' MAGNETIC LOOP CURRENT
MONITOR FOR RELATIVISTIC ELECTRON BEAM CURRENT MEASUREMENTS

Doi, Y.

8968
SPECTROSCOPIC APPROACH TO THE ANALYSIS OF HIGH CURRENT ARCS
IN SP/SUS 67

Doibeer, D.

6106
DEVELOPMENT OF A HYDROGEN THYRATRON HAVING A LONG PULSE
CAPABILITY

Dolgachev, S.I.

3275
ACCELERATING AND SWITCHING OPTOELECTRONIC SYSTEM OF A
HIGH-POWERED ACCELERATOR WITH AN INDUCTIVE STORAGE ELEMENT

6677
INCREASING ELECTRON BEAM POWER BY INDUCTIVE ACCUMULATOR

9584
ANODE FOR AN ACCELERATOR WITH AN INDUCTIVE ENERGY
ACCUMULATOR

Dolgavchev, S.I.

5715
ION ACCELERATION IN A MAGNETICALLY INSULATED DIODE

DeGosheim, S.A.

2802
STARTING HIGH-VOLTAGE GENERATORS AT A VOLTAGE OF UP TO 1 MV
BY MEANS OF PULSED X RADIATION

9705
SYSTEM FOR TWO-PULSE SUPPLY OF A LARGE STREAMER CHAMBER

9919
EXPERIMENTAL INVESTIGATION OF STREAMER DISCHARGE
DEVELOPMENT IN NEON

Dellinger, R.

2283
RELAXATION PULSING WITH A VACUUM ARC DEVICE

2941
HIGH REPETITION-RATE, HIGH POWER PULSE TESTS OF VACUUM ARC
SWITCHES

4715
AN ANALYSIS OF CO-AXIAL PULSE TRANSFORMERS

4716
AN INEXPENSIVE HIGH VOLTAGE PROBE

7228
DEVELOPMENT OF A VACUUM ARC FAULT CURRENT LIMITER

7245
ENERGY CONSIDERATIONS IN THE PULSED OPERATION OF A VACUUM
ARC CURRENT LIMITER

8916
ANODE SHEATH GROWTH AND COLLAPSE IN A HOLLOW-ANODE VACUUM
ARC

10395
ROTATING BALL GENERATOR

Dellinger, R.E.

105
SHIELDED, HIGH VOLTAGE PROBES

2169
DESIGN OF COAXIAL-CABLE PULSE TRANSFORMERS

6489
IMPROVEMENTS ON TRANSMISSION-LINE PULSERS

Dellinger, R.

2525
A MULTI-MEGAWATT, VACUUM ARC SWITCHED INVERTER FOR AIRBORNE
APPLICATIONS

Domingos, M.

5340
HIGH PULSE POWER FAILURE OF DISCRETE RESISTORS

Doran, A.A.

5297
PHOTOGRAPHIC AND OSCILLOGRAPHIC INVESTIGATIONS OF SPARK
DISCHARGES IN HYDROGEN

Doss, J.O.

3743
DESIGN AND PERFORMANCE OF THE LAMPF 1-1/4 MW KLYSTRON
MODULATOR

Gouglass, J.W.

7613
THE DQ SWITCH OPERATION AT 4 MILLION VOLTS AND 800
KILOAMPERES

Deukliss, M.

1246
MAGNETOOPTICAL CURRENT TRANSFORMER. 2: COMPONENTS

Osavnya, N.

563
ON THE FORMATION OF PRECISION SEAMS IN MULTISECTION LINEAR
ELECTRON ACCELERATORS

Devo, W.P.

2443
INTENSE RELATIVISTIC ELECTRON BEAM INTERACTION WITH A COOL
THETA PINCH PLASMA

Dow, J.

248
HIGH-POWER, HIGH-REPETITION RATE PULSER FOR PHOTO-IMPULSE
IONIZED LASERS

Dow, R.J.F.

10477
A TECHNIQUE FOR VERY-HIGH-SPEED PULSE GENERATION WITH
VARIABLE REPETITION RATE

Downs, DC

8632
FAST, VERSATILE POKELS CELL DRIVER

Orsike, P.

7775
PRODUCTION OF INTENSE PROTON FLUXES IN A MAGNETICALLY
INSULATED OIGOE

Origo, M.

191
APPLYING A HOMOPOLAR POWER SUPPLY TO A TOKAMAK

Origo, M.O.

102
MAGNETIC FIELD CALCULATIONS FOR HIGH-ENERGY PULSED POWER
SUPPLIES

3380
FUNDAMENTAL LIMITATIONS AND TOPOLOGICAL CONSIDERATIONS FOR
FAST DISCHARGE HOMOPOLAR MACHINES

4691
INERTIAL ENERGY STORAGE RESEARCH AT THE UNIVERSITY OF TEXAS
AT AUSTIN

4698
ONE MILLISECOND DISCHARGE TIME HOMOPOLAR MACHINE

7175
FUNDAMENTAL LIMITATIONS AND DESIGN CONSIDERATIONS FOR
COMPENSATED PULSED ALTERNATORS

7210
THE DESIGN, ASSEMBLY, AND TESTING OF A DESK MODEL
COMPENSATED PULSED ALTERNATOR

7496
TESTING AND ANALYSIS OF A FAST DISCHARGE HOMOPOLAR MACHINE
(POX)

Oring, O.

3529
EFFECT OF HUMIDITY ON SPARKOVER OF AIRGAPS UNDER IMPULSE
VOLTAGES

3587
INFLUENCE OF RADIATION ON THE SPARKOVER OF SPHERE GAPS AND
CROSSED-CYLINDER GAPS STRESSED WITH IMPULSE VOLTAGES

4660
VARIATION OF ION DENSITY IN A HIGH-VOLTAGE LABORATORY
DURING IMPULSE-VOLTAGE TESTING

Oriscoll, J.

4257
HIGH POWER SPARK GAP SWITCH PROGRAM

Oriscoll, J.F.

9866
HIGH POWER SPARK GAP SWITCHES-A NUMERICAL MODEL AND
EXPERIMENTAL INVESTIGATION

Oriscoll, J.R.

5468
CHEMICAL AND PHYSICAL CHARACTERISTICS OF EXPLODING WIRE
PRODUCTS

Orobet, A.

1253
HEL LIGHT ION BEAM RESEARCH FOR INERTIAL CONFINEMENT FUSION

Drobot, A.T.

1294
HIGH IMPEDANCE ION DIODE EXPERIMENT ON AURORA
1448
HIGH-IMPEDANCE ION-DIODE EXPERIMENT ON THE AURORA FULSER

8128
COMPUTATIONAL STUDY OF MAGNETIC DAM EFFECTS IN A HIGH
IMPEDANCE DIODE

Orange, T.F.

10358
A SLOW CYCLING FLUX PUMP USING DIGITAL CONTROL

Orezdev, A.A.

8871
EXPLODING FOILS FOR ACCELERATOR AFFLICTIONS

4834
LOW-INDUCTANCE CAPACITOR MODULE FOR CHARGING TO 180 KV AND
ENERGY STORAGE CAPACITY 80 KJ

7888
NUMERICAL ANALYSIS OF THE FORMATION OF AN INTENSE
NANOSECOND ELECTRON BEAM

Druaux, J.

2155
SPECTRALLY RESOLVED OPTICAL DIAGNOSTICS FOR HIGH-POWER
NEUTRAL BEAMS

2553
OPTICAL DIAONOSTICS ON HIGH-POWER NEUTRAL BEAMS

Drummond, M.E.

10189
FUSION R/D ON ADVANCED FUELS, HOMOPOLAR GENERATORS, CIRCUIT
BREAKERS AND TOKAMAK DIAONOSTICS

10388
CONCEPTUAL DESIGN OF AN AUTO-RESONANT ACCELERATOR EXPERIMENT

Dubinin, M.M.

6772
COMPARISON OF THE DIELECTRIC PROPERTIES OF NORMAL AND HEAVY
WATER, ADSORBED ON ZEOLITES

Dubovol, L.V.

3789
HIGH-PRECISION FAST-ACTING DISCHARGER WITH A SOLID
DIELECTRIC

10308
A POWERFUL FOIL BREAKER FOR A CURRENT OF 0.5 MA, WHICH
ACTUATES IN 5 MICROSECONDS

Dubynskii, V.A.

781
ELECTRICAL EXPLOSION OF CYLINDRICAL FOILS IN AIR II.
HIGH-CURRENT SHUNT FINCH

784
ELECTRICAL EXPLOSION OF CYLINDRICAL FOILS IN AIR I.
ELECTRICAL CHARACTERISTICS OF THE EXPLOSION

7843
ELECTRICAL EXPLOSION OF A CYLINDRICAL FOIL IN AIR. CURRENT
DISTRIBUTION IN THE HIGH-CURRENT SHUNTING DISCHARGE

9430
ELECTRICAL BREAKDOWN OF CYLINDRICAL FOILS IN AIR. III.
HIGH-CURRENT EXPANDING DISCHARGE

Dudnikov, V.G.

3538
PLASMA-SURFACE SOURCE OF NEGATIVE IONS

10353
DEVICE FOR AUTOMATION CONTROL OF THE MENP-2 MODULATOR OF
THE 'KRION' ION SOURCE

Dufour, M.

3198
NOVEL SHORT RECOVERY TIME HIGH-VOLTAGE SWITCH

Dugdale, R.A.

10270
THE ROLE OF INCLUSIONS AND SURFACE CONTAMINATION ARC
INITIATION AT LOW PRESSURES

Duggin, B.W.

1428
EXPLOSIVELY ACTUATED FAST-OPENING SWITCHES FOR VERY LARGE
CURRENTS

Dunber, W.O.

515
HIGH VOLTAGE SPECIFICATIONS AND TESTS (AIRBORNE EQUIPMENT)

1572
HIGH VOLTAGE DESIGN GUIDE FOR AIRBORNE EQUIPMENT

Duncan, C.V.

517
COMPACT ELECTRON ACCELERATOR FOR PUMPING GAS LASERS

3582
PLASMA-INDUCED FIELD EMISSION AND THE CHARACTERISTICS OF
HIGH-CURRENT RELATIVISTIC ELECTRON FLOW

Dunkerley, M.S.

5495
PLASMA-INJECTION VACUUM ENERGY DIVERTER (CROWBAR)

Dunning, G.J.

1302
A LONG PULSE, HIGH-CURRENT ELECTRON GUN FOR E-BEAM
SUSTAINED EXCIMER LASERS

Dunnington, F.G.

9818
ON THE EARLY STAGES OF ELECTRIC SPARKS

Dupuy, J.

2957
THE ROLE OF THE CATHODE ZONE IN THE TRANSITION CORONA
EFFECT ARC

Durgin, O.L.

505
EMP SUSCEPTIBILITY OF INTEGRATED CIRCUITS

Dushuk, P.H.

4276
LOW-INDUCTANCE MEGAAMPERE-CURRENT COMPUTATOR BASED ON
SLIDING DISCHARGE

Dutton, J.

2189
ELECTRICAL BREAKDOWN OF GASES: IONIZATION GROWTH IN AIR AT
HIGH PRESSURES

5559
THE MECHANISM OF THE ELECTRICAL BREAKDOWN OF AIR IN UNIFORM
FIELDS AT VOLTAGES UP TO 400 KV

10818
FORMATIVE TIME LAGS IN THE ELECTRICAL BREAKDOWN OF GASES

Dubro, G.A.

9788
ASSESSMENT METHODOLOGY OF THE LIGHTNING THREAT TO ADVANCED
AIRCRAFT

Dvernikov, V.D.

5345
A BROADBAND PULSE POWER AMPLIFIER

7180
A PULSE GENERATOR BASED ON TACITRONS

Dverschak, G.

8998
PRODUCTION OF PULSED MAGNETIC FIELDS WITH A FLAT PULSE TOP
OF 440 KOE AND 1 MSEC DURATION

Dyer, P.

1592
A SIMPLE HIGH-VOLTAGE OPENING SWITCH USING SPOILED
ELECTROSTATIC CONFINEMENT

Dyke, M.P.

2021
THE FIELD EMISSION INITIATED VACUUM ARC. I. EXPERIMENTS ON
ARC INITIATION

7955
FIELD EMISSION: LARGE CURRENT DENSITIES, SPACE CHARGE, AND
THE VACUUM ARC

Beholapov, I.B.

6971
'MINUS' PULSED, HIGH-CURRENT, NANOSECOND, ELECTRON
ACCELERATOR

Ozmienski, J.W.

4201
HIGH VOLTAGE SWITCH USING EXTERNALLY IONIZED PLASMAS

Early, M.C.

5730
METHOD OF PRODUCING A FAST CURRENT RISE FROM ENERGY STORAGE
CAPACITORS

7570
HALF-MEGAPPERE MAGNETIC-ENERGY-STORAGE PULSE GENERATOR

Eatham, D.A.

1338
MICROPARTICLES IN HIGH-VOLTAGE ACCELERATOR TUBES

Eaton, C.

10127
PHYSICAL MODEL OF ELECTRIC AGING AND BREAKDOWN OF EXTRUDED
POLYMERIC INSULATED POWER CABLES

Ecclesall, D.

5161
ANALYSIS OF TRANSMISSION-LINE ACCELERATOR CONCEPTS

7746
CHARGED, INTERNALLY SWITCHED TRANSMISSION LINE
CONFIGURATIONS FOR ELECTRON ACCELERATION

Eckels, P.W.

4806
0.34-MJ SUPERCONDUCTING MAGNETIC ENERGY TRANSFER AND STORAGE

Ecken, R.A.

3745
600 KM PEAK HIGH REPETITION RATE MAGNETIC TUBE MODULATOR

Ecker, B.

7906
INTENSE ELECTRON BEAM GENERATION AND COMPRESSION

Eckhardt, G.

8957
PROPERTIES OF ANCHORED CATHODE SPOTS OF A DC MERCURY VACUUM
ARC

Edels, M.

7522
REFRACTORY ELECTRODE REGION RECOVERY FOLLOWING ARC
INTERRUPTION

8059
THE REIGNITION VOLTAGE CHARACTERISTICS OF FREELY RECOVERING
ARCS

Edmonds, G.O.

9958
LOW-INDUCTANCE 100 KV SWITCH (SPARK GAP) FOR STARTING,
OVERTING AND CLAMPING CAPACITOR DISCHARGES

Efimov, B.V.

7860
NUMERICAL ANALYSIS OF THE FORMATION OF AN INTENSE
NANOSECOND ELECTRON BEAM

Efimov, Y.

1227
SUPERCONDUCTING INDUCTIVE ENERGY STORAGE UNIT FOR LASER
PUMPING SYSTEMS

Eferov, M.P.

704
ELECTRICAL EXPLOSION OF CYLINDRICAL FOILS IN AIR I.
ELECTRICAL CHARACTERISTICS OF THE EXPLOSION

Egen, M.E.

10396
TRIODE PULSE CIRCUIT

Egger, M.

5198
NOVEL SHORT RECOVERY TIME HIGH-VOLTAGE SWITCH

Eggert, K.

606
A SIMPLE SYSTEM PRODUCING A 450 KV PULSE WITH 1 NS RISE TIME

Egerov, A.A.

1096
CURRENT SWITCHING IN TESLA TRANSFORMERS

4931
INITIATION OF A DISCHARGE IN A MEGAVOLT GAS SPARK GAP BY AN
ELECTRON BEAM

6436
A GENERATOR OF POWERFUL PULSES OF COMPLEX SHAPE

6446
SUPPLY AND CONTROL OF AN ACCELERATOR ACTING ON THE
PRINCIPLE OF A TESLA TRANSFORMER

Egerov, A.I.

5162
BIO OPTICAL SPARK CHAMBERS AND PULSE GENERATORS FOR THEIR
SUPPLYING

Egerov, M.P.

701
ELECTRICAL EXPLOSION OF CYLINDRICAL FOILS IN AIR II.
HIGH-CURRENT SHUNT PINCH

7043
ELECTRICAL EXPLOSION OF A CYLINDRICAL FOIL IN AIR. CURRENT
DISTRIBUTION IN THE HIGH-CURRENT SHUNTING DISCHARGE

9430
ELECTRICAL BREAKDOWN OF CYLINDRICAL FOILS IN AIR. III.
HIGH-CURRENT EXPANDING DISCHARGE

Egerov, A.A.

6988
EFFICIENCY OF ENERGY TRANSFER TO AN ELECTRODELESS
HIGH-FREQUENCY DISCHARGE

Ehrlich, R.O.

10426
A HIGH INTENSITY PULSED SOURCE OF POLARIZED ELECTRONS

Ehrlich, J.E.

10204
R.F. SHIELDING PERFORMANCE OF REINFORCED METAL FILLED
CONDUCTIVE PLASTIC PLAT GASSETS

Ehsani, M.

7209
ANALYSIS OF THE MULTIPHASE INDUCTOR-CONVERTER BRIDGE

Eichenauer Jr., C.J.

4684
A HIGH VOLTAGE D-C REGULATOR SYSTEM PERFORMANCE PREDICTION
TECHNIQUE

Eichenauer, C.J.

3727
ANALYSIS OF PHASED ARRAY RADAR POWER SUPPLY SYSTEMS
OPERATING UNDER VARIABLE PULSE LOADING CONDITIONS

Eichenberger, C.

7775
PRODUCTION OF INTENSE PROTON FLUXES IN A MAGNETICALLY
INSULATED DIODE

Ekdahl, C.A.

148
HIGH DENSITY Z-PINCH PULSE POWER SUPPLY

Ektrem, P.A.

9684
HIGH-VOLTAGE LINEAR PULSE AMPLIFIER

El-Khamy, S.E.

5562
EXPERIMENTAL INVESTIGATION OF THE TRANSIENT FORMATION OF
MICROWAVE-GENERATED IONIZED SHEATH IN AIR

El'chaninov, A.S.

4624
CONTROLLED DELAY OF HIGH-POWER HANSECOND PULSES WITH THE
USE OF THE MAGNETIZATION REVERSAL TIME OF FERRITES

5244
MULTIPLE-SPARK OPERATION OF A MEGAVOLT TRIGATRON

Elagin, M.I.

3191
CIRCUIT FOR SHAPING SHORT HIGH-VOLTAGE PULSES

Eltskii, A.V.

3925
DISTRIBUTION FUNCTION AND MEAN ENERGY OF ELECTRONS IN A
HIGH-FREQUENCY MOLECULAR-GAS DISCHARGE

Eliazar, Z.

2085
THE TESTING OF SLIDING ELECTRICAL CONTACTS FOR HOMOPOLAR
GENERATORS

Eliseev, G.A.

336
PULSE GENERATOR PRODUCING A HIGH-POWER CURRENT

1197
HIGH PULSED MAGNETIC FIELDS FOR NUCLEAR FUEL ROD SEALING

Eliseev, V.M.

9612
LIGHT CONTROL-PULSE DETECTOR FOR THE CURRENT SWITCHES IN A
HIGH-VOLTAGE PULSE GENERATOR

Elishev, A.P.

10345
SYSTEM FOR HIGH-VOLTAGE SUPPLY OF MAGNETOSTRICTION SPARK
CHAMBERS IN THE "PHOTON" FACILITY

10346
STUDY ON THE TG11-500/16 THYRATRON CHARACTERISTICS

Elkin, V.A.

4951
INITIATION OF A DISCHARGE IN A MEGAVOLT GAS SPARK GAP BY AN
ELECTRON BEAM

Elliot, L.J.

10989
10-KV PULSE GENERATOR: PULSE TEST ON AUTOOM FILTER
DEMONSTRATES GENERATOR CAPABILITY

Ellis, M.S.

3646
SPECIAL SPARK-GAP SWITCHES FOR USE IN SYNTHETIC TEST
CIRCUITS

Elphick, B.L.

2217
METHOD OF APPLYING AN AVALANCHE TRANSISTOR GENERATED TO NS
GATING IMPULSE TO A FOCUSED PHOTOMULTIPLIER

Emel'yanov, A.S.

7874
CREEPAGE DISCHARGE ALONG THE SURFACE OF SOLID DIELECTRICS
IN WATER

Emel'yanov, M.I.

2830
PULSE GENERATOR FOR A THIN-ECHO NUCLEAR MAGNETIC RESONANCE
RELAXOMETER

Emel'yanov, V.G.

1057
A MULTISPARK HIGH-VOLTAGE TRIGATRON

6956
SOME CHARACTERISTICS OF A SPARK DISCHARGE INITIATED BY AN
ELECTRON BEAM

5244
MULTIPLE-SPARK OPERATION OF A MEGAVOLT TRIGATRON

Emert, G.O.

10368
LONG-DURATION PULSER TO SIMULATE CW OPERATION

Emirnev, G.V.

1156
ELECTRICAL BREAKDOWN OF VACUUM GAPS UNDER SUPERHIGH VOLTAGE
PULSES

Entega, P.R.

1320
DEVELOPMENT OF A CURRENT LIMITER USING VACUUM ARC CURRENT
COMPUTATION

8941
INTERACTION BETWEEN VACUUM ARCS AND TRANSVERSE MAGNETIC
FIELDS WITH APPLICATION TO CURRENT LIMITATION

Engel'ko, V.I.

7889
IMPROVED STABILITY OF EXPLOSIVE-EMISSION MULTIPLE-TIP
CATHODES

T814
MICROSECOND HIGH-CURRENT ELECTRON-BEAM ACCELERATOR

T856
MICROSECOND HIGH-CURRENT ELECTRON BEAM

18171
EXPERIMENTAL STUDY OF A MAGNETICALLY INSULATED DIODE FOR
PULSE LENGTHS $\approx 10^{-8}$ SEC

Engels, M.B.

916
DEVELOPMENT OF DISTRIBUTION AND SUBTRANSMISSION SP/SUB 6/
CIRCUIT BREAKER AND HYBRID TRANSMISSION INTERRUPTER

Eninger, J.

T638
EXPERIMENTAL STUDY OF THE PROPAGATION OF AN IONIZING WAVE
IN A COAXIAL PLASMA GUN

Epp, V.Ye.

1295
RADIATION FROM RELATIVISTIC ELECTRONS IN A MAGNETIC WIGGLER

Erber, T.

6784
ANALYSIS OF FLUX COMPRESSION EXPERIMENTS III

Eremenko, E.V.

144
NEUTRINO BEAM OF THE INSTITUTE OF HIGH-ENERGY PHYSICS. V.
PULSED POWER SUPPLY FOR THE NEUTRINO FOCUSING SYSTEM

Erickson, D.J.

T14
EXPLOSIVE MAGNETIC FLUX COMPRESSION PLATE GENERATORS AS
FAST HIGH-ENERGY POWER SOURCES

3150
EXPLOSIVELY PRODUCED MEGA-BAUSS FIELDS AND APPLICATIONS

10243
EXPLOSIVE PLUX COMPRESSION GENERATORS FOR RAIL GUN POWER SOURCES

Ernel, M.

5592
N₂SUB 2/-SP/SUB 6/ GAS MIXTURE AS INSULATION MATERIAL FOR HIGH VOLTAGE TECHNOLOGY

Eshkenazi, V.I.

2435
ELECTRODE EROSION IN VACUUM GAP BREAKDOWN BY NANOSECOND PULSES

Eshleman, J.A.

4786
RECENT DEVELOPMENTS IN HIGH POWER SWITCH TUBES FOR HIGH POWER RADAR AND FUSION RESEARCH

Evangelou, C.

7490
THE EFFECT OF ORGANIC ADDITIVES ON THE BREAKDOWN AND PASSING PROPERTIES OF MINERAL OILS

Evans, C.J.

3722
COMPUTATION OF IONISATION GROWTH AT HIGH CURRENT DENSITIES

3735
SIMULATION OF THE GROWTH OF AXIALLY SYMMETRIC DISCHARGES BETWEEN PLANE PARALLEL ELECTRODES

5527
COMPUTATION OF AXIAL AND RADIAL DEVELOPMENT OF DISCHARGES BETWEEN PLANE PARALLEL ELECTRODES

5543
COMPUTER SIMULATION OF RAPIDLY DEVELOPING GASEOUS DISCHARGES

Evans, E.

10378
RESEARCH ON THE PHYSICS OF CONTINUOUS AND PULSED MHD GENERATORS

Evans, E.M.

10369
RESEARCH ON THE PHYSICS OF PULSED MHD GENERATORS

Evans, K.B.

7822
REFRACTORY ELECTRODE REGION RECOVERY FOLLOWING ARC INTERRUPTION

Evdokimov, O.B.

7070
VOLUME DISCHARGE EXCITED IN A GAS BY AN ELECTRON BEAM IN THE CASE OF INHOMOGENEOUS IONIZATION

Evdokimovich, V.M.

6921
CONTROLLED MEGAVOLT GAS-FILLED DISCHARGER

Evetskil, Yu.L.

4409
USE OF A 'LASER SPARK' TO INITIATE A HIGH-POWER HIGH-PRESSURE GAS DISCHARGE

Evlampiev, .B.

6921
CONTROLLED MEGAVOLT GAS-FILLED DISCHARGER

Eveev, A.V.

0925
DISTRIBUTION FUNCTION AND MEAN ENERGY OF ELECTRONS IN A HIGH-FREQUENCY MOLECULAR-GAS DISCHARGE

Ewanizky, T.F.J.

5716
THYRATRON MARX HIGH VOLTAGE GENERATOR

Eylon, S.

641
A COMPACT POWERFUL-PULSE GENERATOR

Eyring, C.P.

10259
FIELDS CURRENTS FROM POINTS

Felamkin, I.V.

10460
HIGH-VOLTAGE PULSE GENERATORS FOR STREAMER CHAMBERS

Feltens, A.

153
QUASI-STATIC DRIFT-TUBE ACCELERATING STRUCTURES FOR LOW-SPEED HEAVY IONS

2175
HIGH REPETITION RATE BURST-MODE SPARK GAP

Feltens, A.A.

109
THE EXPERIMENTAL TEST ACCELERATOR (ETA)

Fen, B.

299
CONSTANT PULSE ENERGY POWER SUPPLY FOR A HIGH REPETITION RATE LASER SYSTEM

Fenchenko, S.O.

3191
CIRCUIT FOR SHAPING SHORT HIGH-VOLTAGE PULSES

4947
A HIGH-VOLTAGE WATER SPARK GAP WITH LASER FIRING

5104
MULTICHANNEL VACUUM SPARK GAP

7136
DIELECTRIC MATERIALS FOR HIGH-VOLTAGE PULSE GENERATORS

7142
HIGH-CURRENT, MICROSECOND-RANGE RELATIVISTIC ELECTRON BEAM

8996
KALMAR-I PULSED ELECTRON ACCELERATOR WITH RELATIVISTIC ELECTRON BEAM POWER OF UP TO 5012 W/SQ.CM.

Feng, M.T.C.

5964
SCALING LAWS FOR GAS-BLAST CIRCUIT-BREAKER ARCS DURING THE HIGH CURRENT PHASE

Fergo, V.

7583
INTERACTION OF ACCELERATING HIGH-CURRENT ELECTRON BEAMS WITH EXTERNAL MAGNETIC FIELDS

Perish, O.

5273
STATISTICAL TIME LAGS IN GAS DISCHARGE GAPS IRRADIATED WITH A RADIOACTIVE MATERIAL

8286
CATHODE SPOTS IN THE TRANSIENT GLOW DISCHARGE IN NITROGEN

Farkas, V.K.

435
DIELECTRIC INVESTIGATION OF ELECTRIC DISCHARGES IN A MERCURY VAPOUR FILLED THYRATRON

Fernsworth Jr., A.V.

5247
PRODUCTION OF 0.5-TM PROTON PULSES WITH A SPHERICAL FOCUSING, MAGNETICALLY INSULATED DIODE

Ferrall, O.A.

940
THE EFFECT OF GLASS DEBRIS ON ELECTRON EMISSION AND ELECTRICAL BREAKDOWN OF VACUUM INTERRUPTERS

6035
VACUUM ARCS AND SWITCHING

- 7226
DEVELOPMENT OF A HIGH-POWER VACUUM INTERRUPTER
- 7974
LOW VOLTAGE FIRING CHARACTERISTICS OF A TRIGGERED VACUUM GAP
- Faugeres, P.E.
- 485
GENERATION OF HIGH CURRENT, LONG DURATION RECTANGULAR PULSES
- Faust, M.
- 1415
A HIGH VOLTAGE DEFLECTION CONDENSER OPERATED UNDER HIGH VACUUM CONDITIONS
- Federov, A.I.
- 6955
PUMPING OSCILLATOR FOR LASERS HAVING TRANSVERSE EXCITATION
- Federov, V.M.
- 8414
DEVICE FOR GENERATING POWERFUL ELECTRICAL PULSES
- Fedotkin, A.S.
- 4492
STARTING CHARACTERISTICS OF A 100-KV TRIDATRON FILLED WITH SF₆/SUB 6/
- 7862
PULSED AIR-CORED DETATRON POWERED FROM A MAGNETOCUMULATIVE GENERATOR
- 7895
THE LIU-18 HIGH-POWER ELECTRON ACCELERATOR
- Fedotov, S.I.
- 271
ELECTRO-OPTICAL SHUTTER WITH SYNCHRONIZATION BY LASER RADIATION
- Fehsenfeld, F.C.
- 7756
ELECTRON ATTACHMENT TO SF₆/SUB 6/
- Felber, F.S.
- 19539
CONCEPT FOR ENERGY-STORAGE RINGS AT 10-100 MJ
- Feld, S.I.
- 4587
PARTICLE BEAM WEAPONS-A TECHNICAL ASSESSMENT
- 7433
NEW TYPE OF ACCELERATOR FOR HEAVY IONS
- Feldman, D.W.
- 1576
HIGH AVERAGE POWER PULSER DESIGN FOR COFFER HALIDE LASER SYSTEMS
- Feller, R.
- 8906
HIGH POWER, LOW NOISE PULSE CABLE
- Felsenfeld, F.
- 5268
NANOSECOND SWITCH DEVELOPMENT
- 5974
NANOSECOND BREAKDOWN IN LIQUID DIELECTRICS
- 8153
NANOSECOND-PULSE BREAKDOWN IN GASES
- Fenneman, D.B.
- 7179
ELECTRICAL BREAKDOWN IN WATER IN THE MICROSECOND REGIME
- 7515
EXPERIMENTS ON ELECTRICAL BREAKDOWN IN WATER IN THE MICROSECOND REGIME
- Feshtikov, V.A.
- 7065
REDUCTION OF GAS BREAKDOWN VOLTAGE WITH PULSED IONIZING RADIATION
- Feshtikova, E.A.
- 7120
MAGNETIC CUMULATION
- Fernando, C.E.
- 602
REVERSE CURRENT AND ARC-BACK IN A SINGLE-DAP MERCURY-ARC VALVE
- Ferneler, R.
- 7856
CHARACTERISTICS OF LASER-INITIATED IONIZATION CHANNELS IN AIR
- 18227
INTERACTION OF LASER-INDUCED IONIZATION WITH ELECTRIC FIELDS
- Fernier, R.F.
- 788
REPETITIVE ELECTRON-BEAM CONTROLLED SWITCHING
- 897
REPETITIVE ELECTRON BEAM CONTROLLED SWITCHING
- 1298
EXPERIMENTS ON THE INJECTION OF RELATIVISTIC ELECTRON BEAMS INTO PREFORMED CHANNELS IN THE ATMOSPHERE
- 5774
A PRELIMINARY STUDY OF AEROSOL INITIATED CO/SUB 2/ LASER PRODUCED AIR SPARKS AND THEIR ABILITY TO GUIDE ELECTRICAL DISCHARGES
- 7815
IONIZING GAS BREAKDOWN WAVES IN STRONG ELECTRIC FIELDS
- Ferrari, C.M.
- 4641
ROTARY SPARK GAP SWITCHING FOR HIGH POWER DYE LASERS
- Ferro, A.F.
- 1505
LIGHT-TRIGGERED THYRISTORS FOR ELECTRIC POWER SYSTEMS
- Fesser, K.
- 621
THE GENERATION OF LIGHTNING AND SWITCHING IMPULSE VOLTAGES IN THE UV REGION WITH AN IMPROVED MARK CIRCUIT
- 3676
INFLUENCE OF CORONA DISCHARGES ON THE BREAKDOWN VOLTAGE OF AIRDAPS
- 5666
INNOVATIONOUS AIR SPARK GAPS AT DIFFERING VOLTAGE LOAD
- Fessenden, T.J.
- 109
THE EXPERIMENTAL TEST ACCELERATOR (ETA)
- Fetisov, I.K.
- 6882
EFFECT OF INHOMOGENEITY OF A TRANSVERSE MAGNETIC FIELD ON BREAKDOWN
- Feuerbaum, H.F.
- 2266
BEAM CHOPPER FOR SUBNANOSECOND PULSES IN SCANNING ELECTRON MICROSCOPY
- Fox, R.W.
- 8127
SIX WAYS TO CONTROL TRANSIENTS: VARISTOR, GAS-DISCHARGE AND RC SUPPRESSORS PROTECT CIRCUITS FROM DESTRUCTIVE SURGES
- Flender, DC
- 3758
HIGH VOLTAGE PULSE GENERATORS FOR KICKER MAGNET EXCITATION

Pieux R.

5455
ARTIFICIAL TRIGGERING OF LIGHTNING ABOVE GROUND

Pilenko, Yu.I.

1598
HOLDOGRAPHIC INVESTIGATION OF ELECTRICAL EXPLOSIONS OF CONDUCTORS

Pilipov, V.B.

7007
GENERATOR OF HIGH-VOLTAGE RECTANGULAR PULSES

9686
HIGH-VOLTAGE SQUARE-PULSE GENERATOR WITH ENHANCED PULSE-TOP STABILITY

Pilnev, A.D.

4851
MEASUREMENT OF THE ELECTRON TEMPERATURE OF THE PLASMA OF A QUASI-STABLE PULSED GLOW DISCHARGE IN SPARK GAPS WITH HIGH OVERVOLTAGES

6469
DEPENDENT PULSED ATMOSPHERIC PRESSURE DISCHARGE SUSTAINED BY A HIGH-ENERGY ELECTRON BEAM LASTING 100 MICROSECONDS

6694
TRANSITION FROM A NON-SELF-SUSTAINED VOLUME DISCHARGE MAINTAINED BY A BEAM OF FAST ELECTRONS TO A SPARK DISCHARGE

6997
EXTERNALLY MAINTAINED DISCHARGE WITH A DYNAMIC WINDOW FOR A LOW-ENERGY ELECTRON BEAM

10458
DEVELOPMENT OF AN ELECTRICAL DISCHARGE IN GAPS WITH DREA: OVERVOLTAGE AT LOW AIR PRESSURE

Pinci, A.

10283
AIRCRAFT EMP ISOLATION STUDY

Findley, L.K.

7908
FLUID DIELECTRIC CUTS SIZE AND WEIGHT OF HIGH-POWER AIRBORNE EQUIPMENT. IT'S PARTICULARLY EFFECTIVE WITH HIGH-FREQUENCY RADIO AND RADAR TRANSMITTERS

Pino, K.

221
ELECTROMAGNETIC GUNS, LAUNCHERS AND REACTION ENGINES

Fink, J.

343
DEVELOPMENT AND INVESTIGATION OF RELATIVISTIC ELECTRON BEAMS WITH FINITE ENERGY SPREAD AND IMPROVED EMISSION

Fink, J.H.

969
ANALYSIS AND APPLICATION OF A TRANSFORMER CORE THAT ACTS AS AN ARC SNUBBER

9488
IMPROVED BEAM CURRENT DENSITIES AT HIGH VOLTAGES

8322
STUDY OF EFFICIENT HIGH-POWER, HIGH-ENERGY NEUTRAL BEAMS FOR THE REFERENCE MIRROR REACTOR

Pinkelstein, K.I.

6971
'MINUS' PULSED, HIGH-CURRENT, NANOSECOND, ELECTRON ACCELERATOR

Finkeburg, W.

6698
A THEORY OF THE PRODUCTION OF ELECTRODE VAPOR JETS BY SPARKS AND ARCS

Pinkelstein, D.

6735
HIGH VOLTAGE IMPULSE SYSTEM

Florito, R.B.

1298
EXPERIMENTS ON THE INJECTION OF RELATIVISTIC ELECTRON BEAMS INTO PREFORMED CHANNELS IN THE ATMOSPHERE

Firsov, R.H.

7185
CD/SUB 2/ LASER HIGH-VOLTAGE POWER SUPPLY BASED ON A PULSED AUTOTRANSFORMER

Firsov, D.B.

9200
QUALITATIVE STREAMER THEORY

Fischer, E.

7811
INFLUENCE OF DIFFUSION AND NONEQUILIBRIUM POPULATIONS ON MOLE-GAS PLASMAS IN ELECTRIC ARCS

Fischer, M.

5786
ELECTRODE PHENOMENA IN A HIGH CURRENT 20-NANOSECOND SPARK

3738
AFTERGLOW TAILS AND STABILITY OF HIGH-DENSITY NANOSECOND ARC CHANNELS

3756
NANOSECOND PULSES OF VERY LOW IMPEDANCE

5532
EXPLOSIVE ANODE EROSION IN HIGH CURRENT SPARKS

7926
LASER INITIATED SPARK DEVELOPMENT IN AN AIR GAP

8157
EXPANSION OF INITIAL HIGH-CURRENT SPARK CHANNELS

Fischer, M.S.W.

5638
QUANTITATIVE MEASUREMENTS OF THE EMISSION FROM HIGH DENSITY NANOSECOND SPARK CHANNELS

Fisher, A.

2568
DESIGN AND STRUCTURE OF AN EXTENDED LIFE HIGH CURRENT SPARK GAP

Fisher, P.A.

10200
LIGHTNING EFFECTS RELATING TO AIRCRAFT: PART II. CHARACTERISTICS OF SIMULATED LIGHTNING PLASMAS AND THEIR EFFECTS ON LIGHTNING ARRESTERS AND AVIATION EQUIPMENT

Fisher, J.J.

9789
THE NAVY P/A-18A HORNET ELECTROMAGNETIC COMPATIBILITY PROGRAM

Fisher, L.M.

7759
ANOMALIES IN IONIZATION COEFFICIENTS AND IN UNIFORM FIELD BREAKDOWN IN ARGON FOR LOW VALUES OF E/P

Fisher, R.

652
DISTRIBUTED PARAMETER MODEL OF THE TRESTLE PULSER

Fishman, I.S.

8255
DETERMINATION OF TEMPERATURE AND OTHER PARAMETERS OF AN EXPLODING-WIRE PLASMA BY MEANS OF SELF-REVERSAL OF LINES AND ABSORPTION SPECTRA

Fitch, R.A.

284
SALVINO DIAGNOSTICS IN THE PULSE-POWER ENVIRONMENT

4683
A HALF MEGAWATT PULSE FORMING NETWORK

5827
MARX--AND MARX-LIKE--HIGH-VOLTAGE GENERATORS

6028
LOW-INDUCTANCE SWITCHING USING PARALLEL SPARK-GAPS

6288
NOVEL PRINCIPLE OF TRANSIENT HIGH-VOLTAGE GENERATION

8732
A HALF MEGAWATT PULSE FORMING NETWORK (PFH)

Fitzelmann, W.A.

928
PARALLEL COMBINATIONS OF PRE-IONIZED LOW JITTER SPARK GAPS

Flewell, R.G.

9827
A RELIABLE 60KV FLASHLAMP TRIGGERING SYSTEM

Fleischer, O.

4415
PLASMA CATHODE THYRATRON

5362
THE PLASMA-HEATED THYRATRON

6106
DEVELOPMENT OF A HYDROGEN THYRATRON HAVING A LONG PULSE CAPABILITY

Fleischman, T.

5277
THE ADVANCED DEVELOPMENT OF WATER TRIGATRON AND THREE-ELECTRODE SULFUR HEXAFLUORIDE SWITCHES

Fleischmann, M.H.

7771
MICROSECOND-PULSE INSULATION AND INTENSE ION BEAM GENERATION IN A MAGNETICALLY INSULATED VACUUM DIODE

Fletcher, C.R.

4897
ALTERNATE POLARITY MULTIPLE SPARK GAP FOR HIGH EFFICIENCY SHOWER DETECTORS

Fletcher, R.C.

1477
IMPULSE BREAKDOWN IN THE 1E-9-SEC. RANGE OF AIR AT ATMOSPHERIC PRESSURE

8139
PRODUCTION AND MEASUREMENT OF ULTRA-HIGH SPEED IMPULSES

Flowers, J.W.

7785
THE CHANNEL OF THE SPARK DISCHARGE

Fogel'son, T.O.

414
THE DISCHARGE CURRENT DISTRIBUTION OVER THE SURFACE OF THE ELECTRODES OF A HYDROGEN THYRATRON DURING A PULSE

Fominiskii, L.

1160
PRODUCTION OF AN INTENSE ELECTRON BEAM

Fominiskii, L.P.

1340
A PULSED ACCELERATOR BASED ON THE 'ELIT-I' ACCELERATOR

6691
SEMISELF-MAINTAINED DISCHARGE DEVICE WITH IONIZING BEAM REGENERATION

Fominykh, F.D.

6637
MECHANISM OF SURGE BREAKDOWN IN SUSPENSIONS

Ford, R.

7983
INDUCTIVE CHARGING OF PULSE LINES IN 0.1 TO 1.0 MJ RANGE USING FOIL FUSES STAGED WITH EXPLOSIVELY ACTUATED SWITCHES

Ford, R.D.

103
INDUCTIVE STORAGE PULSE-TRAIN GENERATOR

707
USE OF TRANSFORMERS IN PRODUCING HIGH POWER OUTPUT FROM HOMOPOLAR GENERATORS

906
TRIDENT-A MEGAVOLT PULSE GENERATOR USING INDUCTIVE ENERGY STORAGE

1297
CURRENT INTERRUPTION IN INDUCTIVE STORAGE SYSTEMS WITH INERTIAL CURRENT SOURCE

1767
INDUCTIVE STORAGE-PROSPECTS FOR HIGH POWER GENERATION

1868
EXPLOSIVELY ACTUATED 100 KA OPENING SWITCH FOR HIGH VOLTAGE APPLICATIONS

7574
HOMOPOLAR CURRENT SOURCE FOR MASS ACCELERATORS

7874
PULSED HIGH VOLTAGE AND HIGH CURRENT OUTPUTS FROM HOMOPOLAR ENERGY STORAGE SYSTEM

10214
PULSED HIGH-VOLTAGE AND HIGH-CURRENT OUTPUTS FROM HOMOPOLAR ENERGY STORAGE SYSTEM

Ford, R.E.

5711
THE MEASUREMENT OF IMPEDANCE AT HIGH POWER

Fortes, Yu.B.

6990
ELECTRICAL CHARACTERISTICS OF A SPARK DISCHARGE IN A CIRCULATING TRANSFORMER OIL

Fortini, A.

5154
HIGH MAGNETIC FIELD PRODUCTION BY ELECTROMAGNETIC ENERGY STORAGE IN A SUPERCONDUCTING COIL

Fousekis, V.E.

5167
POSTULATION OF THE ARC RESTRIKE MECHANISMS FOR EXPLODING WIRES AND TUBES

Fowler, C.M.

714
EXPLOSIVE MAGNETIC FLUX COMPRESSION PLATE GENERATORS AS FAST HIGH-ENERGY POWER SOURCES

3150
EXPLOSIVELY PRODUCED MEGAGAUSS FIELDS AND APPLICATIONS

5332
AN INTRODUCTION TO EXPLOSIVE MAGNETIC FLUX COMPRESSION GENERATORS

6701
AN EXPLOSIVE-DRIVEN HIGH-FIELD SYSTEM FOR PHYSICS APPLICATIONS

6747
MEGAGAUSS PHYSICS

6759
PRODUCTION OF VERY HIGH MAGNETIC FIELDS BY IMPLOSION

6970
TECHNIQUE FOR MEASURING MEGAGAUSS MAGNETIC FIELDS USING ZEEMAN EFFECT

8085
RESULTS OF RAILGUN EXPERIMENTS POWERED BY MAGNETIC FLUX COMPRESSION GENERATORS

10243
EXPLOSIVE FLUX COMPRESSION GENERATORS FOR RAIL GUN POWER SOURCES

Fowler, R.H.

6071
ELECTRON EMISSION IN INTENSE ELECTRIC FIELDS

Fox, C.S.

1516
HIGH-CURRENT ANODES FOR HIGH-POWERED XENON ARC LAMPS

Fox, R.E.

10217
ELECTRON ATTACHMENT IN SULFUR HEXAFLUORIDE USING MONOENERGETIC ELECTRONS

Frankenthal, S.

1331
DESIGN OF EFFICIENT EXPLOSIVELY DRIVEN ELECTROMECHANICAL ENERGY CONVERTERS

Frenzen, O.L.

7918
CONTINUOUS LASER-SUSTAINED PLASMAS

8091
CW GAS BREAKDOWN IN ARGON USING 10.6-MICRON LASER RADIATION

Frazier, O.

882
INDUCTANCE AND RESISTANCE CHARACTERISTICS OF SINGLE-SITE UNTRIGGERED WATER SWITCHES IN WATER TRANSFER CAPACITOR CIRCUITS

Frazier, O.B.

7180
PULSED ELECTRON FIELD EMISSION FROM PREPARED CONDUCTORS

Freeman, B.L.

10245
EXPLOSIVE FLUX COMPRESSION GENERATORS FOR RAIL GUN POWER SOURCES

Freeman, J.R.

5418
ELECTRON BEAM FOCUSING AND APPLICATION TO PULSED FUSION

5855
ELECTRON BEAM FOCUSING USING CURRENT-CARRYING PLASMAS IN HIGH-HV/GAMMA DIODES

Freeman, W.K.

5693
HIGH VOLTAGE-HIGH TEMPERATURE RUBBER INSULATION

Frees, L.

4569
HIGH VOLTAGE RESEARCH (BREAKDOWN STRENGTHS OF GASEOUS AND LIQUID INSULATORS) AND ENVIRONMENTAL EFFECTS OF DIELECTRIC GASES

Friedman, G.I.

7096
THE STRUCTURE OF THE FRONT OF ELECTROMAGNETIC SHOCK WAVES IN TRANSMISSION LINES WITH NONLINEAR PARAMETERS

Frey, O.L.

5667
INSULATION STUDIES FOR HIGH POWER TUBES

Friedman, M.

10187
COLLECTIVE PARTICLE ACCELERATOR

Friedman, M.

179
A METHOD FOR ENHANCING EXPLODING ALUMINUM FOIL FUSES FOR INDUCTIVE STORAGE SWITCHING

624
LASER-TRIGGERED SOLID DIELECTRIC SWITCHING

4977
A NEW DIODE FOR THE PRODUCTION OF HIGH POWER RELATIVISTIC ELECTRON BEAMS

5519
MICROSECOND DURATION INTENSE RELATIVISTIC ELECTRON BEAMS

7568
GENERATING HIGH VOLTAGE PULSES BY INTERRUPTING CURRENT IN AN INDUCTIVE CIRCUIT

7902
A NEW COLLECTIVE PARTICLE ACCELERATOR

Friedman, M.U.M.

8685
PRODUCTION AND FOCUSING OF A HIGH-POWER RELATIVISTIC ANNULAR ELECTRON BEAM

Friedman, S.

225
NEW HYDROGEN THYRATRONS FOR ADVANCED HIGH POWER SWITCHING

246
NEW DEVELOPMENTS IN SUPER-FAST, HIGH-POWER, HYDROGEN THYRATRON SWITCHING

6110
MULTI-GIGAWATT HYDROGEN THYRATRONS WITH NANO-SECOND RISE TIMES

Friedrich, F.J.

5474
SAFETY PROBLEMS IN THE JULIETTA CAPACITOR BANK

Friend, B.

485
A CERAMIC THYRATRON WIRE SPARK CHAMBER PULSER

Frischtmacht, J.F.

10191
HIGH VOLTAGE BREAKDOWN INITIATED BY PARTICLE IMPACT

Frind, O.

1267
FUNDAMENTAL INVESTIGATION OF ARC INTERRUPTION IN GAS FLOWS

Frischmann, P.O.

10029
POTENTIAL OF AMORPHOUS ALLOYS FOR APPLICATION IN MAGNETIC DEVICES

Frohlich, K.

8952
EXPERIMENTAL INVESTIGATION OF LOW-CURRENT VACUUM ARC INSTABILITIES

Frolov, A.O.

1063
FAST-ACTING ELECTRODYNAMIC CIRCUIT BREAKER

Frolov, V.V.

5106
MULTICHANNEL VACUUM SPARK GAP

Fromm, O.A.

1781
THE EFFECT OF ELECTRON PRECHARGING ON SOEMP RESPONSE OF INSULATORS

1797
EXPLODING-WIRE PHOTON TESTING OF SKYNET SATELLITE

1816
SPONTANEOUS DISCHARGES AND THE EFFECT OF ELECTRON CHARGING ON SKYNET SOEMP RESPONSE

18472
SOEMP RESPONSE INVESTIGATION WITH EXPLODING-WIRE PHOTONS, PART II

18487
MODAL CHARACTERIZATION OF SKYNET RESPONSE TO ELECTRICAL AND PHOTON STIMULATION

Frost, C.A.

10540
UV LASER TRIGGERING OF HIGH-VOLTAGE GAS SWITCHES

Frost, L.S.

8285
COMPOSITION AND TRANSPORT PROPERTIES OF SF/SUS 6/ AND THEIR
USE IN A SIMPLIFIED ENTHALPY FLOW ARC MODEL

8942
INTERRUPTION CAPABILITY OF GASES AND GAS MIXTURES IN A
PUFFER-TYPE INTERRUPTER

Fruitman, M.

4941
OPERATIONAL EXPERIENCE WITH A PROTOTYPE FAST RICKER
MODULATOR

Fuja, R.E.

625
STREAMER CHAMBER CHARGING REGULATOR SYSTEM

828
A MODEL AIR-SUPPORTED DRUM-TYPE MONOPOLAR GENERATOR

7259
ANALYSIS OF THE MULTIPHASE INDUCTOR-CONVERTER BRIDGE

8361
MODEL AIR-SUPPORTED DRUM-TYPE MONOPOLAR GENERATOR

Fujii, R.

9310
TYPICAL PHENOMENA OBSERVED IN A SHORT- GAP ATMOSPHERIC
DISCHARGE USING ROTOR AND POST ELECTRODES

Fujii, T.

5499
INVESTIGATION OF AN ARC GUN

Fujiki, S.

323
THE RESEARCH IN DISCHARGE SUPPRESSION OF HIGH VOLTAGE
CROSSLINKED POLYETHYLENE INSULATED POWER CABLE

Fujioke, T.

635
LOW-IMPEDANCE, COAXIAL-TYPE MARX GENERATOR WITH A
QUASI-RECTANGULAR OUTPUT WAVEFORM

1245
A CM X-RAY PREIONIZER FOR HIGH-REPETITION-RATE GAS LASERS

1355
X-RAY PREIONIZED HIGH-PRESSURE KRF LASER

15334
OUTPUT PERFORMANCE OF THE COAXIAL-TYPE MARX GENERATOR
CONSISTING OF BATIO/SUS 5/ SERIES CERAMIC CAPACITORS

Fujimake, S.

4499
RELATIVISTIC ELECTRON BEAM SOURCE WITH AN AIR-CORE STEP-UP
TRANSFORMER

Fujimori, S.

82-
VOLTAGE-TIME CHARACTERISTIC OF ELECTRICAL BREAKDOWN IN
SF/SUS 6/

Fukin, V.N.

832
DEPENDENCE OF ELECTRODE EROSION UPON FORM OF CURRENT PULSE

Fuko, M.I.

18473
STRUCTURE OF THE HIGH-CURRENT RELATIVISTIC ELECTRON BEAM
FORMED BY A COAXIAL GUN WITH MAGNETIC INSULATION

Fukuda, M.

8610
DIRECT CONTROL OF LARGE POWER SERIES TRIODE WITH
TRANSISTOR FOR HIGH VOLTAGE POWER SOURCE

Fulbright, N.M.

4748
A TRIGGERED SPARK GAP WITH ROTATING ELECTRODES

Fureus, J.P.

8617
DIELECTRIC MATERIALS FOR STRUCTURAL APPLICATIONS AND
HIGH-VOLTAGE INSULATION IN DEIONIZED WATER FOR
PARTICLE-BEAM ACCELERATORS

Furman, E.B.

5225
A PULSE CIRCUIT FOR EXCITATION OF A PARTICLE ACCELERATOR
ELECTROMAGNET

Furnel, D.N.

1937
STABILITY OF FIELD EMISSION AND MIGRATION PROCESSES
PRECEDING DEVELOPMENT OF A VACUUM ARC

6465
INVESTIGATION OF THE TIME CHARACTERISTICS OF THE TRANSITION
OF FIELD EMISSION TO A VACUUM ARC

8945
LOCALIZATION OF FIELD EMISSION IN SMALL SOLID ANGLES

5959
QUALITATIVE MODEL OF INITIATION OF A VACUUM ARC I.
BREAKDOWN MECHANISM

9548
TRANSITION FROM FIELD EMISSION TO A VACUUM ARC

9582
EXPLOSIVE ELECTRON EMISSION FROM COPPER POINTS

18192
EMISSION CHARACTERISTICS OF AN EXPLOSIVE GALLIUM CATHODE

Furth, M.F.

6965
PRODUCTION AND USE OF HIGH TRANSIENT MAGNETIC FIELDS. II

7476
HYDROMAGNETIC CAPACITOR

Furusawa, M.

323
THE RESEARCH IN DISCHARGE SUPPRESSION OF HIGH VOLTAGE
CROSSLINKED POLYETHYLENE INSULATED POWER CABLE

Fusa, M.

3719
IR ABSORPTION OF HIGHLY EXCITED SF/SUS 6/

FLETCHER, R.C.

18294
PRODUCTION AND MEASUREMENT OF ULTRAHIGH-SPEED IMPULSES:
IMPULSE BREAKDOWN IN THE 1E-9 SEC RANGE OF AIR AT
ATMOSPHERIC PRESSURE

Gaase, V.B.

6798
A HIGH-VOLTAGE CABLE TRANSFORMER FOR PRODUCING STRONG
PULSED CURRENTS

Gabee, P.

551E
LARGE OUTPUT MILLIMICROSECOND IMPULSE GENERATOR USING
ELECTROMAGNETIC SHOCK WAVES

Gadetskii, N.P.

67E
HIGH-POWER CURRENT PULSE GENERATOR

114E
COMPUTATION OF SPARK GAPS BY MEANS OF A PULSED GAS LASER
OPERATING IN THE ULTRAVIOLET RANGE

Gagarin, A.P.

1887
MULTICHANNEL HIGH-CURRENT PULSED COMMUTATOR

Gagin, N.T.

1973
TACITRON GENERATOR OF LONG HIGH-VOLTAGE PULSES

Gagnon, S.

2872
ENERGY STORAGE OPTIONS FOR SHIVA UPGRADE

Gagnon, W.L.

788
VERY FAST, HIGH PEAK POWER PLANAR TRIODE AMPLIFIERS FOR
DRIVING OPTICAL GATES

7223
THE NEAR AND LONG TERM PULSE POWER REQUIREMENT FOR LASER
DRIVEN INERTIAL CONFINEMENT FUSION

10324
VERY FAST, HIGH PEAK-POWER, PLANAR TRIODE AMPLIFIERS FOR
DRIVING OPTICAL GATES

Gelbreith, G.L.

1308
STUDY OF LIGHTNING CURRENT MAGNITUDE THROUGH DISTRIBUTION
ARRESTERS

Geldukev, V.F.

4749
BREAKDOWN OF A VACUUM SPARK GAP TRIGGERED BY AN ELECTRON
BEAM

7098
INITIATION OF ELECTRICAL BREAKDOWN IN VACUUM BY AN ELECTRON
BEAM

Gelbreith, J.D.

996
LIGHT ACTIVATED 10 KV LOW JITTER PULSER

Gelchyan, G.A.

3767
EXPERIMENTAL INVESTIGATION OF THE STABILITY CONDITIONS OF A
DISCHARGE IN A GAS STREAM

Geikine, T.O.

6886
FAST-ACTING VACUUM COMMUTATOR WITH CONNECTION BY
LIQUID-METAL CONTACTS

Gellegher, C.C.

3648
SWITCHING JITTER IN SPARK GAP TRIGGERED BY A TEM/SUB
90/-MODE MODE-LOCKED RUBY LASER

3786
ELECTRODE PHENOMENA IN A HIGH CURRENT 20-NAANOSECOND SPARK

8137
EXPANSION OF INITIAL HIGH-CURRENT SPARK CHANNELS

9981
'CROWBAR' TRIGGERING METHOD FOR HIGH POWER PULSE CIRCUITS

Gellat, M.

5205
MICROWAVE DOPPLER MEASUREMENTS OF THE IONIZATION FRONT IN
CYLINDRICAL SHOCK WAVES FROM EXPLODING WIRES

Gelimbarti, I.

5539
THE MECHANISM OF THE LONG SPARK FORMATION

Gemba, S.B.

1302
SUPERCONDUCTING ROTOR RESEARCH

Genger, B.E.

4791
STUDIES OF SPARK FORMATION AT HIGH SWITCHING VOLTAGES OF
POSITIVE POLARITY

Gero, M.L.

3692
PRESENT CAPABILITIES OF THE NBS AUTOMATIC PULSE MEASUREMENT
SYSTEM

Gepenev, A.V.

7096
THE STRUCTURE OF THE FRONT OF ELECTROMAGNETIC SHOCK WAVES
IN TRANSMISSION LINES WITH NONLINEAR PARAMETERS

Gepenev, V.A.

3732
TRANSFORMER-TYPE HIGH-CURRENT ACCELERATOR

Geraghashev, E.A.

10194
DESTRUCTION OF POLYMER DIELECTRICS BY PARTIAL DISCHARGES

Gercio, O.

9388
INTERACTION OF CORONA WITH DIELECTRIC MATERIAL UNTIL DAMAGE

Gerdanghi, R.A.

2164
A MODULAR PFN WITH PULSEWIDTH ADILITY

4711
TIME SELECTIVE RECHARGING OF AN AUXILIARY PULSER

7253
PFN LOSS CALCULATIONS

Gerdner, R.J.

8123
KILOVOLTMEETER MEASURES AC AND DC WITH OVER 1E16-OHM INPUT
RESISTANCE

Gerowal, R.

10421
ELECTRON BEAM GIDODE POWER ACCUMULATOR

10435
ELECTRON BEAM SEMICONDUCTOR DEVICES

Gern, W.S.

714
EXPLOSIVE MAGNETIC FLUX COMPRESSION PLATE GENERATORS AS
FAST HIGH-ENERGY POWER SOURCES

3150
EXPLOSIVELY PRODUCED MEGA GAUSS FIELDS AND APPLICATIONS

5332
AN INTRODUCTION TO EXPLOSIVE MAGNETIC FLUX COMPRESSION
GENERATORS

6781
AN EXPLOSIVE-DRIVEN HIGH-FIELD SYSTEM FOR PHYSICS
APPLICATIONS

6759
PRODUCTION OF VERY HIGH MAGNETIC FIELDS BY IMPLOSION

6970
TECHNIQUE FOR MEASURING MEGA GAUSS MAGNETIC FIELDS USING
ZEEMAN EFFECT

Gerrehen, N.M.

10386
RESETTABLE MONOSTABLE PULSE GENERATOR

Gerratt, L.P.

6024
DESIGN STUDIES FOR ULTRA-FAST, LOW-IMPEDANCE
HIGH-PEAK-POWER PULSED SYSTEMS

Gerrison, P.E.

184
PULSE POWER SYSTEMS EMPLOYING INDUCTIVE ENERGY STORAGE

Gerrity, T.

10127
PHYSICAL MODEL OF ELECTRIC AGING AND BREAKDOWN OF EXTRUDED
POLYMERIC INSULATED POWER CABLES

Gery, C.

5433
ARTIFICIAL TRIGGERING OF LIGHTNING ABOVE GROUND

Gauch, M.

7256
THE CROSSED-FIELD CLOSING SWITCH-A STATUS REPORT

Gauch, J.

18461
GENERATOR OF EXTENDED DURATION HIGH VOLTAGE PULSES

Gaul, O.

8189
METAL-OXIDE DEVICES FOR RAPID HIGH CURRENT SWITCHING

Gaul, O.K.

6353
PULSE SHARPENING WITH METAL-OXIDE BULK SWITCHING DEVICES

18392
ELECTRICAL PULSE GENERATORS

Gautam, M.S.

2976
THE INFLUENCE OF ELECTRODE HEAT TRANSPORT IN SPARK RECOVERY

5845
THE INFLUENCE OF FORMATIVE TIME LAGS ON SPARK-GAP RECOVERY MEASUREMENTS

Gavriličev, E.A.

18327
A DIVIDER FOR MEASURING NANOSECONDARY PULSES

Gavrilov, L.E.

8276
THE APPLICATION OF AVALANCHE TRIODES IN NUCLEAR-ELECTRONICS CIRCUITS

Gavrilov, M.M.

5359
A POWERFUL THYRISTOR MODULATOR

Gavrilevskaya, E.M. Maikin, O.A.

8931
EROSION OF CATHODE MATERIAL IN A PULSED DISCHARGE BETWEEN PARALLEL ELECTRODES

Geballe, R.

8181
ELECTRICAL BREAKDOWN IN CSF/SUB 8/

Geit'sel, M.Yu.

6599
HIGH-VOLTAGE GENERATORS OF NANOSECONDARY PULSES

Genkin, A.L.

9458
DESIGN OF THE LIQUID-METAL CONTACTOR IN HOMOPOLAR MACHINES

Genkin, S.A.

6469
NONINDEPENDENT PULSED ATMOSPHERIC PRESSURE DISCHARGE SUSTAINED BY A HIGH-ENERGY ELECTRON BEAM LASTING 180 MICROSECONDS

6694
TRANSITION FROM A NON-SELF-SUSTAINED VOLUME DISCHARGE MAINTAINED BY A BEAM OF FAST ELECTRONS TO A SPARK DISCHARGE

7819
PROPERTIES OF A SPACE DISCHARGE EXCITED BY AN ELECTRON BEAM OF 1E-5 SEC DURATION

Genève, L.

3765
600 KW PEAK HIGH REPETITION RATE HARD TUBE MODULATOR

Gent, A.W.

7288
IMPEDANCE MATCHING BY TAPERED TRANSMISSION LINES

Genuerie, R.O.

236
CHARACTERIZATION OF ELECTRON AND ION CURRENT FLOW IN VERY LARGE ASPECT-RATIO TERAWATT DIODES EMPLOYING HEATED AND UNHEATED ANODES

339
PLASMA EROSION SWITCHES WITH IMPLoding PLASMA LOADS ON A MULTITERAWATT PULSED POWER GENERATOR

2888
300 KV RECTANGULAR PULSE GENERATOR WITH NANOSECOND RISE TIME

8390
A SIMPLE GENERATOR OF SEVERAL-HUNDRED-KILOVOLT PULSES WITH NANOSECOND RISE TIMES

Geoffrion, S.

8326
THEORETICAL AND EXPERIMENTAL STUDY OF THE CURRENT DISTRIBUTION IN COILS COUPLED TO IMPULSE DYNAMOS

George, O.W.

2560
ELECTRICAL FIELD BREAKDOWN IN SULPHUR HEXAFLUORIDE

Gerardo, J.B.

4385
LASER-FUSION AND ELECTRON-BEAM-FUSION RESEARCH PROGRESS REPORT JANUARY-JUNE 1974

Gerasimov, A.B.

3789
HIGH-PRECISION FAST-ACTING DISCHARGER WITH A SOLID DIELECTRIC

6973
A HELICAL PULSE-VOLTAGE GENERATOR

Gerasimov, A.I.

4978
500-KV IMPULSING GENERATOR

6467
MULTIELEMENT ACCELERATORS BASED ON RADIAL LINES

7895
THE LIU-18 HIGH-POWER ELECTRON ACCELERATOR

Gerasimov, L.S.

6433
LIMITING CAPABILITIES OF A PLANAR EXPLOSIVE MAGNETIC GENERATOR AS A PULSED ENERGY SOURCE

6452
A COMPENSATED SHUNT FOR MEASUREMENT OF POWERFUL NONSTATIONARY CURRENTS

6888
CHARGING OF AN INDUCTIVE ACCUMULATOR FROM AN EXPLOSIVE-TYPE MAGNETIC GENERATOR THROUGH AN ELECTRICAL EXPLOSIVE-TYPE CURRENT BREAKER

6815
ELECTRICAL CONDUCTIVITY OF AN ALUMINUM FOIL IN AN ELECTRICAL EXPLOSION

6817
ENERGY TRANSFER FROM AN INDUCTIVE STORAGE BY MEANS OF AN EXPLOSIVE CURRENT DISCONNECT

6830
INITIAL STAGES OF THE ELECTRICAL EXPLOSION OF A WIRE IN AN LC-LOOP

6837
MAGNETIC ACCUMULATION IN A PLANE LINER OF FINITE THICKNESS

6838
MAGNETIC ACCUMULATION IN A TAILORED-PROFILE, PLANE, EXPLOSIVE-MAGNETIC GENERATOR WITH ARBITRARY LOAD

6839
MATCHING AN EXPLOSIVE-MAGNETIC GENERATOR TO A RESISTIVE LOAD USING A TRANSFORMER

6874
WORK PERFORMED BY A PLANAR EXPLOSION MAGNETIC GENERATOR ON A RESISTIVE LOAD

9658
ENERGY TRANSFER FROM AN INDUCTIVE STORAGE TO AN INDUCTIVE LOAD BY MEANS OF AN EXPLOSIVE CURRENT DISCONNECT

Gerasimov, V.P.

6889
SPECIAL MEANS FOR MEASUREMENT OF THE ELECTRICAL PARAMETERS
OF ELECTROPHYSICAL INSTALLATIONS

Gerber, K.A.

2443
INTENSE RELATIVISTIC ELECTRON BEAM INTERACTION WITH A COOL
THETA PINCH PLASMA

Gerby, E.

8919
BEHAVIOR OF A HIGH CURRENT VACUUM ARC BETWEEN HOLLOW
CYLINDRICAL ELECTRODES IN A RADIAL MAGNETIC FIELD

Gorchikov, F.L.

8116
A MAGNETIC-THYRISTOR GENERATOR PRODUCING HIGH-VOLTAGE
NANOSECOND PULSES

Gordin, G.

18273
HIGH FREQUENCY ROGOVSKI COIL RESPONSE CHARACTERISTICS

Germer, L.N.

7589
ELECTRICAL BREAKDOWN IN HIGH VACUUM

Gersimov, A.I.

4492
STARTING CHARACTERISTICS OF A 180-KV TRIGATRON FILLED WITH
SF/SUB 6/

Gervais, Y.

2754
A NEW APPROACH TO COMPUTE UNIFORM FIELD BREAKDOWN OF GASES

Ghosh A.K.

2198
VARIATION OF TOWNSEND'S SECOND COEFFICIENT IN ELECTRODELESS
DISCHARGE

Ghoshroy, S.

1275
INDUCTOR NETWORK DEVELOPMENT FOR AIRCRAFT HIGH POWER
SUPPLIES

Gibbons, J.

10293
PHYSICAL PRINCIPLES OF AVALANCHE TRANSISTOR PULSE CIRCUITS

Gibbs, D.F.

671
A FLEXIBLE HIGH POWER PULSE GENERATOR USING THYRISTORS

Gilbert, A.

2937
THE ROLE OF THE CATHODE ZONE IN THE TRANSITION CORONA
EFFECT ARC

Gibson, R.B.

6310
FAST HIGH-VOLTAGE HIGH-CURRENT SWITCH: THYRATRON-SPARK GAP
HYBRID

Glassner, S.G.

7237
SF/SUB 6/ FOAMED INSULATION

Gilbert, J.S.

5482
ANALYSIS OF HOMOPOLAR GENERATORS AND SUPERCONDUCTING
INDUCTIVE ENERGY STORAGE SYSTEMS AS POWER SUPPLIES FOR
HIGH-ENERGY, SPACE-BASED LASERS

Glishrist, J.N.

18413
A MODEL FOR THE CURRENT PULSES OF CLOUD-TO-GROUND LIGHTNING
DISCHARGES

Oiles, J.C.

2449
SENSORS FOR ELECTROMAGNETIC PULSE MEASUREMENTS BOTH INSIDE
AND AWAY FROM NUCLEAR SOURCE REGIONS

Olligebach, R.M.

3338
THERMAL SENSITIVE PAPER AS A DIAGNOSTIC FOR INTENSE
RELATIVISTIC ELECTRON BEAM DYNAMICS

Ollil, R.D.

2547
A NEUTRAL-PARTICLE ANALYSER FOR PLASMA DIAGNOSTICS

Ollil, S.P.

18319
EXPLOSIVE MWD RESEARCH

Ollila, P.

7286
A COMPUTERIZED MEASURING SYSTEM FOR NANOSECOND RISETIME
PULSED ACCELERATORS

Ollman, F.M.

164
SIMPLE. PULSED, ELECTRON BEAM GUN

Ollmour Ed., A.S.

2833
SYMPOSIUM PROCEEDINGS NEW CONCEPTS IN FAULT CURRENT
LIMITERS AND POWER CIRCUIT BREAKERS

Ollmour Jr., A.S.

178
A FACILITY FOR TESTING HIGH POWER DC, AC, OR PULSED DEVICES

1371
HIGH POWER STUDY-POWER CONDITIONING

1373
INVESTIGATION OF FEASIBILITY OF VACUUM-ARC FAULT-CURRENT
LIMITING DEVICE

2283
RELAXATION PULSING WITH A VACUUM ARC DEVICE

2923
A MULTI-MEGAWATT, VACUUM ARC SWITCHED INVERTER FOR AIRBORNE
APPLICATIONS

2541
HIGH REPETITION-RATE, HIGH POWER PULSE TESTS OF VACUUM ARC
SWITCHES

4735
WEIGHT ALGORITHMS FOR ADIABATIC TRANSFORMERS FOR PULSED
HIGH POWER SYSTEMS

4885
POWER CONDITIONING SYSTEMS FOR HIGH-POWER, AIRBORNE, PULSED
APPLICATIONS

7194
VACUUM ARC SWITCHED INVERTER TESTS AT 2.5 MVA

7228
DEVELOPMENT OF A VACUUM ARC FAULT CURRENT LIMITER

7243
ENERGY CONSIDERATIONS IN THE PULSED OPERATION OF A VACUUM
ARC CURRENT LIMITER

7250
MAGNETIC FLUX CONCENTRATION WITH THE ANODE IN A VACUUM ARC
SWITCH

8916
ANODE SHEATH GROWTH AND COLLAPSE IN A HOLLOW-ANODE VACUUM
ARC

Ollmour, A. S.

4494
LIQUID NITROGEN COOLED WIRES AS SWITCHABLE HIGH-POWER
DIRECT CURRENT LIMITING ELEMENTS

Glimeur, A.S.

2888
RECENT RESULTS OF VACUUM-ARC SWITCHED MULTI-MEGAWATT
INVERTER TESTS

4719
THE PRESENT STATUS AND PROJECTED CAPABILITIES OF VACUUM ARC
OPENING SWITCHES

7929
LASER TRIGGERED SWITCH STUDY

Glimeur, A.S.L.D.L.

5622
HIGH-VOLTAGE ARC INTERRUPTION STUDY

Glison, L.

1981
A PROGRAM TO EVALUATE, DEVELOP AND TEST PEROPLASTIC
MATERIALS AS IMPROVED ELECTRICAL INSULATION FOR HIGH POWER
UNDERGROUND CABLES

Ginzburg, A.

5954
ENERGY TRANSFER FROM A LOW-VOLTAGE CAPACITOR BANK TO A HIGH
INDUCTANCE WITH THE AID OF AN AIR PULSE TRANSDUCER

Giri, D.V.

18297
PARALLEL-PLATE TRANSMISSION LINE TYPE OF EMP SIMULATORS:
SYSTEMATIC REVIEW AND RECOMMENDATIONS

Giriger av, P.G.

1185
HIGH-POWER 1 USEC ULTRAVIOLET RADIATION SOURCE FOR PUMPING
OF GAS LASERS

Glodyshev, G.E.

6971
'MINUS' PULSED, HIGH-CURRENT, NANOSECOND, ELECTRON
ACCELERATOR

Diagoleva, M.S.

1645
HIGH-VOLTAGE PULSE GENERATOR FOR THE TWO-METER STREAMER
CHAMBER OF THE JINR

18316
HIGH-VOLTAGE PULSE GENERATOR WITH A PROTECTIVE SOLENOID

Glancy, M.T.

917
HIGH REPETITION RATE MINIATURE TRIGGERED SPARK SWITCH

932
SURFACE AGING IN HIGH REPETITION RATE SPARK SWITCHES WITH
ALUMINUM AND BRASS ELECTRODES

Diako, V.B.

244
ELECTRON CURRENT IN DELAYED TRIGGERING OF HIGH-VOLTAGE,
HIGH-VACUUM PULSED DISCHARGES

Diazov, A.A.

4984
HIGH-VOLTAGE SUPPLY SYSTEM FOR ELECTROSTATIC DEFLECTOR

Glazun, B.A.

6772
COMPARISON OF THE DIELECTRIC PROPERTIES OF NORMAL AND HEAVY
WATER, ADSORBED ON ZEOLITES

Glazunov, G.P.

6872
USE OF ELECTRIC EXPLOSION OF WIRES IN A HIGH-PRESSURE GAS
TO BREAK A CURRENT CIRCUIT

Glatchauf, P.N.

5954
ELECTRICAL BREAKDOWN OVER INSULATORS IN HIGH VACUUM

Dialzer, I.Z.

6443
CERTAIN CHARACTERISTICS OF COLO CATHODES

6982
CROSS-FIELD CURRENT FLOW IN A MAGNETICALLY INSULATED DIODE

Dick, M.A.

1926
HIGH VOLTAGE PULSED CIRCUIT FOR MICROWAVE STUDIES

Dineki, P.T.

178
A FACILITY FOR TESTING HIGH POWER DC, AC, OR PULSED DEVICES

Diotov, V.O.

8117
A LIGHT-CONTROLLED, HIGH-POWER PULSE SHAPER

Glukhikh, V.A.

4263
HIGH-CURRENT PULSED ELECTRON ACCELERATOR WITH AN ANNUAL
BEAM

7050
INDUCTIVE ENERGY STORAGE IN PULSED ACCELERATORS

Gnetyuk, L.N.

1898
MICROGRAPHIC INVESTIGATION OF ELECTRICAL EXPLOSIONS OF
CONDUCTORS

Onido, V.P.

1973
TACTRON GENERATOR OF LONG HIGH-VOLTAGE PULSES

Godfrey, T.J.

8195
A HIGH-VOLTAGE MERCURY-WETTED REED PULSE GENERATOR WITH
SECONDARY PULSE SUPPRESSION

Godlove, T.P.

8124
NANOSECOND TRIGGERING OF AIR DAPS WITH INTENSE ULTRAVIOLET
LIGHT

Degeleitayn, I.Z.

7101
A SHAPER THAT PRODUCES SHORT PULSES ACROSS A CAPACITIVE LOAD

Degeleitayn, I.Z.

419
THYRATRON GENERATOR WHICH PRODUCES HIGH-VOLTAGE LONG PULSES
FOR HIGH-DM LOADS

Goldberg, P.

6733
HIGH VOLTAGE IMPULSE SYSTEM

Goldberg, S.

5362
THE PLASMA-HEATED THYRATRON

6118
MULTI-DIGIT WATT HYDROGEN THYRATRONS WITH NANO-SECOND RISE
TIMES

Dolda (Ed.), R.N.

9988
LIGHTNING: VOLUME I, PHYSICS OF LIGHTNING

18004
LIGHTNING: VOLUME II, LIGHTNING PROTECTION

Golden, D.E.

7759
ANOMALIES IN IONIZATION COEFFICIENTS AND IN UNIFORM FIELD
BREAKDOWN IN AIR FOR LOW VALUES OF E/P

Golden, J.

938
HIGH-POWER ION BEAM GENERATION WITH AN INVERSE REFLEX
TETRODE

4935
PRODUCTION OF INTENSE DEUTERON BEAMS

3575
DEPENDENCE OF THE ION CURRENT ON VOLTAGE IN A REFLEX TRIODE

6438
INTENSE ELECTRON-BEAM PINCH FORMATION AND PROPAGATION IN
ROD PINCH DIODES

18382
GENERATION OF FRACTION OF A TERAWATT PROTON PULSES WITH
COAXIAL REFLEX TRIODES

18483
MAGNETIC INSULATION OF AN INTENSE RELATIVISTIC ELECTRON BEAM

Goldenberg, G.C.

2443
INTENSE RELATIVISTIC ELECTRON BEAM INTERACTION WITH A COOL
THETA PINCH PLASMA

Goldfarb, J.

932
KRF LASER-TRIGGERED SF/SUS 6/ SPARK GAP FOR LOW-JITTER
TIMING

8944
KRF LASER-TRIGGERED SF/SUS 6/ SPARK GAP FOR LOW JITTER
TIMING

Goldman, L.M.

6835
SPARK-DAP SWITCHING OF A 384-KJ LOW INDUCTANCE CAPACITOR
BANK

Goldman, M.

9239
CORONA AND INSULATION

Goldsmith, S.

8919
BEHAVIOR OF A HIGH CURRENT VACUUM ARC BETWEEN HOLLOW
CYLINDRICAL ELECTRODES IN A RADIAL MAGNETIC FIELD

Goldstein, S.M.

1797
EXPLODING-WIRE PHOTON TESTING OF SKYNET SATELLITE

18472
SLOW RESPONSE INVESTIGATION WITH EXPLODING-WIRE PHOTONS,
PART II

Goldstein, S.A.

1255
NRL LIGHT ION BEAM RESEARCH FOR INERTIAL CONFINEMENT FUSION

1292
BEAM REQUIREMENTS FOR LIGHT-ION DRIVEN INERTIAL-CONFINEMENT
FUSION

1448
HIGH-IMPEDANCE ION-DIODE EXPERIMENT ON THE AURORA PULSE.

4648
ION-INDUCED PINCH AND THE ENHANCEMENT OF ION CURRENT BY
PINCHED ELECTRON FLOW IN RELATIVISTIC DIODES

4789
THE PLASMA EROSION SWITCH

3631
THE USE OF FINITE J/SUB THETA/ FOR INCREASING THE ION
EFFICIENCY OF HIGH IMPEDANCE DIODES

6432
INTENSE ELECTRON-BEAM PINCH FORMATION AND PROPAGATION IN
ROD PINCH DIODES

7486
RELATIVISTIC ELECTRON BEAM PINCH FORMATION PROCESSES IN LOW
IMPEDANCE DIODES

3128
COMPUTATIONAL STUDY OF MAGNETIC DAM EFFECTS IN A HIGH
IMPEDANCE DIODE

18287
VECTOR-POTENTIAL FLOW IN RELATIVISTIC BEAM DIODES

Golke, R.K.

924
LONG ARC SIMULATED LIGHTNING ATTACHMENT TESTING USING A 150
KM TESLA COIL

Goltsman, V.L.

6638
METHOD OF MEASURING THE DISPERSION OF THE DELAY TIMES OF
BREAKDOWN OF CONTROLLED SPARK GAPS

Golovin, I.V.

6634
ACCELERATION OF IONS BY A RELATIVISTIC ELECTRON BEAM

Golstein, S. A.

1294
HIGH IMPEDANCE ION DIODE EXPERIMENT ON AURORA

Golubev, V.S.

9987
GENERATION OF MEGAGAUSS MAGNETIC FIELDS USING A LINER
COMPRESSED BY HIGH-PRESSURE GAS

Goncharenko, G.M.

8189
EFFECT OF ELECTRODE ROUGHNESS ON THE ELECTRICAL STRENGTH OF
COMPRESSED GASES

Gonzalez-Perez, F.

8955
FIELD EMISSION FROM VACUUM-DEPOSITED METALLIC FILM AND ITS
ROLE IN ELECTRIC BREAKDOWN IN VACUUM

Goodman, A.M.

2735
A VERSATILE HIGH-VOLTAGE BIAS SUPPLY FOR EXTENDED RANGE MIS
(C(V) AND D(V) MEASUREMENTS

8319
SEMICONDUCTOR MEASUREMENT TECHNOLOGY: A VERSATILE
HIGH-VOLTAGE BIAS SUPPLY FOR EXTENDED RANGE MIS C(V) AND
D(V) MEASUREMENTS

Gopalkrishna, N.V.

3574
IMPULSE-VOLTAGE BREAKDOWN CHARACTERISTICS OF LARGE DAPS AT
LOW PRESSURES

Gordeev, A.V.

1889
PROPAGATION OF A MAGNETIC-INSULATION WAVE IN A COAXIAL LINE

9146
STRUCTURE OF THE FRONT OF A MAGNETIC-INSULATION WAVE

Gordeev, G.F.

9681
HIGH-POWER MAGNETOTHRISTOR PULSE GENERATOR

Gordienko, V.I.

7383
EFFECT OF ELECTRODE TEMPERATURE ON MICRODISCHARGES IN VACUUM

18263
PREBREAKDOWN CONDUCTION BETWEEN ELECTRODES IN ULTRA-HIGH
AND HIGH VACUUM

Gordienko, V.F.

9649
ELECTRICAL EXPLOSION OF THE SKIN LAYER

Gorin, B.M.

7933
PECULIARITIES OF THE DEVELOPMENT OF THE ELECTRIC BREAKDOWN
OF AIR IN EXTREMELY LONG DISCHARGE GAPS

Gorman, J.G.

875
EXPERIMENTS ON VACUUM INTERRUPTERS IN HIGH VOLTAGE 72 KV
CIRCUITS

1328
DEVELOPMENT OF A CURRENT LIMITER USING VACUUM ARC CURRENT
COMPUTATION

8941
INTERACTION BETWEEN VACUUM ARCS AND TRANSVERSE MAGNETIC
FIELDS WITH APPLICATION TO CURRENT LIMITATION

Gorenkin, M

8321
STRIATIONS IN EMP

Gorshkev, V.M.

776
PLASMA CONTRACTION CAUSED BY THE MAGNETIC FIELD OF THE
CURRENT IN AN ELECTRON-BEAM-SUSTAINED DISCHARGE

Gorshkova, L.D.

8185
CONFIGURATIONS AND MODES OF AN M-PRESSED DISCHARGE

Gorshkova, M.A.

18473
STRUCTURE OF THE HIGH-CURRENT RELATIVISTIC ELECTRON BEAM
FORMED BY A COAXIAL GUN WITH MAGNETIC INSULATION

Goryunov, B.A.

9334
DIELECTRIC STRENGTH OF COMPRESSED SULFUR HEXAFLUORIDE AND
THE ELECTRODE MATERIAL AND SURFACE STRUCTURE

Gourlan, C.

5521
RAPID TRANSFER OF MAGNETIC ENERGY BY MEANS OF EXPLODING
PDILS

Gourlay, R.O.

4717
A COMPACT LOW INDUCTANCE LOAD FOR PULSE TESTS

Gourso, S.J.

18376
HIGH POWER MODULATOR (SCR)

Gover, J.E.

3488
A COMPRESSED MAGNETIC FIELD GENERATOR SYSTEMS MODEL

18321
SMALL HELICAL FLUX COMPRESSION AMPLIFIERS

18325
COMPRESSED MAGNETIC FIELD GENERATOR SYSTEMS MODEL

Govinda Raju, G.R.

2284
BREAKDOWN MECHANISMS AND ELECTRICAL PROPERTIES OF TRIGGERED
VACUUM GAPS

3787
FIRING CHARACTERISTICS OF A TRIGGERED VACUUM GAF EMPLOYING
DIELECTRIC COATED WITH A SEMICONDUCTING LAYER

7658
ELECTRICAL BREAKDOWN OF A POINT-PLANE GAP IN HIGH VACUUM
AND WITH VARIATION OF PRESSURE IN THE RANGE 10^{-7} - 10^{-2}
TORR OF AIR, NITROGEN, HELIUM, SULFUR HEXAFLUORIDE, AND
ARGON

Gavarev, V.V.

9785
SYSTEM FOR TWO-PULSE SUPPLY OF A LARGE STREAMER CHAMBER

Gower, J.

7493
THE HOLLOW THERMIONIC CATHODE SYSTEM USED IN THYRATONS

Gradov, V.M.

8988
THEORY OF POWERFUL NONSTEADY XENON DISCHARGE TAKING
VAPORIZATION OF ITS STABILIZING WALLS INTO ACCOUNT

Graf, E.R.

5468
INVESTIGATION OF DESIGN OF HIGH VOLTAGE, HIGH CURRENT SOLID
STATE SWITCHING DEVICES (FINAL TECHNICAL REPORT)

Granados, J.S.

7889
HIGH VOLTAGE PULSER TECHNIQUES FOR ELECTROMAGNETIC PULSE
(EMP) SIMULATORS

Granau, F.

5251
INSULATOR FLASHOVER MECHANISM IN VACUUM INSULATED CRYOCABLES

3588
LICHTENBERG FIGURES PRODUCED BY HIGH-VOLTAGE DISCHARGES IN
VACUUM

Granavskii, V.I.

8952
ON THE INITIATION OF ELECTRICAL BREAKDOWN OF A HIGH VACUUM
GAP

Grant, B.

4698
ONE MILLISECOND DISCHARGE TIME MONOPOLAR MACHINE

Grant, G.B.

2887
PRELIMINARY ENGINEERING DESIGN OF A PULSED MONOPOLAR
GENERATOR POWER SUPPLY

Gravil, R.L.

2559
FAIL-SAFE FIBER-OPTICS DATA BUS USING ACTIVE MULTIMODE
MIRROR TERMINALS

Gray, B.

7192
HIGH POWER VERY LONG PULSE TESTING OF A 208 KV. TETRODE
REGULATION TUBE

Gray, B.R.

161
LOADS FOR HIGH-POWER TESTING

188
HIGH VOLTAGE SWITCH PERFORMANCE OF THE EIMAC X-2159 TETRODE

5746
EVALUATION OF STATE-OF-THE-ART HYDROGEN THYRATONS AT
EXTENDED RATINGS

18385
SPARK GAF NANOSECOND PULSE GENERATOR

Gray, V.M.

1353
A VARIABLE LOW FREQUENCY HIGH VOLTAGE GENERATOR USING
VALVES WITH FIBRE OPTIC LIGHT GUIDE CONTROL

Graybill, S.E.

1448
HIGH-IMPEDANCE ION-DIODE EXPERIMENT ON THE AURORA PULSER

3457
AURORA ELECTRON BEAM MODIFICATION

7292
THE GENERATION AND DIAGNOSIS OF PULSED RELATIVISTIC
ELECTRON BEAMS ABOVE 100 MW

7786
PULSED FIELD EMISSION CATHODE EMISSION MEASUREMENTS

8885
IMPROVED DESIGN AURORA MODIFICATION PROGRAM (IDAMP)

Grachikhin, L.I.

8895
SIMILARITY BETWEEN PHYSICAL PROCESSES IN A PULSED DISCHARGE
AND IN THE EFFECT OF LASER RADIATION ON A METAL

Green, A.J.

18488
PLASMA BUILDUP AND BREAKDOWN DELAY IN A TRIGGERED VACUUM GAP

Green, M.

18819
FORMING FIELDS IN A PARALLEL-PLATE CAPACITOR

Green, T.A.

18348
UV LASER TRIGGERING OF HIGH-VOLTAGE GAS SWITCHES

Green, T.S.

5481
BEAM OPTICS FOR ION EXTRACTION WITH A HIGH-VOLTAGE-RATIO
ACCELERATION- DECELERATION SYSTEM

Greenfield, A.J.

1756
COMMENTS ON THE LIQUID-METAL MODEL FOR THE CALCULATED
ELECTRICAL RESISTIVITY OF AN EXPLODING COPPER WIRE

Greenspan, M.A.

2384
PRODUCTION OF INTENSE FOCUSED ION BEAMS IN A SPHERICAL
MAGNETICALLY INSULATED DIODE

Greenwood, A.N.

8989
A MODEL FOR GC INTERRUPTION IN DIFFUSE VACUUM ARCS

Greig, J.R.

1298
EXPERIMENTS ON THE INJECTION OF RELATIVISTIC ELECTRON BEAMS
INTO PREFORMED CHANNELS IN THE ATMOSPHERE

5774
A PRELIMINARY STUDY OF AEROSOL INITIATED CO/SUB 2/ LASER
PRODUCED AIR SPARKS AND THEIR ABILITY TO GUIDE ELECTRICAL
DISCHARGES

7856
CHARACTERISTICS OF LASER-INITIATED IONIZATION CHANNELS IN
AIR

10227
INTERACTION OF LASER-INDUCED IONIZATION WITH ELECTRIC FIELDS

Grakhev, I.V.

6840
MULTICHANNEL SEMICONDUCTOR NANOSECOND SWITCH FOR EXCITATION
OF COPPER VAPOR BY A TRANSVERSE DISCHARGE

10486
MECHANISM FOR A SECONDARY SURFACE BREAKDOWN IN A
REVERSE-BIAS HIGH-VOLTAGE SILICON P-N JUNCTION

Gravtsev, N.V.

7859
DISRUPTION OF ELECTRICALLY EXPLODING CONDUCTORS IN THE CASE
OF CURRENT PULSE LIMITATION

Gribble, R.F.

5591
MULTICHANNEL SPARK-GAP TECHNOLOGY FOR STAGED THETA-PINCH
MACHINES

Grier, D.

5750
HIGH VOLTAGE PULSE GENERATORS FOR KICKER MAGNET EXCITATION

Grier, N.T.

1559
EXPERIMENTAL RESULTS ON PLASMA INTERACTIONS WITH LARGE
SURFACES AT HIGH VOLTAGES

Griffin, T.J.

285
THE EVOLUTION OF PULSED POWER

Griffing, B.

2277
A HIGH VOLTAGE PULSE GENERATOR FOR ACOUSTOELECTRIC STUDIES

Griffith, O.F.

1338
MICROPARTICLES IN HIGH-VOLTAGE ACCELERATOR TUBES

Griffiths, B.

10494
A BACK-MATCHING DELAY-LINE CLIPPING TECHNIQUE FOR USE WITH
FAST AMPLIFIERS

Grigor'ev, A.V.

4276
LOW-INDUCTANCE MEGAAMPERE-CURRENT COMMUTATOR BASED ON
SLIDING DISCHARGE

6686
PRECISION PEAKING DISCHARGER WITH A NONLINEAR ELEMENT IN AN
INDUCTIVE STORAGE CIRCUIT WITH FOIL BREAKER

Gripehaver, R.J.

7179
ELECTRICAL BREAKDOWN IN WATER IN THE MICROSECOND REGIME

7515
EXPERIMENTS ON ELECTRICAL BREAKDOWN IN WATER IN THE
MICROSECOND REGIME

Grishav, I.A.

7240
SELF-ACCELERATION EXPERIMENT BY INTERRUPTION OF AN INTENSE
ELECTRON BEAM

Grishayev, I.A.

565
ON THE FORMATION OF PRECISION BEAMS IN MULTISECTION LINEAR
ELECTRON ACCELERATORS

Grishkevich, Y.V.

4434
TRIGGERING OF A HIGH-VOLTAGE PULSE SHAPER FOR IMPROVING
TIME STABILITY AND AMPLITUDE STABILITY

5197
STREAMER CHAMBER POWER SUPPLY ON THE BASE OF A 500KV PULSE
TRANSFORMER

Gromov, E.A.

9599
HIGH-FREQUENCY MAGNETOTNYRISTOR GENERATOR OF POWERFUL
NANOSECOND PULSES

Grotz, O.F.

10418
PULSE GENERATOR EMPLOYING PLURAL PULSE FORMING NETWORKS
PROVIDING OVERLAPPED PULSES TO EFFECT RIPPLE CANCELLATION

Grover, F.W.

8172
INDUCTANCE CALCULATIONS: WORKING FORMULAS AND TABLES

Grow, R.W.

5499
INVESTIGATION OF AN ARC GUN

Gruber, J.E.

5710
INVESTIGATION OF THE EROSION PHENOMENA IN HIGH CURRENT,
HIGH PRESSURE GAS DISCHARGES

4719
A MODULAR POWER-CROWBAR BANK FOR THE GENERATION OF A 50 MA,
50 MICROSECOND CURRENT PULSE FOR THE TOROIDAL PLASMA
EXPERIMENT NOS II AT GARCHING

5824
INVESTIGATION OF THE EROSION PHENOMENON IN HIGH CURRENT,
HIGH PRESSURE GAS DISCHARGES

7495
THE PARALLEL OPERATION OF LOW-INDUCTANCE HIGH-CURRENT SPARK
GAPS WITHOUT TRANSIT TIME ISOLATION

Brudev, K.L.

4778
MODULATION OF THE TRANSMISSION FACTOR OF RESISTIVE DIVIDERS
IN MEASURING A HIGH DC VOLTAGE

Brudzinski, J.

1548
NEW DATA ON THE CREEP DISCHARGE AT THE SURFACE OF A
DIELECTRIC

2436
ANALYSIS OF PLASMAS ACCOMPANYING DISCHARGES IN AIR AT
DIELECTRIC SURFACES

8134
THE RELATION BETWEEN THE CHARGE TRANSPORTED AND NUMBER OF
PHOTONS EMITTED IN PARTIAL DISCHARGES ON DIELECTRIC SURFACES

Brund, J.E.

10198
HIGH SPEED TRIGGER SYSTEM FOR TOTAL DEPOSITED ENERGY
MEASUREMENT IN A LIQUID ROOM CALORIMETER

Grundhauser, F.J.

18226
INTENSE, NANOSECOND ELECTRON BEAMS

Brushin, A.F.

3162
BIG OPTICAL SPARK CHAMBERS AND PULSE GENERATORS FOR THEIR
SUPPLYING

Braykowski, S.

9822
THE FLASHOVER VOLTAGE OF POLYMETHYLMETHACRYLATE IN VACUUM
UNDER DIRECT, ALTERNATING, AND SURGE VOLTAGES OF VARIOUS
FRONT DURATIONS

Guenther, A.H.

615
PRECISE LASER INITIATED CLOSURE OF MULTIMEGAVOLT SPARK GAPS

656
THE LASER TRIGGERING OF HIGH-VOLTAGE SWITCHES

746
LASER TRIGGERING THROUGH FIBER OPTICS OF A LOW JITTER SPARK
GAP

844
AN ELECTRON-BEAM-TRIGGERED SPARK GAP

888
LOW JITTER LASER TRIGGERED SPARK GAP USING FIBER OPTIC

961
SIMULATION OF INDUCTIVE AND ELECTROMAGNETIC EFFECTS
ASSOCIATED WITH SINGLE AND MULTICHANNEL TRIGGERED SPARK GAPS

997
LOW JITTER, LOW INDUCTANCE SOLID DIELECTRIC SWITCHES

3385
LASER TRIGGERED SWITCHING OF A PULSED, CHARGED, OIL FILLED
SPARK GAP

3634
NANOSECOND BREAKDOWN IN HEXANE

3861
SUBNANOSECOND-JITTER LASER-TRIGGERED SWITCHING AT MODERATE
REPETITION RATES

3182
LOW-JITTER MULTIGAP LASER-TRIGGERED SWITCHING AT 50 PPS

5255
INVESTIGATION OF A LASER TRIGGERED SPARK GAP

6038
A LASER-TRIGGERED 50 PPS HIGH-VOLTAGE SWITCH WITH
NANOSECOND JITTER

7173
IEEE 2ND INTERNATIONAL PULSED POWER CONFERENCE DIGEST OF
TECHNICAL PAPERS

7951
12.2-LASER-TRIGGERED MEGAVOLT SWITCHING

8644
EFFECT OF HIGH MAGNETIC FIELDS ON THE THRESHOLD OF
LASER-INDUCED GAS BREAKDOWN

Guenther, B.G.

4384
ISSUES IN UNCLASSIFIED PARTICLE BEAM RESEARCH (PROCEEDINGS
OF THE 1988 PARTICLE BEAM RESEARCH WORKSHOP)

Guernsey, R.

18478
AN ELECTROMAGNETIC, PLANE STRESS-WAVE GENERATOR

Guerrero, L.

4897
ALTERNATE POLARITY MULTIPLE SPARK GAP FOR HIGH EFFICIENCY
SNOWER DETECTORS

Gugel'd, I.I.

1879
EFFECT OF ELECTROSTATIC FORCES IN VACUUM BREAKDOWN

Guguev, S.F.

6979
CHARACTERISTICS OF A HOLLOW ELECTRON BEAM IN A MAGNETICALLY
INSULATED DIODE

Gugel', I.H.

563
ON THE FORMATION OF PRECISION BEAMS IN MULTISECTION LINEAR
ELECTRON ACCELERATORS

Gulle, A.E.

7491
THE EFFECT OF ROTATING ARC VELOCITY ON COPPER CATHODE
EROSION

Gulliet, M.

4734
THE MEGAGAUSS MAGNETIC FIELD LABORATORY IN GRENoble

Guldehi, M.S.

5658
EFFECT OF ATMOSPHERIC HUMIDITY ON BREAKDOWN VOLTAGE OF
VARIOUS SPARKOVER LENGTHS AT VARIOUS VOLTAGE FORMS

Guk, V.O.

8116
A MAGNETIC-THYRISTOR GENERATOR PRODUCING HIGH-VOLTAGE
NANOSECOND PULSES

Gullickson, R.

1431
THE DESIGN OF A REPETITIVELY PULSED MEGAJoule DENSE-PLASMA
FOCUS

Gully, J.H.

4698
ONE MILLISECOND DISCHARGE TIME HOMOPOLAR MACHINE

5418
REBUILDING THE FIVE MEGAJoule HOMOPOLAR MACHINE AT THE
UNIVERSITY OF TEXAS

7215
DESIGN OF THE ARMATURE WINDINGS OF A COMPENSATED PULSED
ALTERNATOR ENGINEERING PROTOTYPE

7218
THE DESIGN, ASSEMBLY, AND TESTING OF A DESK MODEL
COMPENSATED PULSED ALTERNATOR

7219
THE MECHANICAL DESIGN OF A COMPENSATED PULSED ALTERNATOR
PROTOTYPE

7496
TESTING AND ANALYSIS OF A FAST DISCHARGE HOMOPOLAR MACHINE
(FOX)

Guman, M.J.

4876
HIGH ENERGY DENSITY CAPACITORS FOR VACUUM OPERATION WITH A
PULSED PLASMA LOAD

7987
ELECTRODE EROSION PROCESSES IN PULSED PLASMA THRUSTERS

Gunderson, M.A.

948
ELECTRON DENSITIES IN LASER-TRIGGERED SPARK GAP DISCHARGES

8215
ELECTRON DENSITIES IN LASER-TRIGGERED HYDROGEN SPARKS

Gunderson, M.A.

5432
STUDIES OF TRANSIENT DISCHARGES

Gurbaxani, S.N.

7199
ELECTRIC DISCHARGE CHARACTERISTICS OF CABLE PPM USED AS A
PUMP

Gurevich, I.M.

8186
INVESTIGATION OF THE CHARACTERISTICS OF FAST-RESPONSE
SEALED DISCHARGES TRIGGERED BY LASER RADIATION

Gurley, W.M.

619
PULSE GENERATORS AND MODULATORS FOR LASER APPLICATIONS

Gururaja, T.R.

1412
MODIFIED PLZT HIGH VOLTAGE DIELECTRICS

Gus'kev, Yu.A.

7158
EXPLOSION-MAGNETIC GENERATOR WITH AN INDUCTIVE LOAD

Gusel'nikov, V.M.

5525
CHARGING DIELECTRICS WITH A BEAM OF CHARGED PARTICLES

Gusev (Ed.), O.A.

6916
ALL-UNION CONFERENCE ON THE APPLICATION OF CHARGED-PARTICLE
ACCELERATORS IN THE NATIONAL ECONOMY

Gusev, O.A.

1167
ACCELERATOR MODULE OF 'AMOARA-3'

4263
HIGH-CURRENT PULSED ELECTRON ACCELERATOR WITH AN ANNULAR
BEAM

4572
SHAPING OF VOLTAGE PULSES BY DISCHARGING AN INDUCTIVE
STORAGE BANK WITH A CHARGED-PARTICLE BEAM

6689
SPECIAL MEANS FOR MEASUREMENT OF THE ELECTRICAL PARAMETERS
OF ELECTROPHYSICAL INSTALLATIONS

6886
FAST-ACTING VACUUM COMMUTATOR WITH CONNECTION BY
LIQUID-METAL CONTACTS

7814
MICROSECOND HIGH-CURRENT ELECTRON-BEAM ACCELERATOR

7858
INDUCTIVE ENERGY STORAGE IN PULSED ACCELERATORS

Gusev, Yu.P.

8912
ACCURACY OF THE NET METHOD OF CALCULATING THE ELECTRICAL
CHARACTERISTICS OF THE CHANNEL IN A PWO GENERATOR

Guttner, K.

1415
A HIGH VOLTAGE DEFLECTION CONDENSER OPERATED UNDER HIGH
VACUUM CONDITIONS

Guty, V.

8194
A KILOAMPERE CURRENT DIODE BASED ON THE QUENCHED SPARK
PRINCIPLE

Gvishvi, M.

7205
STABILIZATION OF METAL-OXIDE BULK SWITCHING DEVICES WITH
DIFFUSED δ 1 CONTACTS

Ozyjewski, J.

18374
THE APPLICATION OF STEEP PULSE CURRENTS TO THE
ELECTROHYDRAULIC AND MAGNETIC FORMING OF METALS

Heerman, R.A.

3188
ELECTRICAL BREAKDOWN AND TRACKING CHARACTERISTICS OF PULSED
HIGH VOLTAGES IN CRYOGENIC HELIUM AND NITROGEN

18228
HIGH VOLTAGE, HIGH CURRENT, PULSED ENERGY SOURCE HAVING
DI/DT'S OF $2E12$ A/S

Heberer, F.

8998
PRODUCTION OF PULSED MAGNETIC FIELDS WITH A FLAT PULSE TOP
OF 448 KOE AND 1 MSEC DURATION

Heckem, R.

1544
AC (58 HZ) AND DC ELECTRICAL BREAKDOWN OF VACUUM GAPS AND
WITH VARIATION OF AIR PRESSURE IN THE RANGE $1E-9$ - $1E-2$
TORR USING OFHC COPPER, NICKEL, ALUMINUM, AND NIOBIUM
PARALLEL PLANAR ELECTRODES

2396
EFFECT OF MECHANICAL CONTACT FORCE ON WITHSTAND VOLTAGE OF
COPPER-BISMUTH AND CLR VACUUM INTERRUPTERS

2442
EFFECTS OF VOLTAGE POLARITY, ELECTRIC CURRENT, EXTERNAL
RESISTANCE, NUMBER OF SPARKINGS, SUPPLY FREQUENCY, AND
ADDITION OF HYDROGEN AND AIR ON ELECTRICAL BREAKDOWN IN
VACUUM

3396
NOVEL DESIGN FOR ACCURATE ALIGNMENT OF HIGH VOLTAGE
ELECTRODES ASSEMBLY

3699
AC (58 HZ) AND DC ELECTRICAL BREAKDOWN OF VACUUM GAPS AND
WITH VARIATION OF AIR PRESSURE IN THE RANGE $1E-9$ - $1E-2$ TORR
USING OFHC COPPER, NICKEL, ALUMINUM, AND NIOBIUM PARALLEL
PLANAR ELECTRODES

3785
EFFECTS OF ELECTRODE CURVATURE, DISTANCE FROM GLASS
INSULATOR, AND ADDITION OF HYDROGEN ON FIELD-EMISSION
CURRENTS AND BREAKDOWN VOLTAGE IN VACUUM

5787
FIRING CHARACTERISTICS OF A TRIGGERED VACUUM GAP EMPLOYING
DIELECTRIC COATED WITH A SEMICONDUCTING LAYER

7658
ELECTRICAL BREAKDOWN OF A POINT-PLANE GAP IN HIGH VACUUM
AND WITH VARIATION OF PRESSURE IN THE RANGE $1E-7$ - $1E-2$
TORR OF AIR, NITROGEN, HELIUM, SULPHUR HEXAFLUORIDE, AND
ARODM

8178
DETERMINATION OF THE ELECTRIC FIELD ENHANCEMENT FACTOR AND
CRATER DIMENSIONS IN ALUMINUM FROM SCANNING ELECTRON
MICROGRAPHS

Hedley, H.W.

18575
PULSE COMPRESSION TUBES

Hegerman, DC

7765
HIGH-POWER VACUUM SPARK GAP

Hegler, M.

239
HIGH POWER SWITCHING CAPABILITIES

Megler, M.O.

5425
A REVIEW OF HIGH-POWER SWITCH TECHNOLOGY

5520
EXPLODING WIRES IN STRONG AXIAL MAGNETIC FIELDS

6036
A CRITICAL ANALYSIS AND ASSESSMENT OF HIGH POWER SWITCHES

10422
ELECTROMECHANICAL PULSER INVESTIGATION

Mel, F.

5701
AUTOMATED PARTIAL-DISCHARGE TESTING OF TRAVELING-WAVE TUBES

Melie, A.

5154
HIGH MAGNETIC FIELD PRODUCTION BY ELECTROMAGNETIC ENERGY STORAGE IN A SUPERCONDUCTING COIL

Meibohm, J.A.

5928
HIGH POWER ELECTRON BEAM ACCELERATORS FOR GAS LASER EXCITATION

Meier, A.K.

8203
THEORETICAL PROPERTIES OF SPHEROIDALLY-SYMMETRIC STATIC ARCS

Meile, J.

10227
INTERACTION OF LASER-INDUCED IONIZATION WITH ELECTRIC FIELDS

Mellor, M.E.

4806
0.54-MJ SUPERCONDUCTING MAGNETIC ENERGY TRANSFER AND STORAGE

Meiverson, M.D.

8407
COLLECTIVE ION ACCELERATION AND ELECTRON BEAM PROPAGATION IN DIELECTRIC GUIDES

Hamilton, D.J.

10293
PHYSICAL PRINCIPLES OF AVALANCHE TRANSISTOR PULSE CIRCUITS

Hamilton, D.M.

8522
STUDY OF EFFICIENT HIGH-POWER, HIGH-ENERGY NEUTRAL BEAMS FOR THE REFERENCE MIRROR REACTOR

Hamilton, I.D.

10537
ASSEMBLY AND HANDLING APPARATUS FOR THE EDPA MARX GENERATOR

Hamilton, J.

235
DEVELOPMENT OF A FORTY KILOVOLT MEGAWATT AVERAGE POWER THYRATRON (MAPS-40)

6110
MULTI-DIGAWATT HYDROGEN THYRATONS WITH NANO-SECOND RISE TIMES

Hamm, R.W.

2455
A COMPACT 250-KV INJECTOR SYSTEM FOR PICH

Hammel, J.E.

140
HIGH DENSITY Z-PINCH PULSE POWER SUPPLY

615
HIGH-VOLTAGE TECHNOLOGY FOR THE LASL IMPLSION-HEATING EXPERIMENT

1982
DESIGN OF A HIGH-VOLTAGE GENERATOR FOR THE LASL IMPLSION-HEATING EXPERIMENT

Hammer, D.A.

2384
PRODUCTION OF INTENSE FOCUSED ION BEAMS IN A SPHERICAL MAGNETICALLY INSULATED DIODE

2445
INTENSE RELATIVISTIC ELECTRON BEAM INTERACTION WITH A COOL THETA PINCH PLASMA

7583
INTERACTION OF ACCELERATING HIGH-CURRENT ELECTRON BEAMS WITH EXTERNAL MAGNETIC FIELDS

Hammon III, M.D.

630
THE DESIGN APPROACH TO A HIGH-VOLTAGE BURST GENERATOR

869
A 3-MV LOW-JITTER TRIGGERED GAS SWITCH

Hancock, R.

6057
TRIGGERING MECHANISM OF LOW-PRESSURE SPARK GAPS

Hancox, R.

8939
IMPORTANCE OF INSULATING INCLUSIONS IN ARC INITIATION

Handal, B.K.

10043
97 KERR CELL STUDIES OF EXPLODING WIRES IN VACUUM

Henke, K.W.

140
HIGH DENSITY Z-PINCH PULSE POWER SUPPLY

2724
DEVELOPMENT OF THE SWITCHING COMPONENTS FOR ZT-40

Hanne, M.H.

4111
CONTROLLED AVALANCHE RECTIFIER CHAINS FOR ACCELERATING VOLTAGE SUPPLIES

Henaborsugh, L.D.

5591
MULTICHANNEL SPARK-GAP TECHNOLOGY FOR STAGED THETA-PINCH MACHINES

Hansen, D.F.

7845
ELECTRICALLY EXPLODED WIRES-EXPERIMENTS AND THEORY

Hansen, D.O.

10191
HIGH VOLTAGE BREAKDOWN INITIATED BY PARTICLE IMPACT

Hanan, J.

5179
INVESTIGATION OF A HIGH VOLTAGE HOLLOW CATHODE ELECTRON BEAM SOURCE

Hanson, A.M.

5435
A SNEPTSTROKE EXPERIMENT WITH A ROCKET SLED

5436
ARCS ON METAL SHEETS IN SIMULATED LIGHTNING DISCHARGES

5439
RECENT DEVELOPMENTS IN HIGH CURRENT TESTING TECHNIQUES FOR LIGHTNING SIMULATION

5535
TECHNIQUES OF STRIKE TESTS ON STRUCTURES, COMPONENTS AND MATERIALS

Hentzsche, E.

4460
EROSION OF METAL CATHODES BY ARCS AND BREAKDOWNS IN VACUUM

Harada, T.

3014
IMPULSE FLASHOVER CHARACTERISTICS OF LONG AIR GAPS AND
ATMOSPHERIC CORRECTION

Harada, T.

3689
RESISTOR DIVIDER WITH DIVIDING ELEMENT ON HIGH VOLTAGE SIDE
FOR IMPULSE VOLTAGE MEASUREMENTS

3898
INFLUENCE OF AIR DENSITY ON FLASHOVER VOLTAGES OF AIR GAPS
AND INSULATORS

Harbec, G.

4216
BEHAVIOR OF AIR INSULATING GAPS OF DC SYSTEMS UNDER
IMPULSE, DC AND COMPOSITE VOLTAGES

Harjee, H.C.

746
LASER TRIGGERING THROUGH FIBER OPTICS OF A LOW JITTER SPARK
GAP

880
LOW JITTER LASER TRIGGERED SPARK GAP USING FIBER OPTIC

9287
LASER TRIGGERED SPARK GAP USING FIBER OPTIC TRANSMISSION

Harma, H.

118
MAGNETOOPTICAL CURRENT TRANSFORMER. 1: PRINCIPLES

Harma, H.

1246
MAGNETOOPTICAL CURRENT TRANSFORMER. 2: COMPONENTS

1247
MAGNETOOPTICAL CURRENT TRANSFORMER. 3: MEASUREMENTS

Harrie, J.M.

5158
A PRECISION MEGOHM RATIO UNIT FOR HIGH VOLTAGE MEASUREMENTS

Harrie, M.W.

579
15-KJ LC GENERATOR: LOW INDUCTANCE DEVICE FOR A 100-OM
PULSED ELECTRON ACCELERATOR

4736
100 OM ELECTRON BEAM GENERATOR

5517
HIGH VOLTAGE PROBE FOR LIQUID IMMERSION

7225
VOLTAGE DISTRIBUTION AND CURRENT IN A CYLINDRICAL
RELATIVISTIC DIODE

7489
THE CURRENT IN A CYLINDRICAL RELATIVISTIC DIODE

Harriam, J.L.

2165
A NEW RESONANCE TRANSFORMER

Harrity, J.W.

3528
IONIZATION RADIATION EFFECTS IN INSULATORS AND INSULATING
PARTS

Harach, K.

4501
UV LASER TRIGGERING OF SPARK GAPS BY TWO-QUANTUM
PHOTOELECTRIC EFFECT

Hartlein, R.A.

2350
CORRELATION OF ELECTROCHEMICAL TREEING IN POWER CABLES
REMOVED FROM SERVICE AND IN CABLES TESTED IN THE LABORATORY

Hartman, P.L.

8138
LASER-INDUCED ELECTRON EMISSION FROM SOLIDS: MANY-PHOTON
PHOTOELECTRIC EFFECTS AND THERMIONIC EMISSION

Hartmann, J.

3719
IR ABSORPTION OF HIGHLY EXCITED SF/SUO 6/

Harvey, J.M.

10373
HYBRID EM METHODS

Harvey, R.J.

124
ORIENTATION INDEPENDENT IGNITRON

2180
OPERATING CHARACTERISTICS OF THE CROSSED-FIELD CLOSING
SWITCH

3006
HIGH AVERAGE POWER TESTS OF A CROSSED-FIELD CLOSING SWITCH

4192
CROSSED-FIELD CLOSING SWITCH DEVELOPMENT

7254
THE CROSSED-FIELD CLOSING SWITCH-A STATUS REPORT

8988
FEASIBILITY OF A HIGH AVERAGE POWER CROSSED FIELD CLOSING
SWITCH

Hashimoto, T.

635
LOW-IMPEDANCE, COAXIAL-TYPE MARK GENERATOR WITH A
QUASI-RECTANGULAR OUTPUT WAVEFORM

Heason, V.

1225
LOW-IMPEDANCE HIGH-VOLTAGE PULSERS FOR TRAVELLING-WAVE
EXCITATION OF HIGH-POWER UV GAS LASERS

1034
HIGH-POWER PHOTOPREIONIZATION-STABILIZED CARBON DIOXIDE
WAVEGUIDE LASERS OPERATING AT GAS PRESSURES OF UP TO 15 ATM

Heated, J.B.

7934
AQUEOUS DIELECTRICS

Heati, D.E.

10388
CONCEPTUAL DESIGN OF AN AUTO-RESONANT ACCELERATOR EXPERIMENT

Hetch, G.L.

7801
DEVELOPMENT OF AN ADVANCED PULSED ELECTRON BEAM ACCELERATOR

Hetch, L.

7276
HIGH CURRENT PULSED ELECTRON BEAM GENERATOR

Hetfield, L.L.

746
LASER TRIGGERING THROUGH FIBER OPTICS OF A LOW JITTER SPARK
GAP

880
LOW JITTER LASER TRIGGERED SPARK GAP USING FIBER OPTIC

Hetterem, F.

18443
A 750 KM PULSE GENERATOR AND ITS USE FOR THE PRODUCTION OF
X-RAY AND ELECTRON FLASHES

Hattery, W.

2003
SUBNANOSECOND RISE TIME PULSES FROM INJECTION LASERS

Neumesser, R.L.

1274
DEVELOPMENT OF LIGHTWEIGHT TRANSFORMERS FOR AIRBORNE HIGH
POWER SUPPLIES

2559
LIGHTWEIGHT POWER CONDITIONING MAGNETICS

6585
INTERIM REPORT ON DEVELOPMENT OF HIGH POWER, SHORT DUTY
TRANSFORMER/RECTIFIER UNITS

Neuschild, W.

1360
GLIDE DISCHARGES ON INSULATORS IN TRANSFORMER OIL DUE TO
VOLTAGE PULSES

Nevins, T.J.

7746
CARBON INHIBITION IN SPARKED PERFLUOROCARBON-SF/SUB 6/
MIXTURES

Newke, R.S.

7724
MAGRAC-A RAILGUN SIMULATION PROGRAM

8885
RESULTS OF RAILGUN EXPERIMENTS POWERED BY MAGNETIC FLUX
COMPRESSION GENERATORS

8990
RAILGUN ACCELERATORS FOR GRAM-SIZED PROJECTILES

Newley, R.

489
SOLID INSULATORS IN VACUUM: A REVIEW

3452
INFLUENCE OF ELECTRODE COATINGS ON THE BREAKDOWN STRENGTH
OF TRANSFORMER OIL

10935
ELECTRODE PROTRUSIONS PRODUCED BY ELECTRON BEAM BOMBARDMENT
AND THEIR ROLE IN VACUUM BREAKDOWN

Nguyen, S.C.

10818
FORMATIVE TIME LAGS IN THE ELECTRICAL BREAKDOWN OF GASES

Nguyen, J.R.

6097
THE PRODUCTION OF HIGH VELOCITY MERCURY VAPOR JETS BY SPARK
DISCHARGE

Nguyen, G.R.

10056
THE BEHAVIOR OF POLYESTER FILM ENERGY STORAGE CAPACITORS

Nazen, N.L.

1314
HIGH VOLTAGE BREAKDOWN IN AN OSG-4 POINTED EXPERIMENT

Nazony, D.

5324
THEORETICAL AND EXPERIMENTAL STUDY OF SUPERCONDUCTING
INDUCTIVE STORAGE SYSTEMS

Neaily, P.B.

449
2X 11 18-MEGAJOULE IGHITRON CROWBAR

Neard, H.O.

5698
ENERGY DISSIPATION AND ELECTRODE EROSION IN ARCS

Neatherly, M.L.

611
COMPACT, ULTRA-HIGH DENSITY MARX GENERATOR

4895
THE MOLECULE, A COMPACT, HIGH-DENSITY, HIGH-PRECISION MARX
GENERATOR

Neberlein, J.V.R.

1320
DEVELOPMENT OF A CURRENT LIMITER USING VACUUM ARC CURRENT
COMPUTATION

8941
INTERACTION BETWEEN VACUUM ARCS AND TRANSVERSE MAGNETIC
FIELDS WITH APPLICATION TO CURRENT LIMITATION

Neber Jr., R.E.

5582
ELECTRICAL MEASUREMENT OF HIGH VOLTAGE PULSES IN DIAGNOSTIC
X-RAY UNITS

Neber Jr., R.E.

5901
KERR COEFFICIENTS OF POLYCHLORINATED BIPHENYLS AND
CHLORINATED NAPHTHALENE

Neber, R.E.

8363
OPTICAL METHODS OF ELECTRICAL MEASUREMENT AT HIGH VOLTAGE
LEVELS

Neber, R.E.J.

5635
PORTABLE KERR SYSTEM FOR THE MEASUREMENT OF HIGH VOLTAGE
PULSES

Neber, R.E.J.M.M.

5164
CALIBRATION OF HIGH-VOLTAGE PULSE MEASUREMENT SYSTEMS BASED
ON THE KERR EFFECT

Neck, P.M.

4727
PULSED ENERGY AND SWITCHING REQUIREMENTS FOR TOKAMAK OHMIC
HEATING

Neck, J.

4237
HIGH POWER SPARK GAP SWITCH PROGRAM

Neck, J.P.

4693
LIGHTWEIGHT MULTIMEGAWATT POWER TECHNOLOGY-A SURVEY

4708
THE LIQUID METAL PLASMA VALVE CLOSING SWITCH

Neibrenner, P.W.

4917
PIRINO AND VOLTAGE SHAPE OF MULTISTAGE IMPULSE GENERATORS

Nein, O.P.

10598
PULSE CIRCUIT FOR RADIAC SETS

Nenderson, R.P.

7198
CONSIDERATIONS FOR INDUCTIVELY DRIVEN PLASMA IMPLSIONS

7200
PRELIMINARY INDUCTIVE ENERGY TRANSFER EXPERIMENTS

10273
INDUCTIVE STORE PULSE COMPRESSION SYSTEM FOR DRIVING HIGH
SPEED PLASMA IMPLSIONS

Nendricks, C. O.

1755
SOVIET RESEARCH AND DEVELOPMENT OF HIGH-POWER GAP SWITCHES

Nendricks, C.N.

9762
ELECTRONIC SHUTTER PHOTOGRAPHS OF EXPLODING BRIDGE WIRE

Nenein, K.L.

10292
STABILIZATION OF THE OUTPUTS OF PULSE AMPLIFIERS UTILIZING
NON-LINEAR FEEDBACK NETWORKS. APPLICATION TO NUCLEAR
SPECTROMETER AMPLIFIERS

Manins, I.

613
HIGH-VOLTAGE TECHNOLOGY FOR THE LASL IMPLOSION-HEATING
EXPERIMENT

1982
DESIGN OF A HIGH-VOLTAGE GENERATOR FOR THE LASL
IMPLOSION-HEATING EXPERIMENT

3199
OPTICALLY ISOLATED HIGH-VOLTAGE TRIGGER SYSTEM

Marshall, J.B.

18267
SMALL-APERTURE DIAPHRAGMS IN ION-ACCELERATOR TUBES

Marworth, J.K.

3626
IMPULSE BREAKDOWN OF LARGE SPHERE-PLANE GAPS

Marlech (Ed.), F.

9697
CONFERENCE ON MEGA-GAUSS MAGNETIC FIELD GENERATION BY
EXPLOSIVES AND RELATED EXPERIMENTS

Marlech, F.

2417
EXPLOSIVE-DRIVEN ENERGY GENERATORS WITH TRANSFORMER COUPLING

Mermann, W.

8185
INVESTIGATION OF A CYLINDRICAL, AXIALLY BLOWN,
HIGH-PRESSURE ARC

Merppich, O.

5653
CAPACITOR BANKS FOR A TURBULENCE HEATING EXPERIMENT

5663
GENERATION OF RAPID RISE CURRENT PULSES IN THE MSEC RANGE
FOR FAST COMPRESSION EXPERIMENTS

Mertz, W.

10218
INVESTIGATIONS OF THE PROPERTIES OF SF₆/SUB 6/ AS AN ARC
QUENCHING MEDIUM

Mess, H.

3390
ON THE THEORY OF THE SPARK PLASMA IN NANOSECOND LIGHT
SOURCES AND FAST SPARK-GAP SWITCHES

Mess, W.

4071
DESIGN AND CONSTRUCTION OF FAST HIGH ENERGY, HIGH VOLTAGE
CAPACITOR BANKS

5441
DESIGN AND CONSTRUCTION OF FAST ENERGY, HIGH VOLTAGE
CAPACITOR BANKS

Nester, R.

2175
HIGH REPETITION RATE BURST-MODE SPARK GAP

Nester, R.E.

109
THE EXPERIMENTAL TEST ACCELERATOR (ETA)

Nettwer, P.F.

10123
ARC-INTERRUPTION AND GAS-EVOLUTION CHARACTERISTICS OF
COMMON POLYMERIC MATERIALS

Neurlin, S.

6342
A NANOSECOND RISETIME MEGAVOLT VOLTAGE DIVIDER

Neyes, W.

5564
SOME ASPECTS OF DIELECTRIC BREAKDOWN OF SOLIDS

Nibben, S.O.

0684
CALCULATIONS FOR EXPLOSIVE MAGNETIC GENERATORS

Nicken, W.H.

0266
NEGATIVE ION FORMATION AND ELECTRIC BREAKDOWN IN SOME
HALOGENATED GASES

10217
ELECTRON ATTACHMENT IN SULFUR HEXAFLUORIDE USING
MONOENERGETIC ELECTRONS

Nicksted, R.

1269
SF₆/SUB 6/ DIELECTRIC FILL GAS GAUGE

Niett, O.E.

10337
ASSEMBLY AND HANDLING APPARATUS FOR THE EBFA MARK GENERATOR

High Magnetic Field Production By Electromagnetic Energy
Storage In A Superconducting Coil

5139
HEATING OF MOLECULAR GASES IN AN EXTERNALLY MAINTAINED
DISCHARGE

Nijikawa, M.

9141
NEW TYPE OF PULSED ION SOURCE WITH CRYOGENIC ANODE

Nildebrand, P.

8990
PRODUCTION OF PULSED MAGNETIC FIELDS WITH A FLAT PULSE TOP
OF 440 KOE AND 1 MSEC DURATION

Nill, O.A.

217
HIGH FREQUENCY THYRATRON EVALUATION

Nill, R.A.

3737
APPLICATION OF THE RSR SWITCH

5500
DEVELOPMENT AND APPLICATION OF LIGHT ACTIVATED SILICON
SWITCHES

Nill, R.E.

5178
DESIGN PHILOSOPHY AND USE OF HIGH VOLTAGE POWER SYSTEMS FOR
MULTI-MEGAWATT ION BEAM ACCELERATORS

Nill, R.M.

4377
COMMENTS ON MANY-BODY DIELECTRIC RELAXATION IN SOLIDS

Ninshelwood, D.

1500
MATERIAL RESPONSE TO 500 KEV PROTON BEAMS AT INTENSITIES
BELOW 1 GW/CM²

Nipple, J.

9791
A PULSE GENERATOR FOR SHORT MEGAVOLT PULSES WITH A RISETIME
IN THE NANOSECOND REGION

Nipple, J.E.

5295
MULTIMEGAVOLT MODULATOR STUDY

Nirano, K.I.

3374
FAST AIR GAP CROWBAR SWITCH DECOUPLED BY A LOW PRESSURE GAP

Nitchcock, A.H.

7491
THE EFFECT OF ROTATING ARC VELOCITY ON COPPER CATHODE
EROSION

Hochberg, A.K.

10391
PULSE GENERATOR

Hoefl, L.O.

1182
ANALYSIS OF A DISTRIBUTED PULSE POWER SYSTEM USING A
CIRCUIT ANALYSIS CODE

Hofer, W.W.

10181
ELECTRIC GUN: A VERSATILE TOOL FOR HIGH-PRESSURE SHOCKWAVE
RESEARCH

Hoffman, C.O.

4695
METAL FOILS FOR USE IN PULSED LASER APPLICATIONS

Hofmann, O.A.

2211
A HIGH SPEED HVDC CIRCUIT BREAKER WITH CROSSED-FIELD
INTERRUPTERS

6542
THE DAMITRON-A HIGH POWER CROSSED-FIELD SWITCH TUBE FOR
HVDC INTERRUPTION

10233
RESEARCH AND DEVELOPMENT ON DC CIRCUIT BREAKERS (FINAL
REPORT)

Hofmann, S.

1415
A HIGH VOLTAGE DEFLECTION CONDENSER OPERATED UNDER HIGH
VACUUM CONDITIONS

Hoft, D.J.

10409
SPLIT PULSE GENERATOR

Hogberg, L.

9791
A PULSE GENERATOR FOR SHORT MEGAVOLT PULSES WITH A RISE TIME
IN THE NANOSECOND REGION

Hoh, S.

7169
LICHTENBERG FIGURES ON VARIOUS ELECTRICAL INSULATING
MATERIALS

Holbrook, R.J.

5690
FOAM-IN-PLACE MATERIALS FOR HIGH VOLTAGE INSULATION IN A
SPACE ENVIRONMENT

Holder, D.

3102
CONCEPTS STUDY FOR NANOSECOND RISE TIME MULTI-MEGAJOULE
IMPULSE POWER SYSTEMS

Holland, L.D.

5324
THEORETICAL AND EXPERIMENTAL STUDY OF SUPERCONDUCTING
INDUCTIVE STORAGE SYSTEMS

Hollandsworth, C.E.

1146
CHARGED, INTERNALLY SWITCHED TRANSMISSION LINE
CONFIGURATIONS FOR ELECTRON ACCELERATION

Holly, R.W.

3006
HIGH AVERAGE POWER TESTS OF A CROSSED-FIELD CLOSING SWITCH

7256
THE CROSSED-FIELD CLOSING SWITCH-A STATUS REPORT

Holm-Kennedy, J.W.

10234
A TECHNIQUE FOR MEASURING NON-SQUARE PULSED HIGH VOLTAGES
TO ± 0.25 PERCENT ACCURACY

Holm-Kennedy, J.W.

2382
A TECHNIQUE FOR MEASURING NON-SQUARE PULSED HIGH VOLTAGES TO
 ± 0.25 PERCENT ACCURACY

Holm, R.

0200
THE VAPORIZATION OF THE CATHODE IN THE ELECTRIC ARC

Holmes, A.J.T.

9210
THE GLOW-DISCHARGE-TO-ARC TRANSITION INSTABILITY

Holmes, F.A.

1320
DEVELOPMENT OF A CURRENT LIMITER USING VACUUM ARC CURRENT
COMMUTATION

8941
INTERACTION BETWEEN VACUUM ARCS AND TRANSVERSE MAGNETIC
FIELDS WITH APPLICATION TO CURRENT LIMITATION

Holmes, L.S.

8310
PRODUCTION OF MILLIMICROSECOND CURRENT PULSES USING A
PRESSURIZED SPARK GAP

Holroyd, F.W.

4889
A COMPUTER SIMULATED MODEL FOR DIFFUSION AND DRIFT OF
ELECTRONS IN FLASH TUBES

Holub, G.J.

10423
DELAYED PULSE GENERATOR

Holzbauer, C.J.

5690
FOAM-IN-PLACE MATERIALS FOR HIGH VOLTAGE INSULATION IN A
SPACE ENVIRONMENT

Honig, E.M.

5320
EXPLODING WIRES IN STRONG AXIAL MAGNETIC FIELDS

7208
A 33-KVA INTERRUPTER TEST FACILITY

1251
THE USE OF VACUUM INTERRUPTERS AND BYPASS SWITCHES TO CARRY
CURRENTS FOR LONG TIMES

7298
THE USE OF VACUUM INTERRUPTERS AT VERY HIGH CURRENTS

Honodel, C.A.

10181
ELECTRIC GUN: A VERSATILE TOOL FOR HIGH-PRESSURE SHOCKWAVE
RESEARCH

Hook, H.C.

2155
A VERSATILE HIGH-VOLTAGE BIAS SUPPLY FOR EXTENDED RANGE MIS
(KV) AND O(V) MEASUREMENTS

Hooker, P.C.

2013
THE PREDICTION OF PULSE PERMEABILITY AND LOSS OF NI/FE
ALLOYS IN TOROIDAL CORE PULSE CURRENT TRANSFORMERS

Hooper, E.O.J.

770
LARGE AREA NEGATIVE ION SOURCE FOR HIGH VOLTAGE NEUTRAL
BEAMS

Hooper, E.H.

601
AN ALL SOLID-STATE MODULATOR FOR THE ARSR-3 TRANSMITTER

4111
TIME SELECTIVE RECHARGING OF AN AUXILIARY PULSER

Nepkine, D.A.

2888
RECENT RESULTS OF VACUUM-ARC SWITCHED MULTI-MEGAWATT
INVERTER TESTS

Nepkine, D.B.

3186
PRESENT AND FUTURE TECHNOLOGY OF HIGH VOLTAGE SYSTEMS FOR
NEUTRAL BEAM INJECTIONS

Nepkins, DC

2525
A MULTI-MEGAWATT, VACUUM ARC SWITCHED INVERTER FOR AIRBORNE
APPLICATIONS

Nepwood, J.

18342
MICROPROCESSOR-CONTROLLED, PROGRAMMABLE RAMP VOLTAGE
GENERATOR

Nerij, K.

3404
APPLICATIONS OF A LASER-TRIGGERED SPARK GAP (LTSG)

3684
TRIGGERING MECHANISM OF A LASER-TRIGGERED SPARK GAP

7941
SPARK DISCHARGE TRIGGERED BY A PULSE LASER BEAM

Norleke, K.

9141
NEW TYPE OF PULSED ION SOURCE WITH CRYOGENIC ANODE

Noekawa, T.

7915
BREAKDOWN OF A SPARK GAP IN AIR TRIGGERED BY A LASER

Houston, J.M.

1266
ELECTRONIC CURRENT TRANSDUCER (ECT) FOR HIGH-VOLTAGE DC
LINES

Houston, S.O.

18434
NERTIZIAN GENERATOR DEVELOPMENT

Howard, P.R.

7812
INSULATION PROPERTIES OF COMPRESSED ELECTRONEGATIVE GASES

Howell, V.T.S.

6288
NOVEL PRINCIPLE OF TRANSIENT HIGH-VOLTAGE GENERATION

Howell, M.R.

10007
A SIMPLE STRIPLINE PULSER FOR SPARK CHAMBERS

Howland, M.M.

708
VERY FAST, HIGH PEAK POWER PLANAR TRIODE AMPLIFIERS FOR
DRIVING OPTICAL GATES

10324
VERY FAST, HIGH PEAK-POWER, PLANAR TRIODE AMPLIFIERS FOR
DRIVING OPTICAL GATES

Hsu, K.C.

8974
THE EFFECTS OF COLD GAS INJECTION ON A CONFINED ARC COLUMN

Hueng, T.V.

18492
SYSTEM FOR CALIBRATION OF SPEAR TRANSPORT LINE TOROIDS

Hubbeling, L.

5611
DESIGN AND CONSTRUCTION OF A SPARK GAP ASSEMBLY AND
ASSOCIATED CIRCUITS

Huber, M.J.

5318
PICOSECOND RISETIME SWITCH STUDY

Huber, M.C.

1314
HIGH VOLTAGE BREAKDOWN IN AN OSO-4 POINTED EXPERIMENT

Hubert, P.

5433
ARTIFICIAL TRIGGERING OF LIGHTNING ABOVE GROUND

Huddle, F.O.

968
THE EFFECT OF GLASS DEBRIS ON ELECTRON EMISSION AND
ELECTRICAL BREAKDOWN OF VACUUM INTERRUPTERS

Hudson, O.G.

8997
PULSES IN NEGATIVE POINT-TO-PLANE CORONA

Huff, R.

4123
EXPERIMENTAL INVESTIGATION OF HIGH-CURRENT RELATIVISTIC
ELECTRON FLOW IN GIGASECS

Hugel, N.

8928
EFFECT OF SELF-MAGNETIC FORCES ON THE ANODE MECHANISM OF A
HIGH CURRENT DISCHARGE

Hugenholtz, C.A.J.

10232
A TRIGGERED VACUUM SPARK-GAP SWITCH

Hugenschmidt, M.

5649
ELECTRICAL AND OPTICAL CHARACTERISTICS OF A MULTICHANNEL
H/SUB 2/-LASER

Hughes, V.W.

10424
A HIGH INTENSITY PULSED SOURCE OF POLARIZED ELECTRONS

Hugreese, M.W.

8191
A HIGH-POWER RF LINE GENERATOR OF NOVEL DESIGN

Huisker, M.

5154
HIGH MAGNETIC FIELD PRODUCTION BY ELECTROMAGNETIC ENERGY
STORAGE IN A SUPERCONDUCTING COIL

Mull, A.W.

1982
TIME DELAY IN TRIGGERED VACUUM GAP

Humphrey, L.

7447
PHYSICAL PROPERTIES OF THIN-FILM FIELD EMISSION CATHODES
WITH MOLYBDENUM CONES

Humphries Jr., S.

1683
PROGRESS IN INTENSE PULSED ION SOURCES

1833
HIGH-CURRENT-PULSED LINEAR ION ACCELERATORS

4814
ADVANCES IN THE EFFICIENT GENERATION OF INTENSE PULSED
PROTON BEAMS

7759
EXTRACTION AND FOCUSING OF INTENSE ION BEAMS FROM A
MAGNETICALLY INSULATED GIGASEC

8247
PRODUCTION OF 0.5-TM PROTON PULSES WITH A SPHERICAL
FOCUSING, MAGNETICALLY INSULATED GIGASEC

Mumphries, S.

3725
MICROSECOND OPERATION OF A GENERAL PURPOSE PULSED PROTON GUN

7775
PRODUCTION OF INTENSE PROTON FLUXES IN A MAGNETICALLY
INSULATED DIODE

Mumphries, S.J.

5619
HIGH POWER ELECTROSTATIC ION ACCELERATORS

Hunter Jr., R.O.

10339
CONCEPT FOR ENERGY-STORAGE RINGS AT 10-100 MJ

Hunter, E.T.

5605
CHARACTERIZATION OF EMP PROTECTION DEVICES

Hunter, R.O.

4689
ELECTRON BEAM CONTROLLED SWITCHING

Hureau, C.

10180
BEHAVIOR OF COMPOSITE INSULATION UNDER THE ACTION OF
SUPERFICIAL ARCS. APPLICATION TO LINE INSULATORS

Hutcheon, S.

10356
STUDY ON THE MAKING OF COCKROFT WALTON HIGH TENSION

Hutchins, R.L.

632
DISTRIBUTED PARAMETER MODEL OF THE TRESTLE PULSER

Hutchins, S.

191
APPLYING A HOMOPOLAR POWER SUPPLY TO A TOKAMAK

Muttin, G. A.

1293
DESIGN STUDY FOR AN AURORA MODIFICATION LEADING TO A
100-TERAWATT NUCLEAR WEAPON RADIATION

Muttin, G.A.

247
DESIGN STUDY FOR AN AURORA MODIFICATION LEADING TO A
100-TERAWATT NUCLEAR WEAPON RADIATION SIMULATOR

1274
HIGH IMPEDANCE ION DIODE EXPERIMENT ON AURORA

1448
HIGH-IMPEDANCE ION-DIODE EXPERIMENT ON THE AURORA PULSER

8803
IMPROVED DESIGN AURORA MODIFICATION PROGRAM (IOAMP)

Hyde, R.L.

8195
A LASER-TRIGGERED KRYPTON-BLUMLEIN ELECTRO-OPTIC SWITCH

Myitun-cavalitus, N.

3228
CAPACITANCE CALCULATIONS FOR SOME BASIC HIGH VOLTAGE
ELECTRODE CONFIGURATIONS

Nyslop, D.M.

1529
ELECTRO-OPTICAL MEASUREMENTS OF SOLID INSULATOR SURFACE
FIELDS AND SURFACE CHARGING IN VACUUM

NEBNER, R.E.

9408
TEMPERATURE DEPENDENCE OF THE ELECTRO-OPTIC KERR
COEFFICIENT OF NITROBENZENE

Ichihara, Y.

5098
INFLUENCE OF AIR DENSITY ON FLASHOVER VOLTAGES OF AIR GAPS
AND INSULATORS

Ida, E.S.

10031
REDUCING ELECTRICAL INTERFERENCE

Iguchi, M.

5609
CONTROL OF HIGH ENERGY CAPACITOR BANKS

Ikeda, M.

5609
CONTROL OF HIGH ENERGY CAPACITOR BANKS

6894
CROWBAR GAP SWITCH WITH TWO TRIGGERING PULSES OF OPPOSITE
POLARITIES AND ITS SIMPLIFIED GAP SWITCHES

Ikonnikov, V.B.

10272
A LOW-INDUCTANCE CONTROLLED VACUUM SPARK GAP OPERATING AT A
VOLTAGE OF 100 KV AND CURRENT OF UP TO 1.5 MA

Ikrvannikov, V.I.

6433
LIMITING CAPABILITIES OF A PLANAR EXPLOSIVE MAGNETIC
GENERATOR AS A PULSED ENERGY SOURCE

6800
CHARGING OF AN INDUCTIVE ACCUMULATOR FROM AN EXPLOSIVE-TYPE
MAGNETIC GENERATOR THROUGH AN ELECTRICAL EXPLOSIVE-TYPE
CURRENT BREAKER

6837
MAGNETIC ACCUMULATION IN A PLANE LINER OF FINITE THICKNESS

6838
MAGNETIC ACCUMULATION IN A TAILORED-PROFILE, PLANE,
EXPLOSIVE-MAGNETIC GENERATOR WITH ARBITRARY LOAD

6874
WORK PERFORMED BY A PLANAR EXPLOSIVE MAGNETIC GENERATOR ON
A RESISTIVE LOAD

9650
ENERGY TRANSFER FROM AN INDUCTIVE STORAGE TO AN INDUCTIVE
LOAD BY MEANS OF AN EXPLOSIVE CURRENT DISCONNECT

Ikuta, K.

4489
RELATIVISTIC ELECTRON BEAM SOURCE WITH AN AIR-CORE STEP-UP
TRANSFORMER

II'in, A.V.

10322
GENERATOR OF CURRENT PULSES WITH AN AMPLITUDE OF 10^6 A AND
STABILITY OF $\pm 0.1 - 10^{-3}$ AT A REPETITION RATE OF 2 HZ

II'in, A.V.

6451
CURRENT PULSE GENERATOR

II'in, O.O.

8233
DETERMINATION OF TEMPERATURE AND OTHER PARAMETERS OF AN
EXPLODING-WIRE PLASMA BY MEANS OF SELF-REVERSAL OF LINES
AND ABSORPTION SPECTRA

II'in, O.O.

3806
PEAKING THE TRAILING EDGE OF A HIGH-VOLTAGE NANOSECOND
PULSE IN AN UNMATCHED LOAD

6644
SHORTENING THE FRONTS OF HIGH-VOLTAGE PULSES WITH THE AID
OF A NONLINEAR INDUCTANCE

II'in, V.E.

8177
DESTRUCTION OF ELECTRODES BY ELECTRIC DISCHARGES OF HIGH
CURRENT DENSITY

Ii'in, V.F.

6449
COMPUTATION OF THE ELECTRIC FIELD AT MULTIPOINT CATHODES

Iiin, A.V.

18211
CURRENT PULSE GENERATOR WITH AMPLITUDE OF 1.888,888 A AND STABILITY OF ± 0.001 AT A REPETITION RATE OF TWO HZ

Imam, I.

7226
DEVELOPMENT OF A HIGH-POWER VACUUM INTERRUPTER

Imao, Ye.A.

2725
RECOIL MOMENTUM AND EJECTION OF METAL PARTICLES UNDER THE ACTION OF A GIANT LASER PULSE

IneII, E.K.

745
A PROPOSAL FOR THE CONSTRUCTION AND OPERATION OF AN INDUCTIVE STORE FOR 20 MJ

4389
AN IMPROVED METHOD OF TRIGGERING FLASHLAMPS POWERED FROM AN ENERGY STORAGE INDUCTOR

4999
FAST CIRCUIT BREAKER FOR THE DISCHARGE OF A STORAGE INDUCTOR

5683
USE OF THE HOMOPOLAR GENERATOR TO POWER XENON DISCHARGE TUBES AND SOME ASSOCIATED SWITCHING PROBLEMS

5894
CENTERING A HIGH-CURRENT ARC IN A COAXIAL ARC CHAMBER

6493
APPLICATION OF THE HALL EFFECT TO THE SWITCHING OF INDUCTIVE CIRCUITS

8184
TESTS ON THE CAMBERRA HOMOPOLAR GENERATOR ARRANGED TO SUPPLY THE 5 MEGAWATT MAGNET

8122
A PROPOSAL FOR THE CONSTRUCTION AND OPERATION OF AN INDUCTIVE STORE FOR 20 MEGAJOULES

Inculat, I.I.

9282
PARTICLE CHARGING IN DC CORONA FIELDS-A REVIEW

Indraneel, S.

4456
DISTRIBUTION OF SURFACE CHARGES ON PERSFEX DUE TO PARTIAL DISCHARGES

Iellav, G.F.

13849
VOLT-AMPERE CHARACTERISTIC AND TRANSITION CURRENT OF A GAS GAP WHEN ACTED UPON BY PULSED IONIZING RADIATION

Ionin, A.A.

18482
ELECTRICALLY DRIVEN 280-JOULE PULSED LASER

Ipatov, A.L.

737
HIGH-CURRENT NANOSECOND-PULSE ELECTRON ACCELERATOR WITH INDUCTIVE SHAFING ELEMENT

Ireland, C.L.M.

2851
GAS BREAKDOWN BY A SHORT LASER PULSE

3694
A TRANSMISSION LINE CIRCUIT FOR RELIABLE SPARK GAP OPERATION

4448
A MULTICHANNEL LASER TRIGGERED SPARK GAP WITH SUBNANOSECOND RISETIME FOR ELECTRO-OPTIC SWITCHING

5783
GAS BREAKDOWN BY SINGLE 20PS, 1.86UM AND 0.53UM LASER PULSES

Iromachvili, D.V.

6461
HIGH-CURRENT CAVITY ELECTRON ACCELERATOR

6688
SPARK SOURCE IN A HIGH-CURRENT ELECTRON INJECTOR

Iromavili, O.V.

5395
HIGH-VOLTAGE NANOSECOND PULSE GENERATOR WITH COMPENSATION USING NONLINEAR COMPONENTS

Irtuganov, V.

2887
TUBULAR PULSE-DISCHARGE LAMPS AS CIRCUIT ELEMENTS

Irtuganov, V.M.

9461
INDUCTIVE ENERGY STORAGE FOR PULSED DISCHARGES

Iseov, A.A.

6549
USING A CABLE PULSE TRANSFORMER IN THE POWER SYSTEM OF A GAS LASER

Isakov, V.P.

733
EXPLOSIVE ELECTRICAL GENERATOR

Isayenko, V.I.

8132
INVESTIGATING THE LUMINESCENCE ORIGINATING DURING THE ELECTRIC FULMINATION OF THIN WIRES

Ischenko, V.M.

1337
GENERATION OF VOLTAGE PULSES FOR TRANSVERSE DISCHARGES

Ishchenko, V.M.

478
EXCITATION OF HIGH-PRESSURE LASER MEDIA BY A DISCHARGE THROUGH AN INSULATOR

1991
GENERATORS PRODUCING VOLTAGE FOR A TRANSVERSE DISCHARGE

3848
HIGH-VOLTAGE GAS-FILLED SPARK GAP

Ishida, Y.

5898
INFLUENCE OF AIR DENSITY ON FLASHOVER VOLTAGES OF AIR GAPS AND INSULATORS

Ishii, K.

698
NONADIABATIC ENERGY TRANSFER BETWEEN COUPLED L-C RESONATORS AND ITS POSSIBLE APPLICATIONS TO HIGH-POWER RF PULSE GENERATION

Ishikawa, K.Y.

7248
A MODULATOR FOR THE SEASAT-A RADAR ALTIMETER

Ishel'dekil, A.I.

6951
NANOSECOND FORMATION TIME OF DISCHARGES IN SHORT AIR GAPS

Ishel'dekil, A.M.

2717
PULSED BREAKDOWN OF AIR IN A HOMOGENEOUS FIELD AT LARGE OVERVOLTAGES

6632
A COMPENSATED SHUNT FOR MEASUREMENT OF POWERFUL NONSTATIONARY CURRENTS

6815
ELECTRICAL CONDUCTIVITY OF AN ALUMINUM FOIL IN AN ELECTRICAL EXPLOSION

6817
ENERGY TRANSFER FROM AN INDUCTIVE STORAGE BY MEANS OF AN
EXPLOSIVE CURRENT DISCONNECT

6819
EXPLODING WIRES WITH HIGH ENERGY INPUT

7844
ELECTRON-OPTICAL OBSERVATION OF INITIATION AND DEVELOPMENT
OF PULSED BREAKDOWN IN A NARROW VACUUM GAP

9928
INVESTIGATION OF THE PULSED BREAKDOWN MECHANISM AT THE
SURFACE OF A DIELECTRIC IN A VACUUM I. UNIFORM FIELD

Ishav'skiy, A.M.

414
THE DISCHARGE CURRENT DISTRIBUTION OVER THE SURFACE OF THE
ELECTRODES OF A HYDROGEN THYRATRON DURING A PULSE

Islamov, R.Sh.

8158
ELECTRON DISTRIBUTION FUNCTION IN 4:1 N₂/O₂ MIXTURE

Iushki, S.

3649
SYNTHETIC PAPER FOR EXTRA HIGH VOLTAGE CABLE

Istamin, Ju.A.

1167
ACCELERATOR MODULE OF 'ANGARA-5'

Itami, T.

3688
RESISTOR DIVIDER WITH DIVIDING ELEMENT ON HIGH VOLTAGE SIDE
FOR IMPULSE VOLTAGE MEASUREMENTS

Itani, A.M.

1266
ELECTRONIC CURRENT TRANSDUCER (ECT) FOR HIGH-VOLTAGE DC
LINES

Itikawa, Y.

5326
CROSS SECTIONS FOR CHARGE TRANSFER COLLISIONS INVOLVING
HYDROGEN ATOMS

Ito, T.

7823
SPECTROSCOPIC STUDY OF HIGH CURRENT DISCHARGES

Itskovich, P.I.

8155
ON THE THEORY OF FIELD EMISSION FROM METALS

Ivanchenko, A.I.

9428
CREATION OF MEGAGAUSS FIELDS BY THE METHOD OF
MAGNETODYNAMIC ACCUMULATION

8513
THE PRODUCTION OF PULSED MEGAGAUSS FIELDS BY COMPRESSION OF
THE METALLIC CYLINDER IN Z-PINCH CONFIGURATION

Ivanov, A.B.

18345
SYSTEM FOR HIGH-VOLTAGE SUPPLY OF MAGNETOSTRICTION SPARK
CHAMBERS IN THE 'PHOTON' FACILITY

Ivanov, I.A.

6865
THE CHARGING OF INDUCTIVE STORAGE DEVICES BY MEANS OF
ELECTRICAL ROTARY AGGREGATES

7184
CALCULATION OF TOROIDAL INDUCTIVE ACCUMULATORS WITH A
D-CROSS SECTION FROM PARAMETERS OF A DISCHARGE PULSE AND OF
THE CHARGING DEVICE

9788
MATCHING OF AN INDUCTIVE ENERGY STORE AND A COIL WITH LINER
WITH LIMITING OF BREAKING VOLTAGE

Ivanov, M.A.

8612
LIGHT CONTROL-PULSE DETECTOR FOR THE CURRENT SWITCHES IN A
HIGH-VOLTAGE PULSE GENERATOR

Ivanov, S.I.

2859
FORMATIVE TIME OF PENNING DISCHARGE

Ivanov, V.M.

6458
EXPERIMENTS ON ACCELERATION OF DEUTERONS AND PROTONS IN AN
ELECTRON BEAM PASSING THROUGH A GAS

Ivanov, V.V.

8978
THEORETICAL MODEL FOR BREAKDOWN OF PLASM-DISCHARGE TUBES
CAUSED BY INTERNAL PRESSURE DURING VAPORIZATION OF WALL
MATERIAL

8888
THEORY OF POWERFUL NONSTEADY XENON DISCHARGE TAKING
VAPORIZATION OF ITS STABILIZING WALLS INTO ACCOUNT

Ivanova, T.A.

7874
CREEPAGE DISCHARGE ALONG THE SURFACE OF SOLID DIELECTRICS
IN WATER

Ivchenko, M.G.

2188
PULSED SUPPLY OF PHOTOMULTIPLIERS

Ivkin, M.V.

4547
A HIGH-VOLTAGE WATER SPARK GAP WITH LASER FIRING

6846
LASER IONIZATION OF THE WATER DISCHARGE FOR THE THIN
PULSE-FORMING LINE OF AN ELECTRON ACCELERATOR

7142
HIGH-CURRENT, MICROSECOND-RANGE RELATIVISTIC ELECTRON BEAM

8986
KAL'MAR-1 PULSED ELECTRON ACCELERATOR WITH RELATIVISTIC
ELECTRON BEAM POWER OF UP TO 5E12 W/SQ.CM.

Ivlev, A.V.

283
A TWO-STAGE ELECTRICAL-EXPLOSION MECHANICAL COMPUTATOR

7138
AN INDUCTIVE STORE WITH ELECTROMAGNETIC CURRENT
MULTIPLICATION

Ivlava, L.G.

1162
THE AUTRON-A CONTROLLED PLASMA-CATHODE GAS-DISCHARGE DEVICE

Iwai, T.

8326
CROSS SECTIONS FOR CHARGE TRANSFER COLLISIONS INVOLVING
HYDROGEN ATOMS

Iyudin, A.P.

2187
SPARK-CHAMBER POWER-SUPPLY CIRCUIT WITH SEMICONDUCTOR
TRIGGER

Iyyengar, S.K.

18317
PRELIMINARY RESULTS OF EXPERIMENTS WITH MODERATE POWER RED

Jack, J.M.

428
A FAST HIGH VOLTAGE PULSE GENERATOR

Jackson, B.

1384
LIGHT-TRIGGERED THYRISTORS FOR ELECTRIC POWER SYSTEMS
(PHASE 2)

Jacob, J.H.

5195
SMALL SCALE DISCHARGE STUDIES

Jacobs, H.

8863
FIELD-DEPENDENT SECONDARY EMISSION.

Jacobsen, S.

1663
TWO TANDUM PULSE GENERATORS PROVIDE WAVEFORM FLEXIBILITY

Jacoby, D.

8195
A LASER-TRIGGERED KRYTRON-BLUMLEIN ELECTRO-OPTIC SWITCH

Jahn, R.J.

7678
PRESSURE DISTRIBUTION IN THE STRUCTURE OF A PROPAGATING
CURRENT SHEET

Jones, D.R.

4369
HIGH VOLTAGE RESEARCH (BREAKDOWN STRENGTHS OF GASEOUS AND
LIQUID INSULATORS) AND ENVIRONMENTAL EFFECTS OF DIELECTRIC
GASES

7750
DIELECTRIC GAS MIXTURES WITH POLAR COMPONENTS

7773
ON THE ROLE OF THE ELECTRON IMPACT IONISATION AND ELECTRON
SCATTERING CROSS-SECTION IN THE BREAKDOWN STRENGTH OF
DIELECTRIC GASES

18185
HIGH VOLTAGE RESEARCH (BREAKDOWN STRENGTHS OF GASEOUS AND
LIQUID INSULATORS) AND ENVIRONMENTAL EFFECTS OF DIELECTRIC
GASES. SEMIANNUAL REPORT, APRIL 1, 1979-SEPTEMBER 30, 1979

Jones, T.E.

1565
SIMULATION OF LIGHTNING STRIKES TO AIRCRAFT

2437
ARC VOLTAGE OF PULSED HIGH CURRENT SPARK GAPS

5064
HIGH-CURRENT 60 KV MULTIPLE-ARC SPARK GAP SWITCH OF 1.7 MN
INDUCTANCE

7495
THE PARALLEL OPERATION OF LOW-INDUCTANCE HIGH-CURRENT SPARK
GAPS WITHOUT TRANSIT TIME ISOLATION

Joneson, R.A.

10279
ACCELERATOR TECHNOLOGY PROGRAM. PROGRESS REPORT,
APRIL-DECEMBER 1978

Jamet, F.

10443
A 750 KW PULSE GENERATOR AND ITS USE FOR THE PRODUCTION OF
X-RAY AND ELECTRON PLASMAS

Jampol'skii, I.R.

1167
ACCELERATOR MODULE OF 'ANGARA-S'

Jones, D.E.J.

5465
BACKGROUND INFORMATION ON HIGH-VOLTAGE FIELDS

Jones, G.S.

9518
HIGH-POWER PULSE STEEPENING BY MEANS OF EXPLODING WIRES

7433
NEW TYPE OF ACCELERATOR FOR HEAVY IONS

Jonecke, M.A.

4886
0.54-MJ SUPERCONDUCTING MAGNETIC ENERGY TRANSFER AND STORAGE

Jensen, H.

4782
PULSED POWER SYSTEMS FOR THE LASL HIGH ENERGY GAS LASER
FACILITY

7196
A LARGE-AREA COLD-CATHODE GRID-CONTROLLED ELECTRON GUN FOR
ANTARES

Jensen, J.

558
300-KJ, 200-KA MARX MODULE FOR ANTARES

7222
REVIEW AND STATUS OF ANTARES

Jerzynski, J.

798
MAGNETIC FIELD SENSITIVITY OF AN OPTICAL FIBER WITH
MAGNETOSTRICTIVE JACKET

Javan, A.

8047
PHOTOPREIONIZATION OF THE 3371-ANGSTROM PULSED N/SUB 2/
LASER

Jedynak, L.

3483
HIGH-VOLTAGE VACUUM INSULATION WITH EPOXY-COATED CATHODES

7694
VACUUM INSULATION OF HIGH VOLTAGES UTILIZING DIELECTRIC
COATED ELECTRODES

8080
WHISKER GROWTH IN HIGH-VOLTAGE HIGH-VACUUM GAPS

Jehle, R.E.

10390
PULSE CIRCUIT FOR RADIAC SETS

Jenkins, C.R.

383
EMP SUSCEPTIBILITY OF INTEGRATED CIRCUITS

Jenkins, D.

7574
HOMOPOLAR CURRENT SOURCE FOR MASS ACCELERATORS

7874
PULSED HIGH-VOLTAGE AND HIGH CURRENT OUTPUTS FROM HOMOPOLAR
ENERGY STORAGE SYSTEM

10214
PULSED HIGH-VOLTAGE AND HIGH-CURRENT OUTPUTS FROM HOMOPOLAR
ENERGY STORAGE SYSTEM

Jensen, D.

8311
MEASUREMENTS OF THE CHARGE DISTRIBUTIONS ON AN ALUMINA
INSULATOR IN VACUUM RESULTING FROM HIGH-VOLTAGE STRESS

9800
ELECTRON AVALANCHE AND SURFACE CHARGING ON ALUMINA
INSULATORS DURING PULSED HIGH-VOLTAGE STRESS

Jensen, R.J.

10372
ALUMINUM FLUORIDE EXPLODING-WIRE LASER

Jervie-Hunter, D.

392
A CIRCUIT WHICH PREDICTS AND DIVERTS FLASHOVER FROM A LONG
AIR GAP

3524
ANTICIPATION OF ELECTRICAL BREAKDOWN OF LONG AIR GAPS

Johansen, S.R.

3631
MEASUREMENT OF THE ENERGY RELEASED IN NANOSECOND ELECTRIC
SPARKS

John, P.K.

991
ION BEAM GENERATION THROUGH A MOVING PLASMA BOUNDARY

Johnson, D.

1299
MODELING AND MEASUREMENT OF THE INITIAL AND HEAT FLUXES
IN PULSED HIGH-CURRENT ARCS

Johnson, D.J.

6241
PRODUCTION OF 5.5-TM PULSED PULSES WITH A SPHERICAL
FOCUSING, MAGNETICALLY INSULATED DIODE

Johnson, D.L.

196
INITIAL PULSED II PULSED POWER TESTS

A20
DEVELOPMENT OF AN 10-MEGAVOLT MARX GENERATOR

1501
SUMMARY OF THE HERMES PLASMA X-RAY PROGRAM

1770
LOW PREPULSE, HIGH POWER DENSITY WATER DIELECTRIC SWITCHING

5198
SUPER POWER GENERATORS

5860
HIGH POWER DENSITY WATER DIELECTRIC SWITCHING

10430
UNTRIGGERED MULTICHANNEL OIL SWITCHING

Johnson, E.D.

2514
AN ELECTRICAL SURGE ARRESTOR (ESA) MODEL FOR
ELECTROMAGNETIC PULSE ANALYSIS

Johnson, J.P.

1141
DEGRADATION PRODUCT ANALYSIS FOR POLYMERIC DIELECTRIC
MATERIALS EXPOSED TO PARTIAL DISCHARGES

Johnson, J.N.

5166
TIME-DEPENDENT CRITICAL DAMPING OF A CAPACITOR-DISCHARGE
CIRCUIT

10393
EXPLOSIVE PULSE GENERATOR

Johnson, J.L.

9786
HIGH-CURRENT BRUSHES, PART IV: MACHINE ENVIRONMENT TESTS

10321
SMALL HELICAL PLUX COMPRESSION AMPLIFIERS

Johnson, K.

1308
STUDY OF LIGHTNING CURRENT MAGNITUDE THROUGH DISTRIBUTION
ARRESTERS

Johnson, K.M.

10594
ELECTRON PULSE GENERATOR OF THE GROUNDING GRID TYPE
EMPLOYING A DELAY LINE STRAPE MEANS

Johnson, L.A.

10029
POTENTIAL OF AMORPHOUS ALLOYS FOR APPLICATION IN MAGNETIC
DEVICES

Johnson, Q.

4592
A PICOSECOND RISE TIME HIGH VOLTAGE DIVIDER

Johnson, R.O.

5233
AN IMPROVED METHOD FOR RECORDING PARTIAL DISCHARGES IN
INSULATING MATERIALS

Johnson, L.

3631
MEASUREMENT OF THE ENERGY RELEASED IN NANOSECOND ELECTRIC
SPARKS

Jolly, DC

4887
STATIC AND DYNAMIC PROPERTIES OF ARCS NEAR PLANE SURFACES

Jones Jr., C.M.

159
VLI. AN EFFICIENT ALGORITHM FOR MODELING VARIABLE
IMPEDANCE TRANSMISSION LINES

7A13
THE DC SWITCH OPERATION AT 4 MILLION VOLTS AND 655
KILDAMPERS

Jones, C.M.J.

7509
HIGH VOLTAGE PULSER TECHNIQUES FOR ELECTROMAGNETIC PULSE
(EMP) SIMULATORS

Jones, D.L.

5205
MICROWAVE DOPPLER MEASUREMENTS OF THE IONIZATION FRONT IN
CYLINDRICAL SHOCK WAVES FROM EXPLODING WIRES

5254
PRECURSOR ELECTRONS AHEAD OF CYLINDRICAL SHOCK WAVES

15205
LIGHTNING EFFECTS RELATING TO AIRCRAFT: PART II.
CHARACTERISTICS OF SIMULATED LIGHTNING PLASMAS AND THEIR
EFFECTS ON LIGHTNING ARRESTERS AND AVIONIC EQUIPMENT

Jones, P.L.

135A
ELECTRODE EROSION BY SPARK DISCHARGES

2159
ELECTRICAL BREAKDOWN OF GASES: IONIZATION GROWTH IN AIR AT
HIGH PRESSURES

Jones, R.R.

095A
PRESSURE TRANSIENTS IN A MODEL GAS-BLAST CIRCUIT BREAKER
OPERATING AT EXTRA HIGH CURRENT LEVELS

Jones, I.R.

0191
A HIGH-POWER RF LINE GENERATOR OF NOVEL DESIGN

Jones, L.A.

145
HIGH DENSITY Z-PINCH PULSE POWER SUPPLY

5414
HIGH-DENSITY Z-PINCH PULSE-POWER SUPPLY SYSTEM

Jones, M.

10252
MODELLING OF COMPRESSED MAGNETIC FIELD GENERATORS BY
EQUIVALENT CIRCUIT APPROACH

Jones, M.E.

1174
SIMULATIONS OF INTENSE RELATIVISTIC ELECTRON BEAM
GENERATION BY PDLLESS DIODES

Jones, M.S.J.

10369
RESEARCH ON THE PHYSICS OF PULSED FMD GENERATORS

10370
RESEARCH ON THE PHYSICS OF CONTINUOUS AND PULSED FMD
GENERATORS

10351
GENERATION OF SHORT DURATION PULSES IN LINEAR FMD GENERATORS

Jones, M.R.

10379
AN OUTPUT EXPRESSION FOR A DISPERSIVE DELAY PULSE
COMPRESSION FILTER UNDER ARBITRARY INPUTS

Jonscher, A.K.

4377
COMMENTS ON MANY-BODY DIELECTRIC RELAXATION IN SOLIDS

Jordan, G.R.

3098
ELECTRICAL AND PHOTOGRAPHIC MEASUREMENTS OF HIGH-POWER ARCS

Jordan, I.B.

1743
EXPLOSION OF BARE AND INSULATED COFFER WIRES

Jory, M.R.

8239
EXACT RELATIVISTIC SOLUTION FOR THE ONE-DIMENSIONAL DIODE

Joshi, K.K.

9623
INVESTIGATION OF CORONA DISCHARGE DEVICES AS ELECTRICAL
LOADS FOR EXPERIMENTAL HIGH-VOLTAGE GENERATORS

Jung, E.A.

3105
AVALANCHING TRANSISTORS SPEED UP HIGH-VOLTAGE PULSES

3798
A SOLID STATE NANOSECOND PULSER USING MARX BANK TECHNIQUES

Juttner, S.

4187
EROSION CRATERS AND ARC CATHODE SPOTS IN VACUUM

4469
EROSION OF METAL CATHODES BY ARCS AND BREAKDOWNS IN VACUUM

Kabelov, R.L.

7129
A NANOSECOND PULSE GENERATOR FOR SPARK CHAMBERS

Kablantsev, S.A.

7003
FORMATION OF PLASMA CHANNEL BY A VACUUM SPARK

Kablitskaya, S.R.

7060
NUMERICAL ANALYSIS OF THE FORMATION OF AN INTENSE
NANOSECOND ELECTRON BEAM

Kahler, R.L.

9405
MINIATURE ELF ELECTRIC FIELD PROBE

Kajihara, M.M.

10353
10-KV PULSE GENERATOR: PULSE TEST ON AUTOION FILTER
DEMONSTRATES GENERATOR CAPABILITY

Kolesnikov, L.M.

7090
INITIATION OF ELECTRICAL BREAKDOWN IN VACUUM BY AN ELECTRON
BEAM

Kalina, L.A.

455
A DOUBLE-TUNED CURRENT GENERATOR WITH ELECTRONIC AMPLITUDE
CONTROL

Kalinin, V.

2007
TUBULAR PULSE-DISCHARGE LAMPS AS CIRCUIT ELEMENTS

Kalinin, V.O.

7078
EFFECT OF CATHODE SURFACE STATE ON THE DIELECTRIC STRENGTH
OF GASES AND LIQUIDS

0171
FAST ELECTRONS AND X-RAY RADIATION DURING THE INITIAL STAGE
OF GROWTH OF A PULSED SPARK DISCHARGE IN AIR

10268
INVESTIGATION OF HIGH-VACUUM ELECTRICAL BREAKDOWN

Kalinin, V.F.

9461
INDUCTIVE ENERGY STORAGE FOR PULSED DISCHARGES

9675
USE OF AN EXPLODING WIRE AS A CURRENT COMMUTATOR

Kalinina, M.K.

8149
HIGH VOLTAGE INSULATION OF LINES AND EQUIPMENT

Kalitkin, M.M.

6621
AN APPROXIMATE THEORY OF MAGNETIC FIELD-UP

6917
APPROXIMATE THEORY FOR AMPLIFICATION OF MAGNETIC FIELDS

Kalitsynskii, V.I.

8312
METHODS FOR CREATION OF HIGH-VOLTAGE, HIGH-TEMPERATURE
ELECTRIC INSULATION

Kalyetaki, I.I.

1156
ELECTRICAL BREAKDOWN OF VACUUM GAPS UNDER SUPERHIGH VOLTAGE
PULSES

1325
HIGH-VOLTAGE PULSE VOLTAGE GENERATOR

4552
A 2-MV PULSED ELECTROVACUUM INSTALLATION

9520
A MODULATED GENERATOR OF 300 KV, 10 CPS VOLTAGE PULSES

9585
AN INVESTIGATION OF PULSE FLASHOVER OF SOME SOLID
DIELECTRICS IN VACUUM

Kalyetakiy, I.I.

10002
VARIATIONS IN THE RESISTANCE OF SPARK GAPS IN WATER UNDER
THE EFFECT OF HIGH PULSE VOLTAGE

Kalyuzhnyi, V.F.

9455
A MAGNETO-DYNAMIC TRIGGER

Kamakshiah, S.

4302
LOW-VOLTAGE AND HIGH-CURRENT DELAY CHARACTERISTICS OF A
SIMPLE TRIGGERED VACUUM GAP

Kaminskii, M.I.

10316
HIGH-VOLTAGE PULSE GENERATOR WITH A PROTECTIVE SCREENING

Kamiyama, M.

3920
TRIGGERING OF SPARK GAPS BY LASER-INDUCED ION EMISSION

Kanozaki, M.

3024
BREAKDOWN OF INSULATING MATERIALS BY SURFACE DISCHARGE

Kaneko, Y.

5326
CROSS SECTIONS FOR CHARGE TRANSFER COLLISIONS INVOLVING
HYDROGEN ATOMS

Keng, C.Y.

1806
OPTICAL FLASHES FROM DOUBLE WIRE EXPLOSION

Kennari, F.

10334
OUTPUT PERFORMANCE OF THE COAXIAL-TYPE MARX GENERATOR
CONSISTING OF BATIO/SUB 3/ SERIES CERAMIC CAPACITORS

Kent, K.

690
HIGH-POWER PULSE GENERATION

Kenterovich, I.I.

3728
NONLINEAR SURFACE PHOTOELECTRIC EFFECT IN METALS SUBJECTED
TO INTENSE LIGHT

Kentsedai, V.P.

6872
USE OF ELECTRIC EXPLOSION OF WIRES IN A HIGH-PRESSURE GAS
TO BREAK A CURRENT CIRCUIT

8179
PULSED ARC IN AIR AT PRESSURES UP TO 128 M/M/SUP 2/ (1000
ATM)

Kentserov, V.A.

9705
SYSTEM FOR TWO-PULSE SUPPLY OF A LARGE STREAMER CHAMBER

Kanunov, M.A.

9331
CONTROLLED DOUBLE-TRIGGER SPARK GAP

Kao, K.C.

9864
SOME ASPECTS OF DIELECTRIC BREAKDOWN OF SOLIDS

Kapitenakov, C.A.

990
HIGH-POWER ION BEAM GENERATION WITH AN INVERSE REFLEX
TETRODE

4935
PRODUCTION OF INTENSE DEUTERON BEAMS

5578
DEPENDENCE OF THE ION CURRENT ON VOLTAGE IN A REFLEX TRIODE

10382
GENERATION OF FRACTION OF A TERAWATT PROTON PULSES WITH
COAXIAL REFLEX TRIODES

Kapitenov, V.A.

6977
BREAKDOWN OF WATER IN A SYSTEM WITH 'DIFFUSION' ELECTRODES

7099
A PULSED ELECTRON BEAM ACCELERATOR 'AQUAGEN'

7305
INCREASE OF DIELECTRIC STRENGTH OF WATER IN A SYSTEM WITH
'DIFFUSION' ELECTRODES

Kapitza, P.L.

9757
A METHOD OF PRODUCING STRONG MAGNETIC FIELDS

Kaporskil, L.N.

3721
BREAKDOWN OF AIR NEAR TRANSPARENT DIELECTRICS

Keresov, A.I.

6265
THE CHARGING OF INDUCTIVE STORAGE DEVICES BY MEANS OF
ELECTRICAL ROTARY AGGREGATES

Karaluk, V.

1227
SUPERCONDUCTING INDUCTIVE ENERGY STORAGE UNIT FOR LASER
PUMPING SYSTEMS

Keresjuk, V.N.

9513
THE PRODUCTION OF PULSED MEGAGAUSS FIELDS BY COMPRESSION OF
THE METALLIC CYLINDER IN Z-PINCH CONFIGURATION

Keresyuk, V.N.

1153
HIGH-VOLTAGE MEGA-AMP ARC GAP WITH DESTRUCTIBLE ELECTRODES

6476
REMOTELY CONTROLLED CONTACTS CARRYING MEGAAMPERE CURRENTS

Kerimkhodzhaev, I.

7685
RESISTANCE AND ENTHALPY OF REFRACTORY EXPLODING WIRES

Kerison, P.M.

3513
INHERENT LIMITATIONS IN UNIFORM FIELD DISCHARGE DATA FOR
SF/SUB 6/

Kermenov, G.A.

9882
ELECTRICAL ENGINEERING (SELECTED ARTICLES)

Kerpathy, S.A.

4806
0.54-MJ SUPERCONDUCTING MAGNETIC ENERGY TRANSFER AND STORAGE

Kerpekov, Y.D.

351
HIGH-VOLTAGE PULSE GENERATOR FOR WIRE SPARK CHAMBERS

Kerpov, G.

1179
CYLINDRICAL CHANNEL IN A HIGH-CURRENT DISCHARGE IN AIR

Kerpov, O.P.

7138
EXPLOSION-MAGNETIC GENERATOR WITH AN INDUCTIVE LOAD

Kerres, T.W.

4688
DISCHARGE CIRCUITRY FOR HIGH REPETITION RATE METAL VAPOR
LASERS

Kerteov, O.K.

1937
STABILITY OF FIELD EMISSION AND MIGRATION PROCESSES
PRECEDING DEVELOPMENT OF A VACUUM ARC

6465
INVESTIGATION OF THE TIME CHARACTERISTICS OF THE TRANSITION
OF FIELD EMISSION TO A VACUUM ARC

9368
TRANSITION FROM FIELD EMISSION TO A VACUUM ARC

Kerzhevin, Yu.A.

1648
HIGH-VOLTAGE PULSE GENERATOR FOR THE TWO-METER STREAMER
CHAMBER OF THE JINR

Kasatkina, M.P.

701
ELECTRICAL EXPLOSION OF CYLINDRICAL FOILS IN AIR II.
HIGH-CURRENT SHUNT PINCH

704
ELECTRICAL EXPLOSION OF CYLINDRICAL FOILS IN AIR I.
ELECTRICAL CHARACTERISTICS OF THE EXPLOSION

7043
ELECTRICAL EXPLOSION OF A CYLINDRICAL FOIL IN AIR. CURRENT
DISTRIBUTION IN THE HIGH-CURRENT SHUNTING DISCHARGE

9430
ELECTRICAL BREAKDOWN OF CYLINDRICAL FOILS IN AIR. III.
HIGH-CURRENT EXPANDING DISCHARGE

Kasharekil, E.D.

9987
GENERATION OF MEGAGAUSS MAGNETIC FIELDS USING A LINER
COMPRESSED BY HIGH-PRESSURE GAS

Kashintsev, V.I.

219
DESIGN AND CONSTRUCTION OF AN INDUCTIVE STORAGE UNIT FOR
LASER PUMPING

7145
INDUCTIVE STORAGE BANK FOR DYE-LASER PUMPING

Kashin, A.F.

6074
A 20-CHANNEL GENERATOR OF HIGH-VOLTAGE PULSES

Kashirskii, A.V.

7061
NUMERICAL CALCULATION OF THE MAGNETIC CUMULATION PROCESS

Kashurnikov, Yu.M.

7039
DISRUPTION OF ELECTRICALLY EXPLODING CONDUCTORS IN THE CASE
OF CURRENT PULSE LIMITATION

Kashin, V.M.

6549
USING A CABLE PULSE TRANSFORMER IN THE POWER SYSTEM OF A
GAS LASER

KasheI, S.

1753
SOVIET RESEARCH AND DEVELOPMENT OF HIGH-POWER GAP SWITCHES

4308
PULSED-POWER RESEARCH AND DEVELOPMENT IN THE USSR

Kashirav, G.M.

1184
ELECTRICAL BREAKDOWN OF VACUUM GAPS UNDER SUPERHIGH VOLTAGE
PULSES

4592
A 2-MV PULSED ELECTROVACUUM INSTALLATION

8914
AN INVESTIGATION OF THE TIME LAG OF THE DISCHARGE IN THE
ELECTRICAL BREAKDOWN OF VACUUM GAPS

9527
BREAKDOWN MECHANISM OF SHORT VACUUM GAPS

9583
AN INVESTIGATION OF PULSE FLASHOVER OF SOME SOLID
DIELECTRICS IN VACUUM

Kesten, O.O.

7230
FEASIBILITY STUDY OF THE USE OF AN ENVIRONMENTAL CHAMBER
FOR THE EXAMINATION OF TRANSMISSION LINE ELECTRIC FIELD AND
CORONA EFFECTS

Kasuya, K.

9141
NEW TYPE OF PULSED ION SOURCE WITH CRYOGENIC ANODE

Katsav, I.G.

317
GENERATOR PRODUCING NANOSECOND PULSES WITH AN INCREASED
REPETITION FREQUENCY

10432
A DEVICE FOR FORMING PULSES WITH A STEEP FRONT

Katamadze, V.I.

3022
ALTERNATING MAGNETIC-FIELD INDUCTION METER UTILIZING THE
HALL EFFECT

Kata, T.

4489
RELATIVISTIC ELECTRON BEAM SOURCE WITH AN AIR-CORE STEP-UP
TRANSFORMER

9326
CROSS SECTIONS FOR CHARGE TRANSFER COLLISIONS INVOLVING
HYDROGEN ATOMS

Katraev, G.

1179
CYLINDRICAL CHANNEL IN A HIGH-CURRENT DISCHARGE IN AIR

Kats, C.

10127
PHYSICAL MODEL OF ELECTRIC AGING AND BREAKDOWN OF EXTRUDED
POLYMERIC INSULATED POWER CABLES

Kats, I.

10573
HYBRID EM METHODS

Katzenstein, J.

10365
PRELIMINARY DESIGN OF A 500 KEV ELECTRON GUN FOR A HIGH
POWER CD/SUB 2/ LASER AMPLIFIER

Kavanagh, O.O.

10403
SOLID-STATE QND MODULATOR

Kawaguchi, Y.

5175
DIELECTRIC BREAKDOWN OF SULPHUR HEXAFLUORIDE IN NEARLY
UNIFORM FIELDS

Kawamura, T.

8140
STEP RESPONSE OF MEASURING SYSTEMS FOR HIGH IMPULSE VOLTAGES

Kawanishi, M.

6174
NANOSECOND PULSED ELECTRON ACCELERATOR

9006
NANOSECOND PULSED ELECTRON SOURCE CONTROLLED WITH A
MERCURY-WETTED SWITCH

9807
NANOSECOND PULSED ELECTRON SOURCE WITH DOUBLE PULSE CONTROL

Kawasaki, S.

8403
COAXIAL MARX GENERATOR FOR PRODUCING INTENSE RELATIVISTIC
ELECTRON BEAMS

Kawashima, A.

7769
LICHTENBERG FIGURES ON VARIOUS ELECTRICAL INSULATING
MATERIALS

Kazacha, V.I.

10040
USE OF RADIAL TRANSMISSION LINES IN PULSED ACCELERATORS

Kazakov, S.A.

7046
EXTRACTION OF ENERGY FROM INDUCTIVE STORES AND
EXPLOSIVE-MAGNETIC GENERATORS INTO AN INDUCTIVE LOAD USING
CIRCUIT BREAKING

7067
TAKE-OFF OF ENERGY FROM EXPLOSIVE-MAGNETIC GENERATORS TO AN
INDUCTIVE LOAD USING THE BREAKING OF A CIRCUIT

Keeffe, O.

153
QUASI-STATIC DRIFT-TUBE ACCELERATING STRUCTURES FOR
LOW-SPEED HEAVY IONS

1562
OVERVIEW OF HEAVY ION FUSION PROGRAM IN U.S.A.

8046
PARTICLE ACCELERATION BY COLLECTIVE EFFECTS

Kahn, R.A.

10351
REFLEX TRIODE WITH UNIDIRECTIONAL ION FLOW

Reim, T.A.

1382
SUPERCONDUCTING ROTOR RESEARCH

Rokez, M.M.

3691
SPECTROSCOPIC INVESTIGATION OF THE SPARK CHANNEL

4342
LABORATORY SIMULATION OF THE STEPPED LEADER IN LIGHTNING

Roelcher, D.

9391
EXACT SOLUTION OF POISSON'S EQUATION FOR
SPACE-CHARGE-LIMITED FLOW IN A RELATIVISTIC PLANAR DIODE

Roller, D.V.

18318
JOINT ELECTRON BEAM COMMONALITY EXPERIMENTS ON SLACKJACK 3
AND 3 PRIME: PART I. MACHINE CHARACTERIZATIONS

Roller, R.

8285
WIDEBAND HIGH VOLTAGE PROBE

Rolly, J.D.

5878
MEASUREMENTS OF HIGH-CURRENT RELATIVISTIC ELECTRON GIGOE
PLASMA PROPERTIES WITH HOLOGRAPHIC INTERFEROMETRY

5914
DEEP CRATERS PRODUCED BY SHOCK FOCUSING IN RELATIVISTIC
ELECTRON-BEAM DIODES

5928
HIGH POWER ELECTRON BEAM ACCELERATORS FOR GAS LASER
EXCITATION

Rolly, M.S.

3199
OPTICALLY ISOLATED HIGH-VOLTAGE TRIGGER SYSTEM

Romp, E.L.

398
CONTEMPORARY CAPACITIVE ENERGY STORAGE SYSTEMS

4781
PRINCIPAL CONSIDERATIONS IN LARGE ENERGY-STORAGE CAPACITOR
BANKS

Kennedy, J.E.

6784
ANALYSIS OF FLUX COMPRESSION EXPERIMENTS III

Kennon Ed., R.

2835
SYMPOSIUM PROCEEDINGS NEW CONCEPTS IN FAULT CURRENT
LIMITERS AND POWER CIRCUIT BREAKERS

Ronyon III, V.L.

7187
A STREAMER MODEL FOR HIGH VOLTAGE WATER SWITCHES

Rorisev, G.M.

333
OPTICAL BREAKDOWN OF COMPRESSED GASES BY CO/SUS 2/ LASER
RADIATION

Rorn, E.A.

5682
ANALYSIS OF HOMOPOLAR GENERATORS AND SUPERCONDUCTING
INDUCTIVE ENERGY STORAGE SYSTEMS AS POWER SUPPLIES FOR
HIGH-ENERGY, SPACE-BASED LASERS

Rorne, Q.A.

10397
FAST PULSE GENERATOR UTILIZING AN ELECTRON BEAM TO CAUSE AN
ARC BREAKDOWN ACROSS THE GAP REGION OF A COAXIAL LINE
CENTER CONDUCTOR

Kerr, E.L.

10380
ABSORPTION OF LIGHT IN GASES

Rorrie, K.G.

1294
HIGH IMPEDANCE ION DIODE EXPERIMENT ON AURORA

1448
HIGH-IMPEDANCE ION-DIODE EXPERIMENT ON THE AURORA FULSER

8805
IMPROVED DESIGN AURORA MODIFICATION PROGRAM (IGAMP)

Rote, J.W.

263
LOW INDUCTANCE SPARR DAF SWITCH FOR BLUMLEIN-DRIVEN LASERS

Ketterer, J.R.

9789
THE NAVY F/A-18A HORNET ELECTROMAGNETIC COMPATIBILITY
PROGRAM

Rottle, L.J.

237
FLANGE MOUNTING GLASS ENVELOPE HYDROGEN THYRATONS

3768
THE GENERATION OF HIGH FREQUENCY SINUSOIDAL AND PULSE
WAVEFORMS USING HYDROGEN THYRATONS

Key, M.M.

5294
IONIZATION EFFECTS IN A HYDRODYNAMIC MODEL OF
RADIATION-DRIVEN BREAKDOWN WAVE PROPAGATION

Kheili, M.S.

7752
EFFECT OF DISSOLVED BASES, ORGANIC ADDITIVES AND FIELD
CONFIGURATION ON CO-FIELD MOTION IN INSULATING OILS

Rhen, S.H.

4963
THE LASER TRIGGERED SPARK DAF

4998
EFFECT OF CATHODE MATERIAL IN A LASER TRIGGERED SPARK DAF

Rhepov, Yu.I.

1078
A COMPACT PULSED ELECTRON ACCELERATOR WITH AN INDEPENDENT
POWER SUPPLY

Rher'yuzov, R.V.

5185
POSSIBILITY OF USING MAGNETIC PULSE GENERATORS IN LINEAR
INDUCTION ACCELERATORS

18359
NONLINEAR QUASI-AXIAL LINE FOR SHOCK ELECTROMAGNETIC WAVE
PRODUCTION

Rheritenev, V.V.

1335
INVESTIGATION OF OPERATING MODES OF HOMOPOLAR SHOCK
GENERATOR WITH REGULATION OF EXCITATION FLOW

18429
ANALYSIS OF THE OPERATING REGIMES OF AN IMPULSE UNIPOLAR
GENERATOR WITH REGULATION OF EXCITATION FLUX

Rhezine, D.M.

4444
A THREE-GAP SPARR-DISCHARGE DEVICE FOR SUPPLYING SPARR
CHAMBERS

10449
THREE-GAP SPARR DISCHARGE FOR SPARR CHAMBER SUPPLY

Rhiznyak, N.A.

1361
ACCELERATION OF IONS BY A MODULATED ELECTRON BEAM

Rhyrov, V.V.

2244
500 KV NANOSECOND SQUARE WAVE PULSE GENERATOR

6921
CONTROLLED MEGAVOLT GAS-FILLED DISCHARGE

Khadachenko, G.V.

6882
EFFECT OF INHOMOGENEITY OF A TRANSVERSE MAGNETIC FIELD ON
BREAKDOWN

Khadkevich, V.E.

7117
HIGH-CURRENT PULSED ELECTRON GUN BASED ON AN ELIT-1
ACCELERATOR

Khoroshikh, V.M.

10828
PLASMA PROPERTIES OF A METAL VACUUM ARC. I

Khristoforov, B.D.

7138
EXPLOSION-MAGNETIC GENERATOR WITH AN INDUCTIVE LOAD

Khrushchev, V.A.

3131
STABILIZATION OF THE TIME CHARACTERISTICS OF AN
ARKAD'EV-MARK GENERATOR

Khudyakova, L.M.

6972
A GENERATOR PRODUCING NANOSECOND PULSES OF FAST ELECTRONS

Khuzeev, A.P.

4927
DYNAMIC ATMOSPHERIC PRESSURE DISCHARGE EXCITED BY AN
ELECTRON BEAM

6939
FORMATION OF A SPARK CHANNEL IN A BULK DISCHARGE INITIATED
BY A FAST-ELECTRON BEAM

9386
STABLE STATES OF A VOLUME DISCHARGE EXCITED BY AN ELECTRON
BEAM IN AIR WITH AN SF₆/SUB 6/ ADMIXTURE

Kibardin, A.S.

293
A TWO-STAGE ELECTRICAL-EXPLOSION MECHANICAL COMMUTATOR

7130
AN INDUCTIVE STORE WITH ELECTROMAGNETIC CURRENT
MULTIPLICATION

Kichev, G.A.

10272
A LOW-INDUCTANCE CONTROLLED VACUUM SPARK GAP OPERATING AT A
VOLTAGE OF 100 KV AND CURRENT UP TO 1.5 MA

Kichev, G.S.

3287
CONTROLLED VACUUM SPARK GAPS RATED AT A VOLTAGE OF 50 KV
FOR MULTIPLE COMMUTATION OF MEGA-AMPERE CURRENTS

4723
CONTROLLED DISCHARGE IN A VACUUM GAP SWITCHED BY 1 MC
CURRENT PULSES UP TO 150 KA

7066
STUDY OF PARALLEL OPERATION OF CONTROLLED SPARK GAPS

7094
SPECTROSCOPIC STUDY OF A CONTROLLED DISCHARGE IN A
HIGH-VOLTAGE VACUUM SWITCH

7098
TRANSIENT BEHAVIOR OF A HIGH-VOLTAGE LOW-PRESSURE TRIGGERED
SPARK GAP

Kishigin, G.M.

9429
CREATION OF MEGA-GAUSS FIELDS BY THE METHOD OF
MAGNETODYNAMIC ACCUMULATION

9513
THE PRODUCTION OF PULSED MEGA-GAUSS FIELDS BY COMPRESSION OF
THE METALLIC CYLINDER IN Z-PINCH CONFIGURATION

Kishurev, I.V.

1030
PLASMA ACCELERATION IN A COAXIAL INJECTOR WITH
NONCYLINDRICAL ELECTRODES DRIVEN BY AN INDUCTIVE STORAGE
DEVICE

Kihara, R.

7191
EMITTANCE MEASUREMENTS ON FIELD Emitter DIODES

Kilpatrick, M.D.

10258
CRITERION FOR VACUUM SPARKING DESIGNED TO INCLUDE BOTH RF
AND DC

Kim Yu Zon

10349
OTI-742 STROKE PULSE GENERATOR MADE IN THE CAMAC STANDARD

Kim, A.A.

10468
POTENTIAL OF A HOLLOW ELECTRON BEAM IN A
MAGNETICALLY-INSULATED DIODE

10471
RETURN CURRENT IN MICROSECOND HIGH-CURRENT MAGNETICALLY
INSULATED DIODES

Kim, N.

10354
HIGH INTENSITY ELECTRON BEAM PROPAGATION BETWEEN TWO PLANE
CONDUCTORS AND ITS IMPLICATIONS FOR COLLECTIVE ION
ACCELERATION

Kimblin, C.W.

875
EXPERIMENTS ON VACUUM INTERRUPTERS IN HIGH VOLTAGE 72 KV
CIRCUITS

1320
DEVELOPMENT OF A CURRENT LIMITER USING VACUUM ARC CURRENT
COMMUTATION

4910
DIELECTRIC RECOVERY AND SHIELD-CURRENTS IN VACUUM-ARC
INTERRUPTERS

8941
INTERACTION BETWEEN VACUUM ARCS AND TRANSVERSE MAGNETIC
FIELDS WITH APPLICATION TO CURRENT LIMITATION

Kimkin, V.P.

6892
INTERFEROMETRIC STUDY OF PULSED BREAKDOWN IN A LIQUID

Kind, D.

8175
AN INTRODUCTION TO HIGH-VOLTAGE EXPERIMENTAL TECHNIQUE

King, A.E.

5486
HIGH POWER STUDY SUPERCONDUCTING GENERATORS

King, C.J.

2525
A MULTI-MEGAWATT, VACUUM ARC SWITCHED INVERTER FOR AIRBORNE
APPLICATIONS

King, G.C.

4143
A GAS-SUPPLY LINE WHICH PERMITS A HIGH VOLTAGE TO BE
MAINTAINED ACROSS ITS ENDS

King, J.C.

10243
EXPLOSIVE FLUX COMPRESSION GENERATORS FOR RAIL GUN POWER
SOURCES

King, R.W.F.

1335
CURRENTS AND CHARGES ON CYLINDERS IN A PARALLEL-PLATE
TRANSMISSION LINE

10297
PARALLEL-PLATE TRANSMISSION LINE TYPE OF EMP SIMULATORS;
SYSTEMATIC REVIEW AND RECOMMENDATIONS

King, D. S.S.

1137
"NEPTUNE" HIGH-CURRENT PULSED RELATIVISTIC-ELECTRON
ACCELERATOR

6926
GENERATOR PRODUCING RECTANGULAR VOLTAGE PULSES HAVING AN
AMPLITUDE OF 50 KV

Kinsinger, R.E.

1267
FUNDAMENTAL INVESTIGATION OF ARC INTERRUPTION IN GAS FLOWS

Kip, A.F.

8997
PULSES IN NEGATIVE POINT-TO-PLANE CORONA

Kirshenbaum, M.S.

5614
ELECTRICAL AND PHOTOGRAPHIC CHARACTERIZATION OF
LOW-INTENSITY CAPACITOR SPARK DISCHARGES

Kiselev, A.A.

9987
GENERATION OF MEGAGAUSS MAGNETIC FIELDS USING A LINER
COMPRESSED BY HIGH-PRESSURE GAS

Kiselev, G.A.

6998
ELECTRICAL CHARACTERISTICS OF A SPARK DISCHARGE IN A
CIRCULATING TRANSFORMER OIL

12082
VARIATIONS IN THE RESISTANCE OF SPARK GAPS IN WATER UNDER
THE EFFECT OF HIGH PULSE VOLTAGE

Kiselev, V.Y.

1557
ELECTRODE EROSION IN PULSED HIGH-CURRENT DISCHARGES

Kiselev, V.Ye.

8926
EFFECT OF THE MEDIUM ON THE ELECTRICAL EROSION OF
ELECTRODES AT HIGH CURRENTS

Kisliuk, P.

7509
ELECTRICAL BREAKDOWN IN HIGH VACUUM

8067
ELECTRON EMISSION AT HIGH FIELDS DUE TO POSITIVE IONS

Kito, K.

3609
BREAKDOWN CHARACTERISTICS OF HIGHLY NONUNIFORM LONG GAPS IN
COMPRESSED AIR

Kitagawa, S.

3374
FAST AIR GAP CROWBAR SWITCH DECOUPLED BY A LOW PRESSURE GAP

Kitchens, T.A.J.

5577
COLLOQUIUM ON ELECTRICAL BREAKDOWN ON INSULATING SURFACES

Kluttu, J.F.

3714
SHIVA ELECTROMAGNETIC IMPLSION X-RAY SOURCE

Klein, R.E.

9520
A MOBILE GENERATOR OF 300 KV, 10 CPS VOLTAGE PULSES

Kleiner, C.T.

2614
AN ELECTRICAL SURGE ARRESTOR (ESA) MODEL FOR
ELECTROMAGNETIC PULSE ANALYSIS

Klement, G.

4382
FERRITE DECOUPLED CROWBAR SPARK GAP

5672
PRESSURIZED SWITCHING UNIT DESIGNED TO START AND TO CROWBAR
A TURBULENCE HEATING EXPERIMENT

Klement'ev, A.P.

4978
300-KV IMPULSING GENERATOR

4467
MULTIELEMENT ACCELERATORS BASED ON RADIAL LINES

7095
THE LIU-10 HIGH-POWER ELECTRON ACCELERATOR

Klepper, I.F.

438
FORMATION OF COMPLEX MAGNETIC CYCLES IN A 7-GEV PROTON
SYNCHROTRON

Kleve, R.C.

3715
SPACE-CHARGE INJECTION: A NEW TECHNIQUE FOR STUDYING
NONUNIFORM FIELD BREAKDOWN PHENOMENA

Klews, R.C.

3626
IMPULSE BREAKDOWN OF LARGE SPHERE-PLANE GAPS

Klimkin, V.F.

6692
THE DEVELOPMENT OF ELECTRICAL DISCHARGE IN WATER

Kline, L.E.

4261
HIGH VOLTAGE SWITCH USING EXTERNALLY IONIZED PLASMAS

6992
INVESTIGATIONS OF GLOW DISCHARGE FORMATION WITH VOLUME
PREIONIZATION

9291
PULSED GLOW DISCHARGES IN LASER EXCITATION AND BREAKDOWN

Klingbeil, R.

7815
IONIZING GAS BREAKDOWN WAVES IN STRONG ELECTRIC FIELDS

Klippart, T.E.

10394
ELECTRON PULSE GENERATOR OF THE GROUNDED GRID TYPE
EMPLOYING A DELAY LINE STORAGE MEANS

Kloc, O.A.

6130
GAS BREAKDOWN CALCULATION: A COMPARATIVE STUDY

10273
INDUCTIVE STORE PULSE COMPRESSION SYSTEM FOR DRIVING HIGH
SPEED PLASMA IMPLSIONS

Kluoppeil, R.J.

1531
COMPUTATIONAL PROCEDURES FOR CHARACTERIZATION OF HIGH
VOLTAGE SPARK SOURCES

Klyerfel'd Ed., G.H.

5533
INVESTIGATIONS INTO ELECTRICAL DISCHARGES IN GASES

Klyukov, A.O.

2503
PROJECTING A HIGH-VOLTAGE ELECTRON GUN POWER SUPPLY FROM
BREAKDOWNS

Knepp, E.A.

10279
ACCELERATOR TECHNOLOGY PROGRAM. PROGRESS REPORT,
APRIL-DECEMBER 1978

Kneller, E.

8998
PRODUCTION OF PULSED MAGNETIC FIELDS WITH A FLAT PULSE TOP
OF 440 KOE AND 1 MSEC DURATION

Knight, R.I.

5741
CHARACTERISTICS AND CAPABILITIES OF THE MODULAR EDS

18448
ELECTRON BEAM SEMICONDUCTOR SHORT PULSE GENERATOR

Knobloch, A.

5633
CAPACITOR BANKS FOR A TURBULENCE HEATING EXPERIMENT

5465
GENERATION OF RAPID RISE CURRENT PULSES IN THE MSEC RANGE
FOR FAST COMPRESSION EXPERIMENTS

KneepfeI (Ed.), M.

9697
CONFERENCE ON MEGAGAUSS MAGNETIC FIELD GENERATION BY
EXPLOSIVES AND RELATED EXPERIMENTS

KneepfeI, M.

18178
PULSED HIGH MAGNETIC FIELDS

Knopp, A.M.

18376
HIGH POWER MODULATOR (SCR)

Knox, M.

8895
HIGH-POWER SWITCHING WITH PICOSECOND PRECISION

Knyazov, S.A.

144
NEUTRINO BEAM OF THE INSTITUTE OF HIGH-ENERGY PHYSICS. V.
PULSED POWER SUPPLY FOR THE NEUTRINO FOCUSING SYSTEM

Knyazov, V.M.

2109
THYRISTOR HIGH-VOLTAGE PULSE GENERATORS

8248
HIGH-VOLTAGE PULSE GENERATOR IN THE NANOSECOND RANGE

Knyazov, Yu.R.

8157
PULSED HIGH-PRESSURE ARC IN HELIUM AND HYDROGEN

8175
PULSED ARC IN ARGON AT PRESSURES UP TO 120 N/M²/SUP 2/ (1000
ATM)

8262
LONG HIGH-PRESSURE ARCS

Knyazyatov, A.S.

7166
TWO-CHAMBER HEAVY-CURRENT HIGH-VOLTAGE SWITCH

9645
A TWO-CHAMBER HEAVY-CURRENT HIGH-VOLTAGE SWITCH

Knysh, V.A.

18428
DEVICE FOR CHARGING ACCUMULATOR OF A POWERFUL PULSED
GENERATOR

Koba, G.I.

6835
LOW-INDUCTANCE GENERATOR OF PULSED VOLTAGE AT 1 MV

Koba, Ju.V.

1167
ACCELERATOR MODULE OF 'ANDARA-S'

Koba, Yu.V.

6835
LOW-INDUCTANCE GENERATOR OF PULSED VOLTAGE AT 1 MV

Kobayashi, A.

8955
EXPERIMENTAL INVESTIGATION ON ARC PHENOMENA IN SF₆/SUB 6/
PUFFER CIRCUIT BREAKERS

18126
FACTORS INFLUENCING THE INTERRUPTING ABILITY OF SF₆/SUB 6/
PUFFER BREAKER AND DEVELOPMENT OF 500KV-50KA ONE-BREAK
CIRCUIT BREAKER

Kobayashi, M.

4358
A QUICK RESPONSE HIGH VOLTAGE DIVIDER

Kobleshvili, G.G.

8117
A LIGHT-CONTROLLED, HIGH-POWER PULSE SHAPER

Kobzar', A.I.

8979
THEORETICAL MODEL FOR BREAKDOWN OF FLASH-DISCHARGE TUBES
CAUSED BY INTERNAL PRESSURE DURING VAPORIZATION OF WALL
MATERIAL

Koch, F.S.

8198
CARBON SEGREGATION AND ARC DAMAGE OF TUNGSTEN ELECTRODES

Kochatov, I.V.

9158
ELECTRON DISTRIBUTION FUNCTION IN 4:1 N/SUB 2/-O/SUB 2/
MIXTURE

Koefler, M.

5648
SUPERCONDUCTING SWITCH WITH IMPULSE CURRENT TRIGGERING

Kogelechatz, H.

8185
INVESTIGATION OF A CYLINDRICAL, AXIALLY BLOWN,
HIGH-PRESSURE ARC

Kohanzadeh, Y.

18365
PRELIMINARY DESIGN OF A 300 KEV ELECTRON GUN FOR A HIGH
POWER CO/SUB 2/ LASER AMPLIFIER

Kohn, R.J.

18273
INDUCTIVE STORE PULSE COMPRESSION SYSTEM FOR DRIVING HIGH
SPEED PLASMA IMPLANTATIONS

Kolodinski, Z.

8981
THERMAL LAYERS IN POSTARC CHANNEL

Kolesnik, A.V.

5383
INVESTIGATION OF ELECTRODE EROSION AND OF THE CONDITIONS OF
SPECTRUM EXCITATION WITH AN IMPULSIVE DISCHARGE IN A
MAGNETIC FIELD

Kolenikov, A.I.

5395
HIGH-VOLTAGE NANOSECOND PULSE GENERATOR WITH COMPENSATION
USING NONLINEAR COMPONENTS

Koleev, N.I.

5656
POWER PULSE TRANSFORMER

Kolesov, V.I.

4972
A GENERATOR PRODUCING NANOSECOND PULSES OF FAST ELECTRONS

Kolganov, N.G.

737
HIGH-CURRENT NANOSECOND-PULSE ELECTRON ACCELERATOR WITH
INDUCTIVE SHAPING ELEMENT

1849
NANOSECOND PULSE GENERATORS WITH INDUCTIVE STORAGE

Kolganova, V.A.

8312
METHODS FOR CREATION OF HIGH-VOLTAGE, HIGH-TEMPERATURE
ELECTRIC INSULATION

Kolibaev, R.E.

257
A 1200 MEGAWATT VAN-MOUNTED LINE-TYPE MODULATOR

Kolliogly, O.P.

2798
MEASUREMENT OF NANOSECOND HV TRANSIENTS WITH KERR EFFECT

Kolm, H.

221
ELECTROMAGNETIC GUNS, LAUNCHERS AND REACTION ENGINES

Kolobanov, E.I.

2818
GENERATOR PRODUCING TRAINS OF HIGH-VOLTAGE PULSES IN THE
NANOSECOND RANGE

Kolomenekii, A.A.

6458
EXPERIMENTS ON ACCELERATION OF DEUTERONS AND PROTONS IN AN
ELECTRON BEAM PASSING THROUGH A GAS

Kolomiets, A.A.

8675
PERFORMANCES OF THE OUTLET PULSE VALVE FOR THE PROTON
SOURCE OF THE 1-2 LINEAR ACCELERATOR

Kolotov, O.S.

3184
LOW-VOLTAGE SPARK PEAKER

Komar, E.O.

4263
HIGH-CURRENT PULSED ELECTRON ACCELERATOR WITH AN ANNULAR
BEAM

7
INDUCTIVE ENERGY STORAGE IN PULSED ACCELERATORS

Komarov, A.P.

6632
INDUCTANCE OF MULTICHANNEL HIGH-VOLTAGE DISCHARGERS

10528
A HIGH-VOLTAGE PULSE GENERATOR WITH AN EXTENDED ZONE OF
STABLE OPERATION

Komarov, O.L.

4263
HIGH-CURRENT PULSED ELECTRON ACCELERATOR WITH AN ANNULAR
BEAM

Komarov, V.M.

7186
A PULSE GENERATOR BASED ON TACITRONS

Komatsu, M.

6528
NANOSECOND PULSERS FOR MM WAVE TUBES

Komel'kov, V.S.

1155
TECHNOLOGY OF LARGE IMPULSE CURRENTS AND MAGNETIC FIELDS

6587
BROADENING OF A HIGH-INTENSITY SPARK CHANNEL IN A LIQUID

6628
EXPANSION OF A SPARK CHANNEL IN A LIQUID

4830
PULSED BREAKDOWN OF SMALL GAPS IN THE NANOSECOND RANGE

7111
DEVELOPMENT OF A PULSE DISCHARGE IN LIQUIDS

Romer, E.G.

4572
SHAPING OF VOLTAGE PULSES BY DISCHARGING AN INDUCTIVE
STORAGE BANK WITH A CHARGE-PARTICLE BEAM

Koeln, A.V.

295
A TWO-STAGE ELECTRICAL-EXPLOSION MECHANICAL COMMUTATOR

7158
AN INDUCTIVE STORE WITH ELECTROMAGNETIC CURRENT
MULTIPLICATION

Konkov, S.G.

10647
VISIBLE AND NEAR-UV EMISSION IN THE ELECTRICAL EXPLOSION OF
A THIN METAL FOIL

Komuro, H.

7823
SPECTROSCOPIC STUDY OF HIGH CURRENT DISCHARGES

Romyak, N.I.

6603
NEW PULSED X-RAY MACHINES, TYPE IRA-I AND TYPE IRA-10

Konczewski, A.

1560
NEW DATA ON THE CREEP DISCHARGE AT THE SURFACE OF A
DIELECTRIC

2456
ANALYSIS OF FLASHES ACCOMPANYING DISCHARGES IN AIR AT
DIELECTRIC SURFACES

8154
THE RELATION BETWEEN THE CHARGE TRANSPORTED AND NUMBER OF
PHOTONS EMITTED IN PARTIAL DISCHARGES ON DIELECTRIC SURFACES

Konchenkov, P.E.

10420
DEVICE FOR CHARGING ACCUMULATOR OF A POWERFUL PULSED
GENERATOR

Kondekov, V.F.

9612
LIGHT CONTROL-PULSE DETECTOR FOR THE CURRENT SWITCHES IN A
HIGH-VOLTAGE PULSE GENERATOR

Konderekii, E.I.

6622
APPARATUS FOR GENERATING INTENSE MAGNETIC FIELDS OF SHORT
DURATION

Kondrat'ev, B.K.

8675
PERFORMANCES OF THE OUTLET PULSE VALVE FOR THE PROTON
SOURCE OF THE 1-2 LINEAR ACCELERATOR

Kong, C.Y.

1825
A DIGITAL CONTROL SYSTEM FOR HV IMPULSE GENERATORS

Kenenev, I.O.

7105
CO/SUB 2/ LASEK HIGH-VOLTAGE POWER SUPPLY BASED ON A PULSED
AUTOTRANSFORMER

Roopman, O.W.

5557
FORMATION AND GUIDING OF HIGH-VELOCITY ELECTRICAL STREAMERS
BY LASER-INDUCED IONIZATION

5774
A PRELIMINARY STUDY OF AEROSOL INITIATED CO/SUB 2/ LASER
PRODUCED AIR SPARKS AND THEIR ABILITY TO GUIDE ELECTRICAL
DISCHARGES

3855
PROPAGATION OF HIGH-VOLTAGE STREAMERS ALONG LASER-INDUCED
IONIZATION TRAILS

8081
CHANNELING OF AN IONIZING ELECTRICAL STREAMER BY A LASER
BEAM

Kopplin, H.

507
STUDY OF THE EFFECTS OF GAS FLOW ON THE PERFORMANCE OF
GAS-BLAST CIRCUIT BREAKERS

Kopylovskii, B.

1227
SUPERCONDUCTING INDUCTIVE ENERGY STORAGE UNIT FOR LASER
PUMPING SYSTEMS

Korol, R.F.

18193
HIGH-VOLTAGE CHARACTERISTICS OF A LARGE-GAP
COAXIAL-CYLINDER ELECTRODE

Koritz, M.

5518
HIGH-POWER PULSE STEEPENING BY MEANS OF EXPLODING WIRES

Kornilov, A.I.

6668
DIRECT-ACTION ACCELERATORS WITH INDUCTIVE ENERGY STORAGE
AND EXPLODING CONDUCTORS

9782
DIRECT-ACTION ACCELERATORS WITH INDUCTIVE ENERGY STORAGE AND
EXPLODING CONDUCTORS

Korn, F.

4051
BEHAVIOR OF LOW-IMPEDANCE RELATIVISTIC ELECTRON DIODES IN
CONVERGING MAGNETIC GRADIENTS

3456
ADVANCED SIMULATION RESEARCH: VOLUME II-VACUUM ENERGY
STORAGE

8297
ADVANCED SIMULATION RESEARCH: VOLUME II. VACUUM ENERGY
STORAGE

Korneff, T.

5509
THE AFFILIATION OF F.W. BRIDGMAN'S 'NEW ENF' TO EXPLODING
WIRE PHENOMENA

Korneff, T.

2281
A METHOD FOR DETERMINING DENSITY-RADIUS RELATIONS DURING
WIRE EXPLOSIONS

Kornilov, V.A.

6949
MEGAVOLT ENERGY-CONCENTRATING DEVICE

Korniyenko, Y.V.

565
ON THE FORMATION OF PRECISION BEAMS IN MULTISECTION LINEAR
ELECTRON ACCELERATORS

Korolev, E.D.

5082
ELECTRICAL ENGINEERING (SELECTED ARTICLES)

Korolev, V.S.

7012
MECHANICAL ASPECTS OF THE ELECTRICAL BREAKDOWN OF SOLID
DIELECTRICS

7816
NANOSECOND BREAKDOWN OF POLYMERS

Korolev, Yu.D.

6469
NONINDEPENDENT PULSED ATMOSPHERIC PRESSURE DISCHARGE
SUSTAINED BY A HIGH-ENERGY ELECTRON BEAM LASTING 100
MICROSECONDS

6694
TRANSITION FROM A NON-SELF-SUSTAINED VOLUME DISCHARGE
MAINTAINED BY A BEAM OF FAST ELECTRONS TO A SPARK DISCHARGE

6888
CONDITIONS FOR SPUTTER EMISSION IN HIGH-PRESSURE SPATIAL
BASED DISCHARGES

6902
PULSE DISCHARGES IN GASES UNDER CONDITIONS OF STRONG
IONIZATION BY ELECTRONS

6927
DYNAMIC ATMOSPHERIC PRESSURE DISCHARGE EXCITED BY AN
ELECTRON BEAM

6929
ELECTRIC FIELD DISTRIBUTION IN THE ANODE LAYER OF A
NON-SELF-MAINTAINED VOLUMETRIC DISCHARGE SUSTAINED BY A
BEAM OF FAST ELECTRONS

6955
ENERGY INPUT IN ELECTRICAL IONIZATION LASERS

6939
FORMATION OF A SPARK CHANNEL IN A BULK DISCHARGE INITIATED
BY A FAST-ELECTRON BEAM

6960
THE DIFFUSE AND CHANNEL STAGES IN THE OVERVOLTAGE BREAKDOWN
OF A GAS GAP

6980
CONDITIONS FOR THE MAINTENANCE OF THE CURRENT IN THE
CATHODE LAYER OF A SEMI-SELF-MAINTAINING VOLUMETRIC
DISCHARGE EXCITED BY AN ELECTRON BEAM

6997
EXTERNALLY MAINTAINED DISCHARGE WITH A GASDYNAMIC WINDOW
FOR A LOW-ENERGY ELECTRON BEAM

7884
FORMATION OF THE SPARK CHANNEL AND CATHODE SPOT IN A PULSED
VOLUME DISCHARGE

7817
NANOSECOND GAS DISCHARGE IN AN INHOMOGENEOUS FIELD WITH
EXPLOSIVE PROCESSES ON THE ELECTRODES

7819
PROPERTIES OF A SPARK DISCHARGE EXCITED BY AN ELECTRON BEAM
OF 1E-5 SEC DURATION

9386
STABLE STATES OF A VOLUME DISCHARGE EXCITED BY AN ELECTRON
BEAM IN AIR WITH AN SP/SUB 6/ ADMIXTURE

Korop, E.D.

6634
ACCELERATION OF IONS BY A RELATIVISTIC ELECTRON BEAM

Korop, E.D.

6655
ACCELERATION OF IONS IN AN ELECTRON BEAM

Korovin, B.D.

6689
SCREENING EFFECT IN HIGH-CURRENT DIODES

Korshunov, A.B.

244
ELECTRON CURRENT IN DELAYED TRIGGERING OF HIGH-VOLTAGE,
HIGH-VACUUM PULSED DISCHARGES

Korshunov, G.S.

1442
FORMATION OF NANOSECOND SPARKS IN STATIC BREAKDOWN OF A GAP

6477
REPRODUCIBILITY OF DELAY TIME FOR BREAKDOWN OF
HIGH-PRESSURE TRIGGERED SPARK GAPS

6480
SPARK CURRENT AND VOLTAGE IN NANOSECOND BREAKDOWN OF A GAS
GAP

6921
CONTROLLED MEGAVOLT GAS-FILLED DISCHARGE

6993
ELECTRICAL CHARACTERISTICS OF A SPARK DISCHARGE IN A
CIRCULATING TRANSFORMER OIL

8971
SWITCHING CHARACTERISTICS OF A THREE-ELECTRODE SPARK GAP

13332
VARIATIONS IN THE RESISTANCE OF SPARK GAPS IN WATER UNDER
THE EFFECT OF HIGH PULSE VOLTAGE

Korsunovskii, Yu.A.

7498
ELECTRICAL CONDUCTIVITIES AND BREAKDOWN RESISTANCE OF
MIXTURES OF SOME LIQUID DIELECTRICS UNDER VOLTAGE PULSES

Kee'kin, Yu.P.

9453
DESIGN OF THE LIQUID-METAL CONTACTOR IN HOMOPOLAR MACHINES

Koshchlenko, V.M.

6876
ANALYSIS OF THE TRUMP-VAN DE GRAAFF CONDITION FOR VACUUM
BREAKDOWN

Koshelev, V.I.

6979
CHARACTERISTICS OF A HOLLOW ELECTRON BEAM IN A MAGNETICALLY
INSULATED DIODE

10468
POTENTIAL OF A HOLLOW ELECTRON BEAM IN A
MAGNETICALLY-INSULATED DIODE

13471
RETURN CURRENT IN MICROSECOND HIGH-CURRENT MAGNETICALLY
INSULATED DIODES

Kostyuk, O.I.

4749
BREAKDOWN OF A VACUUM SPARK GAP TRIGGERED BY AN ELECTRON
BEAM

Kotolov, A.B.

7761
GROWTH OF THE SPARK DISCHARGE CANAL FOR A DISCHARGE CIRCUIT
WITH A RAPIDLY INCREASING CURRENT

Kotoski, R.N.

9424
IONITRON-SWITCHED 0.6- TO 90-KV IMPULSE GENERATOR

Kotov, Y.A.

3531
RECORDING SHOCK WAVES AND EXPLODING WIRE ELECTRICAL
CHARACTERISTICS

Kotov, Yu.A.

733
EXPLOSIVE ELECTRICAL GENERATOR

737
HIGH-CURRENT NANOSECOND-PULSE ELECTRON ACCELERATOR WITH
INDUCTIVE SHAPING ELEMENT

1049
NANOSECOND PULSE GENERATORS WITH INDUCTIVE STRAPE

6923
CONDITIONS FOR THE CURRENT PAUSE IN EXPLODING WIRES

Kotova, I.S.

1795
EFFECT OF STRUCTURAL INHOMOGENEITIES IN EXPLODING WIRES

Kottar, P.R.

9405
MINIATURE ELF ELECTRIC FIELD PROBE

Koeba, C.C.

3486
HIGH POWER STUDY SUPERCONDUCTING GENERATORS

Koval, B.A.

6494
ARRANGEMENT FOR STUDYING FIELD EMISSION IN THE NANOSECOND
AND SUBNANOSECOND RANGES

Kaval'chuk, B.M.

737
HIGH-CURRENT NANOSECOND-PULSE ELECTRON ACCELERATOR WITH
INDUCTIVE SHAPING ELEMENT

1087
A MULTISPARK HIGH-VOLTAGE TRIDATRON

1130
HIGH CURRENT SUBNANOSECOND PULSE GENERATOR

1622
PULSE ELECTRON ACCELERATOR TO EXCITE LARGE GAS VOLUMES

3772
RAPID CUTOFF OF A HIGH CURRENT IN AN ELECTRON-BEAM-EXCITED
DISCHARGE

6612
TRANSFORMERS FOR HEAVY-CURRENT NANOSECOND IMPULSES

6956
SOME CHARACTERISTICS OF A SPARK DISCHARGE INITIATED BY AN
ELECTRON BEAM

6981
CORRECTION OF THE CHARACTERISTIC OF A SPARK COMMUTATOR WITH
A HETEROGENEOUS SHAPING LINE

6985
DISCHARGE IN A HIGH-PRESSURE GAS, INITIATED BY A BEAM OF
FAST ELECTRONS

8914
AN INVESTIGATION OF THE TIME LAG OF THE DISCHARGE IN THE
ELECTRICAL BREAKDOWN OF VACUUM GAPS

10048
NANOSECOND CURRENT PULSE GENERATOR FOR SUPPLYING
SEMICONDUCTOR LASERS

10168
DEVELOPMENT OF SURFACE DISCHARGE ALONG A DIELECTRIC WITH
LARGE DIELECTRIC CONSTANT IN GAS IN THE NANOSECOND RANGE

10179
THE 'TEREK-2' HIGH-CURRENT PULSED ELECTRON ACCELERATOR

13330
GAS MIXTURE $H_2/SUB\ 2/ + SF_6/SUB\ 6/ + AR$ FOR A HIGH-PRESSURE
DISCHARGE

Koval'chuk, V.M.

8244
MULTIPLE-SPARK OPERATION OF A MEDAVLT TRIDATRON

Kovalchuk, B.M.

10444
DISCHARGE IN GAS AT HIGH PRESSURE INITIATED BY A BEAM OF
FAST ELECTRONS

Kovalenko, V.P.

3841
LASER-INITIATED VACUUM DISCHARGE

Kovalev, V.P.

6660
DIRECT-ACTION ACCELERATORS WITH INDUCTIVE ENERGY STORAGE
AND EXPLODING CONDUCTORS

9782
DIRECT-ACTION ACCELERATORS WITH INDUCTIVE ENERGY STORAGE AND
EXPLODING CONDUCTORS

Kovaltchuk, B.M.

1049
NANOSECOND PULSE GENERATORS WITH INDUCTIVE STRAPE

1358
CURRENT BREAKER WITH SPACE DISCHARGE CONTROLLED BY ELECTRON
BEAM

1399
GENERATORS OF POWERFUL SUBNANOSECOND PULSES

Kavarik, T.J.

828
A MODEL AIR-SUPPORTED DRUM-TYPE MONOPOLAR GENERATOR

8361
MODEL AIR-SUPPORTED DRUM-TYPE MONOPOLAR GENERATOR

Kevsh, I. B.

939
OPTICAL BREAKDOWN OF COMPRESSED GASES BY CO/SUB 2/ LASER RADIATION

Kevsh, I.B.

10482
ELECTRICALLY DRIVEN 200-JOULE PULSED LASER

Koyama, S.

7285
NANOSECOND SURFACE DISCHARGE STUDY BY USING DUST FIGURE TECHNIQUES

Kozhevnikov, A.V.

1255
RADIATION FROM RELATIVISTIC ELECTRONS IN A MAGNETIC WIGGLER

Kozhukhev, I.V.

18848
USE OF RADIAL TRANSMISSION LINES IN PULSED ACCELERATORS

Kozlov, A.A.

6552
A MULTIELECTRODE ELECTRON-OPTIC SYSTEM WITH AN INDUCTIVE STORAGE DEVICE FOR A HIGH-CURRENT ACCELERATOR

Kozlov, M.I.

1645
HIGH-VOLTAGE PULSE GENERATOR FOR THE TWO-METER STREAMER CHAMBER OF THE JINR

6618
A SUPPLY GENERATOR FOR A STREAMER CHAMBER WITH A LARGE INTERELECTRODE GAP

7159
PULSE CURRENT GENERATOR

Rozedaev, A.M.

4889
REGULATOR FOR HIGH VOLTAGE CAPACITOR BANK

Kozorozov, K.I.

7124
SWITCHING CHARACTERISTICS OF EXPLOSIVE DISCONNECTORS WITH RAPID DESTRUCTION OF THE CONTACT ELEMENT

Rozuev, B.M.

5339
A POWERFUL THYRISTOR MODULATOR

Krenz, H.D.

9387
PARTIAL DISCHARGE EVALUATION OF POLYETHYLENE CABLE-MATERIAL BY PHASE ANGLE AND PULSE SHAPE ANALYSIS

Krenopol'ski, A.E.

6655
INVESTIGATION OF RECTIFIER UNITS FOR PERIODIC CHARGING OF STORAGE CAPACITORS

Kresyuk, I.R.

7924
INVESTIGATION OF BREAKDOWN IN N/SUB 2/ UNDER THE INFLUENCE OF A PICOSECOND RUBY-LASER PULSE

Kresyuk, V.H.

6676
HIGH-VOLTAGE MEGA-AMPERE CABLE TRANSFORMER

Krotzenstein, M.G.

5688
THE IMPULSE BREAKDOWN IN INSULATING OIL

Krause, G.

7186
A HIGH CURRENT PULSER FOR EXPERIMENT 229, 'NEUTRINO ELECTRON ELASTIC SCATTERING'

18338
HIGH CURRENT PULSER FOR EXPERIMENT NO. 229, NEUTRINO ELECTRON ELASTIC SCATTERING

Krause, G.J.

8699
SUB-NAANOSECOND JITTER, REPETITIVE IMPULSE GENERATORS FOR HIGH RELIABILITY APPLICATIONS

Kraindel, Yu.E.

7019
PROPERTIES OF A SPACE DISCHARGE EXCITED BY AN ELECTRON BEAM OF 1E-5 SEC DURATION

8231
CONDITIONS FOR INITIATION OF A DISCHARGE IN A SPHERICAL GAS GAP WITH A PLASMA CATHODE

Kramov, V.V.

3771
PULSED NANOSECOND ELECTRIC DISCHARGES IN GASES

4875
FORMATION OF NANOSECOND PULSES OF HIGH VOLTAGE

6456
ELECTRON ENERGY SPECTRUM IN HIGH-ENERGY NANOSECOND ACCELERATORS

6480
SPARK CURRENT AND VOLTAGE IN NANOSECOND BREAKDOWN OF A GAS GAP

6612
TRANSFORMERS FOR HEAVY-CURRENT NANOSECOND IMPULSES

6929
ELECTRIC FIELD DISTRIBUTION IN THE ANODE LAYER OF A NON-SELF-MAINTAINED VOLUMETRIC DISCHARGE SUSTAINED BY A BEAM OF FAST ELECTRONS

6942
GROWTH OF A NANOSECOND PULSED DISCHARGE IN A GAS WITH ONE-ELECTRON INITIATION

6981
CORRECTION OF THE CHARACTERISTIC OF A SPARK COMMUTATOR WITH A METROGENOUS SHAPING LINE

6985
DISCHARGE IN A HIGH-PRESSURE GAS, INITIATED BY A BEAM OF FAST ELECTRONS

18168
DEVELOPMENT OF SURFACE DISCHARGE ALONG A DIELECTRIC WITH LARGE DIELECTRIC CONSTANT IN GAS IN THE NANOSECOND RANGE

18306
SURFACE BREAKDOWN IN VACUUM ON BARIUM TITANATE

Krestov, V.A.

1975
TACITRON GENERATOR OF LONG HIGH-VOLTAGE PULSES

Krickhuhn, A.F.

912
A 150 KV LOW IMPEDANCE MULTIPLE OUTPUT TRIODE GENERATOR

Krider, E.F.

4157
FOUR-METER SPARKS IN AIR

Kriechbaum, K.

9790
A HALF CYCLE AIR BLAST GENERATOR DRIVER FOR HIGH POWER TESTING FIELDS

Kristiansen Eds., M.

7173
IEEE 2ND INTERNATIONAL PULSED POWER CONFERENCE DIGEST OF TECHNICAL PAPERS

Kristiansen, M.

239
HIGH POWER SWITCHING CAPABILITIES

746
LASER TRIGGERING THROUGH FIBER OPTICS OF A LOW JITTER SPARK GAP

864
AN ELECTRON-BEAM-TRIGGERED SPARK GAP

888
LOW JITTER LASER TRIGGERED SPARK GAP USING FIBER OPTIC

961
SIMULATION OF INDUCTIVE AND ELECTROMAGNETIC EFFECTS ASSOCIATED WITH SINGLE AND MULTICHANNEL TRIGGERED SPARK GAPS

4208
HIGH POWER SWITCH DEVELOPMENT

3425
A REVIEW OF HIGH-POWER SWITCH TECHNOLOGY

5520
EXPLODING WIRES IN STRONG AXIAL MAGNETIC FIELDS

6036
A CRITICAL ANALYSIS AND ASSESSMENT OF HIGH POWER SWITCHES

7177
INVESTIGATIONS OF FAST INSULATOR SURFACE FLASHOVER

8691
PULSED POWER RESEARCH COLLOQUIUM

Krivitskii, E.V.

6986
EFFECT OF THE INITIAL CONDITIONS ON THE DYNAMICS OF AN UNDERWATER SPARK. I. EFFECT OF THE PARAMETERS OF THE GENERATOR AND THE MEDIUM

6987
EFFECT OF THE INITIAL CONDITIONS ON THE DYNAMICS OF AN UNDERWATER SPARK. II. EFFECT OF AN EXTERNAL SOURCE OF PUMP ENERGY

7073
CHARACTERISTICS OF AN UNDERWATER SPARK

7081
ELECTRICAL CHARACTERISTICS OF UNDERWATER EXPLODING WIRES

7100
EXPLODING WIRE MECHANISM

Krivososanko, A.V.

7109
CO/SUB 2/ LASER HIGH-VOLTAGE POWER SUPPLY BASED ON A PULSED AUTOTRANSFORMER

Kryzhanovskii, V.I.

7082
A GENERATOR THAT PRODUCES POWERFUL PULSES USING GAS-DISCHARGE COMMUTATORS OF THE TRIOTRON AND TRIOPLASMATRON TYPE

KroI, V.K.

7128
A NANOSECOND PULSE GENERATOR FOR SPARK CHAMBERS

Krook, M.

1355
CURRENTS AND CHARGES ON CYLINDERS IN A PARALLEL-PLATE TRANSMISSION LINE

Kruglov, A.I.

832
DEPENDENCE OF ELECTRODE EROSION UPON FORM OF CURRENT PULSE

Kruglyakov, E.P.

6977
BREAKDOWN OF WATER IN A SYSTEM WITH 'DIFFUSION' ELECTRODES

7303
INCREASE OF DIELECTRIC STRENGTH OF WATER IN A SYSTEM WITH 'DIFFUSION' ELECTRODES

Kryachko, A.P.

10349
DTI-742 STROKE PULSE GENERATOR MADE IN THE CAMAC STANDARD

Krylov, V.P.

6491
A PROGRAMMING GENERATOR PRODUCING POWERFUL NANOSECOND PULSES

Kryzhanovskii, O.I.

2090
HIGH-VOLTAGE PULSE GENERATOR

Kryzhanovskii, O.M.

393
A GENERATOR FOR STARTING ACOUSTIC CHAMBERS

Ku, T.P.C.

2382
A TECHNIQUE FOR MEASURING NON-SQUARE PULSED HIGH VOLTAGES TO $\pm 0.25\%$ ACCURACY

10234
A TECHNIQUE FOR MEASURING NON-SQUARE PULSED HIGH VOLTAGES TO $\pm 0.25\%$ PERCENT ACCURACY

Kubar'kov, Yu.P.

638
WAVE PROCESSES IN HIGH-POWER NANOSECOND PULSE GENERATORS

7060
NUMERICAL ANALYSIS OF THE FORMATION OF AN INTENSE NANOSECOND ELECTRON BEAM

Kubota, Y.

515
CHARACTERISTICS OF CO-AXIAL MARX GENERATOR AND ITS APPLICATION TO ELECTRON BEAM FUSION

649
HIGH VOLTAGE NANOSECONDS PULSE GENERATOR WITH VERY FAST RISE TIME

4338
A QUICK RESPONSE HIGH VOLTAGE DIVIDER

8403
COAXIAL MARX GENERATOR FOR PRODUCING INTENSE RELATIVISTIC ELECTRON BEAMS

Kucherov, V.I.

6448
COLLECTIVE ION ACCELERATION BY A HIGH-CURRENT RELATIVISTIC ELECTRON BEAM

Kuchinskii, O.S.

4080
HIGH VOLTAGE PULSE CAPACITORS

8164
THEORY OF BREAKDOWN OF THIN LIQUID DIELECTRIC LAYERS

Kuchinskii, V.G.

293
A TWO-STAGE ELECTRICAL-EXPLOSION MECHANICAL COMMUTATOR

7071
A MEGAAMPERE SWITCH WITH AN EXPLODING FOIL FOR THE INVESTIGATION OF MAGNETIC CUMULATION

7130
AN INDUCTIVE STORE WITH ELECTROMAGNETIC CURRENT MULTIPLICATION

Kuczer, P.

2755
A VERSATILE HIGH-VOLTAGE BIAS SUPPLY FOR EXTENDED RANGE MIS C(V) AND G(V) MEASUREMENTS

Kuczer, P.N.H.D.

8319
SEMICONDUCTOR MEASUREMENT TECHNOLOGY: A VERSATILE HIGH-VOLTAGE BIAS SUPPLY FOR EXTENDED RANGE MIS C(V) AND G(V) MEASUREMENTS

Kudryashov, V.V.

4394
HIGH-VOLTAGE SUPPLY SYSTEM FOR ELECTROSTATIC DEPLECTOR

Kuffel, E.

2321
AN OPTIMIZED CHARGE SIMULATION METHOD FOR THE CALCULATION OF HIGH VOLTAGE FIELDS

9822
THE FLASHOVER VOLTAGE OF POLYMETHYLMETHACRYLATE IN VACUUM UNDER DIRECT, ALTERNATING, AND SURGE VOLTAGES OF VARIOUS PULSE DURATIONS

13039
TIME LAGS AND THE BREAKDOWN AND CORONA CHARACTERISTICS IN SULPHUR HEXAFLUORIDE

Kugushev, G.I.

438
FORMATION OF COMPLEX MAGNETIC CYCLES IN A 7-GEV PROTON SYNCHROTRON

5336
A PULSED CURRENT SOURCE WITH ENERGY RECOVERY

Kuhare, T.

323
THE RESEARCH IN DISCHARGE SUPPRESSION OF HIGH VOLTAGE CROSSLINKED POLYETHYLENE INSULATED POWER CABLE

Kuhler, R.

1273
APPLICATION OF GENERATOR ANALYSIS METHODS

Kuhler, R.J.

4530
SCHEMATIC MODELS OF A PULSE FORMING SYSTEM

Kuhn, M.

483
GENERATION OF HIGH CURRENT, LONG DURATION RECTANGULAR PULSES

Kuizenga, D.J.

8632
FAST, VERSATILE POKELS CELL DRIVER

Kul'gavchuk, V.M.

9730
MECHANISM FOR INTERRUPTION OF CURRENT FLOW AND PRODUCTION OF SHOCK WAVES IN A METAL HEATED BY HIGH-DENSITY CURRENT PULSES

Kuigo, A.Y.

3438
COMPRESSION OF A MAGNETIC FIELD BY A SNELL WITH CONSTANT CONDUCTIVITY

Kuikov, S.L.

18309
X RADIATION OF A HALF-SECOND DRAZINO DISCHARGE IN A GAS

Kuikov, V.I.

4789
A GENERATOR OF CURRENT PULSES OF ADJUSTABLE SHAPE AND DURATION FOR SUPPLYING GAS-DISCHARGE TUBES

Kuleshov, G.D.

4492
STARTING CHARACTERISTICS OF A 100-KV TRIDATRON FILLED WITH SF₆/SUB 6/

6467
MULTIELEMENT ACCELERATORS BASED ON RADIAL LINES

7842
PULSED AIR-CORED DETATRON POWERED FROM A MAGNETICUMULATIVE GENERATOR

Kuleshov, V.M.

18491
SWITCHING CHARACTERISTICS OF A DISCHARGE IN WATER

Kuleshova, G.D.

7189
DEVELOPMENT OF HIGH CURRENT ELECTRON PULSE ACCELERATORS AT THE INSTITUTE OF HIGH TEMPERATURES

Kulikov, B.I.

6589
EXPERIMENTS WITH AN EXPLOSIVE-MAGNETIC GENERATOR IN LABORATORY CONDITIONS

8414
DEVICE FOR GENERATING POWERFUL ELECTRICAL PULSES

Kulko, B.

7191
EMITTANCE MEASUREMENTS ON FIELD Emitter DIODES

Kulyukin, M.M.

10460
HIGH-VOLTAGE PULSE GENERATORS FOR STREAMER CHAMBERS

Kumarakrishnan, S.

1412
MODIFIED PLZT HIGH VOLTAGE DIELECTRICS

Kunhardt, E.

4203
HIGH POWER SWITCH DEVELOPMENT

4733
THE DUNCING CONDUCTOR GENERATOR

10353
ROTATING BALL GENERATOR

Kunhardt, E.E.

864
AN ELECTRON-BEAM-TRIGGERED SPARK GAP

961
SIMULATION OF INDUCTIVE AND ELECTROMAGNETIC EFFECTS ASSOCIATED WITH SINGLE AND MULTICHANNEL TRIGGERED SPARK GAPS

9491
ELECTRICAL BREAKDOWN OF GASES: THE PREBREAKDOWN STAGE

6836
A CRITICAL ANALYSIS AND ASSESSMENT OF HIGH POWER SWITCHES

7506
DEVELOPMENT OF OVERVOLTAGE BREAKDOWN AT HIGH GAS PRESSURE

Kunicki, J.

8134
THE RELATION BETWEEN THE CHARGE TRANSPORTED AND NUMBER OF PULSES EMITTED IN PARTIAL DISCHARGES ON DIELECTRIC SURFACES

Kunkel, W.B.

7476
HYDROMAGNETIC CAPACITOR

Kunstman, V.D.

6609
SPECIAL MEANS FOR MEASUREMENT OF THE ELECTRICAL PARAMETERS OF ELECTROPHYSICAL INSTALLATIONS

Kunz, K.S.

10484
CHEMICAL REACTION HERTZIAN GENERATOR

Kunze, R.C.

4382
PERRITE DECOUPLED CROWBAR SPARK GAP

5686
A 15 KV TRIGGER-GENERATOR WITH SPARK GAP

Kurbanov, M.A.

10194
DESTRUCTION OF POLYMER DIELECTRICS BY PARTIAL DISCHARGES

Rurbatov, Y.A.

18450
DEVELOPMENT OF AN ELECTRICAL DISCHARGE IN GAPS WITH GREAT
OVERVOLTAGE AT LOW AIR PRESSURE

Rurbatov, Yu.A.

6955
ENERGY INPUT IN ELECTRICAL IONIZATION LASERS

7948
TIME CONSTANTS OF SPARK DISCHARGES INITIATED BY A GAS-LASER
BEAM OF $\lambda_{\text{HSDA}} = 0.5571$ MICRONS

Rurata, V.I.

1925
HIGH-VOLTAGE PULSE VOLTAGE GENERATOR

10556
250-KV PULSE GENERATOR FOR ELECTRICAL-PULSE TECHNOLOGY

Rurgenov, B.

1227
SUPERCONDUCTING INDUCTIVE ENERGY STORAGE UNIT FOR LASER
PUMPING SYSTEMS

Ruritayna, I.V.

288
HIGH-VOLTAGE SOURCE FOR 2-MEV ION AND ELECTRON ACCELERATORS

Rurnit, M.A.

8047
PHOTOPREIONIZATION OF THE 5371-ANGSTROM PULSED $\text{H/SuS } 2/$
LASER

Rurachkin, A.V.

2107
SPARK-CHAMBER POWER-SUPPLY CIRCUIT WITH SEMICONDUCTOR
TRIODE

Rureda, T.

8787
TEST STAND FOR MAGNETRON H NEGATIVE ION SOURCE AT IPP-NAGDYA

Rurapatenski, V.F.

7091
PNO CALCULATION FOR EXPLODING WIRES

Rurtz, M.

4990
COMPARISON OF TRACKING TEST METHODS

Ruston, R.L.

828
A MODEL AIR-SUPPORTED ORUM-TYPE HOMOPOLAR GENERATOR

7209
ANALYSIS OF THE MULTIPHASE INDUCTOR-CONVERTER BRIDGE

8561
MODEL AIR-SUPPORTED ORUM-TYPE HOMOPOLAR GENERATOR

Rustovskii, V.O.

6986
EFFECT OF THE INITIAL CONDITIONS ON THE DYNAMICS OF AN
UNDERWATER SPARK. I. EFFECT OF THE PARAMETERS OF THE
GENERATOR AND THE MEDIUM

6987
EFFECT OF THE INITIAL CONDITIONS ON THE DYNAMICS OF AN
UNDERWATER SPARK. II. EFFECT OF AN EXTERNAL SOURCE OF PUMP
ENERGY

Rusov, B.M.

3725
MICROSECOND OPERATION OF A GENERAL PURPOSE PULSED PROTON OUN

5872
NEUTRON PRODUCTION AND COLLECTIVE ION ACCELERATION IN A
HIGH-CURRENT DIODE

7183
DETERMINATION OF LINE VOLTAGE IN SELF-MAGNETICALLY
INSULATED FLOWS

8247
PRODUCTION OF 0.5-TM PROTON PULSES WITH A SPHERICAL
FOCUSING, MAGNETICALLY INSULATED DIODE

Kuz'michev, A.I.

7889
A GENERATOR THAT PRODUCES POWERFUL PULSES USING
GAS-DISCHARGE COMMUTATORS OF THE TRIOTRON AND
TRIOPLASMATRON TYPE

Ruz'min, V.A.

7817
NANOSECOND GAS DISCHARGE IN AN INHOMOGENEOUS FIELD WITH
EXPLOSIVE PROCESSES ON THE ELECTRODES

Kuzhakin, I.P.

1795
EFFECT OF STRUCTURAL INHOMOGENEITIES IN EXPLODING WIRES

6425
CALCULATION OF THE VOLTAGE IMPULSE IN ELECTRIC EXPLOSION OF
CONDUCTORS

6688
RESTORATION OF THE DIELECTRIC STRENGTH FOLLOWING EXPLOSION
OF A WIRE

7075
CURRENT CUTOFF AND REPEATED BREAKDOWN IN ELECTRICAL
DISCHARGES IN LIQUIDS

7125
VOLTAGE WAVEFORM FOR EXPLODING WIRES

7692
INVESTIGATION OF THE BREAKDOWN BY RECTANGULAR VOLTAGE
PULSES OF A LIQUID IN AN INHOMOGENEOUS FIELD

Kuznetsov, A.P.

7054
COMPRESSION OF A MAGNETIC FIELD BY A CYLINDRICAL CONDUCTING
BLANKET OF FLUID

Ruznetsov, M.M.

6628
EXPANSION OF A SPARK CHANNEL IN A LIQUID

Ruznetsov, P.S.

1645
HIGH-VOLTAGE PULSE GENERATOR FOR THE TWO-METER STREAMER
CHAMBER OF THE JINR

Ruznetsov, V.S.

4265
HIGH-CURRENT PULSED ELECTRON ACCELERATOR WITH AN ANNULAR
BEAM

Ruznetsov, Yu.V.

5151
STABILIZATION OF THE TIME CHARACTERISTICS OF AN
ARKAD'EV-MARK GENERATOR

Rvarkhtsava, I.P.

9799
ELECTRICAL EXPLOSION OF METAL WIRES

Rvartskhava, I.F.

6664
ELECTRIC EXPLOSION OF SPIRAL WIRES IN VACUUM

6666
ELECTRICAL EXPLOSION OF WIRES IN VACUUM

9742
RESISTANCE OF METALS AT HIGH CURRENT DENSITIES

La Barbera, O.L.

10235
RESEARCH AND DEVELOPMENT ON OC CIRCUIT BREAKERS (FINAL
REPORT)

La Pierre, O.C.

8659
LOW FREQUENCY PULSE GENERATOR APPARATUS

Leckey, J.

6878
DETERMINATION OF HIGHLY STRESSED VOLUMES IN OIL DIELECTRICS

Lecette, J.C.

8667
LOW NOISE, LARGE DYNAMIC RANGE PULSE AMPLIFIER

Lecour, B.

3636
OPTICAL KERR CONSTANT MEASUREMENT IN SOME LIQUIDS AND GLASSES

Ledish, J.S.

3286
COLO CATHODE ELECTRON GUNS IN THE LAST HIGH POWER SHORT-PULSE CO/SUB 2/ LASER PROGRAM

Lafferty, J.M.

6363
TRIGGERED VACUUM GAPS

9812
DEVELOPMENT OF CONTACT MATERIALS FOR VACUUM INTERRUPTERS

Legunov, V.

1168
PRODUCTION OF AN INTENSE ELECTRON BEAM

Legunov, V.M.

6949
MEGAVOLT ENERGY-CONCENTRATING DEVICE

7899
A PULSED ELECTRON BEAM ACCELERATOR 'AQUADEN'

8414
DEVICE FOR GENERATING POWERFUL ELECTRICAL PULSES

Leivic, B.

7283
STABILIZATION OF METAL-OXIDE BULK SWITCHING DEVICES WITH DIFFUSED SI CONTACTS

Lempe, M.

3734
MYTRAC, A NEW MODULAR ONE-DIMENSIONAL EXPLODING WIRE CODE

Longworthy, J.B.

7845
ELECTRICALLY EXPLODED WIRES-EXPERIMENTS AND THEORY

Lonham, R.E.

3899
AN INDUCTIVE ENERGY STORAGE SYSTEM BASED ON A SELF-EXCITED HOMOPOLAR GENERATOR

Lenou Jr., R.E.

4897
ALTERNATE POLARITY MULTIPLE SPARK GAP FOR HIGH EFFICIENCY SHOWER DETECTORS

Lee, T.

10374
THE APPLICATION OF STEEP PULSE CURRENTS TO THE ELECTROHYDRAULIC AND MAGNETIC FORMING OF METALS

Leshuk, N.A.

9635
THYRATRON GENERATOR OF HIGH-POWER NANOSECOND PULSES WITH INCREASED EFFICIENCY

Lesitter, M.A.

5982
RADIO-FREQUENCY SHIELDING PROVIDED BY BOLTED SEAMS CONNECTING ARMORED-PLYWOOD PANELS

8129
CONSTRUCTION AND EVALUATION OF A PROTOTYPE ELECTROMAGNETICALLY SHIELDED ROOM

Lestechkin, Yu.A.

144
NEUTRINO BEAM OF THE INSTITUTE OF HIGH-ENERGY PHYSICS. V. PULSED POWER SUPPLY FOR THE NEUTRINO FOCUSING SYSTEM

Letai, M.O.

6784
ANALYSIS OF FLUX COMPRESSION EXPERIMENTS III

6910
THEORY OF THE CHARGE EFFECT

Letham, R.V.

2433
THE SOURCE OF HIGH-BETA ELECTRON EMISSION SITES ON BROAD-AREA HIGH-VOLTAGE ALLOY ELECTRODES

4565
MICROPARTICLE ENERGY ENHANCEMENT FOLLOWING A BOUNCING IMPACT IN A HIGH-VOLTAGE GAP

Letham, R.W.

10414
MATCHING A PARTICULAR PULSER TO A PARALLEL-PLATE SIMULATOR

Letmanizova, G.M.

1167
ACCELERATOR MODULE OF 'ANDARA-5'

Letushkin, S.T.

9345
A BROADBAND PULSE POWER AMPLIFIER

7100
A PULSE GENERATOR BASED ON TACITRONS

Leuer, E.J.

7470
BASIC PRINCIPLES GOVERNING THE DESIGN OF MAGNETIC SWITCHES

8627
EXPERIMENTS IN MAGNETIC SWITCHING

Leurent, C.

1364
STUDY OF THE EVOLUTION OF ELECTRICAL TREEING BY OBSERVATION OF LUMINOUS PHENOMENA AND DISCHARGE DETECTION

Levele, L.

6854
SPARK CHAMBER PULSING SYSTEM

Lavover, I.S.

10289
SYNCHRONIZING THE START OF 400-KV VOLTAGE PULSE GENERATOR (OIM-400) AND MEASURING CIRCUIT DURING OSCILLOGRAPHING OF SHORT-TERM PROCESSES

Levrent'ev, B.M.

6668
DIRECT-ACTION ACCELERATORS WITH INDUCTIVE ENERGY STORAGE AND EXPLODING CONDUCTORS

9782
DIRECT-ACTION ACCELERATORS WITH INDUCTIVE ENERGY STORAGE AND EXPLODING CONDUCTORS

Levrentyuk, V.E.

9663
PHOTOINDUCED SURFACE DISCHARGE

Lavrinevich, V.A.

1087
A MULTISPARK HIGH-VOLTAGE TRIGATRON

1622
PULSE ELECTRON ACCELERATOR TO EXCITE LARGE GAS VOLUMES

10330
GAS MIXTURE N/SUB 2/ + SF/SUB 6/ + AR FOR A HIGH-PRESSURE DISCHARGER

Lawless, J.P.

9921
THE APPLICATION OF WEIBULL STATISTICS TO INSULATION AGING TESTS

Lawrence, E.O.

9818
ON THE EARLY STAGES OF ELECTRIC SPARKS

Lawson, J.Q.

3242
HIGH POWER MODULATOR/REGULATORS FOR NEUTRAL BEAM SOURCES

Lawson, W.M.J.

5487
HIGH VOLTAGE, HIGH POWER TRANSISTORS: CHARACTERISTICS OF DEVELOPMENTAL UNITS

Lawton, R.A.

18412
PICOSECOND PULSE RESEARCH AT NBS

Lezerov, N.V.

4889
REGULATOR FOR HIGH VOLTAGE CAPACITOR BANK

Lezutin, E.V.

3131
STABILIZATION OF THE TIME CHARACTERISTICS OF AN ARKAD'EV-MARK GENERATOR

Leiberman, G.L.

2211
A HIGH SPEED MVDC CIRCUIT BREAKER WITH CROSSED-FIELD INTERRUPTERS

LePinto, P.

6109
METAL-OXIDE DEVICES FOR RAPID HIGH CURRENT SWITCHING

LePinto, P.R.

6353
PULSE SHARPENING WITH METAL-OXIDE BULK SWITCHING DEVICES

Leavitt, G.E.

7298
ULTRAFAST HIGH VOLTAGE PROBE

Leavitt, J.M.

2455
A COMPACT 250-KV INJECTOR SYSTEM FOR PIGMI

Lebeda, J.

4845
ANALYSIS OF SPARK BREAKDOWN CHARACTERISTICS FOR SPHERE GAPS

Lebedev, P. N.

2444
IONIZATION IN THE FIELD OF A STRONG ELECTROMAGNETIC WAVE

Lebedev, A.N.

2882
STARTING HIGH-VOLTAGE GENERATORS AT A VOLTAGE OF UP TO 1 MV BY MEANS OF PULSED X RADIATION

3462
COAXIAL HIGH-VOLTAGE DIODE WITH MAGNETIC INSULATION

9785
SYSTEM FOR TWO-PULSE SUPPLY OF A LARGE STREAMER CHAMBER

Lebedev, L.F.

6435
INVESTIGATION OF RECTIFIER UNITS FOR PERIODIC CHARGING OF STORAGE CAPACITORS

Lebedev, P.I.

393
A GENERATOR FOR STARTING ACOUSTIC CHAMBERS

2090
HIGH-VOLTAGE PULSE GENERATOR

Lebedev, S.V.

8177
DESTRUCTION OF ELECTRODES BY ELECTRIC DISCHARGES OF HIGH CURRENT DENSITY

9651
EXPLOSION OF A METAL BY AN ELECTRIC CURRENT

10305
PRODUCTS FROM THE ELECTRICAL EXPLOSION OF TUNGSTEN AT CURRENTS OF APPROXIMATELY 1E11 A/50.M.

Lebedev, V.B.

3322
LASER-TRIGGERED VACUUM SWITCH

9384
HIGH-VOLTAGE PULSE GENERATOR WITH RISE TIME <10 NSEC

Lebedev, V.M.

2583
PROTECTING A HIGH-VOLTAGE ELECTRON GUN POWER SUPPLY FROM BREAKDOWNS

Lebedev, V.P.

9518
A GENERATOR WHICH PRODUCES CURRENT PULSES OF UP TO 18 KA AT A VOLTAGE APPROXIMATELY 108 V

Lebiedzik, J.

2036
SIMPLE INSTRUMENTATION FOR RISE AND DECAY TIME MEASUREMENT OF CATHODOLUMINESCENCE IN AN ELECTRON MICROSCOPE

Leclerc, J.L.

8956
PRESSURE TRANSIENTS IN A MODEL GAS-BLAST CIRCUIT BREAKER OPERATING AT EXTRA HIGH CURRENT LEVELS

Lederer, N.M.

2455
A COMPACT 250-KV INJECTOR SYSTEM FOR PIGMI

Lee (Ed.), K.S.M.

1309
EMP INTERACTION: PRINCIPLES, TECHNIQUES, AND REFERENCE DATA (A COMPLETE CONCATEENATION OF TECHNOLOGY FROM THE EMP INTERACTION NOTES) EMP INTERACTION 2-1

Lee, A.

8942
INTERRUPTION CAPABILITY OF GASES AND GAS MIXTURES IN A PUFFER-TYPE INTERRUPTER

Lee, C.C.

574
PARAMETER ESTIMATION FOR GENERATOR SIMULATION STUDIES

Lee, C.H.

635
LOW-IMPEDANCE, COAXIAL-TYPE MARX GENERATOR WITH A QUASI-RECTANGULAR OUTPUT WAVEFORM

Lee, O.

8237
EFFECT OF GAS PRESSURE ON ELECTRICAL BREAKDOWN AND FIELD EMISSION

Lee, O.A.

1787
INITIATION OF ELECTRICAL BREAKDOWN IN ULTRAHIGH VACUUM

Lee, E.P.

4236
MODEL FOR A LOW PRESSURE SPARK GAP

Lee, J.J.

4314
ADVANCES IN THE EFFICIENT GENERATION OF INTENSE PULSED
PROTON BEAMS

Lee, J.L.

8916
ANODE SHEATH GROWTH AND COLLAPSE IN A HOLLOW-ANODE VACUUM
ARC

Lee, M.H.

1396
OPTICAL FLASHES FROM DOUBLE WIRE EXPLOSION

Lee, R.

4640
ION-INDUCED PINCH AND THE ENHANCEMENT OF ION CURRENT BY
PINCHED ELECTRON FLOW IN RELATIVISTIC DIODES

10287
VECTOR-POTENTIAL FLOW IN RELATIVISTIC BEAM DIODES

Lee, R.S.

7648
CALCULATION OF HEATING AND BURST PHENOMENA IN ELECTRICALLY
EXPLODED FOILS

18181
ELECTRIC GUN: A VERSATILE TOOL FOR HIGH-PRESSURE SHOCKWAVE
RESEARCH

Lee, S.S.

1306
OPTICAL FLASHES FROM DOUBLE WIRE EXPLOSION

Lee, S.T.

1342
FIBER-OPTIC HIGH VOLTAGE ISOLATION OF CAMAC HIGHWAY

Lee, T.N.

9812
DEVELOPMENT OF CONTACT MATERIALS FOR VACUUM INTERRUPTERS

Leech, J.W.

1608
ELECTRICAL BREAKDOWN AT VERY LOW GAS PRESSURES

Leeper, R.J.

8247
PRODUCTION OF 0.5-TW PROTON PULSES WITH A SPHERICAL
FOCUSING, MAGNETICALLY INSULATED DIODE

Legentil, M.

8526
THEORETICAL AND EXPERIMENTAL STUDY OF THE CURRENT
DISTRIBUTION IN COILS COUPLED TO IMPULSE DYNAMOS

Leggieri, D.

753
ANODE BEHAVIOR IN HIGH INTENSITY FIELD EMISSION DIODES

Lehman, T.N.

652
DISTRIBUTED PARAMETER MODEL OF THE TRESTLE PULSER

Lehner, O.

6965
LIMITATIONS ON MAGNETIC FIELDS OBTAINED BY
FLUX-COMPRESSION: I

Leisher, W.D.

187
TERAWATT PULSE POWER SYSTEMS UTILIZING INDUCTIVE STORAGE

Lenberg, E.A.

4204
LASER CONTROL OF SPARK GAPS

Lenberg, E.A.

1145
COMPUTATION OF SPARK GAPS BY MEANS OF A PULSED GAS LASER
OPERATING IN THE ULTRAVIOLET RANGE

Leonyel, L.L.

477
ESTIMATES ON THE ACCELERATION OF PELLETS BY GASDYNAMIC AND
ELECTROSTATIC MEANS

Lento, J.L.

9812
DEVELOPMENT OF CONTACT MATERIALS FOR VACUUM INTERRUPTERS

Leo, M.

618
PRODUCTION AND DYNAMICS OF HIGH INTENSITY ELECTRON BEAMS

Leonard, S.J.

5459
CURRENT-MEASURING DEVICES USED WITH THE SUPER-FAST PINCH
ASSEMBLY

Leonard, T.A.

8154
OBSERVATION OF A CORE IN AN EXPLODED LITHIUM WIRE PLASMA BY
REFLECTION OF LASER LIGHT

Leoneva, N.

1179
CYLINDRICAL CHANNEL IN A HIGH-CURRENT DISCHARGE IN AIR

Leonov, A.M.

5402
STABILIZATION OF CHARGING VOLTAGE OF CAPACITIVE ENERGY
STORAGE ELEMENTS OF HIGH-POWER PULSED DEVICES

Leont'ev, N.I.

5595
HIGH-VOLTAGE NANOSECOND PULSE GENERATOR WITH COMPENSATION
USING NONLINEAR COMPONENTS

6461
HIGH-CURRENT CAVITY ELECTRON ACCELERATOR

Leopold, K.

5053
A SIMPLE LASER-TRIGGERED SPARK GAP WITH SUBNANOSECOND
RISE TIME

Leopold, K.E.

2178
MULTICHANNEL SURFACE SPARK GAPS

Lesensky, L.M.P.

5648
TUBE FAILURE MECHANISMS

Letyagin, V.A.

7059
DISRUPTION OF ELECTRICALLY EXPLODING CONDUCTORS IN THE CASE
OF CURRENT PULSE LIMITATION

Levchenko, B.P.

10485
HIGH-CURRENT DISCHARGES IN NITROGEN WITH AN INDUCTIVE
STORAGE BANK

Levchenko, B.P.

8938
HIGH-CURRENT DISCHARGE IN A DENSE PLASMA SOURCE

Levi, E.

1990
GENERATION OF ULTRA-HIGH POWER ELECTRICAL PULSES

6211
ELECTROMECHANICAL PULSE GENERATORS

Levi, J.H.E.

10476
A SIMPLE PULSE-HEIGHT ANALYZER FOR PARTIAL-DISCHARGE-RATE MEASUREMENTS

Levina, N.Ye.

8231
CONDITIONS FOR INITIATION OF A DISCHARGE IN A SPHERICAL GAS GAP WITH A PLASMA CATHODE

Levina, L.S.

334
PULSED POWER GENERATORS

335
PULSED POWER TECHNOLOGY FOR CONTROLLED THERMONUCLEAR FUSION

10387
DENSE PLASMA DISCHARGES FOR SOLID-TARGET HEATING

Levine, M.A.

6968
PRODUCTION AND USE OF HIGH TRANSIENT MAGNETIC FIELDS. II

9981
'CROWBAR' TRIGGERING METHOD FOR HIGH POWER PULSE CIRCUITS

Levinshstein, M.E.

6840
MULTICHANNEL SEMICONDUCTOR NANOSECOND SWITCH FOR EXCITATION OF COPPER VAPOR BY A TRANSVERSE DISCHARGE

Levinson, S.

961
SIMULATION OF INDUCTIVE AND ELECTROMAGNETIC EFFECTS ASSOCIATED WITH SINGLE AND MULTICHANNEL TRIGGERED SPARK GAPS

Levit, P.A.

336
PULSE GENERATOR PRODUCING A HIGH-POWER CURRENT

1197
HIGH PULSED MAGNETIC FIELDS FOR NUCLEAR FUEL ROD SEALING

Levy, R.N.

7433
NEW TYPE OF ACCELERATOR FOR HEAVY IONS

Levy, S.

723
SOLID STATE CLIPPER DIODES FOR HIGH POWER MODULATORS

1324
SPARK-GAP STUDIES

6109
METAL-OXIDE DEVICES FOR RAPID HIGH CURRENT SWITCHING

6353
PULSE SHARPENING WITH METAL-OXIDE BULK SWITCHING DEVICES

7203
STABILIZATION OF METAL-OXIDE BULK SWITCHING DEVICES WITH DIFFUSED BI CONTACTS

Lewis, I.A.D.

8249
MILLIMICROSECOND PULSE TECHNIQUES (SECOND EDITION)

10129
SOME TRANSMISSION LINE DEVICES FOR USE WITH MILLIMICROSECOND PULSES

Lewis, R.H.

5798
A SOLID STATE NANOSECOND PULSER USING MARX BANK TECHNIQUES

Lewis, T.J.

6297
THE INFLUENCE OF DISSOLVED GASES ON THE ELECTRIC STRENGTH OF N-HEXANE

8050
CHARACTERISTICS OF THE TRIOTRON SPARK-GAP

Liao, T.W.

8136
DIELECTRIC BEHAVIOR OF SOME FLUOROGASES AND THEIR MIXTURES WITH NITROGEN

Lidholt, L.R.

4744
A VERSATILE 60 KV SWITCHING SYSTEM FOR PULSED EXCITATION OF LASERS

Liebermann, R.W.

8200
COMPOSITION AND TRANSPORT PROPERTIES OF SF₆/SUB 6/ AND THEIR USE IN A SIMPLIFIED ENTHALPY FLOW ARC MODEL

Liebing, L.

1413
PULSED CHARGING OF CAPACITORS BY MEANS OF EXPLODING WIRES

Liebi, W.

10286
ADC DATA ACQUISITION SYSTEM FOR THE ACCELERATOR VICKSI

Liedtke, A.

5676
SAFETY PROBLEMS IN THE JULIETTA CAPACITOR BANK

Likhachev, V.M.

6458
EXPERIMENTS ON ACCELERATION OF DEUTERONS AND PROTONS IN AN ELECTRON BEAM PASSING THROUGH A GAS

Liksonov, V.I.

7047
GENERATION AND FOCUSING OF A STRONG-CURRENT ELECTRON BEAM IN A LOW-IMPEDANCE DIODE

Limut, S.

1963
PULSE AMPLIFIER CAN DELIVER OVER 500 V WITH FREQUENCIES TO 100 KHZ

Lin, D.L.

1819
THE PHOTOEMISSION SPECTRUM FOR AN EXPLODING WIRE RADIATOR SOURCE INCIDENT ON AL AND AU

Lin, D.N.

4677
INCREASING ELECTRON BEAM POWER BY INDUCTIVE ACCUMULATOR

Lin, J.

7177
INVESTIGATIONS OF FAST INSULATOR SURFACE FLASHOVER

Lindberg, D.D.

7178
BREAKDOWN IN SMALL, FLOWING GAS SPARK GAPS

Lindner, F.W.

7926
LASER INITIATED SPARK DEVELOPMENT IN AN AIR GAP

Lindey, J.O.G.

4806
0.34-MJ SUPERCONDUCTING MAGNETIC ENERGY TRANSFER AND STORAGE

Lindstrom, N.B.

707
USE OF TRANSFORMERS IN PRODUCING HIGH POWER OUTPUT FROM HOMOPOLAR GENERATORS

Linford, R.K.

5591
MULTICHANNEL SPARK-GAP TECHNOLOGY FOR STAGED THETA-PINCH MACHINES

Linhart, J.G.

3521
RAPID TRANSFER OF MAGNETIC ENERGY BY MEANS OF EXPLODING
POILS

4945
LIMITATIONS ON MAGNETIC FIELDS OBTAINED BY
FLUX-COMPRESSION: I

Linke, S.

1977
STABILITY OF AC VACUUM ARCS IN TRANSVERSE PULSED MAGNETIC
FIELD

Linn, P.S.

8181
ELECTRICAL BREAKDOWN IN CSF/SUB 8/

Lippert, J.R.

1499
LASER-INDUCED LIGHTNING CONCEPT EXPERIMENT

7181
INVESTIGATION INTO TRIGGERING LIGHTNING WITH A PULSED LASER

Lisenko, L.O.

1726
NETWORK FOR FAST COMPUTATION OF LARGE CURRENTS IN AN
INDUCTIVE STORAGE DEVICE

Lisitsyn, V.N.

478
EXCITATION OF HIGH-PRESSURE LASER MEDIA BY A DISCHARGE
THROUGH AN INSULATOR

1957
GENERATION OF VOLTAGE PULSES FOR TRANSVERSE DISCHARGES

1991
GENERATORS PRODUCING VOLTAGE FOR A TRANSVERSE DISCHARGE

Little, P.

5458
LIGHTNING STRIKE POINT LOCATION STUDIES ON SCALE MODELS

Little, P.P.

5456
ARCS ON METAL SHEETS IN SIMULATED LIGHTNING DISCHARGES

Little, R.P.

8258
ELECTRON EMISSION PRECEDING ELECTRICAL BREAKDOWN IN VACUUM

Littlewood, I.

267
HIGH RATE OF RISE OF CURRENT PULSE GENERATION USING LOW
COST GLASS ENVELOPE THYRATrons

Litunovskii, V.N.

1187
ELECTRICAL EXPLOSION OF FOILS. II

1188
ELECTRICAL EXPLOSION OF FOILS. I

6799
CAPACITOR BATTERY FOR ONE MEGAJOULE HAVING A SMALL TIME
CONSTANT

Litvinenko, V.P.

7081
ELECTRICAL CHARACTERISTICS OF UNDERWATER EXPLODING WIRES

7085
EXPLODING WIRE MECHANISM

Litvinov, E.A.

6449
COMPUTATION OF THE ELECTRIC FIELD AT MULTIPOINT CATHODES

6998
FORMATION OF A HIGH-CURRENT VACUUM SPARK BY THE HIGH-SPEED
INTERFEROMETRY METHOD

Litz, OC

4806
0.54-MJ SUPERCONDUCTING MAGNETIC ENERGY TRANSFER AND STORAGE

Liu, C.H.

8974
THE EFFECTS OF CO₂ GAS INJECTION ON A CONFINED ARC COLUMN

Liu, C.S.

1576
HIGH AVERAGE POWER PULSER DESIGN FOR COPPER HALIDE LASER
SYSTEMS

Liu, T.K.

10297
PARALLEL-PLATE TRANSMISSION LINE TYPE OF EMP SIMULATORS:
SYSTEMATIC REVIEW AND RECOMMENDATIONS

Livermore, D.H.

8599
ANTARES PROTOTYPE 500-KJ, 250-KA MARX GENERATOR (FINAL
REPORT)

Li'in, V.P.

10475
STRUCTURE OF THE HIGH-CURRENT RELATIVISTIC ELECTRON BEAM
FORMED BY A COAXIAL GUN WITH MAGNETIC INSULATION

Llewellyn Jones, P.

10018
FORMATIVE TIME LAGS IN THE ELECTRICAL BREAKDOWN OF GASES

Lloyd, D.

2596
EFFECT OF MECHANICAL CONTACT FORCE ON WITHSTAND VOLTAGE OF
COPPER-BISMUTH AND CLR VACUUM INTERRUPTERS

Lo, C.C.

299
CONSTANT PULSE ENERGY POWER SUPPLY FOR A HIGH REPETITION
RATE LASER SYSTEM

5035
SPARK GAP TRIGGER AMPLIFIER WITH 1-MSEC RECOVERY TIME

Lobanov, K.M.

7130
AN INDUCTIVE STORE WITH ELECTROMAGNETIC CURRENT
MULTIPLICATION

Lobanov, V.A.

6657
CALCULATING SCHEME AND SWITCHING-ON OF THE LOAD OF PLANE
EXPLOSIVE-DRIVEN MAGNETIC GENERATORS

6675
FLUX LOSSES DURING COMPRESSION OF A MAGNETIC FIELD BY FLAT
STRIPS

6680
LIMITING CURRENTS IN THE COMPRESSION OF MAGNETIC FLUX
BETWEEN FLAT AND COAXIAL CONDUCTORS

6685
METHOD OF DESIGNING EXPLOSIVE-DRIVEN MAGNETIC FIELD
GENERATORS

9455
EXPLOSIVE SWITCHING OF AN ELECTRIC CURRENT

Lobov, S.I.

9551
CONTROLLED DOUBLE-TRIGGER SPARK GAP

Lockwood, G.L.

1274
DEVELOPMENT OF LIGHTWEIGHT TRANSFORMERS FOR AIRBORNE HIGH
POWER SUPPLIES

2550
LIGHTWEIGHT POWER CONDITIONING MAGNETICS

- 4715
ANALYSIS OF POWER TRANSFORMERS UNDER TRANSIENT CONDITIONS
- 4755
WEIGHT ALGORITHMS FOR ADIABATIC TRANSFORMERS FOR PULSED HIGH POWER SYSTEMS
- Loeb, L.D.
- 4248
BASIC PROCESSES OF GASEOUS ELECTRONICS
- 8997
PULSES IN NEGATIVE POINT-TO-PLANE CORONA
- Legachev, E.I.
- 6975
ACCELERATION OF IONS FROM AN EXPLOSIVE-EMISSION PLASMA
- Logan, B.G.
- 2443
INTENSE RELATIVISTIC ELECTRON BEAM INTERACTION WITH A COOL THETA PINCH PLASMA
- Logan, J.D.
- 7648
CALCULATION OF HEATING AND BURST PHENOMENA IN ELECTRICALLY EXPLODED FOILS
- Logan, K.E.
- 8594
ACTIVE LAMP PULSE DRIVER CIRCUIT
- Logothetis, E.M.
- 8138
LASER-INDUCED ELECTRON EMISSION FROM SOLIDS: MANY-PHOTON PHOTOELECTRIC EFFECTS AND THERMIONIC EMISSION
- Lohnert, G.N.
- 10182
ELECTRODE MATERIAL RELEASE DURING HIGH VOLTAGE BREAKDOWN (FINAL REPORT)
- Lohnert, H.G.
- 3328
ELECTRODE MATERIAL RELEASE DURING HIGH VOLTAGE BREAKDOWN
- Lokhanin, A.K.
- 6590
DIELECTRIC STRENGTH OF PAPER-OIL INSULATION AFFECTED BY DC VOLTAGE
- Lokhonyal, L.
- 10315
SHAPER-AMPLIFIER FOR GRIFT CHAMBERS
- Lomtedze, T.A.
- 7172
THE USE OF A PLANAR THREE-ELECTRODE BLUMLEIN LINE FOR THE SUPPLY OF SYMMETRIC STREAMER CHAMBERS
- Long, J.
- 1451
THE DESIGN OF A REPETITIVELY PULSED MEGAJOULE GENSE-PLASMA FOCUS
- 4682
A DESIGN APPROACH TO A REPETITIVELY PULSED SUPER FAST CAPACITOR BANK
- Long, J.R.
- 3715
NANOSECOND SWITCHING OF HIGH POWER LASER ACTIVATED SILICON SWITCHES
- Longmire, C.L.
- 10407
NOTE ON THE USE OF CHARGE INJECTION FOR 50EMP SIMULATION
- Lonnegren, R.E.
- 5954
SELF-SIMILAR POWER-DRIVEN EXPANSION INTO VACUUM
- Lontal, J.M.
- 2440
DEVELOPMENT OF A PULSED HIGH-ENERGY INDUCTIVE ENERGY STORAGE SYSTEM
- Lontal, L.M.
- 1275
INDUCTOR NETWORK DEVELOPMENT FOR AIRCRAFT HIGH POWER SUPPLIES
- Lontz, R.
- 4384
ISSUES IN UNCLASSIFIED PARTICLE BEAM RESEARCH (PROCEEDINGS OF THE 1980 PARTICLE BEAM RESEARCH WORKSHOP)
- Loos, A.V.
- 8595
AN ELECTROMECHANICAL PULSE SOURCE
- 8620
ELECTRIC MACHINE SOURCE OF IMPULSES
- Lopetin, V.V.
- 4803
UNIT FOR INVESTIGATING THE OPTICAL AND ELECTRICAL CHARACTERISTICS OF NANOSECOND BREAKDOWN OF CONDENSED MEDIA
- 7010
INITIATION AND DEVELOPMENT OF NANOSECOND DISCHARGES IN LIQUIDS
- Lopez, D.
- 7906
INTENSE ELECTRON BEAM GENERATION AND COMPRESSION
- Lopukhin, V.V.
- 8186
INVESTIGATION OF THE CHARACTERISTICS OF FAST-RESPONSE SEALED DISCHARGES TRIGGERED BY LASER RADIATION
- Lord, N.W.
- 2191
PULSE TRANSFORMERS
- Loring, C.M.
- 5178
DESIGN PHILOSOPHY AND USE OF HIGH VOLTAGE POWER SYSTEMS FOR MULTI-MEGAWATT ION BEAM ACCELERATORS
- Los, E.J.
- 4057
STATIC AND DYNAMIC PROPERTIES OF ARCS NEAR PLANE SURFACES
- 7169
A MODEL FOR THE STUDY OF SWITCHING-SURGE BREAKDOWN OF LONG AIR GAPS
- Losev, V.F.
- 6955
PUMPING OSCILLATOR FOR LASERS HAVING TRANSVERSE EXCITATION
- Lotko, T.V.
- 9701
THE PHYSICS OF HIGH-VOLTAGE NANOSECOND DISCHARGES IN GENSE GASES
- Lototskii, A.P.
- 9700
MATCHING OF AN INDUCTIVE ENERGY STORE AND A COIL WITH LINER WITH LIMITING OF BREAKING VOLTAGE
- Loubaky, W.J.
- 5167
POSTULATION OF THE ARC RESTRIKE MECHANISMS FOR EXPLODING WIRES AND TUBES
- Lovalece, R.V.
- 1677
MAGNETIC INSULATION AND MICROWAVE GENERATION
- 4205
GENERATION OF INTENSE ION BEAMS IN PULSED GIDODES

8250
BEAM GENERATION IN FOIL-LESS DIODES

8259
THEORY OF FOIL-LESS DIODE GENERATION OF INTENSE
RELATIVISTIC ELECTRON BEAMS

Lowry, J.F.

7487
EXTENDED WORKING RANGE FOR ELECTRON BEAMS IN THE ATMOSPHERE

Lowry, L.R.

1268
LIGHT-FIRED THYRISTOR DEVELOPMENT

1563
OPTICALLY ACTIVATED SWITCH

5575
OPTICAL DRIVE REQUIREMENTS FOR LASER-ACTIVATED
SEMICONDUCTOR SWITCHES

Lozanskii, E.O.

8845
DEVELOPMENT OF ELECTRON AVALANCHES AND STREAMERS

9288
QUALITATIVE STREAMER THEORY

Lubin, M.J.

18295
NANOSECOND PULSE TECHNIQUE FOR MULTIPLE FRONT STUDIES IN
SHOCK TUBES

Luborsky, F.E.

18829
POTENTIAL OF AMORPHOUS ALLOYS FOR APPLICATION IN MAGNETIC
DEVICES

Luce, J.

1451
THE DESIGN OF A REPETITIVELY PULSED MEGAJOULE DENSE-PLASMA
FOCUS

Luches, A.

618
PRODUCTION AND DYNAMICS OF HIGH INTENSITY ELECTRON BEAMS

755
ANODE BEHAVIOR IN HIGH INTENSITY CATHODE EMISSION DIODES

4547
ON THE USE OF PERFLUOROPOLYETHER FLUIDS IN HV SPARK-GAPS

7266
COUPLED MARX-TESLA CIRCUIT FOR PRODUCTION OF INTENSE
RELATIVISTIC ELECTRON BEAMS

8271
ROGOWSKI COILS: THEORY AND EXPERIMENTAL RESULTS

Luchinskii, A.V.

6668
DIRECT-ACTION ACCELERATORS WITH INDUCTIVE ENERGY STORAGE
AND EXPLODING CONDUCTORS

7891
MHD CALCULATION FOR EXPLODING WIRES

9782
DIRECT-ACTION ACCELERATORS WITH INDUCTIVE ENERGY STORAGE AND
EXPLODING CONDUCTORS

Luckhardt, S.C.

7771
MICROSECOND-PULSE INSULATION AND INTENSE ION BEAM
GENERATION IN A MAGNETICALLY INSULATED VACUUM DIODE

Lugton, W.T.

3646
SPECIAL SPARK- GAP SWITCHES FOR USE IN SYNTHETIC TEST
CIRCUITS

Luk'yanchikov, L.A.

6930
ELECTRIC STRENGTH OF SCATTERED DETONATION GASES

6952
ELECTRICAL CONDUCTIVITY IN THE DETONATION ZONE OF CONDENSED
EXPLOSIVES

6955
ELECTRICAL DISCHARGE IN PENTAERYTHRITOL TETRAHTRATE POWDER

6934
ELECTRICAL STABILITY OF DETONATION PRODUCTS OF CONDENSED
EXPLOSIVES

Lukin, B.V.

18985
PRODUCTS FROM THE ELECTRICAL EXPLOSION OF TUNGSTEN AT
CURRENTS OF APPROXIMATELY 1E11 A/30.M.

Lukonin, E.I.

8225
A PULSE CIRCUIT FOR EXCITATION OF A PARTICLE ACCELERATOR
ELECTROMAGNET

Lukatin'sh, Yu.

1645
HIGH-VOLTAGE PULSE GENERATOR FOR THE TWO-METER STREAMER
CHAMBER OF THE JINR

Lund, T.

429
A HIGH-VOLTAGE PULSE GENERATOR FOR SPARK CHAMBERS IN SPACE

Lundquist, S.

1758
TEMPERATURE OF THE RESTRIKE CHANNELS OF EXPLODING WIRES

Lundy, A.

18362
AVALANCHE TRANSISTOR PULSER FOR FAST-GATED OPERATION OF
MICRO-CHANNEL PLATE IMAGE-INTENSIFIERS

18479
AVALANCHE TRANSISTOR PULSER FOR FAST-GATED OPERATION OF
MICROCHANNEL PLATE IMAGE-INTENSIFIERS

Lunov, V.M.

18828
PLASMA PROPERTIES OF A METAL VACUUM ARC. I

Lunsford, J.S.

18362
AVALANCHE TRANSISTOR PULSER FOR FAST-GATED OPERATION OF
MICRO-CHANNEL PLATE IMAGE-INTENSIFIERS

18479
AVALANCHE TRANSISTOR PULSER FOR FAST-GATED OPERATION OF
MICROCHANNEL PLATE IMAGE-INTENSIFIERS

Lupton, W.N.

188
THE NRL MULTI-MEGAJOULE INERTIAL-INDUCTIVE ENERGY STORAGE
SYSTEM

787
USE OF TRANSFORMERS IN PRODUCING HIGH POWER OUTPUT FROM
HOMOPOLAR GENERATORS

986
TRIDENT-A MEGAVOLT PULSE GENERATOR USING INDUCTIVE ENERGY
STORAGE

1297
CURRENT INTERRUPTION IN INDUCTIVE STORAGE SYSTEMS WITH
INERTIAL CURRENT SOURCE

1767
INDUCTIVE STORAGE-PROSPECTS FOR HIGH POWER GENERATION

5899
AN INDUCTIVE ENERGY STORAGE SYSTEM BASED ON A SELF-EXCITED
HOMOPOLAR GENERATOR

7574
HOMOPOLAR CURRENT SOURCE FOR MASS ACCELERATORS

7588
MULTIPLE CHANNEL SWITCHING IN WATER DIELECTRIC PULSE GENERATORS

7874
PULSED HIGH VOLTAGE AND HIGH CURRENT OUTPUTS FROM HOMOPOLAR ENERGY STORAGE SYSTEM

7983
INDUCTIVE CHARGING OF PULSE LINES IN 0.1 TO 1.0 MJ RANGE USING POIL PUSES STAGED WITH EXPLOSIVELY ACTUATED SWITCHES

10214
PULSED HIGH-VOLTAGE AND HIGH-CURRENT OUTPUTS FROM HOMOPOLAR ENERGY STORAGE SYSTEM

Luther, C.

9457
INDUCED VOLTAGES IN FULL SIZE AIRCRAFT AT 10/SUP II/ A/S

Lutz, M.A.

5758
THE CROSSED FIELD SWITCH TUBE AND ITS APPLICATION TO HIGH POWER MODULATORS

6542
THE GAMITRON-A HIGH POWER CROSSED-FIELD SWITCH TUBE FOR MVOC INTERRUPTION

8988
FEASIBILITY OF A HIGH AVERAGE POWER CROSSED FIELD CLOSING SWITCH

Lyle, J.W.

2827
SUBNANOSECOND SWITCH FOR USE IN SHOCK WAVE EXPERIMENTS

Lyman, E.M.

1787
INITIATION OF ELECTRICAL BREAKDOWN IN ULTRANIGH VACUUM

8237
EFFECT OF GAS PRESSURE ON ELECTRICAL BREAKDOWN AND FIELD EMISSION

Lymer, A.O.

1561
ACCELERATION OF IONS BY A MODULATED ELECTRON BEAM

Lynch, M.T.

1455
CALCULATION OF ELECTRIC FIELD BREAKDOWN IN QUARTZ AS DETERMINED BY DIELECTRIC DISPERSION ANALYSIS

Lytkin, L.K.

5162
810 OPTICAL SPARK CHAMBERS AND PULSE GENERATORS FOR THEIR SUPPLYING

5201
TRIGGER AND CONTROL CIRCUITS FOR HIGH-VOLTAGE GENERATORS

Lyubimov, G.A.

7055
BREAKDOWN OF THE NEAR-ELECTRODE LAYER IN A FLOW OF IONIZED GAS

Lyubimov, V.A.

8240
HIGH-VOLTAGE PULSE GENERATOR IN THE NANOSECOND RANGE

Lyudeev, R.Z.

7862
PULSED AIR-CORED BETATRON POWERED FROM A MAGNETOCUMULATIVE GENERATOR

7120
MAGNETIC CUMULATION

Iyuliev, V.L.

10463
MULTITUDE GENERATOR BANK

Iyute, G.R.

5756
RAPID RECYCLE CROWBAR CIRCUITS

Mecchiaroii, B.

10200
LIGHTNING EFFECTS RELATING TO AIRCRAFT; PART II. CHARACTERISTICS OF SIMULATED LIGHTNING FLASHES AND THEIR EFFECTS ON LIGHTNING ARRESTERS AND AVIONIC EQUIPMENT

Meca, P.

4704
PULSE POWER REQUIREMENTS FOR LASER ISOTOPE SEPARATION SYSTEMS

Meca, P.N.

7485
PULSE POWER REQUIREMENTS FOR LASER ISOTOPE SEPARATION

Mcgurn, R.W.

1797
EXPLODING-WIRE-PHOTON TESTING OF SKYNET SATELLITE

Meck, M.E.

228
SIMPLE, FAST RISE TIME, HIGH REPETITION RATE POKKELS CELL DRIVER

Mackeown, S.S.

10259
PIELOS CURRENTS FROM POINTS

MacAdam, K.B.

9604
HIGH-VOLTAGE LINEAR PULSE AMPLIFIER

MacCallum, C.J.

5445
QUICK2: A ONE-DIMENSIONAL CODE FOR CALCULATING BULK AND VACUUM EMITTED PHOTO-COMPTON CURRENTS

Mackellor Jr., OC

10478
AN ELECTROMAGNETIC, PLANE STRESS-WAVE GENERATOR

Maddix, H.S.

5489
INVESTIGATION OF HIGH POWER GASEOUS ELECTRONICS

Maday, R.

429
A HIGH-VOLTAGE PULSE GENERATOR FOR SPARK CHAMBERS IN SPACE

Madvedev, Yu.A.

7106
COMPRESSION OF MAGNETIC FIELD IN AN IMPLODING SPHERICAL CAVITY

Maecker, H.

5701
METHODS FOR DETERMINATION OF TRANSPORT COEFFICIENTS FROM HIGH POWER ARCS

Maecker, H.

5662
FURTHER DEVELOPMENT OF THE CASCADE HIGH POWER ARC CHAMBER

Maecker, H.H.

5647
TRANSPORT PROPERTIES IN HIGH POWER ARCS

7819
PRINCIPLES OF ARC MOTION AND DISPLACEMENT

Magda, I.I.

675
HIGH-POWER CURRENT PULSE GENERATOR

1145
COMPUTATION OF SPARK GAPS BY MEANS OF A PULSED GAS LASER OPERATING IN THE ULTRAVIOLET RANGE

AD-A131 752


PULSED POWER BIBLIOGRPPHY VOLUME 1 INDICES(U) AIR FORCE
WEAPONS LAB KIRTLAND AFB NM J BEMESDERFER ET AL.
AUG 83 AFWL-TR-83-74-VOL-1

3/

UNCLASSIFIED

F/G 20/5

NL





MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

Magedov, M.A.

18484
MECHANISM FOR A SECONDARY SURFACE BREAKDOWN IN A
REVERSE-BIAS HIGH-VOLTAGE SILICON P-N JUNCTION

Mahaffey, R.A.

956
HIGH-POWER ION BEAM GENERATION WITH AN INVERSE REPLEX
TETRODE

6432
INTENSE ELECTRON-BEAM PINCH FORMATION AND PROPAGATION IN
ROD PINCH DIODES

Maiburov, V.B.

10483
MULTITUBE GENERATOR BANK

Meier, E.O.

4791
STUDIES OF SPARR FORMATION AT HIGH SWITCHING VOLTAGES OF
POSITIVE POLARITY

Mainfroy, G.

8166
RESONANCE EFFECTS IN MULTIPHOTON IONIZATION OF ATOMS

Maisonnier, C.

3521
RAPID TRANSFER OF MAGNETIC ENERGY BY MEANS OF EXPLODING
POILS

Maitland, A.

1774
NEW DERIVATION OF THE VACUUM BREAKDOWN EQUATION RELATING
BREAKDOWN VOLTAGE AND ELECTRODE SEPARATION

18855
ELECTRODE PROTRUSIONS PRODUCED BY ELECTRON BEAM BOMBARDMENT
AND THEIR ROLE IN VACUUM BREAKDOWN

Mak, A.A.

6857
SPARK DISCHARGE EMISSION IN HELIUM

Makarevich, A.A.

5841
LASER-INITIATED VACUUM DISCHARGE

Makarov, G.P.

551
HIGH-VOLTAGE PULSE GENERATOR FOR WIRE SPARR CHAMBERS

Makoev, G.M.

4799
CAPACITOR BATTERY FOR ONE MEGAJoule HAVING A SMALL TIME
CONSTANT

6834
LOW-INDUCTANCE CAPACITOR MODULE FOR CHARGING TO 180 KV AND
ENERGY STORAGE CAPACITY 88 KJ

Makhnenko, L.A.

6419
A TRIGATRON FOR LARGE CURRENTS IN HIGH-VOLTAGE APPARATUS

Maksiejewski, J.L.

4374
TIME-LAG CHARACTERISTICS OF A LIQUID TRIGATRON

Maksimov, B.P.

1137
'NEPTUNE' HIGH-CURRENT PULSED RELATIVISTIC-ELECTRON
ACCELERATOR

Meiskhev, A.I.

16346
STUDY ON THE TGII-566/16 THYRATRON CHARACTERISTICS

Malav, M.D.

6436
SURFACE BREAKDOWN OF A SOLID DIELECTRIC IN VACUUM. III.
QUANTITATIVE MODEL

Malawski, R.

14374
THE APPLICATION OF STEEP PULSE CURRENTS TO THE
ELECTROHYDRAULIC AND MAGNETIC FORMING OF METALS

Malawski, R.

8563
OPTICAL METHODS OF ELECTRICAL MEASUREMENT AT HIGH VOLTAGE
LEVELS

8987
DIGITAL IMPULSE RECORDER FOR HIGH-VOLTAGE LABORATORIES

Malay, J.J.

4833
EFFECTS OF PARTICLES ON HIGH-VOLTAGE VACUUM BREAKDOWN AND
INTERELECTRODE CURRENT

Malik, M.M.

7742
BREAKDOWN MECHANISMS IN SULPHUR-HEXAPLORIDE

7743
CALCULATION OF DISCHARGE INCEPTION VOLTAGES IN SF₆/SUB
6/-N/SUB 2/ MIXTURES

7783
STATIC FIELD BREAKDOWN OF SF₆/SUB 6/-N/SUB 2/ MIXTURES IN
ROD-PLANE GAPS

Malikovich, A.A.

4595
A VACUUM SPARK GAP WITH LASER FIRING

Malier, V.N.

4494
SPARKING POTENTIALS AND IONISATION COEFFICIENTS IN SF₆/SUB 6/

Malone, D.P.

7245
ENERGY CONSIDERATIONS IN THE PULSED OPERATION OF A VACUUM
ARC CURRENT LIMITER

8916
ANODE SHEATH GROWTH AND COLLAPSE IN A HOLLOW-ANODE VACUUM
ARC

Maloney, T.M.

5425
INVESTIGATION OF CORONA DISCHARGE DEVICES AS ELECTRICAL
LOADS FOR EXPERIMENTAL HIGH-VOLTAGE GENERATORS

Malugin, A.V.

7059
NANOSECOND ELECTRON ACCELERATOR

Malyshev, O.M.

5859
ELECTRICAL DISCHARGE THROUGH LASER-INDUCED SPARK

5846
INVESTIGATION OF AN ELECTRIC DISCHARGE ACROSS A LASER SPARR

7913
AN ELECTRICAL DISCHARGE THROUGH TWO LASER SPARRS

Malysa, D.D.

6926
DISCHARGER WITH HIGH PULSE REPETITION FREQUENCY

Manikonyan, V.A.

6824
HIGH-CURRENT ELECTRON ACCELERATOR FOR OPTICAL PUMPING OF
GASES

Moncebo, L.

5360
100-KV HYDROGEN THYRATRON WITHOUT GRADIENT GRIDS

Mandaleorn, L.

1421
HIGH VOLTAGE POWER CAPACITOR DIELECTRICS RECENT DEVELOPMENTS

Mandelstam, S.

1559
EXCITATION OF THE SPECTRUM IN A SPARK DISCHARGE

Mangano, J.A.

5195
SMALL SCALE DISCHARGE STUDIES

Manikopoulos, C.N.

2285
RELAXATION PULSING WITH A VACUUM ARC DEVICE

Manion, J.P.

10295
ARC STABILITY OF ELECTRONEGATIVE GASES

Manley, O.P.

1551
DESIGN OF EFFICIENT EXPLOSIVELY DRIVEN ELECTROMECHANICAL ENERGY CONVERTERS

Mansfield, M.K.

10264
PRE-BREAKDOWN CONDUCTION IN CONTINUOUSLY-PUMPED VACUUM SYSTEMS

Manuilov, V.G.

9451
DISCHARGE OF ENERGY OF A SUPERCONDUCTING INDUCTANCE INTO A PLASMA LAMP

Manue, C.

8106
RESONANCE EFFECTS IN MULTIPHOTON IONIZATION OF ATOMS

Mann, A.

7561
ELECTRODE-LIMITED AND SPACE-CHARGE-LIMITED TRANSIENT CURRENTS IN INSULATORS

Manuilov, V.I.

1622
PULSE ELECTRON ACCELERATOR TO EXCITE LARGE GAS VOLUMES

4773
HIGH-VOLTAGE GENERATOR PRODUCING SINGLE NANOSECOND PULSES ACROSS A VARIABLE LOAD

Mark, J.T.

4786
RECENT DEVELOPMENTS IN HIGH POWER SWITCH TUBES FOR HIGH POWER RADAR AND PUSION RESEARCH

Mark, E.V.

4382
FERRITE DECOUPLED CROWBAR SPARKGAP

3686
A 15 KV TRIGGER-GENERATOR WITH SPARK GAP

Mark, J.T.

5752
LONG PULSE SWITCH AND POWER AMPLIFIER TUBES FOR PHASED ARRAY RADAR

Markelo

8525
THE GUIDANCE OF HIGH-VOLTAGE ELECTRICAL BREAKDOWN STREAMERS BY LASER INDUCED IONIZATION IN AIR

Markiewicz, M.D.

7217
MAGNET OPTIMIZATION FOR PULSED ENERGY CONVERSION

Markino, D.

4686
A 5 MA, 600 KV PAST CAPACITOR BANK FOR A SHOCK-HEATED TORUS

4718
A HIGH CURRENT, HIGH FREQUENCY CAPACITIVE ENERGY STORAGE SYSTEM USED TO PRODUCE INTENSE MAGNETIC FIELDS

Markov, G.M.

2100
PULSED SUPPLY OF PHOTOMULTIPLIERS

Markov, S.M.

4276
LOW-INDUCTANCE MEGAAMPERE-CURRENT COMMUTATOR BASED ON SLIDING DISCHARGE

Markov, V.B.

4972
SHAPING OF VOLTAGE PULSES BY DISCHARGING AN INDUCTIVE STORAGE BANK WITH A CHARGED-PARTICLE BEAM

Markovets, V.V.

8954
PAUSE IN PLASMA EMISSION AFTER NANSECOND-PULSE EXCITATION

Marko, R.H.

1768
INTERNAL SDEMP AND ANALYTIC REPRESENTATIONS FOR THE SKYNET STRUCTURAL MODEL

Marsh, S.J.

10582
GENERATION OF FRACTION OF A TERAWATT PROTON PULSES WITH COAXIAL REFLEX TRIODES

Marshak, I.S.

3684
A HIGH-POWER ELECTRIC SPARK IN AIR AT ATMOSPHERIC PRESSURE

Marshall, P.R.

10240
A METHOD FOR MEASURING VERY HIGH SPEED TRANSIENT CURRENTS

Marshall, J.

675
HIGH-VOLTAGE TECHNOLOGY FOR THE LASL IMPLSION-HEATING EXPERIMENT

1982
DESIGN OF A HIGH-VOLTAGE GENERATOR FOR THE LASL IMPLSION-HEATING EXPERIMENT

Marshall, J.D.

4694
LIQUID NITROGEN COOLED WIRES AS SWITCHABLE HIGH-POWER DIRECT CURRENT LIMITING ELEMENTS

Marshall, M.

3812
BE KIND TO YOUR PULSE GENERATOR

Marshall, R.A.

7505
DESIGN OF BRUSH BEAR FOR HIGH CURRENT PULSES AND HIGH RUBBING VELOCITIES

7807
ELECTROMAGNETIC ACCELERATION OF MACROPARTICLES TO HIGH VELOCITIES

9159
HIGH CURRENT AND HIGH CURRENT DENSITY PULSE TESTS OF BRUSHES AND COLLECTORS FOR MONOPOLAR ENERGY STORES

Marshall, T.C.

5538
THERMAL SENSITIVE PAPER AS A DIAGNOSTIC FOR INTENSE RELATIVISTIC ELECTRON BEAM DYNAMICS

Martelliucci, S.

8188
HIGH-POWER ELECTRON BEAM FREQUENTED CO/SUO 2/ CW LASER
MODELLING I; DESCRIPTION OF THE INVESTIGATED DEVICE AND
NUMERICAL CALCULATIONS ON E-BEAM IONIZATION

Martin Jr., M.A.

2359
CORRELATION OF ELECTROCHEMICAL TREERING IN POWER CABLES
REMOVED FROM SERVICE AND IN CABLES TESTED IN THE LABORATORY

Martin, A.D.

10362
AVALANCHE TRANSISTOR PULSER FOR FAST-GATED OPERATION OF
MICRO-CHANNEL PLATE IMAGE-INTENSIFIERS

Martin, A.D..

10479
AVALANCHE TRANSISTOR PULSER FOR FAST-GATED OPERATION OF
MICROCHANNEL PLATE IMAGE-INTENSIFIERS

Martin, E.E.

2021
THE FIELD EMISSION INITIATED VACUUM ARC. I. EXPERIMENTS ON
ARC INITIATION

Martin, F.J.

6750
METHOD OF PRODUCING A FAST CURRENT RISE FROM ENERGY STORAGE
CAPACITORS

Martin, T.H.

398
PULSED MICROSECOND HIGH-ENERGY ELECTRON BEAM ACCELERATOR

327
A NOMINAL ONE-MEGAVOLT, PULSED POWER GENERATOR

622
THE HYDRA ELECTRON BEAM GENERATOR

1501
SUMMARY OF THE HERMES FLASH X-RAY PROGRAM

1770
LOW PREPULSE, HIGH POWER DENSITY WATER DIELECTRIC SWITCHING

1875
PULSED POWER FOR FUSION

5198
SUPER POWER GENERATORS

5060
HIGH POWER DENSITY WATER DIELECTRIC SWITCHING

5920
HIGH POWER ELECTRON BEAM ACCELERATORS FOR GAS LASER
EXCITATION

5970
UNTRIGGERED WATER SWITCHING

Martin, V.N.

3757
SOLID-STATE MODULATOR TECHNIQUES TO PROMOTE FAST PULSE FALL
TIMES

7185
VERSATILE HIGH ENERGY CAPACITOR DISCHARGE SYSTEM

Martini, M.

10286
ADC DATA ACQUISITION SYSTEM FOR THE ACCELERATOR VICRSI

Martinussen, K.H.M.

3937
STUDY OF THE EFFECT OF DUST PARTICLES ON BREAKDOWN VOLTAGES
IN AIR

Martynov, V.I.

6668
DIRECT-ACTION ACCELERATORS WITH INDUCTIVE ENERGY STORAGE
AND EXPLODING CONDUCTORS

9782
DIRECT-ACTION ACCELERATORS WITH INDUCTIVE ENERGY STORAGE AND
EXPLODING CONDUCTORS

18455
INVESTIGATION OF THE RE-ESTABLISHMENT OF IMPULSE ELECTRICAL
STRENGTH AFTER DISCHARGE IN SPARK CHAMBERS WITH SMALL
CLEARANCE

Martynuk, M.M.

7086
EXPLOSIVE ELECTRON EMISSION AND EXPLODING WIRES

7605
RESISTANCE AND ENTHALPY OF REFRACTORY EXPLODING WIRES

Maruvada, P.

3228
CAPACITANCE CALCULATIONS FOR SOME BASIC HIGH VOLTAGE
ELECTRODE CONFIGURATIONS

Marvin, J.W.

5896
CURRENT MEASUREMENT AND TRANSIENT SKIN EFFECTS IN EXPLODING
WIRE CIRCUITS

Marx, E.

10411
ELECTROMAGNETIC ASPECTS OF EMP TESTING

Mashikian, M.S.

1308
STUDY OF LIGHTNING CURRENT MAGNITUDE THROUGH DISTRIBUTION
ARRESTERS

Mashima, R.

7207
A LOW-INDUCTANCE 2-MV TUBE

MashtyIev, N.A.

6443
EFFECT OF INTERRUPTION TIME ON PLASMOID ACCELERATION IN AN
INDUCTIVE ENERGY-STORAGE ACCELERATOR

6493
TRANSIENTS IN INDUCTIVE ENERGY-STORAGE DEVICES FOR PLASMA
INJECTORS

6098
PLASMA INJECTORS WITH CAPACITY AND INDUCTANCE ENERGY STORAGE

9704
EFFECT OF ELEMENT DISTRIBUTION IN A CAPACITOR BANK ON THE
CURRENT PULSE IN A PULSED PLASMA INJECTOR

Maskeil, O.R.

8324
THE EFFECT OF HUMIDITY ON A CORONA DISCHARGE IN AIR

Maskey, J.T.

10073
VACUUM SPARK EROSION AT CATHODIC INCLUSIONS

10270
THE ROLE OF INCLUSIONS AND SURFACE CONTAMINATION ARC
INITIATION AT LOW PRESSURES

Maslov, A.E.

6552
A MULTIELECTRODE ELECTRON-OPTIC SYSTEM WITH AN INDUCTIVE
STORAGE DEVICE FOR A HIGH-CURRENT ACCELERATOR

Mason, J.H.

7751
DISCHARGES

Mason, R.C.

5557
THE CATHODE FALL OF AN ARC

10050
BREAKDOWN OF VACUUM SPARK GAPS

Neaton, L.

445T
CONSTANT CURRENT PPM

Neaton, L.S.

2155
PULSE-FORMING NETWORKS WITH TIME-VARYING OR NONLINEAR
RESISTIVE LOADS

Nestorcinov, S.

0100
HIGH-POWER ELECTRON BEAM PREIONIZED CO-2 LASER
MODELLING I: DESCRIPTION OF THE INVESTIGATED DEVICE AND
NUMERICAL CALCULATIONS ON E-BEAM IONIZATION

Nesuzki, M.

4489
RELATIVISTIC ELECTRON BEAM SOURCE WITH AN AIR-CORE STEP-UP
TRANSFORMER

Nitchev, V.I.

7359
NANOSECOND ELECTRON ACCELERATOR

Nether, J.W.

7770
SOME PROPERTIES OF A GRADED VACUUM SPARK GAP

Nathis, R.A.

4349
HIGH VOLTAGE RESEARCH (BREAKDOWN STRENGTHS OF GASEOUS AND
LIQUID INSULATORS) AND ENVIRONMENTAL EFFECTS OF DIELECTRIC
GASES

7755
DIELECTRIC GAS MIXTURES WITH POLAR COMPONENTS

7773
ON THE ROLE OF THE ELECTRON IMPACT IONIZATION AND ELECTRON
SCATTERING CROSS-SECTION IN THE BREAKDOWN STRENGTH OF
DIELECTRIC GASES

15105
HIGH VOLTAGE RESEARCH (BREAKDOWN STRENGTHS OF GASEOUS AND
LIQUID INSULATORS) AND ENVIRONMENTAL EFFECTS OF DIELECTRIC
GASES. SEMIANNUAL REPORT, APRIL 1, 1979-SEPTEMBER 30, 1979

Natechkin, E.P.

6357
CALCULATING SCHEME AND SWITCHING-ON OF THE LOAD OF PLANE
EXPLOSIVE-DRIVEN MAGNETIC GENERATORS

5573
FLUX DIFFUSION DURING MAGNETIC ACCUMULATION IN NARROW
CAVITIES

5674
FLUX DIFFUSION UPON THE COMPRESSION OF A MAGNETIC FIELD BY
FLAT STRIPS OF VARIABLE WIDTH

4651
MAGNETIC FIELD IN A CYLINDRICAL CONDUCTOR MOVING WITH A
VELOCITY PROPORTIONAL TO $R/SUP -1/2$

5595
USE OF AN EXPLOSIVE MAGNETIC GENERATOR TO SUPPLY A GAS
DISCHARGE

Natechkin, V.S.

2010
PULSE GENERATOR FOR A TWIN-ECHO NUCLEAR MAGNETIC RESONANCE
RELAXOMETER

Natara, I.M.

3195
PULSE MODULATOR FOR AN EXPERIMENTAL ELECTRON GUN

Natuba, N.

323
THE RESEARCH IN DISCHARGE SUPPRESSION OF HIGH VOLTAGE
CROSSLINKED POLYETHYLENE INSULATED POWER CABLE

3507
ADVANCED APPLICATION REPORT HIGH VOLTAGE XLPE INSULATED
POWER CABLE WITH SEMI-CONDUCTING ORGANIC LIQUID

Natubara, K.

5615
DIRECT CONTROL OF LARGE POWER SERIES TRIODES WITH
TRANSISTORS FOR HIGH VOLTAGE POWER SOURCE

Matthams, J.E.

719
CHARACTERISTICS OF IMPULSE BREAKDOWN OF STANDARD ROD GAPS
UNDER CONTROLLED-ATMOSPHERE CONDITIONS

1521
A DIGITAL CONTROL SYSTEM FOR HV IMPULSE GENERATORS

4948
PREBREAKDOWN PHENOMENA IN STANDARD ROD GAPS SUBJECTED TO
IMPULSE VOLTAGES

Mattoli, M.

2115
SPECTRALLY RESOLVED OPTICAL DIAGNOSTICS FOR HIGH-POWER
NEUTRAL BEAMS

2555
OPTICAL DIAGNOSTICS ON HIGH-POWER NEUTRAL BEAMS

Matyushin, A.T.

1645
HIGH-VOLTAGE PULSE GENERATOR FOR THE TWO-METER STREAMER
CHAMBER OF THE JINR

9582
AMPLITUDE STABILIZATION OF HIGH-VOLTAGE PULSES USING
POWERFUL COMMUTATORS

10516
HIGH-VOLTAGE PULSE GENERATOR WITH A PROTECTIVE SOLENOID

Matyushin, V.T.

1645
HIGH-VOLTAGE PULSE GENERATOR FOR THE TWO-METER STREAMER
CHAMBER OF THE JINR

9582
AMPLITUDE STABILIZATION OF HIGH-VOLTAGE PULSES USING
POWERFUL COMMUTATORS

10115
HIGH-VOLTAGE PULSE GENERATOR WITH A PROTECTIVE SOLENOID

Noward, G.K.

573
PULSED SUPERCONDUCTING INDUCTIVE STORAGE SYSTEM

5324
THEORETICAL AND EXPERIMENTAL STUDY OF SUPERCONDUCTING
INDUCTIVE STORAGE SYSTEMS

May, J.L.

4194
ISSUES IN UNCLASSIFIED PARTICLE BEAM RESEARCH (PROCEEDINGS
OF THE 1990 PARTICLE BEAM RESEARCH WORKSHOP)

Mayfield, E.O.

9762
ELECTRONIC SHUTTER PHOTOGRAPHS OF EXPLODING BRIDGE WIRES

Mayhew, G.J.

2713
CIRCUIT AND MAGNETIC ANALYSIS FOR A SYSTEM OF PARALLEL
ROTATOR COILS DRIVEN BY A TWO-SPOOL, FOUR-ROTOR HOMOPOLAR
GENERATOR

5347
FOX: A PAST DISCHARGE HOMOPOLAR GENERATOR

Mayhew, D.J.T.

571
COMPUTER BASED ELECTRICAL ANALYSIS OF HOMOPOLAR GENERATOR
DRIVEN, SITTER PLATE STORAGE INDUCTORS WITH RADIAL CURRENT
DIFFUSION

7225
APPLYING A COMPENSATED PULSED ALTERNATOR TO A PLASMA
LOAD FOR NOVA-PART II

Mayoux, C.

1364
STUDY OF THE EVOLUTION OF ELECTRICAL TREEING BY OBSERVATION
OF LUMINOUS PHENOMENA AND DISCHARGE DETECTION

9388
INTERACTION OF CORONA WITH DIELECTRIC MATERIAL UNTIL DAMAGE

Mashukin, V.I.

3726
MODELING OF THE BREAKDOWN OF A DENSE MOLECULAR GAS BY LASER
RADIATION CLOSE TO A METALLIC SURFACE

Mazurenko, Yu.T.

10041
VISIBLE AND NEAR-UV EMISSION IN THE ELECTRICAL EXPLOSION OF
A THIN METAL FOIL

Mazzeo, J.A.

2184
TIME-RESOLVED RESISTANCE DURING SPARK GAP BREAKDOWN

Mc Call, T.D.I.

10102
ELECTRODE MATERIAL RELEASE DURING HIGH VOLTAGE BREAKDOWN
(FINAL REPORT)

McIntosh, R.E.

5562
EXPERIMENTAL INVESTIGATION OF THE TRANSIENT FORMATION OF A
MICROWAVE-GENERATED IONIZED SWEATH IN AIR

McAllister, R.W.

0329
A PULSE-FORMING NETWORK FOR PARTICLE PATH VISUALIZATION

McCabrie, J.L.

500
PROGRAM FOR THE DEVELOPMENT OF A SUPERCONDUCTING GENERATOR

5486
HIGH POWER STUDY SUPERCONDUCTING GENERATORS

McCall III, T.D.

9320
ELECTRODE MATERIAL RELEASE DURING HIGH VOLTAGE BREAKDOWN

McClanahan, C.R.

3714
SHIVA ELECTROMAGNETIC IMPLSION X-RAY SOURCE

McClure, G.W.

0269
PLASMA EXPANSION AS A CAUSE OF METAL DISPLACEMENT IN
VACUUM-ARC CATHODE SPOTS

McCluskey, L.N.

619
PULSE GENERATORS AND MODULATORS FOR LASER APPLICATIONS.

McCormick, H.R.

6020
LOW-INDUCTANCE SWITCHING USING PARALLEL SPARK-GAPS

0272
SOME MEASUREMENTS OF THE RELATIVE DIELECTRIC STRENGTH OF
GASES

McCormick, W.S.

9787
A RECURSIVE TIME DOMAIN ANALYSIS OF DISTRIBUTED LINE GRID
NETWORKS WITH APPLICATION TO THE LTA/EMP PROBLEM

McGowan, C.T.

7240
A MODULATOR FOR THE SEASAT-A RADAR ALTIMETER

McDaniel, D.M.

3108
SUPER POWER GENERATORS

5867
MAGNETIC INHIBITION OF SURFACE PLASMOVER OF INSULATORS IN
VACUUM

McDaniel, D.M.

5492
MEASUREMENT OF FAST RISETIME MEGAMPERE CURRENTS BY QUARTZ
GAUGE

McDermott, G.D.

5330
THERMAL SENSITIVE PAPER AS A DIAGNOSTIC FOR INTENSE
RELATIVISTIC ELECTRON BEAM DYNAMICS

McDonald, O.P.

0849
SUBNANOSECOND RISETIME MULTIKILOVOLT PULSE GENERATOR

McDonald, K.

864
AN ELECTRON-SEAM-TRIGGERED SPARK GAP

McGowan, H.C.

5667
INSULATION STUDIES FOR HIGH POWER TUBES

McGowan, J.

233
DEVELOPMENT OF A PORTY KILOVOLT MEGAWATT AVERAGE POWER
THYRATRON (MAPS-48)

259
COMPACT MEGAWATT AVERAGE POWER PULSE GENERATOR

9344
COMPACT MEGAWATT AVERAGE POWER SURST PULSE GENERATOR

5463
AUTOMATIC MODE OPERATION OF THYRATONS FOR MEGAWATT AVERAGE
POWER APPLICATIONS

McGrath, J.R.

5470
EXPLODING WIRE RESEARCH 1774-1963

McGuire, T.J.

595
POLARITY EFFECT MEASUREMENTS USING THE RRR ELECTRO-OPTIC
EFFECT WITH COAXIAL CYLINDRICAL ELECTRODES

McKay, H.W.

10320
CALCULATIONS OF THE PERFORMANCE OF EXPLOSIVE IMPULSE
GENERATORS

McKeen, A.L.

7231
INVESTIGATION OF MECHANISM OF BREAKDOWN IN XLPE CABLES

McKinnon, C.

10370
RESEARCH ON THE PHYSICS OF CONTINUOUS AND PULSED MHD
GENERATORS

McKinnon, C.N.

10369
RESEARCH ON THE PHYSICS OF PULSED MHD GENERATORS

10301
GENERATION OF SHORT DURATION PULSES IN LINEAR MHD GENERATORS

McKnight, R.M.

6030
A LASER-TRIGGERED 50 PPS HIGH-VOLTAGE SWITCH WITH
NANOSECOND JITTER

McMeth, J.F.C.

3822
THE PLASMOVER VOLTAGE OF POLYMETHYLMETHACRYLATE IN VACUUM
UNDER DIRECT, ALTERNATING, AND SURGE VOLTAGES OF VARIOUS
PULSE DURATIONS

McMillan, M.G.

3899
ON THE MECHANISM OF EXPLODING WIRES

McMinn, R.W.

19498
SMALL PULSE BREAKDOWN PHENOMENON IN MINERAL INSULATED CABLES

McMullin, F.G.

3875
OPTICAL DRIVE REQUIREMENTS FOR LASER-ACTIVATED
SEMICONDUCTOR SWITCHES

McMurray, L.R.

2814
AN ELECTRICAL SURGE ARRESTOR (ESA) MODEL FOR
ELECTROMAGNETIC PULSE ANALYSIS

McNab, I.R.

1074
PULSED HIGH POWER BRUSH RESEARCH

McNeill Jr., R.I.

1274
DEVELOPMENT OF LIGHTWEIGHT TRANSFORMERS FOR AIRBORNE HIGH
POWER SUPPLIES

4713
ANALYSIS OF POWER TRANSFORMERS UNDER TRANSIENT CONDITIONS

6565
INTERIM REPORT ON DEVELOPMENT OF HIGH POWER, SHORT DUTY
TRANSFORMER/RECTIFIER UNITS

McNeill, R.F.

4738
WEIGHT ALGORITHMS FOR ADIABATIC TRANSFORMERS FOR PULSED
HIGH POWER SYSTEMS

McNess, S.G.

7242
A 100 KV, 60 AMP, LONG PULSE SWITCH TUBE

McNeill, W.N.

3583
HERTZIAN ARRAY SWITCH INVESTIGATION

McNiel, R.W.

10389
WIDE PULSE LOW PRP PULSE GENERATOR

Meador, G.E.

1258
HIGH POWER MAGNETOHYDRODYNAMIC SYSTEM (VOL II)

1259
HIGH POWER MAGNETOHYDRODYNAMIC SYSTEM (VOL I)

Medvedev, A.P.

1255
RADIATION FROM RELATIVISTIC ELECTRONS IN A MAGNETIC MIRROR

Meek Ed., J.M.

3174
ELECTRICAL BREAKDOWN OF GASES

Meek, J.M.

9748
THE DEVELOPMENT OF THE SPARK DISCHARGE

Megehed, I.Y.

7498
THE EFFECT OF ORGANIC ADDITIVES ON THE BREAKDOWN AND
GASING PROPERTIES OF MINERAL OILS

7732
EFFECT OF DISSOLVED GASES, ORGANIC ADDITIVES AND FIELD
CONFIGURATION ON CO-FIELD MOTION IN INSULATING OILS

Meger, R.A.

1233
NRL LIGHT ION BEAM RESEARCH FOR INERTIAL CONFINEMENT FUSION

1294
HIGH IMPEDANCE ION DIODE EXPERIMENT ON AURORA

1448
HIGH-IMPEDANCE ION-DIODE EXPERIMENT ON THE AURORA PULSER

Meilikhev, E.Z.

6858
PULSED BREAKDOWN OF SMALL GAPS IN THE NANOSECOND RANGE

Mei'nikov, N.P.

A999
FORMATION OF ELECTRICAL BREAKDOWN IN AQUEOUS SODIUM
CHLORIDE SOLUTIONS

6998
SOME FEATURES IN THE ELECTRIC BREAKDOWN OF ELECTROLYTES

6999
THE DEVELOPMENT OF AN ELECTRIC DISCHARGE IN AQUEOUS
ELECTROLYTES

Meledze, P.O.

A664
ELECTRIC EXPLOSION OF SPIRAL WIRES IN VACUUM

Meledze, R.O.

A666
ELECTRICAL EXPLOSION OF WIRES IN VACUUM

Meilekh, E.M.

4372
SHAPING OF VOLTAGE PULSES BY DISCHARGING AN INDUCTIVE
STORAGE BANK WITH A CHARGED-PARTICLE BEAM

Meinikov, M.A.

5581
RECORDING SHOCK WAVES AND EXPLODING WIRE ELECTRICAL
CHARACTERISTICS

Meiten, J.G.

2724
DEVELOPMENT OF THE SWITCHING COMPONENTS FOR ZT-40

3891
MULTICHANNEL SPARK-GAP TECHNOLOGY FOR STAGED THETA-PINCH
MACHINES

Meiviliu, M.S.

7296
THE USE OF SATURABLE REACTORS AS DISCHARGE DEVICES FOR
PULSE GENERATORS

Mendei Jr., C.W.

7183
DETERMINATION OF LINE VOLTAGE IN SELF-MAGNETICALLY
INSULATED PLOWS

Mendei, C.W.

4789
THE PLASMA EROSION SWITCH

Menemenli, C.

4216
BEHAVIOR OF AIR INSULATING GAPS OF DC SYSTEMS UNDER
IMPULSE, DC AND COMPOSITE VOLTAGES

Menju, S.

3175
DIELECTRIC BREAKDOWN OF SULPHUR HEXAFLUORIDE IN NEARLY
UNIFORM FIELDS

Menon, M.M.

2692
PROCESSES INVOLVED IN THE TRIGGERING OF VACUUM BREAKDOWN BY
LOW-VELOCITY MICROPARTICLES

3265
MICROPARTICLE-INITIATED VACUUM BREAKDOWN-SOME POSSIBLE
MECHANISMS

Menon, M.

219
HOLLOW-ANODE MULTIGAP THYRATRONS

231
THYRATRONS FOR SHORT PULSE LASER CIRCUITS

394
A MULTIGAP, DOUBLE-ENDED, HYDROGEN THYRATRON

417
THE USE OF HYDROGEN THYRATRONS AS HIGH SPEED, HIGH VOLTAGE
RECTIFIERS

2172
DOUBLE-ENDED HYDROGEN THYRATRONS FOR CROWBAR PROTECTION OF
HIGH-POWER TWT SYSTEMS

4698
GASEOUS SWITCHES: THE PAST AND PRESENT STATE OF THE ART

Mercer, S.

10288
AIRCRAFT EMP ISOLATION STUDY

Merchant, V.E.

240
HIGH-POWER, HIGH-REPETITION RATE PULSER FOR PHOTO-IMPULSE
IONIZED LASERS

Mercier, G.E.

1421
HIGH VOLTAGE POWER CAPACITOR DIELECTRICS RECENT DEVELOPMENTS

Merkulova, T.G.

10326
MEASUREMENT OF THE GAS TEMPERATURE AND ELECTRON DENSITY IN
AN 'INCOMPLETE' DRAZING DISCHARGE

Merritt, B.T.

7211
APPLYING A COMPENSATED PULSED ALTERNATOR TO A FLASHLAMP
LOAD FOR HOVA

7213
BALANCED, PARALLEL OPERATION OF FLASHLAMPS

Merz, S.

223
NEW HYDROGEN THYRATRONS FOR ADVANCED HIGH POWER SWITCHING

233
DEVELOPMENT OF A FORTY KILOVOLT MEGAWATT AVERAGE POWER
THYRATRON (MAPS-46)

1296
INSTANT START THYRATRON SWITCH

6166
DEVELOPMENT OF A HYDROGEN THYRATRON HAVING A LONG PULSE
CAPABILITY

6110
MULTI-MEGAWATT HYDROGEN THYRATRONS WITH NANO-SECOND RISE
TIMES

Merz, S.S.

246
NEW DEVELOPMENTS IN SUPER-FAST, HIGH-POWER, HYDROGEN
THYRATRON SWITCHING

5368
THE MAPS-48 BURST-MODE 48-KV MEGAWATT AVERAGE POWER
HYDROGEN THYRATRON

Meshekov, A.M.

6491
A PROGRAMMING GENERATOR PRODUCING POWERFUL NANOSECOND PULSES

9599
HIGH-FREQUENCY MAGNETOTHRISTOR DEMODULATOR OF POWERFUL
NANOSECOND PULSES

10241
COMPACT TRANSFORMER BASED ON SECTIONS OF COAXIAL CABLE

Messerie, N.K.

8964
SCALING LAWS FOR GAS-BLAST CIRCUIT-BREAKER ARCS DURING THE
HIGH CURRENT PHASE

Meeyate, B.A.

737
HIGH-CURRENT NANOSECOND-PULSE ELECTRON ACCELERATOR WITH
INDUCTIVE SHAPING ELEMENT

1607
PULSED HIGH-CURRENT ELECTRON TECHNOLOGY

1049
NANOSECOND PULSE DEMODULATORS WITH INDUCTIVE STORAGE

1058
CURRENT BREAKER WITH SPACE DISCHARGE CONTROLLED BY ELECTRON
BEAM

1007
A MULTISPARK HIGH-VOLTAGE TRIGATRON

1099
GENERATORS OF POWERFUL SUBNANOSECOND PULSES

1108
HIGH CURRENT SUBNANOSECOND PULSE GENERATOR

1159
NEW HIGH-POWER NANOSECOND SWITCH

1442
FORMATION OF NANOSECOND SPARKS IN STATIC BREAKDOWN OF A GAP

1483
STATISTICAL STUDY OF NANOSECOND BREAKDOWN DELAY IN NARROW
GAS GAPS IN SUPERHIGH ELECTRIC FIELDS

1622
PULSE ELECTRON ACCELERATOR TO EXCITE LARGE GAS VOLUMES

2244
500 KV NANOSECOND SQUARE WAVE PULSE GENERATOR

2635
ELECTRODE EROSION IN VACUUM GAP BREAKDOWN BY NANOSECOND
PULSES

3771
PULSED NANOSECOND ELECTRIC DISCHARGES IN GASES

3772
RAPID CUTOFF OF A HIGH CURRENT IN AN ELECTRON-BEAM-EXCITED
DISCHARGE

4075
FORMATION OF NANOSECOND PULSES OF HIGH VOLTAGE

5357
CURRENT GROWTH IN PULSE BREAKDOWN OF A SHORT VACUUM GAP

5678
TECHNIQUES OF SHAPING HIGH-VOLTAGE NANOSECOND PULSES

6319
THE STEP VOLTAGE DROP ACROSS A SPARK WITH A PULSE DISCHARGE
IN THE NANOSECOND RANGE

6449
COMPUTATION OF THE ELECTRIC FIELD AT MULTIPPOINT CATHODES

6456
ELECTRON ENERGY SPECTRUM IN HIGH-ENERGY NANOSECOND
ACCELERATORS

6457
EMISSION OF ELECTRONS FROM THE PLASMA OF AN UNCOMPLETED
DISCHARGE ALONG A DIELECTRIC IN A VACUUM

6465
INVESTIGATION OF THE TIME CHARACTERISTICS OF THE TRANSITION
OF FIELD EMISSION TO A VACUUM ARC

6469
NONINDEPENDENT PULSED ATMOSPHERIC PRESSURE DISCHARGE
SUSTAINED BY A HIGH-ENERGY ELECTRON BEAM LASTING 100
MICROSECONDS

6488
SPARK CURRENT AND VOLTAGE IN NANOSECOND BREAKDOWN OF A GAS GAP

6612
TRANSFORMERS FOR HEAVY-CURRENT NANOSECOND IMPULSES

6617
A CIRCUIT USING FERRITES TO OBTAIN HIGH-VOLTAGE NANOSECOND PULSES

6624
CONTROLLED DELAY OF HIGH-POWER NANOSECOND PULSES WITH THE USE OF THE MAGNETIZATION REVERSAL TIME OF FERRITES

6641
ON THE USE OF GAS-DISCHARGE MICROGAPS IN HIGH-VOLTAGE NANOSECOND PULSE DEVICES

6689
SCREENING EFFECT IN HIGH-CURRENT DIODES

6894
TRANSITION FROM A NON-SELF-SUSTAINED VOLUME DISCHARGE MAINTAINED BY A BEAM OF FAST ELECTRONS TO A SPARK DISCHARGE

6888
CONDITIONS FOR SPUTTER EMISSION IN HIGH-PRESSURE SPATIAL GASEOUS DISCHARGES

6982
PULSE DISCHARGES IN GASES UNDER CONDITIONS OF STRONG IONIZATION BY ELECTRONS

6922
DEFORMATION OF INTENSE WAVES TRAVERSING A FERRITE DISCONTINUITY IN A TRANSMISSION LINE

6927
DYNAMIC ATMOSPHERIC PRESSURE DISCHARGE EXCITED BY AN ELECTRON BEAM

6931
ELECTRIC-FIELD INSTABILITIES OF A VOLUME GAS DISCHARGE EXCITED BY AN ELECTRON BEAM

6935
ENERGY INPUT IN ELECTRICAL IONIZATION LASERS

6936
EXPLOSIVE PROCESSES AT THE CATHODE OF A GAS DISCHARGE

6942
GROWTH OF A NANOSECOND PULSED DISCHARGE IN A GAS WITH ONE-ELECTRON INITIATION

6951
NANOSECOND FORMATION TIME OF DISCHARGES IN SHORT AIR GAPS

6957
SPARK PULSE PEARING DEVICES WITH LOW SENSITIVITY TO PULSE HEIGHT

6979
CHARACTERISTICS OF A HOLLOW ELECTRON BEAM IN A MAGNETICALLY INSULATED DIODE

6981
CORRECTION OF THE CHARACTERISTIC OF A SPARK COMMUTATOR WITH A HETEROGENEOUS SHAPING LINE

6985
DISCHARGE IN A HIGH-PRESSURE GAS, INITIATED BY A BEAM OF FAST ELECTRONS

6997
EXTERNALLY MAINTAINED DISCHARGE WITH A GASDYNAMIC WINDOW FOR A LOW-ENERGY ELECTRON BEAM

7004
FORMATION OF THE SPARK CHANNEL AND CATHODE SPOT IN A PULSED VOLUME DISCHARGE

7017
NANOSECOND GAS DISCHARGE IN AN INHOMOGENEOUS FIELD WITH EXPLOSIVE PROCESSES ON THE ELECTRODES

7044
ELECTRON-OPTICAL OBSERVATION OF INITIATION AND DEVELOPMENT OF PULSED BREAKDOWN IN A NARROW VACUUM GAP

7052
INVESTIGATION OF THE PULSED BREAKDOWN MECHANISM AT THE SURFACE OF A DIELECTRIC IN A VACUUM II. NONUNIFORM FIELD

7070
VOLUME DISCHARGE EXCITED IN A GAS BY AN ELECTRON BEAM IN THE CASE OF INHOMOGENEOUS IONIZATION

7757
ELECTRON-OPTICS STUDY OF THE DEVELOPMENT OF AN ELECTRIC DISCHARGE IN A GAS AT HIGH-ELECTRIC FIELD INTENSITIES AND WITH ONE-ELECTRON INITIATION

7978
NANOSECOND TIME DEVELOPMENT OF A PULSED DISCHARGE AT A DIELECTRIC-VACUUM INTERFACE

8170
VOLTAGE-MULTIPLICATION OF STEEP PULSES

8244
MULTIPLE-SPARK OPERATION OF A MEGAVOLT TRISATRON

9386
STABLE STATES OF A VOLUME DISCHARGE EXCITED BY AN ELECTRON BEAM IN AIR WITH AN SP/SUB 8/ ADMIXTURE

9327
BREAKDOWN MECHANISM OF SHORT VACUUM GAPS

9928
INVESTIGATION OF THE PULSED BREAKDOWN MECHANISM AT THE SURFACE OF A DIELECTRIC IN A VACUUM I. UNIFORM FIELD

10874
EXPLOSIVE EMISSION ELECTRONS FROM METALLIC NEEDLES

10160
DEVELOPMENT OF SURFACE DISCHARGE ALONG A DIELECTRIC WITH LARGE DIELECTRIC CONSTANT IN GAS IN THE NANOSECOND RANGE

10201
THE POSSIBILITY OF THE USE OF LIQUID DISCHARGERS IN HIGH-VOLTAGE NANOSECOND PULSE CIRCUITS

10447
THE POSSIBILITY OF USING LIQUID DISCHARGERS IN HIGH-VOLTAGE NANOSECOND PULSE CIRCUITS

Mayevskiy, G.A. Filonov, A.G.

7819
PROPERTIES OF A SPACE DISCHARGE EXCITED BY AN ELECTRON BEAM OF 1E-5 SEC DURATION

Matzmacher, K.D.

3758
HIGH VOLTAGE PULSE GENERATORS FOR RICKER MAGNET EXCITATION

Mayer, F.

10493
WIDE-BAND PULSE AMPLIFIER

Mayer, J.

5297
PHOTODIAGNOSTIC AND OSCILLOGRAPHIC INVESTIGATIONS OF SPARK DISCHARGES IN HYDROGEN

Mayer, T.W.

1382
LOW VOLUME, LIGHTWEIGHT, HIGH VOLTAGE ELECTRON GUN

Mozentsov, S.M.

7110
GENERALIZED CHARACTERISTICS OF THE OSCILLATORY SYSTEM OF A TUNED HIGH-VOLTAGE TRANSFORMER FOR SUPPLYING HIGH-CURRENT PULSED ACCELERATORS

Mozhevetov, V.S.

6926
DISCHARGER WITH HIGH PULSE REPETITION FREQUENCY

Michaello, M.

10257
THE LEADING-EDGE PRINCIPLE WITH PULSE TRANSFORMERS: REDUCTION OF THE CONTROL RESOLUTION BY A LOW NOISE LEVEL HIGH SPEED PREAMPLIFIER

Michaello, C.J.

4428
AN ELECTRO-OPTIC, HIGH-VOLTAGE, TRANSIENT PROBE

Michaello, J.A.

4305
FEMTOSECOND TRIGGER SYSTEM USEFUL IN MODE-LOCKED LASER PULSE MEASUREMENTS

Migliori, A.

5355
A NON-DESTRUCTIVE ACOUSTIC ELECTRIC FIELD PROBE

Mikhailov, V.A.

7172
THE USE OF A PLAMAR THREE-ELECTRODE BLUMLEIN LINE FOR THE
SUPPLY OF SYMMETRIC STREAMER CHAMBERS

Mikhailov, V.O.

5295
USE OF A CORONA IN THE NEEDLE-PLANE SYSTEM AS A
HIGH-VOLTAGE DIVIDER ELEMENT

Mikhailov, V.I.

4418
HIGH-CURRENT, HIGH PULSE RATE ELECTRON ACCELERATOR WITH
INDUCTIVE ENERGY STORAGE

7118
GENERALIZED CHARACTERISTICS OF THE OSCILLATORY SYSTEM OF A
TUNED HIGH-VOLTAGE TRANSFORMER FOR SUPPLYING HIGH-CURRENT
PULSED ACCELERATORS

7167
VAPOR PRESSURE AND LOCAL ANODE TEMPERATURE IN ELECTRICAL
BREAKDOWN IN VACUUM BY AN ELECTRON BEAM

Mikhailov, V.M.

8885
PULSED MAGNETIC FIELD OF MASSIVE SOLENOID WITH MOVING
CONDUCTING SHELL

4613
TRANSIENT ELECTROMAGNETIC PROCESSES IN DEVICES WITH HEAVY
CURRENT LEADS

Mikhailov, V.I.

1352
BURGE GENERATOR IN THE MEGAVOLT RANGE

Mikhail'son, V.T.

7871
A MEGAAMPERE SWITCH WITH AN EXPLODING FOIL FOR THE
INVESTIGATION OF MAGNETIC CUMULATION

Mikheison, K.

7177
INVESTIGATIONS OF FAST INSULATOR SURFACE FLASHOVER

Mil'm, O.

3849
SWITCHING JITTER IN SPARK GAP TRIGGERED BY A TEM/SUB
80/-MODE MODE-LOCKED RUBY LASER

Milano, U.

4429
A PROGRAMMABLE D-C HIGH-VOLTAGE RAMPED TEST SYSTEM FOR
ELECTRICAL INSULATION

Milberger, M.E.

1344
HIGH SPEED TRANSMITTER PULSER

Milde, H.

5848
TRANSIENTS IN LARGE TANDEM ACCELERATORS

Milde, H.I.

579
IS-KJ LC GENERATOR: LOW INDUCTANCE DEVICE FOR A 180-GW
PULSED ELECTRON ACCELERATOR

615
PRECISE LASER INITIATED CLOSURE OF MULTIMEGAVOLT SPARK GAPS

4736
166 GW ELECTRON BEAM GENERATOR

5295
MULTIMEGAVOLT MODULATOR STUDY

9288
PULSE CORONA DISCHARGE IN ELECTROSTATIC PRECIPITATORS

Mitek, J.T.

5249
FLUOROCARBON GASES

18222
SULFUR HEXAFLUORIDE

Miles, D.O.

1987
SKIN EFFECT IN EXPLODING-WIRE PHYSICS

Miller, D.A.

5549
GEOMETRICAL EFFECTS ON SHIELDING EFFECTIVENESS AT LOW
FREQUENCIES

Miller, F.H.

9782
ELECTRONIC SHUTTER PHOTOGRAPHS OF EXPLODING BRIDGE WIRES

Miller, P.A.

4789
THE PLASMA EROSION SWITCH

5921
ELECTRON BEAM GENERATION IN PLASMA-FILLED DIODES

Miller, R.

1353
A VARIABLE LOW FREQUENCY HIGH VOLTAGE GENERATOR USING
VALVES WITH FIBRE OPTIC LIGHT GUIDE CONTROL

Miller, R.B.

9246
PRODUCTION OF ANNULAR ELECTRON BEAMS BY FOILLESS DIODES

8669
COLLECTIVE ION ACCELERATION WITH INTENSE RELATIVISTIC
ELECTRON BEAMS

Miller, R.L.

1421
HIGH VOLTAGE POWER CAPACITOR DIELECTRICS RECENT DEVELOPMENTS

Miller, R.H.

178
A FACILITY FOR TESTING HIGH POWER DC, AC, OR PULSED DEVICES

2525
A MULTI-MEGAWATT, VACUUM ARC SWITCHED INVERTER FOR AIRBORNE
APPLICATIONS

2541
HIGH REPETITION-RATE, HIGH POWER PULSE TESTS OF VACUUM ARC
SWITCHES

7194
VACUUM ARC SWITCHED INVERTER TESTS AT 2.5 MVA

Miliken, R.A.

18259
FIELD CURRENTS FROM POINTS

Milner, M.

18314
FOUR-CHANNEL DELAY GENERATOR MODEL 5740

Milton, O.

2015
ELECTRICAL BREAKDOWN IN A COLD CATHODE VACUUM DIODE

7821
PULSED FLASHOVER OF INSULATORS IN VACUUM

Min'ko, L.Ye.

8695
SIMILARITY BETWEEN PHYSICAL PROCESSES IN A PULSED DISCHARGE
AND IN THE EFFECT OF LASER RADIATION ON A METAL

Minami, K.

698
NONRADIATIVE ENERGY TRANSFER BETWEEN COUPLED L-C RESONATORS
AND ITS POSSIBLE APPLICATIONS TO HIGH-POWER RF PULSE
GENERATION

Minchin, R.

1948
DIGITAL TIMING UNIT FOR IMPULSE GENERATOR CONTROL

Minch, R.M.

5555
OPTICAL FREQUENCY ELECTRICAL DISCHARGES IN GASES

Miranda, G.A.

4806
0.34-MJ SUPERCONDUCTING MAGNETIC ENERGY TRANSFER AND STORAGE

Mironov, O.M.

9451
DISCHARGE OF ENERGY OF A SUPERCONDUCTING INDUCTANCE INTO A
FLASH LAMP

Mirza, J.S.

TR88
LIQUID MOTION AND INTERNAL PRESSURE IN ELECTRICALLY
STRESSED INSULATING LIQUIDS

8168
SPARKING POTENTIALS OF SATURATED HYDROCARBON GASES

Misakian, M.

3881
KERR COEFFICIENTS OF POLYCHLORINATED BIPHENYLS AND
CHLORINATED NAPHTHALENE

9273
MECHANISMS FOR INCEPTION OF DC AND 60-HZ AC CORONA IN
SF/SUR 6/

9405
MINIATURE ELF ELECTRIC FIELD PROBE

Miskinis, J.J.

2899
SYSTEM FOR DATA ACQUISITION FROM HIGH VOLTAGE TERMINALS

Mitchell, A.

4592
A PICOSECOND RISE TIME HIGH VOLTAGE DIVIDER

Mitchell, G.R.

9350
HIGH-CURRENT VACUUM ARCS; PART I. AN EXPERIMENTAL STUDY

Mitchner, J.L.

1978
CIVILIAN APPLICATIONS OF PARTICLE-BEAM-INITIATED INERTIAL
CONFINEMENT FUSION TECHNOLOGY

Mitin, R.V.

4409
USE OF A 'LASER SPARK' TO INITIATE A HIGH-POWER
HIGH-PRESSURE GAS DISCHARGE

6R72
USE OF ELECTRIC EXPLOSION OF WIRES IN A HIGH-PRESSURE GAS
TO BREAK A CURRENT CIRCUIT

R137
PULSED HIGH-PRESSURE ARC IN HELIUM AND HYDROGEN

8175
PULSED ARC IN ARGON AT PRESSURES UP TO 128 N/CM² (1000
ATM)

8262
LONG HIGH-PRESSURE ARCS

Mittal, K.C.

18517
PRELIMINARY RESULTS OF EXPERIMENTS WITH MODERATE POWER RES

Mix, L.F.

3878
MEASUREMENTS OF HIGH-CURRENT RELATIVISTIC ELECTRON DIODE
PLASMA PROPERTIES WITH HOLOGRAPHIC INTERFEROMETRY

Miyahara, A.

515
CHARACTERISTICS OF CO-AXIAL MARX GENERATOR AND ITS
APPLICATION TO ELECTRON BEAM FUSION

649
HIGH VOLTAGE NANOSECONDS PULSE GENERATOR WITH VERY FAST
RISE TIME

435R
A QUICK RESPONSE HIGH VOLTAGE DIVIDER

R485
COAXIAL MARX GENERATOR FOR PRODUCING INTENSE RELATIVISTIC
ELECTRON BEAMS

8787
TEST STAND FOR MAGNETRON NEGATIVE ION SOURCE AT IPP-MAGGYA

Miyamoto, T.

896R
SPECTROSCOPIC APPROACH TO THE ANALYSIS OF HIGH CURRENT ARCS
IN SF/SUR 6/

Miyoshi, Y.

7915
BREAKDOWN OF A SPARK GAP IN AIR TRIGGERED BY A LASER

Mizoguchi, M.

10126
FACTORS INFLUENCING THE INTERRUPTING ABILITY OF SF/SUR 6/
PUFFER BREAKER AND DEVELOPMENT OF 30KV-30KA ONE-BREAK
CIRCUIT BREAKER

Mkhelidze, G.P.

6654
ACCELERATION OF IONS BY A RELATIVISTIC ELECTRON BEAM

Mochegzhnikov, N.I.

563
ON THE FORMATION OF PRECISION BEAMS IN MULTISECTION LINE-
ELECTRON ACCELERATORS

Mock, M.J.H.M.M.

5199
PULSE CHARGING OF NANOFARAD CAPACITORS TO TENS OF KILOVOLTS
FROM THE SHOCK DEPOLING OF PZT FERROELECTRIC CERAMICS

Mooney, M.M.

1252
PEAK SWITCH CURRENT ENHANCEMENT FILTER

Mohan, M.

186
SUPERCONDUCTIVE INDUCTOR STORAGE AND CONVERTERS FOR PULSED
POWER LOADS

487
CONVERTERS FOR SUPPLYING PULSED POWER LOADS

Mohler, F.L.

R236
DISSOCIATION OF SF/SUB 6/, CP/SUB 4/, AND SIF/SUB 4/ BY
ELECTRON IMPACT

Mohr, R.J.

5545
COUPLING BETWEEN OPEN AND SHIELDED WIRE LINES OVER A GROUND
PLANE

Mohri, A.

4489
RELATIVISTIC ELECTRON BEAM SOURCE WITH AN AIR-CORE STEP-UP
TRANSFORMER

Mohr, C.J.

4806
0.34-MJ SUPERCONDUCTING MAGNETIC ENERGY TRANSFER AND STORAGE

Meien, G.M.

1927
HIGH-VOLTAGE PULSE GENERATOR OFFERS VARIABLE DELAY AND ONLY
5-NS JITTER

Meil, O.A.

2169
DESIGN OF COAXIAL-CABLE PULSE TRANSFORMERS

6489
IMPROVEMENTS ON TRANSMISSION-LINE PULSERS

Meil, E.

3023
HIGH-VOLTAGE CONDITIONING AT LARGE GAPS IN INDUSTRIAL VACUUM

Meiller, K.

8979
THEORETICAL AND EXPERIMENTAL INVESTIGATION OF THE
STOCHASTIC BEHAVIOR OF AN SP/SUB 6/ BLAST-SWITCHING ARC

Melyneux-Berry, R.B.

5559
DOUBLE-ENDED THYRATRONS IN HIGH-POWER BURST MODE PULSE
MODULATOR APPLICATIONS

Mendeil, A.

5459
ADVANCED SIMULATION RESEARCH: VOLUME II-VACUUM ENERGY
STORAGE

8297
ADVANCED SIMULATION RESEARCH: VOLUME II. VACUUM ENERGY
STORAGE

Mengeau, P.

221
ELECTROMAGNETIC GUNS, LAUNCHERS AND REACTION ENGINES

Monk, P. O.

2399
TIME LAGS ASSOCIATED WITH ULTRA-HIGH FREQUENCY GAS BREAKDOWN

Montgomery, O.B.

5251
INSULATOR FLASHOVER MECHANISM IN VACUUM INSULATED CRYOCABLES

Moody, C.D.

8892
EFFECTS OF CW POWER ON THE PULSED GAS BREAKDOWN THRESHOLD
IN ARDOW AT 10.6-MICRON RADIATION

Moore (Ed.), M.K.

10112
EXPLODING WIRES: VOLUME III

10177
EXPLODING WIRES: VOLUME IV

Moore, C.B.

3788
ARTIFICIAL INITIATION OF LIGHTNING DISCHARGES

Moore, C.O.

1342
FIBER-OPTIC HIGH VOLTAGE ISOLATION OF CAMAC HIGHWAY

Moore, D.W.

10100
THE RELATION BETWEEN ELECTRON FIELD EMISSION AND CONTACT
ELECTROMOTIVE FORCE FOR LIQUID MERCURY

Moore, N.R.

1201
HIGH-VOLTAGE OIL GAP TESTS USING PARALLEL-PLANE ELECTRODES

Moore, M.

10475
A LOW-COST SUB-NAHOSECONO PULSE AMPLIFIER

Moore, W.J.M.

1505
AN INTERNATIONAL COMPARISON OF HIGH VOLTAGE CAPACITOR
CALIBRATIONS

Moran, S.L.

1811
HIGH REPETITION RATE LC OSCILLATOR

Morots, V.

9786
ELECTROMAGNETIC VULNERABILITY (EMV) TESTING OF AIR LAUNCHED
VEHICLES

Morgen, C.O.

2031
GAS BREAKDOWN BY A SHORT LASER PULSE

5783
GAS BREAKDOWN BY SINGLE 20PS, 1.00UM AND 0.53UM LASER PULSES

7948
SOME DESIGN CONSIDERATIONS OF A LASER TRIGGERED IMPULSE
GENERATOR

Moriarty, J.J.

283
THE EVOLUTION OF PULSED POWER

237
A 1200 MEGAWATT VAN-MOUNTED LINE-TYPE MODULATOR

815
PRECISE LASER INITIATED CLOSURE OF MULTIMEGAVOLT SPARK GAPS

4578
RESONANT TRANSFORMER ELECTRON BEAM PULSER

5295
MULTIMEGAVOLT MODULATOR STUDY

Morozov, Yu.A.

293
A TWO-STAGE ELECTRICAL-EXPLOSION MECHANICAL COMMUTATOR

7130
AN INDUCTIVE STORE WITH ELECTROMAGNETIC CURRENT
MULTIPLICATION

MorreeII, A.P.

7249
LONG PULSE HIGH EFFICIENCY SWITCH TUBE DEVELOPMENT

Morrie, M.T.

5559
THE MECHANISM OF THE ELECTRICAL BREAKDOWN OF AIR IN UNIFORM
FIELDS AT VOLTAGES UP TO 400 KV

Morrison, R.

5550
GROUNDING AND SHIELDING TECHNIQUES IN INSTRUMENTATION

Morrison, R.W.

597
OVERVOLTAGE AND BREAKDOWN PATTERNS OF PAST MARX GENERATORS

803
A NEW METHOD OF EXCITING UNIFORM DISCHARGES FOR HIGH
PRESSURE LASERS

Morrow, O.L.

7284
NANOSECONO RESPONSE 'DASKET-TYPE' MAGNETIC LOOP CURRENT
MONITOR FOR RELATIVISTIC ELECTRON BEAM CURRENT MEASUREMENTS

Morse, O.

824
LASER-TRIGGERED SOLID DIELECTRIC SWITCHING

Morse, L.L.

10599
REMOTELY CONTROLLED POWER PULSE GENERATOR

Merunov, K.A.

7895
THE LIU-18 HIGH-POWER ELECTRON ACCELERATOR

Mesavi, R.K.

10365
PRELIMINARY DESIGN OF A 300 KEV ELECTRON GUN FOR A HIGH POWER CO/SUB 2/ LASER AMPLIFIER

Mesce, W.

4944
PERFORMANCE OF SPHERE AND ROD-ROD GAPS UNDER HIGH DIRECT VOLTAGES

Mesce, K.O.

5589
THE APPLICATION OF P.W. BRIDGMAN'S 'NEW EMP' TO EXPLODING WIRE PHENOMENA

Mesher, D.

1253
NRL LIGHT ION BEAM RESEARCH FOR INERTIAL CONFINEMENT FUSION

1292
BEAM REQUIREMENTS FOR LIGHT-ION DRIVEN INERTIAL-CONFINEMENT FUSION

1448
HIGH-IMPEDANCE ION-DIODE EXPERIMENT ON THE AURORA PULSER

1500
MATERIAL RESPONSE TO 500 KEV PROTON BEAMS AT INTENSITIES BELOW 1 GW/SQ.CM.

2446
MAGNETIC-FIELD-INDUCED ENHANCEMENT OF RELATIVISTIC-ELECTRON-BEAM ENERGY DEPOSITION

3733
TWO-DIMENSIONAL FLUID SIMULATION OF RELATIVISTIC ELECTRON BEAM-HIGH Z TARGET INTERACTIONS

8601
AN X-RAY DIAGNOSTIC FOR LIGHT-ION CURRENT MEASUREMENTS

10311
ANALYSIS OF PROTON TRANSPORT EXPERIMENTS

10387
DENSE PLASMA DISCHARGES FOR SOLID-TARGET HEATING

Mesher, O. Graybill, S.E.

1284
HIGH IMPEDANCE ION DIODE EXPERIMENT ON AURORA

Moehkunov, A.I.

4840
MULTICHANNEL SEMICONDUCTOR NANOSECOND SWITCH FOR EXCITATION OF COPPER VAPOR BY A TRANSVERSE DISCHARGE

Moetron, M.A.

922
INFLUENCE OF NONUNIFORM EXTERNAL MAGNETIC FIELDS AND ANODE-CATHODE SHAPING ON MAGNETIC INSULATION IN COAXIAL TRANSMISSION LINES

Motechmann, H.

10218
INVESTIGATIONS OF THE PROPERTIES OF SF/SUB 6/ AS AN ARC QUENCHING MEDIUM

Mott, M.N.

10403
SOLID-STATE BWO MODULATOR

Meureu, G.

8095
HIGH-POWER SWITCHING WITH PICOSECOND PRECISION

Mozin, I.V.

6609
SPECIAL MEANS FOR MEASUREMENT OF THE ELECTRICAL PARAMETERS OF ELECTROPHYSICAL INSTALLATIONS

Muehlenweg, C.A.

9270
LOW INDUCTANCE CURRENT VIEWING RESISTORS FOR HYDROGEN THYRATRONS

Mueller, D.W.

2455
A COMPACT 250-KV INJECTOR SYSTEM FOR PIGMI

Mueller, D.

5653
CAPACITOR BANKS FOR A TURBULENCE HEATING EXPERIMENT

5672
PRESSURIZED SWITCHING UNIT DESIGNED TO START AND TO CROWBAR A TURBULENCE HEATING EXPERIMENT

Muhlbauer, A.

4843
INVESTIGATION OF BREAKDOWN AND RESISTIVITY STRIATIONS IN HIGH-VOLTAGE SILICON DIODES

Mukhadker, D.

2754
A NEW APPROACH TO COMPUTE UNIFORM FIELD BREAKDOWN OF GASES

Mukherjee, D.

10319
EXPLOSIVE MHO RESEARCH

Mukhin, V.D.

9528
BREAKDOWN-VOLTAGE STABILITY OF GAS-FILLED SWITCHES FOR VOLTAGE PULSE GENERATOR

Muicahy, M.J.

4196
HIGH VOLTAGE BREAKDOWN STUDY: HANDBOOK OF VACUUM INSULATION

Mullen, E.

4806
0.54-MJ SUPERCONDUCTING MAGNETIC ENERGY TRANSFER AND STORAGE

Munich, M.

4719
A MODULAR POWER-CROWBAR BANK FOR THE GENERATION OF A 50 MA, 50 MICROSECOND CURRENT PULSE FOR THE TOROIDAL PLASMA EXPERIMENT NOS II AT GARCHIND

Munzenberg, G.

1415
A HIGH VOLTAGE DEFLECTION CONDENSER OPERATED UNDER HIGH VACUUM CONDITIONS

Mural, Y.

8968
SPECTROSCOPIC APPROACH TO THE ANALYSIS OF HIGH CURRENT ARCS IN SF/SUB 6/

10124
DEVELOPMENT OF A 7.2 KV - 63 KA ADVANCED PUFFER GAS CIRCUIT BREAKER

Murekani, Y.

10126
FACTORS INFLUENCING THE INTERRUPTING ABILITY OF SF/SUB 6/ PUFFER BREAKER AND DEVELOPMENT OF 380KV-50KA ONE-BREAK CIRCUIT BREAKER

Muretov, E.A.

7115
GAS-DISCHARGE CONTRACTION

7122
ONSET OF THE IONIZATION INSTABILITY IN A PERIODIC, EXTERNALLY SUSTAINED DISCHARGE IN NITROGEN AND A N/SUB 2/-CO/SUB 2/ MIXTURE AT HIGH PRESSURES

Murinov, V.M.

7006
GAS FORMATION IN LIQUID IN INITIAL STAGES OF A PULSED DISCHARGE

Muratov, V.P.

6857
SPARK DISCHARGE EMISSION IN HELIUM

Muraoka, Y.

7285
NANOSECOND SURFACE DISCHARGE STUDY BY USING DUST PICTURE
TECHNIQUES

7817
OBSERVATIONS ON THE INTERMITTENT ELECTRON EMISSION IN
LIQUEFIED NITROGEN

Murray, J.R.

952
KRP LASER-TRIGGERED SP/SUS 6/ SPARK GAP FOR LOW-JITTER
TIMING

8944
KRP LASER-TRIGGERED SP/SUS 6/ SPARK GAP FOR LOW JITTER
TIMING

Muss, O.R.

5580
DEVELOPMENT AND APPLICATION OF LIGHT ACTIVATED SILICON
SWITCHES

Mutalibov, Sh.R.

10486
MECHANISM FOR A SECONDARY SURFACE BREAKDOWN IN A
REVERSE-BIAS HIGH-VOLTAGE SILICON P-N JUNCTION

Muteu, M.

8649
HIGH VOLTAGE PULSE GENERATOR FOR INFLECTOR

Muzgin, V.M.

7123
SOME CHARACTERISTICS OF A DOUBLE, HOLLOW CATHODE WITH THE
PULSED SUPPLY OF THE CATHODE-EXCITER

Mylius, J.

2147
MAGNETICALLY CONTROLLED VACUUM-ARC ON-OFF SWITCH

7251
MAGNETICALLY MODULATED VACUUM ARC FOR DC SWITCHING

Myrberg, J.E.

8135
MEGAMPERE PULSE TRANSFORMER FOR COAXIAL LOAD

Myshenkov, V.I.

6661
DYNAMICS OF THE DEVELOPMENT OF HIGH-CURRENT INDUCTION
DISCHARGE

MISAKIAN, M.

9408
TEMPERATURE DEPENDENCE OF THE ELECTRO-OPTIC KERR
COEFFICIENT OF NITROBENZENE

Nablo, S.V.

7292
THE GENERATION AND DIAGNOSIS OF PULSED RELATIVISTIC
ELECTRON BEAMS ABOVE 100 WATTS

7706
PULSED PICO EMISSION CATHODE EMISSION MEASUREMENTS

Naecke, H.

5625
INVESTIGATIONS ON THE INTERACTION BETWEEN ARCS AND GAS FLOW

Nook, S.V.

7116
GENERALIZED CHARACTERISTICS OF THE OSCILLATORY SYSTEM OF A
TUNED HIGH-VOLTAGE TRANSFORMER FOR SUPPLYING HIGH-CURRENT
PULSED ACCELERATORS

Neff, J.T.

7809
HIGH VOLTAGE PULSER TECHNIQUES FOR ELECTROMAGNETIC PULSE
(EMP) SIMULATORS

Neff, T.

10250
AIRCRAFT EMP ISOLATION STUDY

10370
RESEARCH ON THE PHYSICS OF CONTINUOUS AND PULSED MAGNETIC
GENERATORS

Nagebhuahana, O.R.

4810
PREBREAKDOWN CURRENT MEASUREMENTS IN VACUUM GAPS STRESSED
BY ALTERNATING VOLTAGES

Nagamatsu, M.T.

1267
FUNDAMENTAL INVESTIGATION OF ARC INTERRUPTION IN GAS FLOWS

10125
EXPERIMENTAL AND THEORETICAL STUDY OF A DC ARC IN A
CONSTANT DIAMETER NOZZLE FLOW

Nagai, O.J.

8601
AN X-RAY DIAGNOSTIC FOR LIGHT-ION CURRENT MEASUREMENTS

Naidu, M.S.

4494
SPARKING POTENTIALS AND IONISATION COEFFICIENTS IN SF/SUS 6/

Naimushin, V.A.

10428
DEVICE FOR CHARGING ACCUMULATOR OF A POWERFUL PULSED
GENERATOR

Naini, A.

10019
PRINCIPLE OF PICO IN A PARALLEL-PLATE CAPACITOR

Nakano, K.

3607
ADVANCED APPLICATION REPORT HIGH VOLTAGE XLPE INSULATED
POWER CABLE WITH SEMI-CONDUCTING ORGANIC LIQUID

Nakayama, S.

3649
SYNTHETIC PAPER FOR EXTRA HIGH VOLTAGE CABLE

Nanba, S.

10334
OUTPUT PERFORMANCE OF THE COAXIAL-TYPE MARX GENERATOR
CONSISTING OF RATIO/SUB 3/ SERIES CERAMIC CAPACITORS

Nandagopal, M.R.

5574
IMPULSE-VOLTAGE BREAKDOWN CHARACTERISTICS OF LARGE GAPS AT
LOW PRESSURES

Nandagopal, M.R.

4914
EPOXY RESIN CHAMBER FOR HIGH VOLTAGE BREAKDOWN STUDIES IN
HIGH VACUUM

Nanavicz, J.E.

5494
PHOTOCONDUCTIVITY OF HIGH VOLTAGE SPACE INSULATING
MATERIALS: MEASUREMENTS WITH METAL ELECTRODES

5634
PHOTOCONDUCTIVITY OF HIGH-VOLTAGE SPACE INSULATING MATERIALS

Napartovich, A.P.

6873
VOLUME DISCHARGE WITH UV PREIONIZATION

7187
CONTRACTION OF THE DECAYING PLASMA IN A NITROGEN DISCHARGE

9198
ELECTRON DISTRIBUTION FUNCTION IN 4:1 H₂SUB 2/-O/SUB 2/
MIXTURE

Marpartovich, E.Sh.

6875
VOLUME DISCHARGE WITH UV PREIONIZATION

Marayonokutty, K.A.

4818
PREBREAKDOWN CURRENT MEASUREMENTS IN VACUUM GAPS STRESSED
BY ALTERNATING VOLTAGES

Mardi (Ed.), V.

7559
ENERGY STORAGE, COMPRESSION, AND SWITCHING

Masar, S.A.

5588
FUNDAMENTAL LIMITATIONS AND TOPOLOGICAL CONSIDERATIONS FOR
FAST DISCHARGE MONOPOLAR MACHINES

Mash, C.F.

5898
INITIAL PHASE OF THE EXPLODING WIRE PHENOMENON

5899
ON THE MECHANISM OF EXPLODING WIRES

Masilber, A.S.

4875
FORMATION OF NANOSECOND PULSES OF HIGH VOLTAGE

Masibov, A.S.

6549
USING A CABLE PULSE TRANSFORMER IN THE POWER SYSTEM OF A
GAS LASER

Masenev, M.M.

6479
SELF-ACCELERATION OF AN ELECTRON BEAM IN A GYROTRONIC MEDIUM

6555
SELF-ACCELERATION OF A CHOPPED ELECTRON BEAM IN A
FERRITE-FILLED WAVEGUIDE

7298
SELF-ACCELERATION EXPERIMENT BY INTERRUPTION OF AN INTENSE
ELECTRON BEAM

Measer, E.

7515
DEVELOPMENT OF SPARK IN AIR FROM A NEGATIVE POINT

Messia, V.

735
ANODE BEHAVIOR IN HIGH INTENSITY FIELD EMISSION DIODES

8271
ROGONSKI COILS, THEORY AND EXPERIMENTAL RESULTS

Meetyukha, A.I.

7166
TWO-CHAMBER HEAVY-CURRENT HIGH-VOLTAGE SWITCH

9645
A TWO-CHAMBER HEAVY-CURRENT HIGH-VOLTAGE SWITCH

Motion, J.A.

2176
HIGH-POWER ELECTRON AND ION BEAM GENERATION

8567
PROCEEDINGS OF THE INTERNATIONAL TOPICAL CONFERENCE ON HIGH
POWER ELECTRON AND ION BEAM RESEARCH AND TECHNOLOGY (2ND),
OCTOBER 3-5, 1977; VOLUME I

8568
PROCEEDINGS OF THE INTERNATIONAL TOPICAL CONFERENCE ON HIGH
POWER ELECTRON AND ION BEAM RESEARCH AND TECHNOLOGY (2ND),
OCTOBER 3-5, 1977; VOLUME II

10224
HIGH POWER ELECTRON AND ION BEAM CONFERENCE

McMahon, E.J.

7758
A TUTORIAL ON TREEING

McLeo, C.V.

219
HOLLOW-ANODE MULTIDAP THYRATONS

237
FLANGE MOUNTING GLASS ENVELOPE HYDROGEN THYRATONS

251
THYRATONS FOR SHORT PULSE LASER CIRCUITS

Meau, E.L.

927
MITL-A 2-D CODE TO INVESTIGATE ELECTRON FLOW THROUGH
NON-UNIFORM FIELD REGION OF MAGNETICALLY INSULATED
TRANSMISSION LINES

Mebenzahl, I.

5466
BREAKDOWN OF MAGNETIC INSULATION DUE TO DIAMAGNETISM

Mecheev, A.G.

6986
FAST-ACTING VACUUM COMMUTATOR WITH CONNECTION BY
LIQUID-METAL CONTACTS

Mecheev, V.M.

10475
STRUCTURE OF THE HIGH-CURRENT RELATIVISTIC ELECTRON BEAM
FORMED BY A COAXIAL GUN WITH MAGNETIC INSULATION

Medeshev, S.L.

10491
SWITCHING CHARACTERISTICS OF A DISCHARGE IN WATER

Meighburn, J.R.

8750
4TH INTERNATIONAL TOPICAL CONFERENCE ON HIGH-POWER ELECTRON
AND ION-BEAM RESEARCH AND TECHNOLOGY

Mell, G.R.

2757
MULTICHANNEL, HIGH-ENERGY RAILROAD SWITCH

Meshchinskii, V.A.

6911
THEORY OF THE VACUUM ARC

7150
MOTION OF THE CATHODE SPOT OF A VACUUM ARC

Merheim, M.M.

10480
EFFECT OF DISSOCIATION PULSE CIRCUIT INDUCTANCE ON THE CUCL
LASER

Merslyan, G.T.

6926
HIGH-CURRENT ELECTRON ACCELERATOR FOR OPTICAL PUMPING OF
GASES

Mesmelev, M.S.

6989
ELECTRIC BREAKDOWN IN SOLID DIELECTRICS

Meesterikhin, Y.Y.

8414
DEVICE FOR GENERATING POWERFUL ELECTRICAL PULSES

Mesterikhin, Yu.E.

414
THE DISCHARGE CURRENT DISTRIBUTION OVER THE SURFACE OF THE
ELECTRODES OF A HYDROGEN THYRATRON DURING A PULSE

6559
EXPERIMENTS WITH AN EXPLOSIVE-MAGNETIC GENERATOR IN
LABORATORY CONDITIONS

6517
ENERGY TRANSFER FROM AN INDUCTIVE STORAGE BY MEANS OF AN
EXPLOSIVE CURRENT DISCONNECT

5819
EXPLODING WIRES WITH HIGH ENERGY INPUT

5858
PULSED BREAKDOWN OF SMALL GAPS IN THE NANOSECOND RANGE

Neumann, K.K.

9125
TIME RESOLVED ELECTRICAL MEASUREMENTS IN HIGH CURRENT
DISCHARGES

Navroshil, V.A.

1028
TIME FOR THERMAL INSTABILITY TO DEVELOP IN MICROSCOPIC
PROTRUSIONS ON THE CATHODE DURING VACUUM BREAKDOWN

Navroshil, V.A.

15195
THERMAL ANODE INSTABILITY IN THE PRESKIN STAGE OF
VACUUM BREAKDOWN

Nem, G.

2542
ULTRASHORT PULSE MEASUREMENTS

Nem, G.

5140
STEP RESPONSE OF MEASURING SYSTEMS FOR HIGH IMPULSE VOLTAGES

8147
A HIGH-IMPEDANCE, NANOSECOND RISE TIME PROBE FOR MEASURING
HIGH-VOLTAGE IMPULSES

Newton, B.F.

237
FLAME MOUNTING GLASS ENVELOPE HYDROGEN THYRATONS

257
HIGH RATE OF RISE OF CURRENT PULSE GENERATION USING LOW
COST GLASS ENVELOPE THYRATONS

394
A MULTIGAP, DOUBLE-ENDED, HYDROGEN THYRATON

424
VERY HIGH FREQUENCY PULSE GENERATORS USING HYDROGEN
THYRATONS

5740
THE GENERATION OF HIGH FREQUENCY SINUSOIDAL AND PULSE
WAVEFORMS USING HYDROGEN THYRATONS

4692
INVERSE VOLTAGE CONTROL IN LINE-TYPE PULSE GENERATING
CIRCUITS

Newton, G.

10475
A LOW-COST SUS-NANOSECOND PULSE AMPLIFIER

Newton, M.

564
AN ELECTRON-SEAM-TRIGGERED SPARK GAP

Nevzabit'ko, Yu.M.

10555
STEPPED HIGH-VOLTAGE PULSE GENERATOR

Nichols, H.S.

2172
DOUBLE-ENDED HYDROGEN THYRATONS FOR CROWBAR PROTECTION OF
HIGH-POWER TWT SYSTEMS

3759
THE DEVELOPMENT OF DEUTERIUM THYRATONS FOR OPERATION AT
HIGH DUTY-RATIOS AND HIGH AVERAGE CURRENTS

3761
THYRISTORS FOR PULSE MODULATION AT HIGH PEAK AND AVERAGE
POWERS

Nichols, L.M.

1501
A PROGRAM TO EVALUATE, DEVELOP AND TEST POROFILASTIC
MATERIALS AS IMPROVED ELECTRICAL INSULATION FOR HIGH POWER
UNDERGROUND CABLES

Nicoles, A.

10364
DESIGN AND DEVELOPMENT OF A HIGH-POWER, 500 KV PULSED LINE

Nicolini, C.

4897
ALTERNATE POLARITY MULTIPLE SPARK GAP FOR HIGH EFFICIENCY
SNOWER DETECTORS

Nielsen, K.

555
MULTI-WIRE ARRAY LOAD FOR HIGH-POWER PULSED GENERATORS

7276
HIGH CURRENT PULSED ELECTRON BEAM GENERATOR

7801
DEVELOPMENT OF AN ADVANCED PULSED ELECTRON BEAM ACCELERATOR

Nielsen, K.

7286
A COMPUTERIZED MEASURING SYSTEM FOR NANOSECOND RISETIME
PULSED ACCELERATORS

Nieto, A.

5525
NANOSECOND PULSERS FOR MM WAVE TUBES

Nikitin, M.M.

1255
RADIATION FROM RELATIVISTIC ELECTRONS IN A MAGNETIC BOTTLE

Nikol'skii, V.S.

7095
THE LIU-10 HIGH-POWER ELECTRON ACCELERATOR

Nikolaev, A.A.

1973
TACITRON GENERATOR OF LONG HIGH-VOLTAGE PULSES

Nikolaev, A.O.

10420
DEVICE FOR CHARGING ACCUMULATOR OF A POWERFUL PULSED
GENERATOR

Nikolaev, V.A.

6921
CONTROLLED MEGAVOLT GAS-FILLED DISCHARGER

Nikolaevskaya, N.N.

10531
GENERATION OF UNIFILAR CURRENT PULSES OF 10 TO 100 KA
AMPLITUDE

Nikolov, O.F.

285
HIGH-VOLTAGE SOURCE FOR 2-MEV ION AND ELECTRON ACCELERATORS

Nielsen, N.R.

9791
A PULSE GENERATOR FOR SHORT MEGAVOLT PULSES WITH A RISETIME
IN THE NANOSECOND REGION

Nielsen, R.

5515
PULSE CIRCUIT FOR Nd:YAG LASERS

Nimoy, M.

18284
R.F. SHIELDING PERFORMANCE OF REINFORCED METAL FILLED
CONDUCTIVE PLASTIC FLAT GASKETS

Nimura, M.

8896
INFLUENCE OF AIR DENSITY ON FLASHOVER VOLTAGES OF AIR G.P.3
AND INSULATORS

Nissen, K.

5472
ELECTRICAL CONDUCTION AND ELECTRICAL BREAKDOWN OF ORGANIC
INSULATORS AND SEMICONDUCTORS

Nitta, T.

3392
ELECTRICAL BREAKDOWN OF LONG GAPS IN SULFUR HEXAFLUORIDE

7823
SPECTROSCOPIC STUDY OF HIGH CURRENT DISCHARGES

8284
VOLTAGE-TIME CHARACTERISTIC OF ELECTRICAL BREAKDOWN IN
SP/SUB 6/

Niz'ev, V.D.

7187
CONTRACTION OF THE DECAYING PLASMA IN A NITROGEN DISCHARGE

Nizinski, S.J.

3766
SILICONE RUBBER GRADED CONSTRUCTION FOR HIGH VOLTAGE
INSULATION

Noeske, M.O.

1267
FUNDAMENTAL INVESTIGATION OF ARC INTERRUPTION IN GAS FLOWS

Noeth, A.

8146
ADVANCED CONCEPTS FOR PHOTON SOURCES VOLUME 2: FAST
SWITCHING OF VACUUM MAGNETIC ENERGY STORES

8292
ADVANCED CONCEPTS FOR PHOTON SOURCES: VOLUME 2. FAST
SWITCHING OF VACUUM MAGNETIC ENERGY STORES

Noguchi, T.

3484
APPLICATIONS OF A LASER-TRIGGERED SPARK GAP (LTSG)

3684
TRIGGERING MECHANISM OF A LASER-TRIGGERED SPARK GAP

7941
SPARK DISCHARGE TRIGGERED BY A PULSE LASER BEAM

Noiting, E.E.

3412
CHARACTERIZATION OF HIGH POWER GAS SWITCH FAILURE MECHANISMS

Nordheim, L.

6071
ELECTRON EMISSION IN INTENSE ELECTRIC FIELDS

Norris, B.

4147
OPERATION OF SLIDING-SPARK ARRAYS FOR LASER PRE-IONIZATION

Norris, C.B.J.

18384
THE CAPABILITIES OF ELECTRON BEAM-SEMICONDUCTOR ACTIVE
DEVICES

North, M.

7246
HAYSTACK HILL LONG-RANGE IMAGING RADAR TRANSMITTER

Noskov, O.A.

6997
EXTERNALLY MAINTAINED DISCHARGE WITH A GASDYNAMIC WINDOW
FOR A LOW-ENERGY ELECTRON BEAM

Nosov, G.I.

1146
CONTROLLED GAS DISCHARGE SWITCH WITH A COLD CATHODE

Novikov, A.O.

6686
PRECISION PEAKING DISCHARGER WITH A NONLINEAR ELEMENT IN AN
INDUCTIVE STORAGE CIRCUIT WITH POIL BREAKER

Novikov, M.T.

4626
MEASUREMENT OF A HIGH VOLTAGE BY A ROTOR VOLTMETER USING AN
INSULATED ELECTRODE

Novikov, N.E.

8229
ATMOSPHERIC EFFECTS ON THE DIELECTRIC STRENGTH OF A VACUUM
GAP WITH PROCESSED ELECTRODES

Novikova, G.

3238
NANOSECOND VOLUME DISCHARGE IN AIR AT ATMOSPHERIC PRESSURE

Novoselov, B.S.

6932
ELECTRICAL CONDUCTIVITY IN THE DETONATION ZONE OF CONDENSED
EXPLOSIVES

Novykh, F.A.

493
A DOUBLE-TUNED CURRENT GENERATOR WITH ELECTRONIC AMPLITUDE
CONTROL

Nowak, T.F.

18376
HIGH POWER MODULATOR (SCR)

Nugent, L.A.

916
DEVELOPMENT OF DISTRIBUTION AND SUBTRANSMISSION SP/SUB 6/
CIRCUIT BREAKER AND HYBRID TRANSMISSION INTERRUPTER

Nunnally, M.C.

148
HIGH DENSITY Z-PINCH PULSE POWER SUPPLY

1284
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY:
LECTURE B: CHARGING CIRCUITS

2724
DEVELOPMENT OF THE SWITCHING COMPONENTS FOR ZT-48

4714
AN AIR-POWERED FIBER-OPTIC COUPLED PULSER SYSTEM FOR CTR
EXPERIMENTS

3414
HIGH-DENSITY Z-PINCH PULSE-POWER SUPPLY SYSTEM

8084
MAGNETIC SWITCHES AND CIRCUITS

8697
STRIPLINE MAGNETIC MODULATORS FOR LASERS AND ACCELERATORS

Nurmatov, E.M.

8233
DETERMINATION OF TEMPERATURE AND OTHER PARAMETERS OF AN
EXPLODING-WIRE PLASMA BY MEANS OF SELF-REVERSAL OF LINES
AND ABSORPTION SPECTRA

Nurmikko, A.V.

3747
A CD/SUB 2/-LASER-TRIGGERED SPARK GAP

Nutter, M.J.

3206
COLD CATHODE ELECTRON GUNS IN THE LASL HIGH POWER
SHORT-PULSE CO/SUO 2/ LASER PROGRAM

Myberg, S.

10043
9T RERR.CELL STUDIES OF EXPLODING WIRES IN VACUUM

Nymander, R.E.

4726
NANOSECOND PULSE GENERATORS FOR MAGNETRON OPERATION

NOT FOUND AT TECH LIBRARY

149
ANODE-INITIATED SURFACE FLASHOVER

225
AUTOTRANSFORMER FOR THE 1000-KV PROJECT-THE BUSHINGS

243
DC ELECTROMAGNETIC LAUNCH SYSTEMS-COMPONENTS AND TECHNOLOGY

469
STANDARD COMMERCIAL IGNITRONS AS HIGH VOLTAGE SWITCHES

591
ELECTRO-OPTICAL MEASUREMENT OF INSULATOR SURFACE
PREFLASHOVER FIELDS IN VACUUM

614
ENERGY BALANCE OF THE BREAKING ARC ELECTRODES. MEASURE OF
ELECTRIC CONDUCTIVITY IN COLUMN

654
EVALUATION OF LIGHTNING-INDUCED TRANSIENTS IN AIRCRAFT
USING HIGH-VOLTAGE SHOCK EXCITATION TECHNIQUES

696
FIBER-OPTIC DATA BUS USING ACTIVE FAIL-SAFE TERMINALS

1021
HIGH-FIELD FACILITIES AT THE FRANCIS BITTER NATIONAL MAGNET
LABORATORY

1318
IMPROVEMENTS IN NON-TRACKING MATERIALS

1328
INFLUENCE OF PUMPING TECHNIQUE AND ELECTRODE HEATING ON
MICROPARTICLES

1336
INVESTIGATION INTO THE MECHANISM OF WATERTREEING IN
POLYETHYLENE HIGH-VOLTAGE CABLES

1391
HIGH VOLTAGE ACCELERATOR FOR 3 MV MICROSCOPE

1411
MULTICONDUCTOR TRANSMISSION LINE MACROMODELLING TO SIMULATE
THE BEHAVIOUR OF A HIGH TENSION DC LINE UNIT

1441
NEW METHOD OF MONITORING THE INTEGRITY OF INSULATION OF
IN-SERVICE THREE-PHASE HIGH VOLTAGE APPARATUS

1449
NOISE INSENSITIVE MICROCOMPUTER INSTRUMENT

1511
BREAKDOWN IN CERAMIC CAPACITORS UNDER PULSED HIGH-VOLTAGE
STRESS

1520
OPTICAL TEMPERATURE SENSOR FOR HIGH VOLTAGE APPLICATIONS

1552
PROTECTION OF ELECTRONIC AND TELECOMMUNICATION EQUIPMENT BY
SPARR GAPS

1599
PULSE GENERATOR FOR ELECTRIC SPARR MACHINING OF
HIGH-CURRENT FILAMENTARY TOOL COMPONENTS

1625
RESISTIVE SUPERCONDUCTING POWER SWITCH WITH A SWITCHING
POWER OF 40 MW AT 47 KV

1716
A BROADBAND UNBALANCED TRANSFORMER

1754
SILICONE INSULATION IMPROVES, AEROSPACE ELECTRONIC
HIGH-VOLTAGE POWER SUPPLY MTSP

1011
SURFACE FLASHOVER MODEL BASED ON ELECTRON-STIMULATED
DESORPTION

1941
VOLTAGE TESTERS FOR AN ALTERNATING VOLTAGE ABOVE 1 KV

2095
AIRBORNE HIGH VOLTAGE POWER SUPPLY INSULATION SELECTION

2219
A. C. TESTING AT PROJECT UNV YIELDS USEFUL CORONA DATA

2228
COMPOSITION, TOXICITY AND FILTRATION OF THE PRODUCTS OF
SF/SUO 6/ GENERATED IN THE ARC QUENCHING DEVICES OF POWER
CIRCUIT BREAKERS

2471
EFFICIENT HIGH-POWER HIGH-ENERGY NEUTRAL BEAMS FOR THE
REFERENCE MIRROR REACTOR

2747
THE ION DENSITY IN A HIGH-VOLTAGE LABORATORY RESULTING FROM
REPEATED OPERATION OF AN IMPULSE GENERATOR

2775
EROSION OF ELECTRODES DURING BREAKDOWN OF A COMPOSITE
INTERELECTRODE GAP BY PULSED DISCHARGES

2830
MEASUREMENT OF VOLTAGE METAL CLAD IN HIGH-VOLTAGE AND IN
SUO-STATIONS BY ELECTRONIC CAPACITATIVE DIVIDER

2933
EXPERIMENTS ON VACUUM INTERRUPTERS IN HIGH VOLTAGE 72KV
CIRCUITS

2945
HIGH VOLTAGE GENERATOR FOR LOW-LOAD CURRENTS

3001
HIGH-VOLTAGE POWER SUPPLY MTSP IMPROVEMENT

3020
HIGH-VOLTAGE RESISTOR ELEMENTS AND VOLTAGE DIVIDERS BASED
ON MOLDED MICROWIRE

3033
INFLUENCE OF HUMIDITY ON FLASHOVER VOLTAGE OF SPARR GAPS
AND ROD INSULATORS

3034
INFLUENCE OF THE SKIN EFFECT ON R-L CIRCUITS WITH
NON-SINUSOIDAL EXCITATION

3047
LIQUID-METAL SWITCHING OF ULTRA-HIGH DIRECT CURRENTS: A NEW
APPROACH

3117
OPTOELECTRONIC METHODS FOR MEASURING VOLTAGES AND CURRENTS
IN HIGH-VOLTAGE CIRCUIT

3163
ORNL/FLY NEUTRAL BEAM LINES

3167
OVERVOLTAGE PROTECTION DEVICES

3263
PLASTICS CABLES INSULATIONS-REPORT OF THE INTERNATIONAL
HIGH TENSION CONFERENCE HELD IN PARIS FROM AUGUST
30TH-SEPTEMBER 11TH, 1975

3294
ENHANCEMENT OF BREAKDOWN VOLTAGE USING FLOATING METAL PIECE
PLATES

3999
INFLUENCE OF SURGE IMPEDANCE OF CONNECTING LEAD IN
RESPONSE-TIME MEASUREMENT OF UNV DAMPED CAPACITIVE VOLTAGE
DIVIDERS

4030
DEVICE FOR AUTOMATIC MONITORING OF PARAMETERS OF PULSE
TRANSFORMERS

4204
STRAY ELECTROMAGNETIC RADIATION OF HIGH-POWER ELECTRONIC
CIRCUITS INCORPORATING SEMICONDUCTOR DEVICES

4238
STUDY OF THE MAIN PHYSICAL PROCESSES IN HIGH-POWER ELECTRIC
ARC ALTERNATING CURRENT GENERATORS

4240
USE OF FIBER OPTICS FOR COMMUNICATIONS, MEASUREMENT AND
CONTROL WITHIN HIGH VOLTAGE SUBSTATIONS

4241
UTILIZATION OF CHARGED-PARTICLE BEAMS FOR PRECISION
MEASUREMENT OF HIGH VOLTAGE

4244
AUTOMATIC CONTROL SYSTEM FOR THE MEP-2 MODULATOR OF THE
CRION ION SOURCE

4245
A NEW SOFT MAGNETIC NI-PE MATERIAL FOR PULSE TRANSFORMERS
AND CHOKES IN POWER ELECTRONICS

4246
BIPOLAR NANOSECOND PULSE SHAPER

4249
COAXIAL CABLE MEASUREMENT DATA TRANSMISSION EQUIPMENT FOR
HIGH-VOLTAGE HIGH-POWER TEST FIELD

4253
COOLING SYSTEM FOR HIGH-VOLTAGE THYRISTOR UNITS

4252
DIELECTRIC STRENGTH OF OIL IN LARGE GAPS

4255
ENGINEERING METHOD OF CALCULATION OF ARC VOLTAGE AND
CATHODE VOLTAGE DROP IN HIGH-POWER SPHERICAL XENON LAMPS

4259
LONG DURATION TESTS ON EPOXY INSULATORS IN SP/SUB 6/-6AS

4266
RELIABILITY DIAGNOSTICS OF HIGH-VOLTAGE CIRCUIT-BREAKERS

4272
ELECTRODE DESIGN FOR TESTING IN UNIFORM FIELD GAPS

4275
IGNITION VOLUMES OF NON-UNIFORMLY STRESSED SOLID DIELECTRICS

4288
OPTIMAL DIMENSIONING OF TORUS ELECTRODES

4281
PERFORMANCE OF A CIRCUIT FOR DISPLAY OF PULSES ASSOCIATED
WITH GAP DISCHARGES

4295
A NON-CONVENTIONAL CONSTANT FRACTION TRIGGER WITH
PULSE-DIFFERENTIATION FOR TIME-MEASUREMENTS WITH HIGH
RESOLUTION

4318
THE ELECTROGRADATION EFFECT IN QUARTZ AND ITS USE IN HIGH
VOLTAGE MEASUREMENTS

4315
ALIGNMENT CONSIDERATIONS IN PULSED HOMOPOLAR DEVICES

4316
A HIGH REPETITION RATE-HIGH AVERAGE POWER SPARK GAP SWITCH

4326
EFFECT OF HUMIDITY ON THE POWER FREQUENCY FLASHOVER VOLTAGE
OF INSULATORS AND GAPS AT VARYING TEMPERATURE CONDITIONS

4331
ESTIMATION OF THE PARAMETERS OF THE DISTRIBUTION LAW OF
DIELECTRIC BREAKDOWNS

4353
PULSED HOMOPOLAR POWER SUPPLY FOR AN EXPERIMENTAL TOKAMAK

4357
A PORTABLE KERR SYSTEM FOR THE MEASUREMENT OF HIGH VOLTAGE
PULSES

4359
A REVIEW OF THE RESIN RICH B-STAGE MATERIALS EMPLOYED IN
HIGH VOLTAGE ROTATING MACHINES WITH PARTICULAR EMPHASIS ON
THEIR APPLICATION AND PERFORMANCE

4362
DESIGN AND TESTING OF A 138 KV PROTOTYPE TERMINATION FOR A
VACUUM INSULATED LN2 CRYOCABLE

4363
DIELECTRIC BREAKDOWN OF GASEOUS GAPS-ANALYTIC EXPRESSION OF
'S' CURVES

4365
ELECTRIC DISCHARGE IN LONG AIR GAPS WITH SLIGHTLY
NON-UNIFORM ELECTRIC FIELD

4372
THE LIMITATIONS IMPOSED BY ATMOSPHERIC BREAKDOWN ON THE
PROPAGATION OF HIGH POWER LASER BEAMS

4375
4TH INTERNATIONAL CONFERENCE ON GAS DISCHARGES

4398
AN OPTO-ELECTRONIC CURRENT INDICATOR

4396
DIMENSIONING OF PULSE TRANSFORMERS

4482
SOME APPLICATIONS OF MATHEMATICAL STATISTICS IN THE HIGH
VOLTAGE TECHNIQUE

4485
SPACE CHARGES IN POLYETHYLENE FOR HIGH VOLTAGE CABLES

4428
INSTRUMENT HIGH-VOLTAGE DIVIDER WITH METAL-FILM RESISTORS

4421
INVESTIGATIONS OF HIGH POWER ELECTRON BEAMS BY MEANS OF THE
LUMINESCENCE METHOD

4422
ON THE ENERGY THEORY OF ARC EXTINCTION IN HIGH-VOLTAGE
AIR-BLAST BREAKERS

4425
OPTIMISATION OF FLASHOVER PROPERTIES OF LIGHTNING ARRESTER
GAPS

4424
THE USE OF ELECTRO-OPTICAL SYSTEMS IN INDUSTRIAL LABORATORY
MEASUREMENTS

4425
USE OF ELECTROSTATIC KILOVOLT-METERS FOR MEASURING AC HIGH
VOLTAGE IN UNEARTHED CIRCUITS

4439
A HIGH-VOLTAGE PULSE SHAPER

4445
A SIMPLE SPARK GAP FOR HIGH-VOLTAGE PULSE GENERATORS

4446
BREAKDOWN AND INFRA-BREAKDOWN PHENOMENA AT LOW RATES OF
STRESS APPLICATION

4447
BREAKDOWN OF POLYMERS' TREE INITIATION AND GROWTH

4448
BREAKDOWN PHENOMENA OF LONG GAPS UNDER SWITCHING IMPULSE
CONDITIONS TEST CIRCUIT PARAMETERS

4449
CHARACTERISTICS OF ELECTRON AVALANCHE IN UNIFORM FIELD GAP

4453
CONSTRUCTIONAL AND OPERATIONAL CHARACTERISTICS OF AN
ELECTRO-OPTICAL CURRENT REDUCER

4451
CORRECTION OF ELECTROSTATIC VOLTMETER READINGS IN
UNGROUNDING CIRCUITS

4454
DIELECTRIC PERMITTIVITY AND BREAKDOWN CHARACTERISTICS OF
POLYMER-MICA COMPOSITES

4455
DISCHARGING PHENOMENA IN LONG AIR GAPS AT POSITIVE
SWITCHING VOLTAGES

4461
EXACT CALCULATION OF SPACE CHARGE FIELD BY MATRIX INVERSION
AND DIAKOPTICS

4465
GETTING TO GRIPS WITH ELECTROSTATICS

4464
GROWTH OF THE ELECTRON AVALANCHE AND TYPES OF THE BREAKDOWN
IN UNIFORM FIELD GAP IN AIR

4465
HIGH VOLTAGE INSULATION TESTING

4468
HIGH-VOLTAGE SWITCHGEAR WITH SF/SUB 6/ INSULATION.
APPLICATIONS AND OPERATIONAL EXPERIENCE

4472
INFLUENCE OF A SINGLE ELECTRODE SURFACE PROTRUSION ON THE
ONSET VOLTAGE IN AIR AND SF/SUB 6/

4475
INITIAL EXPERIENCE IN ION PRODUCTION USING AN ULTRA-HIGH
POWER DENSITY METHOD

4478
MAGNETIC FIELDS IN VACUUM INSULATED HIGH VOLTAGE POWER
APPARATUS

4479
MULTIPHASE ONE SHOT PROVIDES PULSES

- 4480
ANOMALOUS HIGH BREAKDOWN STRENGTHS IN UNIFORM-FIELD GASEOUS SPARK GAPS
- 4482
OPTICAL TRANSFORMERS FOR EXTRA-HIGH-VOLTAGE SYSTEMS
- 4485
OPTO-COUPPLERS USED TO PROVIDE DC POWER TO TRIGGER THYRISTORS
- 4486
PARTIAL DISCHARGE TEST AS A NON-DESTRUCTIVE DIAGNOSTIC TOOL FOR ELECTRICAL APPARATUS
- 4487
PRE-BREAKDOWN PROCESSES OF A TRIGATRON GAP IN AIR
- 4488
REACTANCE OF A HOMOPOLAR TOOTH GENERATOR
- 4491
SPECIAL FEATURES OF SPARK DISCHARGE DEVELOPMENT IN LONG AIR CLEARANCES OF INSULATING STRUCTURES
- 4495
THE CHOPPING CURRENT IN LOW CURRENT TRIGGERED VACUUM SPARK GAPS
- 4512
A TUTORIAL ON 'TREEING' (DIELECTRIC BREAKDOWN)
- 4515
A UNIT FOR HIGH-VOLTAGE TESTING OF SOLID DIELECTRICS AT HIGH AND LOW TEMPERATURES
- 4518
DIELECTRIC BREAKDOWN OF EPOXY RESIN FLATES TO SURFACE PARTIAL DISCHARGES IN SULFURHEXAFLUORIDE GAS
- 4519
DIELECTRIC PROPERTIES OF LARGE AIR SPACES
- 4520
EFFECT OF SF₆/SUB 6/ AND ITS BY-PRODUCTS EVOLVED BY ELECTRIC ARC ON METALS AND INSULATION MATERIALS
- 4522
HIGH VOLTAGE WIDE-BAND TRANSISTOR AMPLIFIER WITH LARGE OUTPUT VOLTAGE RANGE
- 4525
MATHEMATICAL MODEL OF CONTINUOUS LEADER ONSET LENGTH DEVELOPMENT IN LONG AIR GAPS
- 4525
PARAMETER OPTIMISATION OF A BROADBAND WATER-COOLED PULSE TRANSFORMER
- 4526
PERFORMANCE OF DIELECTRIC LIQUIDS
- 4527
PRE-BREAKDOWN PROCESSES AND SWITCHING TIME OF A TRIDATRON GAP IN AIR
- 4528
PROPERTIES AND PROBLEMS OF POLYMER HIGH VOLTAGE INSULATIONS
- 4529
PULSE RESPONSE OF BRIDGE-TYPE HYBRID TRANSFORMERS
- 4531
STATISTICAL ELABORATION OF RESULTS FOR THE STRENGTH MEASUREMENTS OF THE AIR-INSULATION
- 4532
STUDIES OF A MULTICHANNEL SELF-BREAK WATER SWITCH
- 4534
THEORETICAL PROBLEMS OF HOMOPOLAR TOOTH GENERATORS
- 4535
THE BEAM STRUCTURE AND ELECTRON ENERGY IN NANOSECOND VACUUM DIODES
- 4556
THE MEASUREMENT OF EARTHING IN HIGH-VOLTAGE INSTALLATIONS
- 4559
ADVANCES IN ELECTRON BEAM LINEAR ACCELERATOR TECHNOLOGY
- 4541
ANALYSIS OF PULSE TOP DISTORTION IN A PULSE TRANSFORMER
- 4544
AN INSTRUMENT FOR MEASUREMENT OF WATER CONTENT IN TRANSFORMER OIL
- 4554
CONTRIBUTION TO CHOICE OF THE WORKING POINT OF THE HIGH POWER ELECTRON GUN
- 4555
EFFECT OF TRIGGER DISCHARGE ON THE DETERMINATION OF DASES IN A LOW-VOLTAGE SPARK
- 4557
GENERAL REPORT OF GROUP 15. INSULATING MATERIALS
- 4558
HEAVY-CURRENT ARCS IN SWITCHGEAR
- 4563
INITIATION AND GROWTH OF TREES IN POLYMERIC DIELECTRIC MATERIALS
- 4564
MEASURING THE DIELECTRIC LOSSES OF LIVE H.V. BUSBARS
- 4567
OSCILLOGRAPHIC STUDY OF THE 'MISSING' ARC
- 4568
PLANETARY HOMOPOLAR GENERATOR
- 4569
QUALITY INDICES OF PULSED HIGH VOLTAGE DIVIDERS AND THE DETERMINATION OF DIVIDER ERRORS
- 4571
REVIEW OF ELECTRO-OPTICAL METHODS OF VOLTAGE AND CURRENT MEASUREMENT
- 4575
SIMULTANEOUS DISCHARGES ON TWO PARALLEL SPARK-GAPS
- 4576
SPARKOVER IN LARGE AIR GAPS
- 4577
STUDY OF THE DISCHARGE CHARACTERISTICS OF GASEOUS HIGH-PRESSURE GAPS WITH DIELECTRIC-COATED ELECTRODES
- 4578
SUPERCONDUCTIVE DC GENERATOR
- 4580
THE MEASUREMENT OF ELECTRON DENSITY IN DAS DISCHARGES OF VARIOUS POLYATOMIC GASES
- 4582
THE STUDY AND REALIZATION OF A MAGNETIC ENERGY STORAGE COIL ADAPTED TO A SHJ HOMOPOLAR PULSE GENERATOR
- 4584
TRANSVERSE TRIGGERING OF SPARK GAPS BY N/SUB 2/-LASER ACTION
- 4585
ANALYSIS OF LINE-TYPE COAXIAL TRANSFORMERS
- 4589
A CONTROLLABLE SPARK GAP FOR THE PROTECTION OF POWERFUL MICROWAVE DEVICES
- 4591
A MODEL OF THE BREAKDOWN PROCESS IN LONG AIR SPARK-GAPS
- 4594
BASIC ASPECTS OF THE PHYSICS CONCERNING THE DEVELOPMENT OF LONG SPARKS IN AIR
- 4595
BREAKDOWN PHENOMENA OF LONG GAPS UNDER SWITCHING IMPULSE CONDITIONS. MEASURING TECHNIQUES AND RELATED INSTRUMENTATION
- 4597
CALCULATION OF THE SPARK BREAKDOWN VOLTAGE ACCORDING TO PEDERSEN
- 4600
DIELECTRICS FOR SUPERCONDUCTING SYSTEMS
- 4607
DIGITAL SIMULATION OF CURRENT INTERRUPTION IN A DC CIRCUIT BREAKER
- 4608
DISTRIBUTION OF POWER IN GLOW DISCHARGE ELECTRON BEAMS
- 4609
ELECTRICAL PROPERTIES OF INSULATING MATERIALS AT CRYOGENIC TEMPERATURES
- 4607
ELECTRON-BEAM-CONTROLLED GAS LASERS' DISCUSSION FROM THE ENGINEERING VIEWPOINT. II. PROBLEMS IN THE ELECTRICAL DESIGN OF VERY-HIGH ENERGY SYSTEMS
- 4608
ELECTRON-BEAM-CONTROLLED LASERS' DISCUSSION FROM THE ENGINEERING VIEWPOINT. I. DESIGN OF THE 1 KJ AND 10 KJ CO/SUB 2/ LASERS

4618
EXPRESSION FOR SWITCHING IMPULSE STRENGTH SUGGESTING A
HIGHEST PERMISSIBLE VOLTAGE FOR A.C. SYSTEMS

4611
PACING UNV MEASURING PROBLEMS

4614
GATE PULSE TRANSFORMER FOR 125 KV OIL-IMMERSED THYRISTOR
VALVE

4616
HIGH VOLTAGE LABORATORY OF THE INSTITUTE OF POWER
ENGINEERING

4617
HIGH VOLTAGE MEASUREMENTS BY SUPERPOSITION OF PARTIAL
VOLTAGES

4618
IDENTIFICATION AND STUDY OF SOME PROPERTIES OF COMPOUNDS
RESULTING FROM THE DECOMPOSITION OF SF₆/SUB 6/ UNDER THE
EFFECT OF ELECTRICAL ARCING IN CIRCUIT-BREAKERS

4628
IMPROVEMENT OF FIELD DISTORTION-TYPE CROWBAR SWITCHES AND
THEIR PARALLEL OPERATION

4621
IMPULSE TRANSFORMERS

4622
INFLUENCE OF THE SIZE OF A SPARK GAP ON ELECTRODE EROSION
AND THE NATURE OF THE DISCHARGE DURING THE ACTION OF A
SINGLE UNIPOLAR IMPULSE OF SMALL ENERGY AND DURATION

4624
A HOMOPOLAR GENERATOR AND CIRCUIT BREAKERS FOR CURRENTS OF
MORE THAN 10000 A

4627
METHOD FOR STUDY OF THE SPATIOTEMPORAL DISTRIBUTION OF A
HIGH-POWER PULSED ELECTRON BEAM

4638
ONLY 1 BREAKDOWN IN 500 YEARS

4651
ON THE BREAKDOWN CHARACTERISTICS OF LONG SPARK GAPS AT
POSITIVE SWITCHING SURGES

4635
PARTICLE-INITIATED AC AND DC BREAKDOWN IN COMPRESSED
NITROGEN, SF₆/SUB 6/, AND NITROGEN-SF₆/SUB 6/ MIXTURES

4634
PLASTICS COMPOSITES IN H.V. INSULATION

4633
PROBABILITY RELATIONS OF THE PLASMA OVER VOLTAGE AT ONE
OSCILLATION AND THE VOLTAGE OF 50 CPS AS A FUNCTION OF TIME

4637
PULSE TRANSFORMERS FOR SPACE PROBES

4638
RECENT DEVELOPMENTS OF HIGH VOLTAGE CROSS-LINKED
POLYETHYLENE POWER CABLES AND THEIR ACCESSORIES

4639
RECENT STUDIES IN THE CLOTHIER LABORATORY

4642
SHAPERS BASED ON THYRISTORS AND MAGNETIC ELEMENTS

4643
SIMPLE CIRCUIT TRIGGERS LASERS

4646
SOME OBSERVATIONS OF ELECTROMAGNETIC PROCESSES OF A PULSE
TRANSFORMER DURING CONDENSER DISCHARGE

4648
THE CHARACTERISTICS OF A 40 KV MULTISTAGE SPARK GAP

4639
THE ELECTROSTATIC FIELD OF THE ROD-TO-PLANE GAP

4632
THE POSSIBLE VARIANTS OF CRYOMACHINES. UNIPOLAR MACHINES

4633
THE STUDY OF CAPACITIVE ENERGY STORAGE FOR A THETA-PINCH
PTR COMPRESSION COIL

4636
THYRISTOR TRIGGERING CIRCUITS

4638
TOROIDAL TRANSFORMERS-FROM PARADOX TO FERRITES

4461
10 KV HIGH ACCURACY D.C. VOLTAGE DIVIDER

4465
ADAPTATION OF A NEW HIGH VOLTAGE PULSE GENERATOR TO KERR
EFFECT RELAXATION TIME MEASUREMENTS

4466
A HIGH VOLTAGE MEASURING DEVICE BASED ON THE POKRELS EFFECT

4465
A NEW GENERATION OF SIEMENS SF₆/SUB 6/ CIRCUIT-BREAKERS

4464
CALCULATING INITIAL STRENGTHS FOR ELECTRODES OF COMPLEX
SHAPE

4467
CAPACITIVE VOLTAGE DIVIDER WITH ELECTRONIC AMPLIFIER FOR
VERY HIGH TENSION POSITIONS

4468
CONTRIBUTION TO THE DETERMINATION OF THE PRINCIPAL
PARAMETERS OF A WAVE SHAPE SIMULATING A SWITCHING
OVER-VOLTAGE

4469
CONTRIBUTION TO THE EVALUATION OF THE BREAK-DOWN VOLTAGE OF
LONG AIR GAPS

4470
ELECTRIC STRENGTH OF COMPRESSED GASES IN WEAKLY
INHOMOGENEOUS FIELDS

4471
LABORATORY PROBLEMS RELEVANT TO PARTIAL DISCHARGE
MEASUREMENTS

4475
THE ANATOMY OF A THERMIONIC ELECTRON BEAM

4476
THE CHARGE DELIVERED INTO THE DISCHARGE IN THE FORMATION OF
A LONG SPARK

4478
ULTRA-FAST QUENCHED SPARK GAPS AND H.T. PULSE GENERATORS UP
TO 1 MV

4738
LAWS IN THE BREAKDOWN OF SPARK GAPS IN COMPRESSED SULPHUR
HEXAFLUORIDE

4759
SF₆/SUB 6/ AN IDEAL MEDIUM FOR INSULATION AND INTERRUPTION
IN HIGH VOLTAGE SWITCHGEAR EQUIPMENT

4746
ARC CHOPPING IN AN AXIALLY UNIFORM MERCURY COLUMN

4747
DISTABLE TRIGGER STAGES COMPOSED OF UNIVERSAL LOGIC CIRCUITS

4748
BREAKDOWN MECHANISM AND SHAPING CONDITIONS

4750
BREAKDOWN VOLTAGES OF GASEOUS GAPS AT HIGH PRESSURES

4755
COMPUTATION OF THE HUMIDITY CORRECTION FACTORS FOR SPARK
GAPS

4754
CONTRIBUTION TO THE IGNITION CHARACTERISTICS OF
NON-DECOUPLED PARALLEL SPARKS

4755
CONTROL AND MONITORING OF THE HOMOPOLAR GENERATOR AND
CURRENTS IN THE MEDAMPERE RANGE

4756
CONTROL OF DISCHARGE BY LASER BEAM. I

4762
ELECTRON ACCELERATOR WITH IMPROVED STABILITY FOR HIGH
VOLTAGE ELECTRON MICROSCOPY

4766
FORMATION OF ELECTRON AND ION BEAMS IN HIGH-VOLTAGE GAS
DISCHARGES

4771
HIGH-CURRENT ACCELERATOR WITH A PLASMA CATHODE

4772
HIGH-VOLTAGE EXTRUDED INSULATION FOR ELECTRIC CABLES

4775
KILOVOLTAGE MEASUREMENTS ON DIAGNOSTIC X-RAY MACHINES WITH
VOLTAGE DIVIDERS

4774
MEASUREMENT OF CURRENT USING FARADAY ROTATION IN GLASS FIBRE

4777
MEASUREMENT OF HIGH VOLTAGES WITH THE AID OF
ELECTRO-OPTICAL KERR-EFFECT

4781
NEW TECHNIQUES FOR HIGH VOLTAGE MEASUREMENTS

4782
ON THE BREAKDOWN OF INHOMOGENEOUS AIR SPARK GAPS SUBJECTED
TO MIXED VOLTAGES

4783
ON THE STATISTICAL EVALUATION OF THE FLASH-OVER VOLTAGE

4785
PRACTICAL METHODS OF CALCULATING THE INITIAL AIR GAP VOLTAGE
WITH A NON-UNIFORM FIELD

4788
SPARK GAP ARRESTER TYPE ANT WITH 12-216 KV QUENCHING VOLTAGE

4789
STRENGTH OF THE AIR INSULATION AT A COMBINATION OF A D.C.
AND AN A.C. VOLTAGE

4794
THE CADARACHE VAN DE GRAFF ACCELERATOR AND ASSOCIATED
APPARATUS

4796
THE ELECTRICAL BREAKDOWN OF NITROUS OXIDE AT HIGH VOLTAGES

4797
THE MIKROBLOK 12 KV, 400 A

4798
THE PENETRATION OF HIGH VOLTAGE ELECTRONS THROUGH THIN
FOILS OF ALPHA-URANIUM

4800
THE USE OF SPARK GAPS FOR THE MEASUREMENT OF HIGH D.C.
VOLTAGES

4801
TRANSIENT ENERGY LOSSES IN A SPARK GAP SWITCH

4802
UNIV EXTERNAL INSULATION' CHALLENGING ASPECTS

4804
VACUUM CIRCUIT BREAKER

4807
A CURRENT REDUCER FOR MEASUREMENTS AT VERY HIGH VOLTAGE

4808
A HIGH-VOLTAGE PULSE TRANSFORMER WITH A RING CORE

4809
A MULTICHANNEL TRIGGERING DEVICE FOR INVESTIGATION OF FAST
EVENTS

4810
A TRIGGER AND CONTROL SYSTEM FOR A 50K-WIRE PROPORTIONAL
CHAMBER DETECTOR

4811
AGEING OF DIELECTRIC MATERIALS' A GENERAL METHOD FOR
CALCULATING THE TIME-VARIATION OF SHORT-TIME DIELECTRIC
STRENGTH, STARTING FROM THE LIFE LAW

4813
APPLICATION OF EPOXY RESINS IN IMPULSE SUB-ASSEMBLIES

4814
CALCULATION OF THE BREAKDOWN VOLTAGES IN SPHERE GAPS

4815
CAPACITY VOLTAGE DIVIDER AND ELECTRONIC AMPLIFIER FOR EXTRA
HIGH VOLTAGE SUBSTATIONS

4816
CHARACTERISTICS AND APPLICATIONS OF VACUUM SWITCHGEARS

4817
COMPACT UV-LASER FOR SPARK GAP MEASUREMENT

4820
CURRENT MEASUREMENT TECHNIQUE FOR USE AT HIGH VOLTAGE

4821
DESIGN FEATURES OF GLOW DISCHARGE ELECTRON BEAM GUNS

4823
DEVELOPMENT OF SPARK DISCHARGES IN LONG ROD-FLAME GAPS
UNDER POSITIVE IMPULSE VOLTAGES

4824
EFFECT OF THE MAGNETIC FIELD OF EARTH CURRENTS ON THE
INDICATIONS OF DISTANT CURRENT MEASURING SENSORS FOR HIGH
VOLTAGE TRANSMISSION LINES

4825
ELECTRICAL CHARACTERISTICS OF TRANSFORMER OIL BARRIER
INSULATION UNDER APPLIED DIRECT VOLTAGE

4826
ELECTROMAGNETIC SCREENING IN THE HIGH TENSION LABORATORY OF
'ELECTROPUTERE' WORKS OF CRALOVA

4829
FILLER EFFECTS AND TREEING PHENOMENA IN LABORATORY MODELS
AND CABLE SECTIONS

4830
N.V. MEASUREMENT PROCEDURE APPLIED TO X-RAY GENERATOR TUBES
ON OPERATING PLANTS

4832
HIGH TEMPERATURE REGIME OF THE FRE-ELECTRODE REGION OF A
MOVING ARC

4834
HIGH VOLTAGE WIRES AND CABLES. AN ASSESSMENT OF
CORONA-RESISTANT TEFLON

4835
HOMOPOLAR MOTOR-GENERATOR DESIGNS FOR CHEAP INERTIAL ENERGY
STORAGE

4836
HOW DRYING CONDITIONS AFFECT THE DIELECTRIC PROPERTIES AND
INSIDE SURFACE OF CELLULOSE FIBRE IN ELECTRICAL PRESSED
PAPER

4839
IMPULSE BREAKDOWN CHARACTERISTICS OF OIL IMPREGNATED PAPER
LAYER

4842
IONIZATION MEASUREMENTS AT HIGH D.C. VOLTAGE

4844
LIGHTNING ARRESTERS DESIGNS, PRINCIPAL FUNCTION AND
REQUIREMENTS

4846
LIQUID METAL BRUSHES FOR HOMOPOLAR GENERATORS

4848
LONG-DISTANCE DIGITAL INTERFACE SYSTEM OVERCOMES NOISE

4853
MEASUREMENTS IN HIGH-VOLTAGE TEST CIRCUITS

4855
NONCONVENTIONAL METHODS OF CURRENT MEASUREMENT ON HIGH
VOLTAGE LINES

4857
ON LONG SPARK CHANNEL ORIENTATION

4858
PLASMA-BLOWS IN ELECTRIC ARCS. MOVEMENT OF ELECTRIC ARCS

4859
PROBABILITY OF A FLASHOVER IN SERIES-CONNECTED SPARK GAPS

4861
PULSE MAGNETIC CHARACTERISTICS OF FERRITES IN STRONG
MAGNETIZING FIELDS

4862
PULSE SHAFING IN TRANSISTOR SWITCHING CIRCUITS

4863
QUANTITATIVE MEASUREMENTS OF CORONA ON HIGH VOLTAGE CABLES
FOR SPACE AND HIGH ALTITUDE APPLICATIONS

4864
SIXTIETH ANNIVERSARY OF THE AEO HIGH VOLTAGE INSTITUTE

4867
STABILIZATION OF CASCADE HIGH-VOLTAGE GENERATOR

4869
STUDY CONCERNING THE AIR DISCHARGE BY THE SURFACE ELECTRODE
FIELDS

4871
STUDY OF DISTORTION AND ERROR IN THE OPERATION OF
SINE-COSINE TRANSFORMERS IN THE PRESENCE OF DIFFERENT
IMPULSE ACTIONS

4873
SWITCHING MEDIA FOR HIGH-VOLTAGE POWER SWITCHES

4876
THE HIGH-VACUUM BREAKDOWN BETWEEN TUNGSTEN ELECTRODES AT HIGH SURGE VOLTAGES

4877
THE MEASUREMENT OF HIGH VOLTAGE

4878
THE RESOLUTION IN TIME AND SPACE OF PREDISCHARGES IN SPARK GAPS. METHODS OF MEASUREMENT, AND RESULTS

4879
THE UPGRADING OF THE CHALK RIVER MP TANDEM FOR 13 MV OPERATION

4882
TREE FORMATION IN CROSS-LINKED POLYETHYLENE AND ITS EFFECT ON HIGH VOLTAGE CABLE PERFORMANCE

4883
TRIACS CAN MISFIRE WITH THE WRONG TRIGGERING

4885
ULTRA-FAST TRIGGERED SPARK GAPS

4886
USE OF COPPER FOR CONTACT SYSTEMS OF VACUUM ARC-QUENCHING CHAMBERS

4893
A NEW FERRITE FOR PULSE TRANSFORMERS

4894
A NEW HIGH-VOLTAGE PLANAR TRANSISTOR TECHNOLOGY

4895
A NEW TYPE OF VOLTAGE DIVIDER INTENDED FOR THE MEASUREMENT OF SURGE VOLTAGES AND OF OTHER VERY HIGH VOLTAGES

4899
ARC FORMATION IN A HIGH VOLTAGE VACUUM DISCHARGE

4900
ARC-ELECTRODE PHENOMENA

4901
ATMOSPHERIC CORRECTION FACTORS FOR HIGH VOLTAGE TESTING

4904
CONTROL OF HIGH ENERGY CAPACITOR BANKS

4905
CORES AND COMPONENTS OF SOFT-MAGNETIC ALLOYS FOR POWER ELECTRONICS

4906
CORRECTION OF ALTERNATING AND SURGE PLASMA-OVER VOLTAGES FOR ATMOSPHERIC CONDITIONS

4907
CORRELATION BETWEEN STEP RESPONSE AND ERRORS IN RECORDING FRONT CROPPED HIGH VOLTAGE LIGHTNING IMPULSES

4908
DEPENDENCE OF VACUUM GAP BREAKDOWN PROBABILITY UPON SURFACE CONDITION OF ELECTRODES

4911
DIELECTRIC TESTS ON HIGH-VOLTAGE EQUIPMENT

4912
EFFECTS OF SURFACE HEAT DISTRIBUTION ON THE FLASHOVER OF INSULATORS

4915
EXPERIMENTAL DETERMINATION OF THE RADIATIVE ENERGY TRANSFER IN THE $M/SUB 2/-$ ARC

4918
FLASHOVER MECHANISM OF LONG AIR GAPS UNDER VARIOUS SWITCHING SURGES

4923
HIGH-FREQUENCY ION SOURCES FOR PROTONS

4925
HIGH-VOLTAGE TEST-ARRANGEMENT WITH THREE CASCADE-CONNECTED 35-KV TRANSFORMERS

4928
HUMIDITY INFLUENCE ON THE D.C. AND A.C. PUNCTURE VOLTAGE IN AIR

4929
INFLUENCE OF A STRONG MAGNETIC FIELD ON HIGH VOLTAGE INSULATION IN VACUUM A STUDY OF THE PARTICULAR CASE OF A QUADRUPOLE ELECTRIC FIELD

4930
INFLUENCE OF FLOATING PARTICLES ON SWITCHING SURGE FLASHOVER CHARACTERISTICS OF LONG AIR GAPS

4934
MAGNETO OPTICAL CURRENT MEASUREMENT IN HIGH-VOLTAGE LINES

4936
NEW ACCELERATORS FOR SUPERHEAVY ELEMENTS

4937
NEW SOFT-MAGNETIC PERRITES AND THEIR APPLICATIONS

4939
ON THE POSSIBILITY OF THE APPLICATION OF HIGH VOLTAGE MULTIPLIER AS AN ACCELERATION VOLTAGE SOURCE IN NEUTRON TUBE GENERATORS

4949
PRECISION SWITCHING OF HIGH-ENERGY PULSES BY LOW-VOLTAGE STEEP-RISE TRIODION PULSES

4953
SPHERE GAPS

4954
STUDYING THE OPERATING CONDITION OF AN IMPULSE HOMOPOLAR GENERATOR WITH REGULATION OF EXCITATION FLUX

4955
SURFACE CHARGES AND HIGH VOLTAGE BREAKDOWN ACROSS INSULATORS IN VACUUM

4956
THE DESIGN OF A PULSE TRANSFORMER FOR A ONE-SHOT BLOCKING OSCILLATOR

4957
THE DESIGN OF THE THYRISTOR CONTROL OF A CONTACTLESS SWITCH WITH RESPECT TO PRODUCTION SCATTERING OF THE CONTROL JUNCTION PARAMETERS

4958
THE DEVELOPMENT AND USE OF HEAT-SHRINKABLE MATERIALS AS HIGH VOLTAGE POWER CABLE TERMINATIONS

4961
THE INFLUENCE OF THE GRID PARAMETERS ON THE PROCESS OF ARC SUPPRESSION IN GC CIRCUIT BREAKERS WITH ARC EXTINGUISHER

4962
THE IONIC SHEATH IN HIGH-VOLTAGE SECTIONALIZED MERCURY ARC DEVICES

4966
THE STATIC DETERMINATION OF THE RECOVERY STRENGTH OF MULTIPLE SPARK GAPS

4967
THE SYNTHETIC PAPER FOR ULTRA HIGH VOLTAGE CABLE

4968
THE THREE COMPONENT SYSTEM FOR MEASURING LIGHTNING IMPULSES WITH CAPACITIVE OR SHIELDED RESISTIVE HIGH VOLTAGE DIVIDERS

4971
A CIRCUIT FOR MEASUREMENT OF HIGH VOLTAGE CORONA PULSES IN COAXIAL CYLINDRICAL GEOMETRY

4975
A HIGH PERFORMANCE PROGRAMMABLE ES-KV 2-A POWER SUPPLY

4979
A NEW 1000 KV ELECTRON MICROSCOPE

4987
AN INDUSTRIAL SCALE ION IMPLANTATION FACILITY

5001
GLOW-DISCHARGE ELECTRON GUNS FOR HIGH-POWER HEATING

5009
INFLUENCE OF AIR MOISTURE ON THE BREAKDOWN ALTERNATING VOLTAGE OF AIR INSULATING DISTANCES A METRE LONG

5010
MEASURING CIRCUIT FOR CURRENT AT HIGH VOLTAGE

5018
OUTDOOR AIRBLAST CIRCUIT-BREAKERS TYPE DLF FOR 645 KV WITH TWO EXTINGUISHING CHAMBERS

5022
PULSE-SHAPING TRANSFORMER NETWORKS

5029
SCYLLAC SPARK GAP AND TRIGGER SYSTEM DEVELOPMENT

5031
SOLID DIELECTRIC CROWBAR SWITCH

5036
SPECIAL PURPOSE TRANSFORMERS

8043
THE CONDITIONAL EXTREME VALUES OF ELECTRICAL PARAMETERS OF
PULSE TRANSFORMERS II EXTREME VALUES AT DEFINITE RATIO OF
CORE STRIP TO CORE WIDTH

8045
THE EXTREME VALUES OF CONSTRUCTIONAL PARAMETERS OF PULSE
TRANSFORMERS

8046
THE FINAL DESIGN OF SCYLLAC

8088
APPLICATION OF LIQUID CATHODES TO HIGH VOLTAGE VACUUM
BREAKDOWN

8057
CONVERSION OF HIGH POWER ELECTRON BEAMS INTO INTENSE
NANOSECOND PULSES Y OF NEARLY MONOCHROMATIC LIGHT IN THE UV
VISIBLE AND IR REGIONS

8068
EFFECTS OF GEOMETRICAL ARRANGEMENTS AND OF FRONT STEEPNESS
ON THE BREAKDOWN VOLTAGE OF A ROD-TO-ROD SPARK DISCHARGER

8061
FLASH-OVER OF PARALLEL SPARK GAPS BY THE ACTION OF A SURGE
WAVE

8065
HETEROGENEOUS SPARKING DISTANCES IN AIR EXCITED BY SHORT
VOLTADES OF COMBINATION

8066
IMPULSE BREAKDOWN OF A POINT-PLANE GAP IN SF₆/SUR 6/

8068
INITIAL STAGES OF TRIGGERED GAS DISCHARGES

8069
INVESTIGATION OF A SPARK-GAP WITH LASER IONIZATION

8070
MEASUREMENT OF THE FREQUENCY AND VOLTAGE OF LOW-POWER HIGH
VOLTAGE SOURCES

8074
PECULIARITIES OF SPARK DISCHARGE IN LONG AIR GAPS OF HIGH
VOLTAGE STRUCTURES

8076
PULSE TRANSFORMERS II WAVEFORM CONSIDERATIONS

8079
THE USE OF FIBRE OPTIC GUIDES IN SECURING LOW INTERFERENCE
MEASUREMENTS

8080
THE USE OF ROTARY VOLTMETER FOR HIGH VOLTAGE MEASUREMENT

8083
SPARK GAPS WITH PARALLEL ARCS

8084
ON THE COORDINATION OF INSULATION OF PARALLEL SPARK GAPS
RESPECTING STATISTICS OF THE PHENOMENA

8085
ACOUSTIC DIAGNOSTICS OF ELECTRIC-ARC GENERATORS OF
LOW-TEMPERATURE D.C. PLASMA

8087
COMPUTING AND INCREASING OF THE SLOPE OF IMPULSE CURRENTS
IN SPARK GAPS WITH INCREASED FLASHOVER DISTANCE BY PARALLEL
IONIZATION WIRES

8088
D.C. HIGH-VOLTAGE POWER SUPPLY MOUNTED BY EPOXY RESIN FOR
ELECTRON BEAM EQUIPMENT

8092
ELECTRIC DISCHARGE PHENOMENON IN AIR BETWEEN LONG SPARK-GAPS

8096
HOW ATMOSPHERIC HUMIDITY AFFECTS THE FLASHOVER VOLTADES OF
LONG AIR GAPS

8099
INFLUENCE OF TEMPERATURE ON THE BREAKDOWN VOLTAGE OF AN
HOMOGENEOUS SPARK GAP IN AIR

8100
PREBREAKDOWN PHENOMENA OF NEGATIVE POINT-TO-PLANE AIR GAP

8110
PULSE PROPERTIES OF LARGE 95-95 MIFE TAPE CORES

8114
SPARK GAPS UNDER STEEP IMPULSE VOLTADES AND THEIR
SIGNIFICANCE FOR THE INSULATION COORDINATION

8115
SPARK-GAP GENERATORS OF FAST VERY-HIGH-VOLTAGE PULSES

8117
BREAK PHOTOGRAPHY OF THE BREAKDOWN OF A SPHERE GAP AT
STANDARD LIGHTNING IMPULSE VOLTAGE

8118
STUDY OF SWITCHING SURGE FLASHOVER PROBABILITY USING
MULTIPLAS

8121
SWITCHING-SURGE FLASHOVER CHARACTERISTICS OF POINT
ELECTRODE GAPS

8122
SYNCHRONIZATION OF PARALLEL SPARK-GAPS ON PULSE GENERATORS
BY USING PULSE TRANSFORMERS

8124
THE INFLUENCE OF AIR HUMIDITY ON AIR SPARK DISCHARGE IN AIR
FOR DIFFERENT TYPES OF VOLTAGE AND ELECTRODE FORMS

8128
USING A MONOPOLAR GENERATOR AS AN ACCELERATION TRANSDUCER

8131
DEMOUNTABLE NON-MAGNETIC ELECTRON GUN ARRANGEMENT FOR THE
STUDY OF HIGH DENSITY ELECTRON BEAMS

8140
LIFE TESTS OF SPARK GAPS

8209
DIELECTRIC FACTOR MEASUREMENTS ON DIELECTRIC MATERIALS AT
LIQUID HELIUM TEMPERATURES

8210
A VERY LOW FREQUENCY HIGH VOLTAGE GENERATOR (FERROELECTRIC
MATERIALS STUDY)

8211
STABILIZATION SYSTEM FOR A 1 MV VAN DE GRAAFF-GENERATOR

8212
SEALED TUBE PULSE NEUTRON GENERATORS

8215
A FERRITE LOADED PICO-SECOND CROWBAR GAP

8214
100 KV PRESSURIZED TRIODION SWITCH

8215
MODEL TU TANDEM VAN DE GRAAFF

8216
RESISTANCE TO TRACKING AT VOLTADES ABOVE 1000 V

8217
THE SURGE BEHAVIOUR OF THE ARRANGEMENT ARRESTER-ROD GAP

8218
PECULIARITIES OF FORMATION OF POWER CONTINUOUS ELECTRON
BEAMS WITHIN THE RANGE OF 1.10/SUP -3/ TO 1.10/SUP -3/ TORR

8223
A NEW HIGH-VOLTAGE TEST LABORATORY

8221
A VAN DE GRAAFF NUCLEAR PHYSICS LABORATORY USING A 500 KEV
ACCELERATOR

8222
THE INSULATION VALUE OF AIR SPACES

8225
A COMPACT 1 MV POWER SUPPLY FOR AN ELECTRON MICROSCOPE

8224
A COMPACT POLARIZED ION SOURCE FOR THE HIGH VOLTAGE
TERMINAL OF THE OHIO STATE UNIVERSITY 6-MEV VAN DE GRAAFF
ACCELERATOR

8223
NEW METHODS FOR MEASURING VOLTAGE IN HIGH-VOLTAGE NETWORKS

8226
DEVELOPMENT AND CONSTRUCTION OF HIGH-TENSION SWITCHING
INSTALLATIONS UP TO 30KV WITH CAST RESIN INSULATION

8227
THE DEVELOPMENT OF MINERAL INSULATED CABLES FOR IN-CORE
NEUTRON DETECTORS

8228
PROGRESS IN THE MANUFACTURE AND TESTING OF HV POLYETHYLENE
INSULATED CABLES

8229
PULSE-WIDTH MODULATION DERIVED THROUGH CONTROL OF FLUX
DISTRIBUTION IN A DUAL CORE TRANSFORMER

8230
A CRITERION FOR ELECTRODE EROSION OR ENTRAINMENT IN MPO ARCS

5356
ANALYTICAL METHOD FOR DETERMINATION OF ELECTRODYNAMIC
FORCES ALONG CURRENT CONTOUR OF HIGH VOLTAGE AC CIRCUIT
BREAKERS

O'Connell, T.J.

3899
AN INDUCTIVE ENERGY STORAGE SYSTEM BASED ON A SELF-EXCITED
HOMOPOLAR GENERATOR

O'Hair, E.A.

4784
PULSE POWER REQUIREMENTS FOR LASER ISOTOPE SEPARATION
SYSTEMS

O'Loughlin, J.P.

987
HIGH POWER PULSE MODELING OF COAXIAL TRANSMISSION LINES

4699
PFN DESIGN INTERFACE WITH E-BEAM SUSTAINED GAS DISCHARGE

7232
PEAR SWITCH CURRENT ENHANCEMENT FILTER

O'Neill, J.

2449
SENSORS FOR ELECTROMAGNETIC PULSE MEASUREMENTS BOTH INSIDE
AND AWAY FROM NUCLEAR SOURCE REGIONS

O'Rourke, R.C.

4202
INVESTIGATION OF THE RESISTIVE PHASE IN HIGH POWER GAS
SWITCHING

7845
ELECTRICALLY EXPLODED WIRES-EXPERIMENTS AND THEORY

18344
INVESTIGATION OF THE RESISTIVE PHASE IN HIGH POWER GAS
SWITCHING (RESEARCH AND DEVELOPMENT REPORT)

Obara, M.

635
LOW-IMPEDANCE, COAXIAL-TYPE MARX GENERATOR WITH A
QUASI-RECTANGULAR OUTPUT WAVEFORM

1263
A CM X-RAY PREIONIZER FOR HIGH-REPETITION-RATE GAS LASERS

1388
X-RAY PREIONIZED HIGH-PRESSURE KRF LASER

18334
OUTPUT PERFORMANCE OF THE COAXIAL-TYPE MARX GENERATOR
CONSISTING OF BATIO/SUB 3/ SERIES CERAMIC CAPACITORS

Obermayer, A.S.

1381
A PROGRAM TO EVALUATE, DEVELOP AND TEST POROPLASTIC
MATERIALS AS IMPROVED ELECTRICAL INSULATION FOR HIGH POWER
UNDERGROUND CABLES

Obersen, R.

2133
SPECTRALLY RESOLVED OPTICAL DIAGNOSTICS FOR HIGH-POWER
NEUTRAL BEAMS

2553
OPTICAL DIAGNOSTICS ON HIGH-POWER NEUTRAL BEAMS

Ocheretin, V.N.

7543
CHARACTERISTICS OF ENERGY RELEASED IN A CHANNEL FORMED BY
AN EXPLODING WIRE

Odenthal, H.

8924
DETERMINATION OF TEMPERATURE, VELOCITY DISTRIBUTION, AND
POPULATION DENSITIES OF NEUTRAL HELIUM BY MEANS OF LASER
LIGHT TUNED ON ATOMIC RESONANCES

Odintsov, V.A.

7861
NUMERICAL CALCULATION OF THE MAGNETIC CUMULATION PROCESS

Offenberger, A.A.

2332
CO/SUB 2/ LASER-INDUCED GAS BREAKDOWN IN HYDROGEN

Ofitsarev, M.M.

5482
STABILIZATION OF CHARGING VOLTAGE OF CAPACITIVE ENERGY
STORAGE ELEMENTS OF HIGH-POWER PULSED DEVICES

Ogura, T.

18334
OUTPUT PERFORMANCE OF THE COAXIAL-TYPE MARX GENERATOR
CONSISTING OF BATIO/SUB 3/ SERIES CERAMIC CAPACITORS

Ogurteeva, M.N.

6898
STABILIZATION OF A PINCHED HIGH-CURRENT DISCHARGE BY MEANS
OF A PLASMA JET

Ohki, Y.

4481
ON THE CONDITIONING PHENOMENA OF SURFACE PLASMOVER OF EPOXY
RESINS IN A VACUUM

18215
TEMPERATURE DEPENDENCE OF SURFACE PLASMOVER VOLTAGE OF
POLYETHYLENE IN VACUUM

Ohkuma, J.

6174
NANOSECOND PULSED ELECTRON ACCELERATOR

Ohmachi, M.

8118
ARC MOTIONS DRIVEN BY MAGNETIC FIELD IN SULFUR HEXAFLUORIDE
(SP/SUB 6/)

Ohno, A.

18124
DEVELOPMENT OF A 7.2 KV - 63 RA ADVANCED PUFFER GAS CIRCUIT
BREAKER

Ohwada, Y.

4788
DEVELOPMENT AND PERFORMANCE CHARACTERISTICS OF A
UV-PREIONIZED, HIGH-POWER TEA PULSED CO/SUB 2/-LASER

Olcies, J.A.

8632
FAST, VERSATILE POCRELS CELL DRIVER

Oikawa, T.

9318
TYPICAL PHENOMENA OBSERVED IN A SHORT-GAP ATMOSPHERIC
DISCHARGE USING ROTOR AND POST ELECTRODES

Okamoto, H.

3824
BREAKDOWN OF INSULATING MATERIALS BY SURFACE DISCHARGE

Okemure, H.

8787
TEST STAND FOR MAGNETRON NEGATIVE ION SOURCE AT IPP-M.G.V.A

Okuda, S.

8968
SPECTROSCOPIC APPROACH TO THE ANALYSIS OF HIGH CURRENT ARCS
IN SP/SUB 6/

Okulov, S.V.

6443
CERTAIN CHARACTERISTICS OF COLO CATHODES

Okun, I.Z.

8167
USE OF THE DIMENSIONAL AND SIMILARITY METHODS IN
INVESTIGATING PULSE DISCHARGE IN WATER

Oidenberg, R.C.

1898
PURE ROTATIONAL HF LASER OSCILLATIONS FROM EXPLODING-WIRE LASER

Oidenetti, J.R.

4951
BEHAVIOR OF LOW-IMPEDANCE RELATIVISTIC ELECTRON DIODES IN CONVERGING MAGNETIC GRADIENTS

Oldham, W.J.B.

1257
DEMONSTRATION OF FIBER OPTIC LINK APPLICATIONS IN UTILITY PLANT MULTIPLEXED INSTRUMENT AND CONTROL SYSTEMS

Olendakova, M.P.

2111
TIME CHARACTERISTICS OF ELECTRICAL BREAKDOWN IN VACUUM

Ollphant, W.P.

7585
INTERACTION OF ACCELERATING HIGH-CURRENT ELECTRON BEAMS WITH EXTERNAL MAGNETIC FIELDS

Ollvier, G.

2754
A NEW APPROACH TO COMPUTE UNIFORM FIELD BREAKDOWN OF GASES

Olophant, W.P.

1255
NRL LIGHT ION BEAM RESEARCH FOR INERTIAL CONFINEMENT FUSION

Olsen, C.W.

5898
INITIAL PHASE OF THE EXPLODING WIRE PHENOMENON

Olsen, C.L.

2458
COLLECTIVE ACCELERATION WITH INTENSE ELECTRON BEAMS

Olsen, N.T.

1566
THE POWER BEHIND THE PULSE

4718
A HIGH CURRENT, HIGH FREQUENCY CAPACITIVE ENERGY STORAGE SYSTEM USED TO PRODUCE INTENSE MAGNETIC FIELDS

Olsen, W.R...

10576
HIGH POWER MODULATOR (SCR)

Ondre ka, K.

5281
TRIGGER AND CONTROL CIRCUITS FOR HIGH-VOLTAGE GENERATORS

Oomen, G.L.

975
A COAXIAL E-BEAM EXCITATION SYSTEM FOR HIGH POWER EXCIMER LASERS

Operto, A.

875
ELECTRIC POTENTIAL MEASUREMENTS IN GASEOUS INSULATING MATERIALS BY CORONA PROBE IN A CONTROLLED ENVIRONMENT

Opre, V.M.

6789
A GENERATOR OF CURRENT PULSES OF ADJUSTABLE SHAPE AND DURATION FOR SUPPLYING GAS-DISCHARGE TUBES

Oraevskii, A.M.

1105
HIGH-POWER 1 USEC ULTRAVIOLET RADIATION SOURCE FOR PUMPING OF GAS LASERS

Orevec, J.

8815
LARGE OUTPUT MILLIMICROSECOND IMPULSE GENERATOR USING ELECTROMAGNETIC SHOCK WAVES

Orel, V.P.

9655
THYRATRON GENERATOR OF HIGH-POWER NANOSECOND PULSES WITH INCREASED EFFICIENCY

Orel'chikov, V.I.

595
A GENERATOR FOR STARTING ACOUSTIC CHAMBERS

Orham, E.L.

7221
A COMPACT 5E12 AMP/SEC RAIL-GUN PULSER FOR A LASER PLASMA SHUTTER

Orlikov, L.M.

6997
EXTERNALLY MAINTAINED DISCHARGE WITH A GASODYNAMIC WINDOW FOR A LOW-ENERGY ELECTRON BEAM

Oriev, A.V.

5656
POWER PULSE TRANSFORMER

Oriev, B.I.

7154
DEVELOPMENT OF A SPARK DISCHARGE. I

Orievskii, V.M.

6968
THE DIFFUSE AND CHANNEL STAGES IN THE OVERVOLTAGE BREAKDOWN OF A GAS GAP

Ornstein, L.Th.M.

10252
A TRIGGERED VACUUM SPARK-GAP SWITCH

Orr, M.J.

7910
HIGH-VOLTAGE PULSER SPARES BATTERY SUPPLY

Orville, R.E.

4157
FOUR-METER SPARKS IN AIR

Orzechowski, T.J.

4874
CURRENT FLOW IN A HIGH-VOLTAGE DIODE SUBJECTED TO A CROSSED MAGNETIC FIELD

4696
MICROWAVE EMISSION FROM MAGNETICALLY INSULATED RELATIVISTIC ELECTRON-BEAM DIODES

10485
MAGNETIC INSULATION OF AN INTENSE RELATIVISTIC ELECTRON BEAM

Oshchapkov, V.P.

144
NEUTRINO BEAM OF THE INSTITUTE OF HIGH-ENERGY PHYSICS. V. PULSED POWER SUPPLY FOR THE NEUTRINO FOCUSING SYSTEM

Osipov, V.P.

2244
500 KV NANOSECOND SQUARE WAVE PULSE GENERATOR

Osipov, V.V.

4851
MEASUREMENT OF THE ELECTRON TEMPERATURE OF THE PLASMA OF A QUASI-STABLE PULSED GLOW DISCHARGE IN SPARK GAPS WITH HIGH OVERVOLTAGES

6997
EXTERNALLY MAINTAINED DISCHARGE WITH A GASODYNAMIC WINDOW FOR A LOW-ENERGY ELECTRON BEAM

10430
DEVELOPMENT OF AN ELECTRICAL DISCHARGE IN GAPS WITH GREAT OVERVOLTAGE AT LOW AIR PRESSURE

Osmon, P.E.

10007
A SIMPLE STRIPLINE PULSER FOR SPARK CHAMBERS

Ostermayer Jr., F.W.

8198
CARBON SEGREGATION AND ARC DAMAGE OF TUNGSTEN ELECTRODES

Ostralski, G.N.

6458
A GENERATOR OF POWERFUL PULSES OF COMPLEX SHAPE

Ostromov, G.A.

6999
FORMATION OF ELECTRICAL BREAKDOWN IN AQUEOUS SODIUM CHLORIDE SOLUTIONS

8998
SOME FEATURES IN THE ELECTRIC BREAKDOWN OF ELECTROLYTES

8999
THE DEVELOPMENT OF AN ELECTRIC DISCHARGE IN AQUEOUS ELECTROLYTES

Ostrovskii, E.K.

4749
BREAKDOWN OF A VACUUM SPARK GAP TRIGGERED BY AN ELECTRON BEAM

7890
INITIATION OF ELECTRICAL BREAKDOWN IN VACUUM BY AN ELECTRON BEAM

Ostrovskii, I.A.

7888
FORMATION AND DEVELOPMENT OF ELECTROMAGNETIC SHOCK WAVES IN TRANSMISSION LINES CONTAINING UNSATURATED FERRITE

Ott, E.

1677
MAGNETIC INSULATION AND MICROWAVE GENERATION

5105
THEORY OF INTENSE ION BEAM ACCELERATION

8258
THEORY OF FOIL-LESS DIODE GENERATION OF INTENSE RELATIVISTIC ELECTRON BEAMS

Ott, M.W.

5554
NOISE REDUCTION TECHNIQUES IN ELECTRONIC SYSTEMS

Oettinger, P.F.

925
STEADY STATE NUMERICAL SOLUTION OF MAGNETICALLY INSULATED CHARGE FLOW IN COAXIAL GEOMETRY

1255
NRL LIONT ION BEAM RESEARCH FOR INERTIAL CONFINEMENT FUSION

Otto, J.

2266
BEAM CHOPPER FOR SUBNANOSECOND PULSES IN SCANNING ELECTRON MICROSCOPY

Ovcherenko, V.D.

10028
PLASMA PROPERTIES OF A METAL VACUUM ARC. I

Ovchinnikov, I.T.

6852
INVESTIGATING FREEBREAKDOWN FIELDS IN WATER BY MEANS OF THE KERR EFFECT

6948
MECHANISM OF THE PULSED ELECTRICAL BREAKDOWN OF WATER

6955
OPTICAL STUDY OF NANOSECOND FREEBREAKDOWN PHENOMENA IN WATER

Ovchinnikov, D.B.

288
HIGH-VOLTAGE SOURCE FOR 2-MEV ION AND ELECTRON ACCELERATORS

Owen, M.D.

5659
ELECTRICAL BREAKDOWN BETWEEN ERBIUM OXIDE, ERBIUM DEUTERIDE, AND MOLYBDENUM ELECTRODES IN A VACUUM

Owren, N.M.

969
ANALYSIS AND APPLICATION OF A TRANSFORMER CORE THAT ACTS AS AN ARC SMOOTHER

Dzaki, Y.

8955
EXPERIMENTAL INVESTIGATION ON ARC PHENOMENA IN SF₆/SUB 6/ PUFFER CIRCUIT BREAKERS

10126
FACTORS INFLUENCING THE INTERRUPTING ABILITY OF SF₆/SUB 6/ PUFFER BREAKER AND DEVELOPMENT OF 500KV-50KA ONE-BREAK CIRCUIT BREAKER

Pacs, M.O.

4569
HIGH VOLTAGE RESEARCH (BREAKDOWN STRENGTHS OF GASEOUS AND LIQUID INSULATORS) AND ENVIRONMENTAL EFFECTS OF DIELECTRIC GASES

Pack, J.L.

1576
HIGH AVERAGE POWER PULSER DESIGN FOR COPPER HALIDE LASER SYSTEMS

Pago, D.J.

5715
NANOSECOND SWITCHING OF HIGH POWER LASER ACTIVATED SILICON SWITCHES

4787
SOLID STATE HIGH POWER PULSE SWITCHING

Pago, J.N.M.

5659
PRECISION CAPACITIVE VOLTAGE DIVIDER FOR IMPULSE VOLTAGE MEASUREMENTS

Pai, R.Y.

4569
HIGH VOLTAGE RESEARCH (BREAKDOWN STRENGTHS OF GASEOUS AND LIQUID INSULATORS) AND ENVIRONMENTAL EFFECTS OF DIELECTRIC GASES

10185
HIGH VOLTAGE RESEARCH (BREAKDOWN STRENGTHS OF GASEOUS AND LIQUID INSULATORS) AND ENVIRONMENTAL EFFECTS OF DIELECTRIC GASES. SEMIANNUAL REPORT, APRIL 1, 1979-SEPTEMBER 30, 1979

Paisley, D.L.

10850
PULSED LASER STEREOPHOTOGRAPHY OF MINIATURE EXPLODING FOILS

Pek, V.S.

1645
HIGH-VOLTAGE PULSE GENERATOR FOR THE TWO-METER STREAMER CHAMBER OF THE JINR

9582
AMPLITUDE STABILIZATION OF HIGH-VOLTAGE PULSES USING POWERFUL COMMUTATORS

Pakhomov, L.N.

6454
DRIVEN HIGH-VOLTAGE NANOSECOND PULSE GENERATOR TRIGGERED BY LASER RADIATION

Pakin, V.N.

10322
GENERATOR OF CURRENT PULSES WITH AN AMPLITUDE OF 1E6 A AND STABILITY OF $\pm 0.1\%$ AT A REPETITION RATE OF 2 HZ

Pakin, V.N.

6451
CURRENT PULSE GENERATOR

10211
CURRENT PULSE GENERATOR WITH AMPLITUDE OF 1.000,000 A AND STABILITY OF $\pm 0.001\%$ AT A REPETITION RATE OF TWO HZ

Pallara, L.

4644
SIMPLE SPARK GAP FOR A HIGH REPETITION RATE NITROGEN LASER

Palin, W.A.

10489
SIMOLE-CHIP PULSE GENERATOR PROVIDES 50 MHZ WITH ADJUSTABLE DUTY CYCLE

Palmer, A.J.

7755
A PHYSICAL MODEL ON THE INITIATION OF ATMOSPHERIC-PRESSURE GLOW DISCHARGES

Palmer, A.W.

2779
PRESSURE DEPENDENCE OF THE RISE TIME OF LASER-TRIGGERED SPARK GAPS

Palmer, E.P.

5699
INVESTIGATION OF AN ARC GUN

Palmer, R.W.

2109
ELECTRICAL BREAKDOWN OF GASES: IONIZATION GROWTH IN AIR AT HIGH PRESSURES

Palmer, S.

6070
DETERMINATION OF HIGHLY STRESSED VOLUMES IN OIL DIELECTRICS

Palumbo, D.J.

7907
ELECTRODE EROSION PROCESSES IN PULSED PLASMA THRUSTERS

Panachevnyi, B.I.

6665
EFFECT OF INTERRUPTION TIME ON FLASHOID ACCELERATION IN AN INDUCTIVE ENERGY-STORAGE ACCELERATOR

6695
TRANSIENTS IN INDUCTIVE ENERGY-STORAGE DEVICES FOR PLASMA INJECTORS

6098
PLASMA INJECTORS WITH CAPACITY AND INDUCTANCE ENERGY STORAGE

9704
EFFECT OF ELEMENT DISTRIBUTION IN A CAPACITOR BANK ON THE CURRENT PULSE IN A PULSED PLASMA INJECTOR

Panarila, E.

8194
A KILOAMPERE CURRENT DIODE BASED ON THE QUENCHED SPARK PRINCIPLE

Panayuk, V.S.

6458
A GENERATOR OF POWERFUL PULSES OF COMPLEX SHAPE

6599
HIGH-VOLTAGE GENERATORS OF NANOSECOND PULSES

6446
SUPPLY AND CONTROL OF AN ACCELERATOR ACTING ON THE PRINCIPLE OF A TESLA TRANSFORMER

Panayuk, V.S. Shirkin, S.M.

1096
CURRENT SWITCHING IN TESLA TRANSFORMERS

Panchenko, V.P.

0951
NUMERICAL STUDY OF UNSTEADY PROCESSES IN A FARADAY MHD GENERATOR

Panfilov, A.B.

6599
HIGH-VOLTAGE GENERATORS OF NANOSECOND PULSES

Pankrushina, D.K.

5901
A DEVICE FOR MEASURING PULSE POWER

Panov, A.P.

10322
GENERATOR OF CURRENT PULSES WITH AN AMPLITUDE OF 166 A AND STABILITY OF $\pm 0.1\%$ AT A REPETITION RATE OF 2 HZ

Panov, A.P.

6451
CURRENT PULSE GENERATOR

10211
CURRENT PULSE GENERATOR WITH AMPLITUDE OF 1,000,000 A AND STABILITY OF $\pm 0.001\%$ AT A REPETITION RATE OF TWO HZ

Papadopoulos, K.

2445
INTENSE RELATIVISTIC ELECTRON BEAM INTERACTION WITH A COOL THETA PINCH PLASMA

Papanyan, V.O.

6826
HIGH-CURRENT ELECTRON ACCELERATOR FOR OPTICAL PUMPING OF GASES

Papp, A.

118
MAGNETOOPTICAL CURRENT TRANSFORMER. 1: PRINCIPLES

1246
MAGNETOOPTICAL CURRENT TRANSFORMER. 2: COMPONENTS

1247
MAGNETOOPTICAL CURRENT TRANSFORMER. 3: MEASUREMENTS

Park, J.H.

1564
SHUNTS AND INDUCTORS FOR SURGE-CURRENT MEASUREMENTS

Park, J.M.

5716
SPECIAL SHIELDED RESISTOR FOR HIGH-VOLTAGE D-C MEASUREMENTS

5558
SURGE MEASUREMENT ERRORS INTRODUCED BY COAXIAL CABLES

8087
SURGE VOLTAGE BREAKDOWN OF AIR IN A NONUNIFORM FIELD

Park, J.T.

2899
SYSTEM FOR DATA ACQUISITION FROM HIGH VOLTAGE TERMINALS

Parker, A.B.

4581
THE RECOVERY OF HIGH CURRENT LONG GAPS IN HYDROGEN AND ARGON

Parker, J.R.

10562
AVALANCHE TRANSISTOR PULSER FOR FAST-GATED OPERATION OF MICRO-CHANNEL PLATE IMAGE-INTENSIFIERS

10479
AVALANCHE TRANSISTOR PULSER FOR FAST-GATED OPERATION OF MICROCHANNEL PLATE IMAGE-INTENSIFIERS

Parker, R.D.

4737
PULSE DISCHARGE CAPACITOR WEIGHT MINIMIZATION BY PEAK FOIL EDGE FIELDS

5351
CAPACITORS FOR AIRCRAFT HIGH POWER (FINAL REPORT)

7197
APPLICATION OF PFN CAPACITORS IN HIGH POWER SYSTEMS

Parker, R.K.

5502
PLASMA-INDUCED FIELD EMISSION AND THE CHARACTERISTICS OF HIGH-CURRENT RELATIVISTIC ELECTRON FLOW

4957
THE VEGA RELATIVISTIC ELECTRON ACCELERATOR

8628
EXPERIMENTS ON THE INTERACTION OF HIGH-POWER MICROWAVES WITH AIR

18433
EXPLOSIVE ELECTRON EMISSION AND THE CHARACTERISTICS OF HIGH-CURRENT ELECTRON FLOW

Parker, S.

6854
SPARK CHAMBER PULSING SYSTEM

Parkman, H.

7189
SOME PROPERTIES OF SOLID-LIQUID COMPOSITE DIELECTRIC SYSTEMS

Perko, D.E.

18373
HYBRID EM METHODS

Permentola, J.

4587
PARTICLE BEAM WEAPONS-A TECHNICAL ASSESSMENT

Pernell, T.

1568
DIGITAL TIMING UNIT FOR IMPULSE GENERATOR CONTROL

Pereone, W.M.

7208
A 55-GVA INTERRUPTER TEST FACILITY

Parton, M.E.

2256
PULSE-FORMING NETWORKS WITH TIME-VARYING OR NONLINEAR RESISTIVE LOADS

Pechen, K.W.

3781
AUTOMATED PARTIAL-DISCHARGE TESTING OF TRAVELING-WAVE TUBES

Pechenikov, A.M.

1167
ACCELERATOR MODULE OF 'ANGARA-5'

Pechinin, P.P.

7924
INVESTIGATION OF BREAKDOWN IN N₂/SUO 2/ UNDER THE INFLUENCE OF A PICOSECOND RUBY-LASER PULSE

Pesour, J.A.

950
HIGH-POWER ION BEAM GENERATION WITH AN INVERSE REFLEX TETRODE

Pesenheim, D.C.

1781
THE EFFECT OF ELECTRON PRECHARGING ON SOEMP RESPONSE OF INSULATORS

Petzelt, R.

5625
INVESTIGATIONS ON THE INTERACTION BETWEEN ARCS AND GAS FLOW

PouI, F.W.

1305
THE PREVENTION OF ELECTRICAL BREAKDOWN IN SPACECRAFT

1699
PREVENTION OF ELECTRICAL BREAKDOWN IN SPACECRAFT

Pavlovskii, A.I.

6467
MULTIELEMENT ACCELERATORS BASED ON RADIAL LINES

Pavlenko, L.P.

1164
THE TRIOTRON-A CONTROLLABLE DEVICE WITH CROSSED PIEROS

Pavlov, E.P.

5886
FAST-ACTING VACUUM COMMUTATOR WITH CONNECTION BY LIQUID-METAL CONTACTS

Pavlov, Yu.S.

831
ELECTRODES FOR HIGH-CURRENT COMMUTATORS

Pavlova, T.S.

455
A DOUBLE-TUNED CURRENT GENERATOR WITH ELECTRONIC AMPLITUDE CONTROL

Pavlovskii, A.

1179
CYLINDRICAL CHANNEL IN A HIGH-CURRENT DISCHARGE IN AIR

Pavlovskii, A.I.

4492
STARTING CHARACTERISTICS OF A 100-KV TRIGATRON FILLED WITH SF₆/SUO 6/

4970
300-KV IMPULSING GENERATOR

6648
OBTAINING HIGH-VOLTAGE SQUARE PULSES

6841
OBTAINING POWERFUL MAGNETIC PIEROS BY MEANS OF A POWERFUL CAPACITOR BANK

7055
LINEAR INDUCTIVE ACCELERATORS WITHOUT IRON

7662
PULSED AIR-CORED BETATRON POWERED FROM A MAGNETOCUMULATIVE GENERATOR

7895
THE LIU-10 HIGH-POWER ELECTRON ACCELERATOR

7120
MAGNETIC CUMULATION

8105
CONFIGURATIONS AND MODES OF AN N-PRESSED DISCHARGE

9505
MAGNETOIMPLOSIVE GENERATORS FOR RAPID-RISETIME MEGAMPERE PULSES

Pearce, J.W.

3184
OPTICALLY COUPLED HIGH VOLTAGE ISOLATION AMPLIFIER

Pearce, P.

3798
HIGH VOLTAGE PULSE GENERATORS FOR KICKER MAGNET EXCITATION

Pearce, T.W.

10391
PULSE GENERATOR

Pechacek, R.E.

5774
A PRELIMINARY STUDY OF AEROSOL INITIATED CO/SUO 2/ LASER PRODUCED AIR SPARKS AND THEIR ABILITY TO GUIDE ELECTRICAL DISCHARGES

7836
CHARACTERISTICS OF LASER-INITIATED IONIZATION CHANNELS IN AIR

Pechacek, R.

10227
INTERACTION OF LASER-INDUCED IONIZATION WITH ELECTRIC PIEROS

Fecherskii, D.P.

1167
ACCELERATOR MODULE OF 'ANGARA-3'

7080
ELECTRICAL BREAKDOWN IN WATER BY 0.5-1.7-MV PULSES 0.5-5
MICROSECONDS LONG

Pedane, A.

2525
A MULTI-MEGAWATT, VACUUM ARC SWITCHED INVERTER FOR AIRBORNE
APPLICATIONS

Pedersen, A.

5045
CALCULATION OF SPARK BREAKDOWN OR CORONA STARTING VOLTAGES
IN NONUNIFORM FIELDS

3513
INHERENT LIMITATIONS IN UNIFORM FIELD DISCHARGE DATA FOR
SF₆/SUB 6/

5778
CRITERIA FOR SPARK BREAKDOWN IN SULFUR HEXAFLUORIDE

4049
ANALYSIS OF SPARK BREAKDOWN CHARACTERISTICS FOR SPHERE GAPS

Peter, D.

5180
INVESTIGATIONS ON BREAKDOWN EVENTS IN LIQUID NITROGEN AT
HIGH VOLTAGES

Peker, I.P.

10204
DEVICE WHICH TRIGGERS HIGH-VOLT PULSE GENERATOR

Peker, I.R.

2024
MEASUREMENT OF THE ACTUATION TIME OF SPARK GAPS IN A
CASCADE PULSE-VOLTAGE GENERATOR

Pel'tman, S.S.

7105
CO/SUB 2/ LASER HIGH-VOLTAGE POWER SUPPLY BASED ON A PULSED
AUTOTRANSFORMER

Pelika, E.A.

6005
NEW PULSED X-RAY MACHINES, TYPE IRA-I AND TYPE IRA-ID

Pellinen, D.

7200
A COMPUTERIZED MEASURING SYSTEM FOR NANOSECOND RISETIME
PULSED ACCELERATORS

Pellinen, D.G.

499
TWO-MEGAVOLT DIVIDER FOR PULSED HIGH VOLTAGES IN VACUUM

2303
A RELIABLE MULTIMEGAVOLT VOLTAGE DIVIDER

4129
MAGNETIC INSULATION OF HIGH VOLTAGES IN VACUUM: COMPARISON
OF EXPERIMENT WITH SIMULATIONS

4592
A PICOSECOND RISETIME HIGH VOLTAGE DIVIDER

0342
A NANOSECOND RISETIME MEGAVOLT VOLTAGE DIVIDER

8144
A SUBNANOSECOND RISETIME FLUXMETER

10449
PROPAGATION OF POWER PULSES IN MAGNETICALLY INSULATED
VACUUM TRANSMISSION LINES

Pendleton, W.K.

5295
INVESTIGATION OF A LASER TRIGGERED SPARK GAP

Perale, R.A.

9788
ASSESSMENT METHODOLOGY OF THE LIGHTNING THREAT TO ADVANCED
AIRCRAFT

Peragud, B.F.

8185
EXPERIMENTAL STUDY OF ELECTRICAL EXPLOSION

Pargament, M.I.

2347
DELAY CHARACTERISTICS OF VACUUM DISC SWITCHES

2398
ELECTRICAL STRENGTH OF VACUUM DISC SWITCHES

9051
INDUCTANCE AND INTERNAL RESISTANCE OF VACUUM DISK SWITCHES

Pergele, J.J.

5409
INVESTIGATION OF HIGH POWER GASEOUS ELECTRONICS

Perkins, J.R.

3907
SELECTION OF MATERIALS FOR USE AS ELECTRICAL INSULATION-A
PHILOSOPHICAL AND SYSTEMATIC APPROACH

Perlin, A.S.

1107
ACCELERATOR MODULE OF 'ANGARA-3'

4203
HIGH-CURRENT PULSED ELECTRON ACCELERATOR WITH AN ANNULAR
BEAM

9792
ELECTRICAL DISCHARGE IN NITROGEN AND SULFUR HEXAFLUORIDE IN
A UNIFORM FIELD

Perrone, A.

753
ANODE BEHAVIOR IN HIGH INTENSITY FIELD EMISSION DIODES

7200
COUPLED MARX-TESLA CIRCUIT FOR PRODUCTION OF INTENSE
RELATIVISTIC ELECTRON BEAMS

Perrone, M.R.

753
ANODE BEHAVIOR IN HIGH INTENSITY FIELD EMISSION DIODES

Pershin, V.I.

1777
RIG FOR TESTING COLD CATHODES

6532
PULSED DESORPTION SLOT CATHODE

Perstentsev, I.B.

7115
GAS-DISCHARGE CONTRACTION

Pert, C.J.

625
OBSERVATION OF HIGHLY IONIZED SPECIES IN FLASHES PRODUCED BY
PICOSECOND LASER PULSES

Pert, G.J.

3724
MEASUREMENT OF THE WAVELENGTH DEPENDENCE OF THE THRESHOLD
OF LASER-INDUCED GAS BREAKDOWN

4945
PICOSECOND TRIGGERING OF A LASER-TRIGGERED SPARK GAP

Peter, G.

4434
TRIGGERING OF A HIGH-VOLTAGE PULSE SHAPER FOR IMPROVING
TIME STABILITY AND AMPLITUDE STABILITY

5197
STREAMER CHAMBER POWER SUPPLY ON THE BASE OF A 500KV PULSE
TRANSFORMER

Peters Jr. P.M.

1266
ELECTRONIC CURRENT TRANSDUCER (ECT) FOR HIGH-VOLTAGE DC LINES

Peterson, D.R.

8885
RESULTS OF RAILGUN EXPERIMENTS POWERED BY MAGNETIC FLUX COMPRESSION GENERATORS

10243
EXPLOSIVE FLUX COMPRESSION GENERATORS FOR RAIL GUN POWER SOURCES

Peterson, G.D.

18238
COMBINATION OF PDFA I LINES IN A DISK FEED

Peterson, M.A.

186
SUPERCONDUCTIVE INDUCTOR STORAGE AND CONVERTERS FOR PULSED POWER LOADS

Petersen, G.

1585
AN INTERNATIONAL COMPARISON OF HIGH VOLTAGE CAPACITOR CALIBRATIONS

Petr, R.

962
SPARK GAP EROSION RESULTS

Petr, R.A.

763
EROSION OF SPARK GAP ELECTRODES

936
ACOUSTIC PHENOMENA IN EROSION OF SPARK-GAP ELECTRODES

Petrash, G.G.

6349
USING A CABLE PULSE TRANSFORMER IN THE POWER SYSTEM OF A GAS LASER

Petrenko, V.I.

4489
USE OF A 'LASER SPARK' TO INITIATE A HIGH-POWER HIGH-PRESSURE GAS DISCHARGE

8157
PULSED HIGH-PRESSURE ARC IN HELIUM AND HYDROGEN

8175
PULSED ARC IN ARGON AT PRESSURES UP TO 125 N/CM² (1000 ATM)

Petrenko, V.V.

563
ON THE FORMATION OF PRECISION BEAMS IN MULTISECTION LINEAR ELECTRON ACCELERATORS

Petrov, V.A.

7077
EFFECT OF A TRANSVERSE MAGNETIC FIELD ON THE BREAKDOWN IN A HIGH-VACUUM DISCHARGE GAP

Petrosyan, S.I.

3767
EXPERIMENTAL INVESTIGATION OF THE STABILITY CONDITIONS OF A DISCHARGE IN A GAS STREAM

Petrov, D.I.

7932
LASER-TRIGGERED SPARK-GAP SWITCH

Petrov, V.A.

4547
A HIGH-VOLTAGE WATER SPARK GAP WITH LASER FIRING

6946
LASER IGNITION OF THE WATER DISCHARGE FOR THE THIN PULSE-FORMING LINE OF AN ELECTRON ACCELERATOR

7136
DIELECTRIC MATERIALS FOR HIGH-VOLTAGE PULSE GENERATORS

7142
HIGH-CURRENT, MICROSECOND-RANGE RELATIVISTIC ELECTRON BEAM

8996
RALPHAR-I PULSED ELECTRON ACCELERATOR WITH RELATIVISTIC ELECTRON BEAM POWER OF UP TO 5E12 W/CM.

Petrunkin, V.Yu.

6454
DRIVEN HIGH-VOLTAGE NANSECONDE PULSE GENERATOR TRIGGERED BY LASER RADIATION

Petrushovich, Yu. V.

3731
THEORETICAL AND EXPERIMENTAL INVESTIGATION OF PULSED DISCHARGES IN GASES

Pettifer, R.E.W.

9827
A RELIABLE 60KV PLASMLAMP TRIGGERING SYSTEM

Pavchev, B.P.

1167
ACCELERATOR MODULE OF 'ANDARA-S'

Pavlov, V.G.

9158
ELECTRON DISTRIBUTION FUNCTION IN 4:1 N/SUB 2/-O/SUB 2/ MIXTURE

Peysov, F.A.

543
ON THE FORMATION OF PRECISION BEAMS IN MULTISECTION LINEAR ELECTRON ACCELERATORS

Pfander, E.

1248
ANALYSIS OF THE ANODE BOUNDARY LAYER OF HIGH INTENSITY ARCS

1252
MODELING OF THE ANODE CONTRACTION REGION OF HIGH INTENSITY ARCS

1299
MODELING AND MEASUREMENT OF THE INITIAL ANODE HEAT FLUXES IN PULSED HIGH-CURRENT ARCS

8974
THE EFFECTS OF COLD GAS INJECTION ON A CONFINED ARC COLUMN

Pfanz, H.N.

7808
FORM FACTOR METHOD YIELDS THERMAL CONDUCTIVITY AND RADIANT POWER OF NITROGEN ARC

Phelps, O.A.

4051
BEHAVIOR OF LOW-IMPEDANCE RELATIVISTIC ELECTRON DIODES IN CONVERGING MAGNETIC GRADIENTS

Phil, O.

4963
THE LASER TRIGGERED SPARK GAP

Phillips, M.G.R.

8191
A HIGH-POWER RP LINE GENERATOR OF NOVEL DESIGN

Phillips, R.L.

7818
INDUCED RADIAL VELOCITY IN NONSTATIONARY ELECTRIC ARCS

Phillipott, J.

1563
RECOMMENDED PRACTICE FOR LIGHTNING SIMULATION AND TESTING TECHNIQUES FOR AIRCRAFT

1565
SIMULATION OF LIGHTNING STRIKES TO AIRCRAFT

- 5438
LIGHTNING STRIKE POINT LOCATION STUDIES ON SCALE MODELS
- 8189
SIMULATION OF LIGHTNING CURRENTS IN RELATION TO MEASURED PARAMETERS OF NATURAL LIGHTNING
- Philosophos, J.A.
- 10235
ARC STABILITY OF ELECTRONEGATIVE GASES
- Philip, S.P.
- 9236
COMPRESSED GAS INSULATION IN THE MILLION-VOLT RANGE: A COMPARISON OF SF₆/SUB 6/ WITH N₂/SUB 2/ AND CO₂/SUB 2/
- Phukan, B.D.
- 1312
PHOTOGRAPHIC OBSERVATIONS OF IMPULSE BREAKDOWN IN SHORT VACUUM GAPS
- Phung, P.V.
- 1987
SKIN EFFECT IN EXPLODING-WIRE PHYSICS
- Pichet, M.A.
- 7218
THE DESIGN, ASSEMBLY, AND TESTING OF A DESK MODEL COMPENSATED PULSED ALTERNATOR
- Pichugin, Yu.P.
- 19328
A HIGH-VOLTAGE PULSE GENERATOR WITH AN EXTENDED ZONE OF STABLE OPERATION
- Piercy, A.R.
- 2813
THE PREDICTION OF PULSE PERMEABILITY AND LOSS OF NI/PE ALLOYS IN TOROIDAL CORE PULSE CURRENT TRANSFORMERS
- Pigu'skii, S.V.
- 7187
CONTRACTION OF THE DECAYING PLASMA IN A NITROGEN DISCHARGE
- Pillar, M.
- 8166
TIME-DEPENDENT CRITICAL DAMPING OF A CAPACITOR-DISCHARGE CIRCUIT
- Pillsbury, R.D.
- 182
MAGNETIC FIELD CALCULATIONS FOR HIGH-ENERGY PULSED POWER SUPPLIES
- Pillsticker, M.
- 4188
INVESTIGATIONS ON FAST SWITCHING SUPERCONDUCTIVE/NORMALCONDUCTIVE CURRENT BREAKERS (CRYOTRONS)
- 4769
EFFECTS OF SPARK GAP GEOMETRY AND LASER COMPONENTS ON THE LASER-TRIGGERED ELECTRIC BREAKDOWN
- 3583
EXPERIMENTAL RESULTS WITH SC/NC BREAKERS
- 3624
INVESTIGATIONS ON HIGH VOLTAGE PULSERS AND AMPLIFIERS FOR THE EXACT TIMING OF THE IGNITION OF SPARK DISCHARGERS
- 5469
INVESTIGATIONS ON LOW-INDUCTIVE SPARK GAPS FOR HIGH VOLTAGES IN AIR
- Pitich, M.
- 4704
PULSE POWER REQUIREMENTS FOR LASER ISOTOPE SEPARATION SYSTEMS
- Pinchuk, A.I.
- 8888
CHARGING OF AN INDUCTIVE ACCUMULATOR FROM AN EXPLOSIVE-TYPE MAGNETIC GENERATOR THROUGH AN ELECTRICAL EXPLOSIVE-TYPE CURRENT BREAKER
- 6838
INITIAL STAGES OF THE ELECTRICAL EXPLOSION OF A WIRE IN AN LC-LOOP
- 9658
ENERGY TRANSFER FROM AN INDUCTIVE STORAGE TO AN INDUCTIVE LOAD BY MEANS OF AN EXPLOSIVE CURRENT DISCONNECT
- Pinus, V.K.
- 6817
ENERGY TRANSFER FROM AN INDUCTIVE STORAGE BY MEANS OF AN EXPLOSIVE CURRENT DISCONNECT
- Pippen, D.L.
- 4881
HIGH VOLTAGE PULSE GENERATOR
- Pis'mennyi, E.I.
- 4485
PULSED MAGNETIC FIELD OF MASSIVE SOLENOID WITH MOVING CONDUCTING SHELL
- Pis'mennyi, V.D.
- 7115
GAS-DISCHARGE CONTRACTION
- 7122
ONSET OF THE IONIZATION INSTABILITY IN A PERIODIC, EXTERNALLY SUSTAINED DISCHARGE IN NITROGEN AND A N₂/SUB 2/-CO₂/SUB 2/ MIXTURE AT HIGH PRESSURES
- Pisarev, A.P.
- 3162
810 OPTICAL SPARK CHAMBERS AND PULSE GENERATORS FOR THEIR SUPPLYING
- Pisarev, V.P.
- 3142
810 OPTICAL SPARK CHAMBERS AND PULSE GENERATORS FOR THEIR SUPPLYING
- Pishchikov, S.I.
- 8912
ACCURACY OF THE NET METHOD OF CALCULATING THE ELECTRICAL CHARACTERISTICS OF THE CHANNEL IN A MHD GENERATOR
- Pishchikov, V.I.
- 8912
ACCURACY OF THE NET METHOD OF CALCULATING THE ELECTRICAL CHARACTERISTICS OF THE CHANNEL IN A MHD GENERATOR
- Piskarev, I.M.
- 3131
STABILIZATION OF THE TIME CHARACTERISTICS OF AN ARKAD'EV-MARK GENERATOR
- Pitsizet, C.
- 1445
OPTIMIZATION OF A HIGH ENERGY REB GENERATOR AND CONTRIBUTED STUDY OF THE PULSED REB
- Pittman, P.P.
- 3739
A NEW SOLID-STATE SWITCH FOR POWER PULSE MODULATOR APPLICATIONS, THE REVERSE SWITCHING RECTIFIER
- 4707
SOLID STATE HIGH POWER PULSE SWITCHING
- Pivevar, L.I.
- 7385
EFFECT OF ELECTRODE TEMPERATURE ON MICRODISCHARGES IN VACUUM
- 8388
CONTROL OF THE SHAPE OF HIGH-CURRENT, HIGH-VOLTAGE PULSES GENERATED BY AN ARTIFICIAL LINE
- 18245
PREBREAKDOWN CONDUCTION BETWEEN ELECTRODES IN ULTRA-HIGH AND HIGH VACUUM
- Pischenev, B.T.
- 4971
'MINUS' PULSED, HIGH-CURRENT, NANOSECOND, ELECTRON ACCELERATOR

Pianto, R.

223
NEW HYDROGEN THYRATONS FOR ADVANCED HIGH POWER SWITCHING

233
DEVELOPMENT OF A PORTY KILOVOLT MEGAWATT AVERAGE POWER
THYRATON (HAPS-40)

6106
DEVELOPMENT OF A HYDROGEN THYRATON HAVING A LONG PULSE
CAPABILITY

6116
MULTI-MEGAWATT HYDROGEN THYRATONS WITH NANO-SECOND RISE
TIMES

Pianto, R.E.

5366
THE HAPS-40 RUST-MODE 40-KV MEGAWATT AVERAGE POWER
HYDROGEN THYRATON

Piutto, A.A.

9742
RESISTANCE OF METALS AT HIGH CURRENT DENSITIES

9799
ELECTRICAL EXPLOSION OF METAL WIRES

Plourde, S.

228
SIMPLE, FAST RISE TIME, HIGH REPETITION RATE POKELS CELL
DRIVER

Plummer, J.A.

10201
LIGHTNING EFFECTS RELATING TO AIRCRAFT: PART III.
MEASUREMENTS OF LIGHTNING-INDUCED VOLTAGES IN AN F4H-1

Plummer, J.D.

985
INSULATED-GATE PLANAR THYRISTORS. I. STRUCTURE AND BASIC
OPERATION

Plump, R.E.

8136
DIELECTRIC BEHAVIOR OF SOME FLUORIDES AND THEIR MIXTURES
WITH NITROGEN

Plyushchev, Yu.I.

1120
MAGNETIC CUMULATION

Plyutto, A.A.

6461
HIGH-CURRENT CAVITY ELECTRON ACCELERATOR

6566
EMISSION PROPERTIES OF THE PLASMA OF VACUUM SPARKS. I. ION
BEAMS

6608
SPARK SOURCE IN A HIGH-CURRENT ELECTRON INJECTOR

6636
ACCELERATION OF IONS BY A RELATIVISTIC ELECTRON BEAM

6653
ACCELERATION OF IONS IN AN ELECTRON BEAM

6668
ELECTRON EMISSION PROPERTIES OF A VACUUM SPARK. II.
ELECTRON BEAMS

6687
PULSED ION BEAMS FROM A HIGH-CURRENT PLASMA DIODE

Pochellis, J.P.

3636
OPTICAL KERR CONSTANT MEASUREMENT IN SOME LIQUIDS AND
GLASSES

Podkov, V.I.

6447
COLLECTIVE ACCELERATION OF IONS IN RELATIVISTIC ELECTRON
BEAMS

Podmoshenkii, I.V.

6858
STABILIZATION OF A PINCHED HIGH-CURRENT DISCHARGE BY MEANS
OF A PLASMA JET

8163
CONFIGURATIONS AND MODES OF AN M-PRESSED DISCHARGE

9669
PHOTOINDUCED SURFACE DISCHARGE

Poefel, K.

8946
INFLUENCE OF THE COPPER ELECTRODE SURFACE ON INITIAL ARC
MOVEMENT

Poehler Jr, T.O.

16391
PULSE GENERATOR

Pagezhev, V.A.

9164
LOW-VOLTAGE SPARK PEAKER

PoI, V.

2899
SYSTEM FOR DATA ACQUISITION FROM HIGH VOLTAGE TERMINALS

Pollard, P.

10475
A LOW-COST SUB-NAANOSECOND PULSE AMPLIFIER

Pollock, R.D.

3614
ELECTRICAL AND PHOTOGRAPHIC CHARACTERIZATION OF
LOW-INTENSITY CAPACITOR SPARK DISCHARGES

Pollock, H.C.

6933
SPARK-GAP SWITCHING OF A 384-KJ LOW INDUCTANCE CAPACITOR
BANK

8198
THE EFFECT OF PRESSURE ON THE POSITIVE POINT-TO-PLANE
DISCHARGE IN N₂/SUB 2/, O₂/SUB 2/, CO₂/SUB 2/, SO₂/SUB 2/,
SF₆/SUB 6/, CCL₄/SUB 2/P/SUB 2/, A, NE, AND N₂/SUB 2/

Polloni, R.

4644
SIMPLE SPARK GAP FOR A HIGH REPETITION RATE NITROGEN LASER

Polyakov, N.P.

9601
HIGH-POWER MAGNETOTHYRISTOR PULSE GENERATOR

Polyanskii, L.E.

9328
BREAKDOWN-VOLTAGE STABILITY OF GAS-FILLED SWITCHES FOR
VOLTAGE PULSE GENERATOR

Penemeranke, A

1166
PRODUCTION OF AN INTENSE ELECTRON BEAM

Penemeranke, A.G.

1078
A COMPACT PULSED ELECTRON ACCELERATOR WITH AN INDEPENDENT
POWER SUPPLY

2439
COMPACT HIGH-VOLTAGE ACCELERATORS OF CHARGED PARTICLES IN
SPACE EXPERIMENTS

4931
INITIATION OF A DISCHARGE IN A MEGAVOLT GAS SPARK GAP BY AN
ELECTRON BEAM

6692
THE DEVELOPMENT OF ELECTRICAL DISCHARGE IN WATER

6892
INTERFEROMETRIC STUDY OF PULSED BREAKDOWN IN A LIQUID

6949
MEGAVOLT ENERGY-CONCENTRATING DEVICE

Ponomarenko, V.N.

6398
DIELECTRIC STRENGTH OF PAPER-OIL INSULATION ACTED ON BY DC VOLTAGE

Ponomarev, V.S.

6888
CONDITIONS FOR SPUTTER EMISSION IN HIGH-PRESSURE SPATIAL GASEOUS DISCHARGES

6929
ELECTRIC FIELD DISTRIBUTION IN THE ANODE LAYER OF A NON-SELF-MAINTAINED VOLUMETRIC DISCHARGE SUSTAINED BY A BEAM OF FAST ELECTRONS

6988
CONDITIONS FOR THE MAINTENANCE OF THE CURRENT IN THE CATHODE LAYER OF A SEMI-SELF-MAINTAINED VOLUMETRIC DISCHARGE EXCITED BY AN ELECTRON BEAM

7878
VOLUME DISCHARGE EXCITED IN A GAS BY AN ELECTRON BEAM IN THE CASE OF INHOMOGENEOUS IONIZATION

Ponsenby, R.E. Neckl, J.

9846
HIGH POWER SPARK GAP SWITCHES-A NUMERICAL MODEL AND EXPERIMENTAL INVESTIGATION

Ponto, N.S.

5178
DESIGN PHILOSOPHY AND USE OF HIGH VOLTAGE POWER SYSTEMS FOR MULTI-MEGAWATT ION BEAM ACCELERATORS

8502
DEVELOPMENT AND USE OF 60 KV, AND 138 KV FLOATING DECK MODULATORS FOR HIGH VOLTAGE PROTECTION OF MULTI-MEGAWATT ION BEAM ACCELERATORS

Pentokervo, D.B.

18468
HIGH-VOLTAGE PULSE GENERATORS FOR STREAMER CHAMBERS

Pepave, G.S.

6979
CHARACTERISTICS OF A HOLLOW ELECTRON BEAM IN A MAGNETICALLY INSULATED DIODE

Pertney, M.

239
HIGH POWER SWITCHING CAPABILITIES

Pertney, M.M.

3425
A REVIEW OF HIGH-POWER SWITCH TECHNOLOGY

6856
A CRITICAL ANALYSIS AND ASSESSMENT OF HIGH POWER SWITCHES

Perzie, P.

7235
PULSED TWT POWER SUPPLY: A TECHNIQUE FOR MINIMIZING R.F. PHASE INSTABILITY AND HIGH VOLTAGE ENERGY

Pese, F.

4897
ALTERNATE POLARITY MULTIPLE SPARK GAP FOR HIGH EFFICIENCY SHOWER DETECTORS

Peet, R.S.

2737
MULTICHANNEL, HIGH-ENERGY RAILGAP SWITCH

4867
A 188 KV, FAST, HIGH ENERGY, NONUNIFORM FIELD DISTORTION SWITCH

Pesto, S.J.

4428
AN ELECTRO-OPTIC, HIGH-VOLTAGE, TRANSIENT PROBE

Postnev, V.V.

7879
EFFECT OF ELECTROSTATIC FORCES IN VACUUM BREAKDOWN

Potil'tov, Yu.P.

1887
A MULTISPARK HIGH-VOLTAGE TRIGATRON

1159
NEW HIGH-POWER NANOSECOND SWITCH

6956
SOME CHARACTERISTICS OF A SPARK DISCHARGE INITIATED BY AN ELECTRON BEAM

6985
DISCHARGE IN A HIGH-PRESSURE GAS, INITIATED BY A BEAM OF FAST ELECTRONS

8244
MULTIPLE-SPARK OPERATION OF A MEGAVOLT TRIGATRON

18338
GAS MIXTURE N₂ + SP/SUB 6/ + AR FOR A HIGH-PRESSURE DISCHARGER

Potkin, V.S.

18268
THE BRIDGE STAGE OF ELECTRODE EROSION IN SWITCHING 1800-3888-A CURRENTS IN VACUUM

Poukey, J.W.

174
SPACE-CHARGE EFFECTS IN LONG COAXIAL VACUUM TRANSMISSION LINES

3418
ELECTRON BEAM FOCUSING AND APPLICATION TO PULSED FUSION

4129
MAGNETIC INSULATION OF HIGH VOLTAGES IN VACUUM: COMPARISON OF EXPERIMENT WITH SIMULATIONS

4752
SPACE-CHARGE FLOW IN A NON-CYLINDRICALLY SYMMETRIC DIODE

5855
ELECTRON BEAM FOCUSING USING CURRENT-CARRYING PLASMAS IN HIGH-NU/GAMMA DIODES

5893
Z/SUB E/ < 1 OHM FINCHED ELECTRON DIODES

5921
ELECTRON BEAM GENERATION IN PLASMA-FILLED DIODES

5935
ION SHEATH MOTION IN PLASMA-FILLED DIODES

8246
PRODUCTION OF ANNULAR ELECTRON BEAMS BY FOILLESS DIODES

Poulsen, P.

778
LARGE AREA NEGATIVE ION SOURCE FOR HIGH VOLTAGE NEUTRAL BEAMS

Powe, J.J.

18910
JOINT ELECTRON BEAM COMMONALITY EXPERIMENTS ON BLACKJACK 3 AND 3 PRIME: PART I. MACHINE CHARACTERIZATIONS

Powell, C.

5438
MINIMIZING STRIKE POINT LOCATION STUDIES ON SCALE MODELS

Powell, C.W.

3646
SPECIAL SPARK-GAP SWITCHES FOR USE IN SYNTHETIC TEST CIRCUITS

Powell, M.D.

3639
ELECTRICAL BREAKDOWN BETWEEN ERBIUM OXIDE, ERBIUM DEUTERIDE, AND MOLYBDENUM ELECTRODES IN A VACUUM

Power, R.B.

4891
THE APPLICATION OF PASCHEN'S LAW TO THE RE-IGNITION OF AN ARC

Pounaill, F.

5437
INDUCED VOLTAGES IN FULL SIZE AIRCRAFT AT 10/SUP II/ A/S

Pozzo, D.

5197
STREAMER CHAMBER POWER SUPPLY ON THE BASE OF A 500KV PULSE TRANSFORMER

Prabhakar, B.R.

4914
EPOXY RESIN CHAMBER FOR HIGH VOLTAGE BREAKDOWN STUDIES IN HIGH VACUUM

Prabhashanker, V.

4456
DISTRIBUTION OF SURFACE CHARGES ON PERSPEX DUE TO PARTIAL DISCHARGES

Freog, M.P.

311
AN INEXPENSIVE PULSED POWER SUPPLY FOR A SEPTUM MAGNET

10367
PULSED POWER SUPPLY FOR INJECTION BUMP MAGNETS

Prakhova, G.I.

6532
A MULTIELECTRODE ELECTRON-OPTIC SYSTEM WITH AN INDUCTIVE STORAGE DEVICE FOR A HIGH-CURRENT ACCELERATOR

Prastain, S.M.

6784
ANALYSIS OF FLUX COMPRESSION EXPERIMENTS III

Praveverov, M.L.

7884
EROSION RATE AND PROPERTIES OF A CATHODE SPOT OF THE FIRST KIND WITH SILVER ALLOYS

Preobrazhenski, V.A.

8979
THEORETICAL MODEL FOR BREAKDOWN OF PLASM-DISCHARGE TUBES CAUSED BY INTERNAL PRESSURE DURING VAPORIZATION OF WALL MATERIAL

Prescott, L.E.

6064
ANODE PHENOMENA IN METAL-VAPOR ARCS AT HIGH CURRENTS

9807
RECOVERY CHARACTERISTICS OF A TRIGGERED-VACUUM GAP AT HIGH CURRENTS

Prestwich, K.R.

589
HARP, A SHORT PULSE, HIGH CURRENT ELECTRON BEAM ACCELERATOR

626
NEREUS. A 250 KV, 80 KA ELECTRON BEAM GENERATOR

628
DEVELOPMENT OF AN 18-MEGAVOLT MARX GENERATOR

1501
SUMMARY OF THE NERIES FLASH X-RAY PROGRAM

1776
RECENT DEVELOPMENTS IN HIGH AVERAGE POWER DRIVER TECHNOLOGY

3418
ELECTRON BEAM FOCUSING AND APPLICATION TO PULSED FUSION

4724
LILI, A 0.5-1.5 MICROSECOND, 600 KV ELECTRON BEAM ACCELERATOR

4728
REBLE, A RADIALLY CONVERGING ELECTRON BEAM ACCELERATOR

5855
ELECTRON BEAM FOCUSING USING CURRENT-CARRYING PLASMAS IN HIGH-HU/GAMMA DIODES

7268
DESIGN AND DEVELOPMENT OF A 350 KV, 100 PPS ELECTRON BEAM ACCELERATOR

8246
PRODUCTION OF ANNULAR ELECTRON BEAMS BY POILLESS DIODES

10451
2 MV, MULTICHANNEL, OIL-DIELECTRIC, TRIGGERED SPARK GAP

Price, M.

10280
AIRCRAFT EMP ISOLATION STUDY

Price, M.N.

8337
DEVELOPMENT OF HIGH VOLTAGE-HIGH CURRENT SWITCHES (FINAL REPORT)

Privette, C.A.

8111
THE EXPLODING WIRE PHENOMENON

Produvov, A.B.

701
ELECTRICAL EXPLOSION OF CYLINDRICAL POILS IN AIR II. HIGH-CURRENT SHUNT PINCH

704
ELECTRICAL EXPLOSION OF CYLINDRICAL POILS IN AIR I. ELECTRICAL CHARACTERISTICS OF THE EXPLOSION

1090
BREAKDOWN OF A SOLID-DIELECTRIC SWITCH

7043
ELECTRICAL EXPLOSION OF A CYLINDRICAL POIL IN AIR. CURRENT DISTRIBUTION IN THE HIGH-CURRENT SHUNTING DISCHARGE

9438
ELECTRICAL BREAKDOWN OF CYLINDRICAL POILS IN AIR. III. HIGH-CURRENT EXPANDING DISCHARGE

Prokhorov, I.M.

10327
A DIVIDER FOR MEASURING NANOSECOND EMT PULSES

Prokhorov, A.M.

2451
THE EXCITATION AND IONIZATION OF ATOMS IN A STRONG RADIATION FIELD

7924
INVESTIGATION OF BREAKDOWN IN H/SUB 2/ UNDER THE INFLUENCE OF A FEMTOSECOND RUBY-LASER PULSE

Prokhorov, E.N.

8180
EFFECT OF ELECTRODE ROUGHNESS ON THE ELECTRICAL STRENGTH OF COMPRESSED GASES

Prokopenko, V.P.

1187
ELECTRICAL EXPLOSION OF FOILS. II

1188
ELECTRICAL EXPLOSION OF FOILS. I

6799
CAPACITOR BATTERY FOR ONE MEGAJOULE HAVING A SMALL TIME CONSTANT

Prokin, D.

1227
SUPERCONDUCTING INDUCTIVE ENERGY STORAGE UNIT FOR LASER PUMPING SYSTEMS

Prone, D.S.

402
PULSED ION DIODE EXPERIMENT

8243
METHOD OF GENERATING VERY INTENSE POSITIVE-ION BEAMS

Proskurovskii, D.I.

5357
CURRENT GROWTH IN PULSE BREAKDOWN OF A SHORT VACUUM GAP

4465
INVESTIGATION OF THE TIME CHARACTERISTICS OF THE TRANSITION
OF FIELD EMISSION TO A VACUUM ARC

6494
ARRANGEMENT FOR STUDYING FIELD EMISSION IN THE NANOSECOND
AND SUBNANOSECOND RANGES

7808
FORMATION OF NEW EMISSION CENTERS ON A CATHODE DURING
CURRENT SWITCHING IN VACUUM. I. FORMATION OF NEW EMISSION
CENTERS

7844
ELECTRON-OPTICAL OBSERVATION OF INITIATION AND DEVELOPMENT
OF PULSED BREAKDOWN IN A NARROW VACUUM GAP

9517
A GENERATOR FOR SHAPING SINGLE HIGH-VOLTAGE NANOSECOND
PULSES ACROSS AN UNMATCHED LOAD

10074
EXPLOSIVE EMISSION ELECTRONS FROM METALLIC NEEDLES

10174
FORMATION OF NEW EMISSION CENTERS ON THE CATHODE IN THE
PROCESS OF SWITCHING ELECTRICAL CURRENT IN A VACUUM. III.
THE EFFECT OF A TRANSVERSE MAGNETIC FIELD

Proskurovskii, D.I. Puchkerov, V.F.

7881
FORMATION OF NEW EMISSION CENTERS ON A CATHODE DURING
CURRENT SWITCHING IN VACUUM. II. EXPERIMENTAL CONFIGURATION
FOR VACUUM DISCHARGES

Protopopov, A.A.

7498
ELECTRICAL CONDUCTIVITIES AND BREAKDOWN RESISTANCE OF
MIXTURES OF SOME LIQUID DIELECTRICS UNDER VOLTAGE PULSES

Protopopov, M.A.

9730
MECHANISM FOR INTERRUPTION OF CURRENT FLOW AND PRODUCTION
OF SHOCK WAVES IN A METAL HEATED BY HIGH-DENSITY CURRENT
PULSES

Proud, J.M.

5240
NANOSECOND SWITCH DEVELOPMENT

Proud, J.M.

5318
PICOSECOND RISETIME SWITCH STUDY

5585
HERTZIAN ARRAY SWITCH INVESTIGATION

8153
NANOSECOND-PULSE BREAKDOWN IN GASES

Provenzano, L.

4347
ON THE USE OF PERFLUOROPOLYMER FLUIDS IN HV SPARK-GAPS

Prowse, W. A.

2399
TIME LAGS ASSOCIATED WITH ULTRA-HIGH FREQUENCY GAS BREAKDOWN

Pruitt, O.L.

102
HIGH-VOLTAGE DC POWER CONDITIONER

399
DESIGN CONSIDERATIONS FOR SUPER POWER PULSE MODULATORS

7247
HIGH VOLTAGE DC POWER CONDITIONER

7248
HYBRID SCR SWITCH

Prynikova, O.A.

3322
LASER-TRIGGERED VACUUM SWITCH

9384
HIGH-VOLTAGE PULSE GENERATOR WITH RISE TIME <10 NSEC

Ptukhine, Z.E.

10452
HIGH-VOLTAGE POWER SUPPLY FOR A HIGH-CURRENT INJECTOR

Puchkarov, V.F.

7808
FORMATION OF NEW EMISSION CENTERS ON A CATHODE DURING
CURRENT SWITCHING IN VACUUM. I. FORMATION OF NEW EMISSION
CENTERS

10174
FORMATION OF NEW EMISSION CENTERS ON THE CATHODE IN THE
PROCESS OF SWITCHING ELECTRICAL CURRENT IN A VACUUM. III.
THE EFFECT OF A TRANSVERSE MAGNETIC FIELD

Puchkarov, V.F.

4460
EROSION OF METAL CATHODES BY ARCS AND BREAKDOWNS IN VACUUM

Pugechev, B.M.

6971
'MINUS' PULSED, HIGH-CURRENT, NANOSECOND, ELECTRON
ACCELERATOR

Pugh, E.

7658
EXPERIMENTAL STUDY OF THE PROPAGATION OF AN IONIZING WAVE
IN A COAXIAL PLASMA GUN

Purcell, J.R.

2881
CONTROLLABLE MONOPOLAR MOTOR-GENERATOR ENERGY STORAGE FOR
APPLICATION IN A FUSION POWER REACTOR

10358
A SLOW CYCLING FLUX PUMP USING DIGITAL CONTROL

Pye, J.W.

2621
A GAS-PHASE HIGH-VOLTAGE ELECTRICAL ISOLATOR WITH
CONTROLLED BREAKDOWN

Queries, L.R.

10107
THE RELATION BETWEEN THE ELECTRON FIELD EMISSION AND THE
WORK FUNCTION OF LIQUID MERCURY

Quertieri, J.

8108
HIGH-POWER ELECTRON BEAM PREIONIZED CO/SUB 2/ CW LASER
MODELLING I: DESCRIPTION OF THE INVESTIGATED DEVICE AND
NUMERICAL CALCULATIONS ON E-BEAM IONIZATION

Quigley, M.B.C.

3715
SPACE-CHARGE INJECTION: A NEW TECHNIQUE FOR STUDYING
NONUNIFORM FIELD BREAKDOWN PHENOMENA

Quine, J.P.

8305
GASEOUS DISCHARGE SWITCH IN OVERSIZED WAVEGUIDE

Quintenz, J.P.

4732
SPACE-CHARGE FLOW IN A NON-CYLINDRICALLY SYMMETRIC DIODE

8247
PRODUCTION OF 0.5-TW PROTON PULSES WITH A SPHERICAL
FOCUSING, MAGNETICALLY INSULATED DIODE

Quoc-Nguyen, N.

7753
ELECTRIC FIELDS AND SECONDARY EMISSION NEAR A
DIELECTRIC-METAL INTERFACE

Qureshi, A.H.

7742
BREAKDOWN MECHANISMS IN SULPHUR-HEXAFLUORIDE

- 7745
CALCULATION OF DISCHARGE INCEPTION VOLTAGES IN SF/SUB
6/-N/SUB 2/ MIXTURES
- 7783
STATIC FIELD BREAKDOWN OF SF/SUB 6/-N/SUB 2/ MIXTURES IN
ROD-PLANE GAPS
- Rebotkin, V.G.
- 6469
NONINDEPENDENT PULSED ATMOSPHERIC PRESSURE DISCHARGE
SUSTAINED BY A HIGH-ENERGY ELECTRON BEAM LASTING 100
MICROSECONDS
- 6694
TRANSITION FROM A NON-SELF-SUSTAINED VOLUME DISCHARGE
MAINTAINED BY A BEAM OF FAST ELECTRONS TO A SPARK DISCHARGE
- Redchenko, V.M.
- 6446
SUPPLY AND CONTROL OF AN ACCELERATOR ACTING ON THE
PRINCIPLE OF A TESLA TRANSFORMER
- Redereacher, E.
- 10005
A PULSE TRANSFORMER FOR LARGE WIRE SPARK CHAMBERS
- Reduen, R.O.
- 10039
TIME LAGS AND THE BREAKDOWN AND CORONA CHARACTERISTICS IN
SULFUR HEXAFLUORIDE
- Regeller Ed., R.
- 2321
CURRENT INTERRUPTION IN HIGH-VOLTAGE NETWORKS
- Regeller, K.
- 8185
INVESTIGATION OF A CYLINDRICAL, AXIALLY BLOWN,
HIGH-PRESSURE ARC
- 10274
SIMILARITY RELATIONS FOR THE ELECTRIC ARC IN FORCED AXIAL
FLOW
- Rehal, A.M.
- 10180
BEHAVIOR OF COMPOSITE INSULATION UNDER THE ACTION OF
SUPERFICIAL ARCS. APPLICATION TO LINE INSULATORS
- Raizer, Yu. P.
- 572
OPTICAL DISCHARGES
- Raizer, Yu.P.
- 3154
CASCADE IONIZATION OF A GAS BY A LIGHT PULSE
- Rakhimov, A.I.
- 7115
GAS-DISCHARGE CONTRACTION
- Rakhimov, A.T.
- 7122
ONSET OF THE IONIZATION INSTABILITY IN A PERIODIC,
EXTERNALLY SUSTAINED DISCHARGE IN NITROGEN AND A N/SUB
2/-CO/SUB 2/ MIXTURE AT HIGH PRESSURES
- Rakhovskii, V.I.
- 7028
TIME FOR THERMAL INSTABILITY TO DEVELOP IN MICROSCOPIC
PROTRUSIONS ON THE CATHODE DURING VACUUM BREAKDOWN
- 8176
CATHODE EMISSION MECHANISM IN AN ARC DISCHARGE
- 9219
EXPERIMENTAL STUDY OF THE DYNAMICS OF CATHODE SPOTS
DEVELOPMENT
- 10268
THE BRIDGE STAGE OF ELECTRODE EROSION IN SWITCHING
1000-5000-A CURRENTS IN VACUUM
- Rakhuba, V.R.
- 8994
OPTIMIZATION OF ENERGY CONVERSION IN ELECTRICAL EXPLOSION
OF A CONDUCTOR IN A LIQUID
- Rakityanskii, A. A.
- 7064
REGULATING THE MAGNETIZATION OF FERRITE IN EXPERIMENTS ON
THE SELF-ACCELERATION OF AN ELECTRON BEAM
- 7290
SELF-ACCELERATION EXPERIMENT BY INTERRUPTION OF AN INTENSE
ELECTRON BEAM
- Rakovskii, G.B.
- 6878
CIRCUIT TRANSIENT FOLLOWING A PULSED DISCHARGE IN WATER
- Raleigh, M.
- 1298
EXPERIMENTS ON THE INJECTION OF RELATIVISTIC ELECTRON BEAMS
INTO PREFORMED CHANNELS IN THE ATMOSPHERE
- 7836
CHARACTERISTICS OF LASER-INITIATED IONIZATION CHANNELS IN
AIR
- 10227
INTERACTION OF LASER-INDUCED IONIZATION WITH ELECTRIC FIELDS
- Ramakrishnan, S.
- 8964
SCALING LAWS FOR GAS-BLAST CIRCUIT-BREAKER ARCS DURING THE
HIGH CURRENT PHASE
- Rambo, S.I.
- 7253
PFM LOSS CALCULATIONS
- Ramendik, G.I.
- 5844
PHYSICS OF A SPARK VACUUM DISCHARGE AND QUANTITATIVE
MASS-SPECTROMETRIC ANALYSIS. QUALITATIVE MODEL OF A WEAK
CURRENT VACUUM DISCHARGE
- Ramette, J.
- 2135
SPECTRALLY RESOLVED OPTICAL DIAGNOSTICS FOR HIGH-POWER
NEUTRAL BEAMS
- 2353
OPTICAL DIAGNOSTICS ON HIGH-POWER NEUTRAL BEAMS
- Ramirez, J.J.
- 541
PULSED POWER APPLICATIONS TO INTENSE NEUTRON SOURCE
DEVELOPMENT
- 4728
REBLE, A RADIALLY CONVERGING ELECTRON BEAM ACCELERATOR
- Ramler, M.J.
- 10394
ELECTRON PULSE GENERATOR OF THE GROUNDING GRID TYPE
EMPLOYING A DELAY LINE STORAGE MEANS
- Ramrus, A.
- 749
TESTING OF A 100-KV 100-HZ REP-RATE GAS SWITCH
- 2188
DEVELOPMENT OF A 100-KV MULTIMEGAWATT REPETITION RATE GAS
SWITCH
- 3417
HIGH-VOLTAGE SPIRAL GENERATORS
- 7204
TESTING OF A 100 KV, 100 HZ REP-RATE GAS SWITCH
- Ramsden, S.A.
- 625
OBSERVATION OF HIGHLY IONIZED SPECIES IN PLASMA PRODUCED BY
PICOSECOND LASER PULSES

4945
PICOSECOND TRIGGERING OF A LASER-TRIGGERED SPARK GAP

8195
A LASER-TRIGGERED KRYTRON-BLUMLEIN ELECTRO-OPTIC SWITCH

Reo, B.L.

1977
STABILITY OF AC VACUUM ARCS IN TRANSVERSE PULSED MAGNETIC FIELD

Reoport, W.R.

952
KRP LASER-TRIGGERED SP/SUB 6/ SPARK GAP FOR LOW-JITTER TIMING

8944
KRP LASER-TRIGGERED SP/SUB 6/ SPARK GAP FOR LOW JITTER TIMING

Resleigh, S.C.

7887
ELECTROMAGNETIC ACCELERATION OF MACROPARTICLES TO HIGH VELOCITIES

Reskin, D.

8947
METALLIC GLASSES: A MAGNETIC ALTERNATIVE

Resor, M.S.

5120
SURVEY OF EFFECT OF SURFACE PROPERTIES ON ANODE EROSION

Retakhin, N.A.

7003
FORMATION OF PLASMA CHANNEL BY A VACUUM SPARK

Reu, R.S.N.

7494
THE MECHANISM OF ELECTRICAL BREAKDOWN OF GASES, INITIATED BY A LARGE NUMBER OF ELECTRONS

Reu, R.S.N.

4302
LOW-VOLTAGE AND HIGH-CURRENT DELAY CHARACTERISTICS OF A SIMPLE TRIGGERED VACUUM GAP

Reuch, J.

7984
INTERPRETATION OF X-RAY LINE SPECTRA FROM EXPLODED-WIRE ARRAYS

Reutbert, A.E.

10305
PRODUCTS FROM THE ELECTRICAL EXPLOSION OF TUNGSTEN AT CURRENTS OF APPROXIMATELY 1E11 A/50.M.

Raybun, J.L.

164
SIMPLE, PULSED, ELECTRON BEAM GUN

Raymond, T.O.

263
LOW INDUCTANCE SPARK GAP SWITCH FOR BLUMLEIN-DRIVEN LASERS

Rozdobarin, G.T.

5839
ELECTRICAL DISCHARGE THROUGH LASER-INDUCED SPARK

5840
INVESTIGATION OF AN ELECTRIC DISCHARGE ACROSS A LASER SPARK

7913
AN ELECTRICAL DISCHARGE THROUGH TWO LASER SPARKS

Reess, W.A.

8403
BLUMLEIN LINE GENERATION OF LONG-PULSE, PRECISELY REGULATED WAVESHAPES FOR NONLINEAR RESISTIVE LOADS

Reber, R.A.

8451
HIGH VOLTAGE, MAGNETICALLY SWITCHED PULSED POWER SYSTEMS

Rebne Thomsen, M.P.

1316
HIGH-CURRENT ANODES FOR HIGH-POWERED XENON ARC LAMPS

Redkov, V.P.

7935
PECULIARITIES OF THE DEVELOPMENT OF THE ELECTRIC BREAKDOWN OF AIR IN EXTREMELY LONG DISCHARGE GAPS

Redus, W.O.

1257
DEMONSTRATION OF FIBER OPTIC LINK APPLICATIONS IN UTILITY PLANT MULTIPLEXED INSTRUMENT AND CONTROL SYSTEMS

Reed, H.E.

2211
A HIGH SPEED MVDC CIRCUIT BREAKER WITH CROSSED-PIELO INTERRUPTERS

10233
RESEARCH AND DEVELOPMENT ON DC CIRCUIT BREAKERS (FINAL REPORT)

Reeves, E.M.

1314
HIGH VOLTAGE BREAKDOWN IN AN OGD-4 POINTED EXPERIMENT

Reginato, L.L.

109
THE EXPERIMENTAL TEST ACCELERATOR (ETA)

224
OFF-RESONANCE TRANSFORMER CHARGING FOR 250-KV WATER BLUMLEIN

2175
HIGH REPETITION RATE BURST-MODE SPARK GAP

5573
MODULATOR CHARGING SYSTEM UPGRADE FOR A 5-MEV ELECTRON ACCELERATION

7470
BASIC PRINCIPLES GOVERNING THE DESIGN OF MAGNETIC SWITCHES

8627
EXPERIMENTS IN MAGNETIC SWITCHING

Reichert, A.R.

4540
A HIGH VOLTAGE SOURCE WITH DIGITAL CONTROL FOR DIELECTRIC MEASUREMENTS

Reichner, P.

4806
0.34-MJ SUPERCONDUCTING MAGNETIC ENERGY TRANSFER AND STORAGE

Reikhrudel, E.M.

244
ELECTRON CURRENT IN DELAYED TRIGGERING OF HIGH-VOLTAGE, HIGH-VACUUM PULSED DISCHARGES

7971
INITIAL STAGES OF LOW-PRESSURE PULSE DISCHARGE

Reinhardt, M.

225
NEW HYDROGEN THYRATONS FOR ADVANCED HIGH POWER SWITCHING

233
DEVELOPMENT OF A FORTY KILOVOLT MEGAWATT AVERAGE POWER THYRATRON (MAPS-40)

5360
THE MAPS-40 BURST-MODE 40-KV MEGAWATT AVERAGE POWER HYDROGEN THYRATRON

5362
THE PLASMA-HEATED THYRATRON

6106
DEVELOPMENT OF A HYDROGEN THYRATRON HAVING A LONG PULSE CAPABILITY

Reinhardt, R.T.

8962
QUENCHING PROPERTIES OF AN ARC IN A DOUBLE FLOW WITH A
VORTEX

Reinevsky, R.E.

3714
SHIVA ELECTROMAGNETIC IMPLSION X-RAY SOURCE

Reinevsky, R.E.

7198
CONSIDERATIONS FOR INDUCTIVELY DRIVEN PLASMA IMPLSIONS

7288
PRELIMINARY INDUCTIVE ENERGY TRANSFER EXPERIMENTS

10273
INDUCTIVE STORE PULSE COMPRESSION SYSTEM FOR DRIVING HIGH
SPEED PLASMA IMPLSIONS

Remnev, G.E.

6447
COLLECTIVE ACCELERATION OF IONS IN RELATIVISTIC ELECTRON
BEAMS

6975
ACCELERATION OF IONS FROM AN EXPLOSIVE-EMISSION PLASMA

Repin, S.S.

6689
SPECIAL MEANS FOR MEASUREMENT OF THE ELECTRICAL PARAMETERS
OF ELECTROPHYSICAL INSTALLATIONS

Revutskii, E.I.

10285
STAGE GENERATOR CALCULATION

10452
HIGH-VOLTAGE POWER SUPPLY FOR A HIGH-CURRENT INJECTOR

10453
PULSE CASCADE TRANSFORMER

Rev, C.

6054
SPARK CHAMBER PULSING SYSTEM

Reynolds, J.A.

6055
SPARK-GAP SWITCHING OF A 384-KJ LOW INDUCTANCE CAPACITOR
BANK

Reznichenko, A.G.

18335
STEPPED HIGH-VOLTAGE PULSE GENERATOR

Reznikov, V.P.

6456
ELECTRON ENERGY SPECTRUM IN HIGH-ENERGY NANOSECOND
ACCELERATORS

Rhodenizer, R.L.

5581
DEVELOPMENT OF SOLID AND/OR LIQUID-METAL COLLECTORS FOR
ACYCLIC MACHINES

Rhodes, O.M.

4540
A HIGH VOLTAGE SOURCE WITH DIGITAL CONTROL FOR DIELECTRIC
MEASUREMENTS

Rice, O.A.

18318
JOINT ELECTRON BEAM COMMONALITY EXPERIMENTS ON BLACKJACK 3
AND 3 PRIME: PART I. MACHINE CHARACTERIZATIONS

Rice, J.W.

7178
BREAKDOWN IN SMALL, FLOWING GAS SPARK GAPS

Rice, M.W.

1898
PURE ROTATIONAL HF LASER OSCILLATIONS FROM EXPLODING-WIRE
LASER

10372
ALUMINUM FLUORIDE EXPLODING-WIRE LASER

Rich, J.A.

6860
A MEANS OF RAISING THE THRESHOLD CURRENT FOR ANODE SPOT
FORMATION IN METAL-VAPOR ARCS

6864
ANODE PHENOMENA IN METAL-VAPOR ARCS AT HIGH CURRENTS

7226
DEVELOPMENT OF A HIGH-POWER VACUUM INTERRUPTER

Richards, P.N.

2560
ELECTRICAL FIELD BREAKDOWN IN SULPHUR HEXAFLUORIDE

8281
TIME-RESOLVED RADIAL TEMPERATURE PROFILES FOR 10 KA SF/SUB
6/ ARCS

Richardson, M.C.

5053
A SIMPLE LASER-TRIGGERED SPARK GAP WITH SUBNANOSECOND
RISE TIME

Richley, E.

8937
FREE RECOVERY OF THE GAS-BLAST ARC COLUMN

10276
MECHANISMS FOR TEMPERATURE DECAY IN THE FREELY RECOVERING
GAS-BLAST ARC

Richter, J.P.

8633
FIBER OPTIC TELEMETRY SYSTEM FOR LLL HIGH-VOLTAGE TEST STAND

Riedmuller, W.

477
ESTIMATES ON THE ACCELERATION OF PELLETS BY GASDYNAMIC AND
ELECTROSTATIC MEANS

Riegelmann, K.M.

6024
DESIGN STUDIES FOR ULTRA-FAST, LOW-IMPEDANCE
HIGH-PEAK-POWER PULSE SYSTEMS

Rienstra, W.M.

10388
CONCEPTUAL DESIGN OF AN AUTO-RESONANT ACCELERATOR EXPERIMENT

Riepe, K.

4782
PULSE POWER SYSTEMS FOR THE LASL HIGH ENERGY GAS LASER
FACILITY

Riepe, K.S.

550
308-KJ, 200-KA MARX MOD. FOR ANTARES

562
HIGH-VOLTAGE MICROSECOND PULSE-FORMING NETWORK

1549
OVERVOLTAGE PROTECTION BY POINT-PLANE SPARK GAPS

4118
PULSE FORMING NETWORKS FOR FAST PUMPING OF HIGH POWER
ELECTRON-BEAM-CONTROLLED CO/SUB 2/ LASERS

8399
ANTARES PROTOTYPE 308-KJ, 250-KA MARX GENERATOR (FINAL
REPORT)

10457
ELECTRON-BEAM-CONTROLLED GAS LASERS: DISCUSSION FROM THE
ENGINEERING VIEWPOINT: PART II. PROBLEMS IN THE ELECTRICAL
DESIGN OF VERY HIGH ENERGY SYSTEMS

Rigrod, M.W.

6867
BEHAVIOR OF THE RESISTANCE IGNITOR IN MERCURY

Ries, P.A.

1382
SUPERCONDUCTING ROTOR RESEARCH

Risux-Damida, F.

7594
NEW TYPE OF ULTRAFAST CIRCUIT BREAKER: ITS PRINCIPLE AND PERFORMANCES

Rioux, C.

7594
NEW TYPE OF ULTRAFAST CIRCUIT BREAKER: ITS PRINCIPLE AND PERFORMANCES

18188
DESCRIPTION OF THE ENERGY SOURCE PROJECT DELIVERING 1
MEGAJoule IN 1 MICROSECOND

Risk, F.A.M.

4919
FLASHOVER TESTS ON DUST-CONTAMINATED INSULATORS

Risk, W.S.

4887
A COMPACT HIGH SPEED LOW IMPEDANCE BLUMLEIN LINE FOR HIGH
VOLTAGE PULSE SHAPING

10459
SHOP DRAWINGS FOR A MEDIUM SIZE MARX GENERATOR: TECHNICAL
REPORT NO. 73-069

Rietic, V.M.

4013
RISE TIME AND TIME-DEPENDENT SPARK-GAP RESISTANCE IN
NITROGEN AND HELIUM

Rivlin, L.A.

8088
OPTICALLY-INITIATED DIRECTED ELECTRIC BREAKDOWN IN A GAS

Rizk, F.A.M.

4474
INFLUENCE OF RAIN ON SWITCHING IMPULSE SPARKOVER VOLTAGE OF
LARGE-ELECTRODE AIR GAPS

5551
LOW-FREQUENCY SHIELDING EFFECTIVENESS OF A DOUBLE CYLINDER
ENCLOSURE

Roark, R.M.

2156
PULSE-FORMING NETWORKS WITH TIME-VARYING OR NONLINEAR
RESISTIVE LOADS

Roberts, A.

4741
A SIMPLE CIRCUIT FOR THE PRODUCTION OF A HIGH VOLTAGE STEP

Roberts, J.S.

3713
NANOSECOND SWITCHING OF HIGH POWER LASER ACTIVATED SILICON
SWITCHES

5580
DEVELOPMENT AND APPLICATION OF LIGHT ACTIVATED SILICON
SWITCHES

Roberts, T.G.

5593
ON THE PROPAGATION OF HIGH INTENSITY, HIGH VOLTAGE ELECTRON
BEAMS AND THE MAXIMUM CURRENT WHICH SUCH BEAMS MAY POSSESS

Roberts, S.

518
MICROSECOND-PULSED ION BEAM FROM A MARX GENERATOR

Robin, M.B.

3712
MULTIPHOTON FRAGMENTATION AND IONIZATION

Robinson, G.A.

9827
A RELIABLE 60KV FLASHLAMP TRIGGERING SYSTEM

Robinson, J.A.

1307
SF/SUB 6/ OIL DIELECTRIC FOR POWER TRANSFORMERS

Robinson, J.M.

6034
SELF-CROWBARRING, LOAD-ISOLATING TRIGGERED SPARK GAP

7753
ELECTRIC FIELDS AND SECONDARY EMISSION NEAR A
DIELECTRIC-METAL INTERFACE

Robinson, M.B.

10235
ARC STABILITY OF ELECTRONEGATIVE GASES

Robinson, T.M.

127
POWER SYSTEM FOR A HIGH-POWER BURST MODE PULSED LOAD

Robison, J.B.

10395
HIGH VOLTAGE FIELD-REVERSAL PULSE GENERATOR USING A LASER
SWITCHING MEANS TO ACTIVATE A FIELD EMISSION X-RAY TUBE

Robkin, L.H.

7062
PULSED AIR-CORED BETATRON POWERED FROM A MAGNETOCUMULATIVE
GENERATOR

Robles O, J.C.

10291
DESIGN AND CONSTRUCTION OF A PRECISION PULSE GENERATOR

Robson, A.E.

188
THE HRL MULTI-MEGAJOULE INERTIAL-INDUCTIVE ENERGY STORAGE
SYSTEM

5099
AN INDUCTIVE ENERGY STORAGE SYSTEM BASED ON A SELF-EXCITED
HOMOPOLAR GENERATOR

6493
APPLICATION OF THE HALL EFFECT TO THE SWITCHING OF
INDUCTIVE CIRCUITS

Rochells, R.W.

10009
A TRANSMISSION-LINE PULSE INVERTER

Rodrick, H.F.

10273
INDUCTIVE STORE PULSE COMPRESSION SYSTEM FOR DRIVING HIGH
SPEED PLASMA IMPLSIONS

Rodwald, A.

621
THE GENERATION OF LIGHTNING AND SWITCHING IMPULSE VOLTAGES
IN THE UVF REGION WITH AN IMPROVED MARX CIRCUIT

5646
TRANSIENT PHENOMENA IN THE MARX-TYPE MULTIPLIER CIRCUIT
AFTER FIRING THE FIRST SWITCHING SPARK GAP

Rodichkin, V.A.

4593
A VACUUM SPARK GAP WITH LASER FIRING

5941
LASER-INITIATED VACUUM DISCHARGE

- 4971
'MINUS' PULSED, HIGH-CURRENT, NANOSECOND, ELECTRON
ACCELERATOR
- 7883
EFFECTS OF TARGET-ELECTRODE POLARITY AND FOCAL-PLANE
POSITION ON A LASER-TRIGGERED GAP
- 7932
LASER-TRIGGERED SPARK-GAP SWITCH
- 7959
SOLID-DIELECTRIC NANOSECOND SPARK GAP WITH LASER TRIGGERING
- Rozhl, P.
- 3472
ELECTRICAL CONDUCTION AND ELECTRICAL BREAKDOWN OF ORGANIC
INSULATORS AND SEMICONDUCTORS
- Rozfeld, M.J.
- 5488
REDUCTION OF SPARKING VOLTAGES DUE TO A MAGNETIC FIELD
PARALLEL TO THE AXIS OF ROO ELECTRODES
- Rogers Jr., D.
- 5573
MODULATOR CHARGING SYSTEM UPGRADE FOR A 5-MEV ELECTRON
ACCELERATOR
- Rogers, A.J.
- 4298
FIBRE-OPTICAL CURRENT MEASUREMENT
- 8125
OPTICAL METHODS FOR MEASUREMENT OF VOLTAGE AND CURRENT ON
POWER SYSTEMS
- Rogers, O.J.
- 8427
EXPERIMENTS IN MAGNETIC SWITCHING
- Rogers, J.D.
- 4886
0.54-MJ SUPERCONDUCTING MAGNETIC ENERGY TRANSFER AND STORAGE
- Rogers, R.R.
- 3454
NANOSECOND BREAKDOWN IN HEXANE
- Rogovtsev, P.H.
- 6858
STABILIZATION OF A PINCHED HIGH-CURRENT DISCHARGE BY MEANS
OF A PLASMA JET
- 9668
PHOTOINDUCED SURFACE DISCHARGE
- Rohetgi, V.K.
- 10317
PRELIMINARY RESULTS OF EXPERIMENTS WITH MODERATE POWER RED
- Rohrbach, P.
- 5630
MECHANISM WHICH LEADS TO THE FORMATION OF AN ELECTRIC SPARK
AT VERY HIGH VOLTAGE AND UNDER ULTRA-VACUUM FOR THE
MEASUREMENT OF THE DELAY TIME OF THE DISRUPTION
- 10474
TECHNICAL PROBLEMS INVOLVED IN H/SUB 2/ STREAMER CHAMBERS
- Rohrbeck, W.
- 4460
EROSION OF METAL CATHODES BY ARCS AND BREAKDOWNS IN VACUUM
- Rohwein, C.J.
- 914
DESIGN OF PULSE TRANSFORMERS FOR PPL CHARGING
- Rohwein, G.J.
- 1774
RECENT DEVELOPMENTS IN HIGH AVERAGE POWER DRIVER TECHNOLOGY
- Rohwein, G.J.
- 123
OPERATION OF A 300-KV, 100-HZ, 30-KW AVERAGE POWER PULSER
- 1285
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY;
LECTURE 9: PULSE TRANSFORMERS AND DIELECTRICS
- 1452
A THREE MEGAVOLT TRANSFORMER FOR PPL PULSE CHARGING
- 3784
DEVELOPMENT OF A 3 MV PULSE TRANSFORMER
- 5537
AIRCORE PULSE TRANSFORMERS FOR HIGHPOWER LASERS
- 5882
PRELIMINARY DESIGN OF A 100 HZ, 350 KV SHORT PULSE GENERATOR
- 7248
DESIGN AND DEVELOPMENT OF A 350 KV, 100 PPS ELECTRON BEAM
ACCELERATOR
- 8487
CRITICAL PULSE POWER COMPONENTS
- 8453
HIGH-VOLTAGE AIR-CORE PULSE TRANSFORMERS
- 8474
PARTIAL DISCHARGE TESTING OF BULK TRANSFORMER OIL
- 8834
OPERATION OF A 300 KV, 100 HZ, 50 KW AVERAGE POWER PULSER
- 10288
LOW JITTER SPARK GAP SWITCH FOR REPETITIVELY PULSED
PARALLEL CAPACITOR BANKS
- Rolfe, I.M.
- 3843
INCREASING THE MAXIMUM GRADIENTS IN THE WINDINGS OF THE
PULSE TRANSFORMERS OF ACCELERATOR PREINJECTORS
- 4973
A HELICAL PULSE-VOLTAGE GENERATOR
- 7889
IMPROVED STABILITY OF EXPLOSIVE-EMISSION MULTIPLE-TIP
CATHODES
- 7814
MICROSECOND HIGH-CURRENT ELECTRON-BEAM ACCELERATOR
- 7856
MICROSECOND HIGH-CURRENT ELECTRON BEAM
- 8252
ARKAD'EV-MARX GENERATOR IN A CONDUCTING SHIELD
- 10171
EXPERIMENTAL STUDY OF A MAGNETICALLY INSULATED DIODE FOR
PULSE LENGTHS $\approx 10^{-5}$ SEC
- 10300
A POWERFUL POIL BREAKER FOR A CURRENT OF 0.5 MA, WHICH
ACTUATES IN 5 MICROSECONDS
- Rokni, M.
- 5195
SMALL SCALE DISCHARGE STUDIES
- Rolff, K.
- 387
STUDY OF THE EFFECTS OF GAS FLOW ON THE PERFORMANCE OF
GAS-BLAST CIRCUIT BREAKERS
- Rolff, K.P.
- 5625
INVESTIGATIONS ON THE INTERACTION BETWEEN ARCS AND GAS FLOW
- Romanenko, I.H.
- 6652
INDUCTANCE OF MULTICHANNEL HIGH-VOLTAGE DISCHARGERS
- 10328
A HIGH-VOLTAGE PULSE GENERATOR WITH AN EXTENDED ZONE OF
STABLE OPERATION

Romanov, Y.O.

8595
AN ELECTROMECHANICAL PULSE SOURCE

Rosenevo, N.B.

8952
ON THE INITIATION OF ELECTRICAL BREAKDOWN OF A HIGH VACUUM
GAP

Rose, F.

5417
HIGH-VOLTAGE SPIRAL GENERATORS

Rose, M.F.

917
HIGH REPETITION RATE MINIATURE TRIGGERED SPARK SWITCH

932
SURFACE AGING IN HIGH REPETITION RATE SPARK SWITCHES WITH
ALUMINUM AND BRASS ELECTRODES

Rose, T.M.

5048
TRANSIENTS IN LARGE TANDEM ACCELERATORS

Rosenfeld, M.

2283
RELAXATION PULSING WITH A VACUUM ARC DEVICE

Rosenson, L.

4897
ALTERNATE POLARITY MULTIPLE SPARK GAP FOR HIGH EFFICIENCY
SNOWER DETECTORS

Rosenthal, L.A.

5508
TERMINATED EXPLODING WIRE ENERGY SOURCE

Rosocha, L.A.

928
PARALLEL COMBINATIONS OF PRE-IONIZED LOW JITTER SPARK GAPS

Rose, R.L.

10392
ELECTRICAL PULSE GENERATORS

Rostagni, G.

6726
AROUS-A SIMPLE DEVICE FOR SIMULTANEOUS MEASUREMENT OF
BREAKDOWN TIMES OF MANY SPARK GAPS

Rostoker, M.

5456
ADVANCED SIMULATION RESEARCH: VOLUME II-VACUUM ENERGY
STORAGE

8297
ADVANCED SIMULATION RESEARCH: VOLUME II. VACUUM ENERGY
STORAGE

Rotenberg, M.

10373
HYBRID EM METHODS

Roth, I.

339
PLASMA EROSION SWITCHES WITH IMPLODING PLASMA LOADS ON A
MULTITERAWATT PULSED POWER GENERATOR

Rotshstein, V.F.

6465
INVESTIGATION OF THE TIME CHARACTERISTICS OF THE TRANSITION
OF FIELD EMISSION TO A VACUUM ARC

6494
ARRANGEMENT FOR STUDYING FIELD EMISSION IN THE NANOSECOND
AND SUBNANOSECOND RANGES

Rouee, C.A.

8112
THEORETICAL ANALYSIS OF THE HYDRODYNAMIC FLOW IN EXPLODING
WIRE PHENOMENA

Roux, G.

18461
GENERATOR OF EXTENDED DURATION HIGH VOLTAGE PULSES

Roubotham, J.R.

2399
TIME LAGS ASSOCIATED WITH ULTRA-HIGH FREQUENCY GAS BREAKDOWN

Rowe, J.E.

6154
MONTE CARLO SIMULATION OF THE LOW-VOLTAGE ARC MODE IN
PLASMA DIODES

Rowe, R.M.

3754
PULSE GROUP OPERATION OF HIGH POWER LINE TYPE MODULATORS

Roy, E.L.

619
PULSE GENERATORS AND MODULATORS FOR LASER APPLICATIONS

Rozenov, A.O.

8979
THEORETICAL MODEL FOR BREAKDOWN OF FLASH-DISCHARGE TUBES
CAUSED BY INTERNAL PRESSURE DURING VAPORIZATION OF WALL
MATERIAL

Rozhkev, I.I.

317
GENERATOR PRODUCING NANOSECOND PULSES WITH AN INCREASED
REPETITION FREQUENCY

2894
NANOSECOND-PULSE GENERATOR USING THYRISTORS

Rubble, C.

10885
A PULSE TRANSFORMER FOR LARGE WIRE SPARK CHAMBERS

Rubin, A.G.

1745
LIQUID-COPPER RESISTIVITY

Rudakov, L.I.

1167
ACCELERATOR MODULE OF 'ANGARA-5'

4136
TRANSPORT OF A RELATIVISTIC ELECTRON BEAM TO A FUSION TARGET

Rudenko, A.A.

1063
FAST-ACTING ELECTRODYNAMIC CIRCUIT BREAKER

Rudenko, M.S.

1645
HIGH-VOLTAGE PULSE GENERATOR FOR THE TWO-METER STREAMER
CHAMBER OF THE JINR

4767
GENERATOR WITH AMPLITUDE AND LENGTH STABILIZATION OF THE
PULSE FOR SUPPLYING A STREAMER CHAMBER

6441
AN INVESTIGATION OF THE ELECTRIC STRENGTH OF SOME LIQUID
DIELECTRICS SUBJECT TO NANOSECOND VOLTAGE PULSES

6477
REPRODUCIBILITY OF DELAY TIME FOR BREAKDOWN OF
HIGH-PRESSURE TRIGGERED SPARK GAPS

6418
A SUPPLY GENERATOR FOR A STREAMER CHAMBER WITH A LARGE
INTERELECTRODE GAP

6620
A 500-KV NANOSECOND PULSE GENERATOR

7826
STUDY OF THE PULSE ELECTRICAL STRENGTH OF SOME LIQUIDS

7159
PULSE CURRENT GENERATOR

9582
AMPLITUDE STABILIZATION OF HIGH-VOLTAGE PULSES USING
POWERFUL COMPUTERS

Rudolph, M.

7926
LASER INITIATED SPARK DEVELOPMENT IN AN AIR GAP

Rukovich, L.B.

414
THE DISCHARGE CURRENT DISTRIBUTION OVER THE SURFACE OF THE
ELECTRODES OF A HYDROGEN THYRATRON DURING A PULSE

Rullo, R.J.

8126
SERV J1: DESIGN REQUIREMENTS FOR INTEGRATING ELECTRIC
PROPULSION INTO A SPACECRAFT

Rumantsev, P.P.

9681
HIGH-POWER MAGNETOTHRISTOR PULSE GENERATOR

Rungie, J.

413
VOLTAGE INDUCED CAPACITANCE FLUCTUATIONS IN A COMPRESSED
GAS, HIGH-VOLTAGE CAPACITOR

Ruppel, M.

3738
AFTERGLOW TAILS AND STABILITY OF HIGH-DENSITY NANOSECOND
ARC CHANNELS

Rusakova, O.Ye.

7883
EFFECTS OF TARGET-ELECTRODE POLARITY AND FOCAL-PLANE
POSITION ON A LASER-TRIGGERED GAP

7939
SOLID-DIELECTRIC NANOSECOND SPARK GAP WITH LASER TRIGGERING

Russell, I.J.

9468
CHEMICAL AND PHYSICAL CHARACTERISTICS OF EXPLODING WIRE
PRODUCTS

Rusakov, A.S.

9585
MAGNETOIMPLOSIVE GENERATORS FOR RAPID-RISE TIME MEGAMPERE
PULSES

Ruet, H-P.

5185
CAPACITIVE MEASUREMENTS OF SLOW FLUCTUATIONS IN HIGH-VOLTAGE
SUPPLIES FOR ELECTRON MICROSCOPES

Rutberg, F.G.

8938
HIGH-CURRENT DISCHARGE IN A DENSE PLASMA SOURCE

9987
GENERATION OF MEGAGAUSS MAGNETIC FIELDS USING A LINER
COMPRESSED BY HIGH-PRESSURE GAS

10341
HIGH-CURRENT HIGH-PRESSURE DISCHARGE CHAMBER. I

10483
HIGH-CURRENT DISCHARGES IN NITROGEN WITH AN INDUCTIVE
STORAGE BANK

Rutherford, J.A.

1816
SPONTANEOUS DISCHARGES AND THE EFFECT OF ELECTRON CHARGING
ON SKYNET SOEMP RESPONSE

Rutkevich, I.M.

6648
THE ELECTROMAGNETIC FIELD IN A CAVITY UNDERGOING COMPRESSION

Rutshteyn, S.

6485
THE EMISSION OF OXIDE CATHODES IN A STRONG LONGITUDINAL
MAGNETIC FIELD

Ryabinin, Yu.V.

6938
ELECTRIC STRENGTH OF SCATTERED DETONATION GASES

6934
ELECTRICAL STABILITY OF DETONATION PRODUCTS OF CONDENSED
EXPLOSIVES

Ryan Jr., L.W.

8847
PHOTOPREIONIZATION OF THE 3371-ANGSTROM PULSED Nd:YAG
LASER

Ryan, M.M.

3646
SPECIAL SPARK-GAP SWITCHES FOR USE IN SYNTHETIC TEST
CIRCUITS

3438
LIGHTNING STRIKE POINT LOCATION STUDIES ON SCALE MODELS

Ryan, R.

18415
TEMPS (TRANSPORTABLE EMP SIMULATOR) FINAL REPORT: VOLUME
II. APPENDICES

18416
TEMPS (TRANSPORTABLE EMP SIMULATOR) FINAL REPORT: VOLUME I

Rybalov, A.M.

1622
PULSE ELECTRON ACCELERATOR TO EXCITE LARGE GAS VOLUMES

18179
THE 'TEREK-2' HIGH-CURRENT PULSED ELECTRON ACCELERATOR

Rybin, V.M.

3838
FOUR-CHANNEL UNIT FOR FIRING SPARK GAPS SYNCHRONOUSLY

Rykov, V.L.

144
NEUTRINO BEAM OF THE INSTITUTE OF HIGH-ENERGY PHYSICS. V.
PULSED POWER SUPPLY FOR THE NEUTRINO FOCUSING SYSTEM

Ryl'tsev, V.V.

18495
INVESTIGATION OF THE RE-ESTABLISHMENT OF IMPULSE ELECTRICAL
STRENGTH AFTER DISCHARGE IN SPARK CHAMBERS WITH SMALL
CLEARANCE

Rylender H.G.

8359
HOMOPOLAR GENERATOR DEVELOPMENT AT THE UNIVERSITY OF TEXAS

Rylender, H.G.

182
MAGNETIC FIELD CALCULATIONS FOR HIGH-ENERGY PULSED POWER
SUPPLIES

201
PULSED POWER FROM INERTIAL STORAGE WITH HOMOPOLAR MACHINES
FOR CONVERSION

871
COMPUTER BASED ELECTRICAL ANALYSIS OF HOMOPOLAR GENERATOR
DRIVEN, BITTER PLATE STORAGE INDUCTORS WITH RADIAL CURRENT
DIFFUSION

2885
THE TESTING OF SLIDING ELECTRICAL CONTACTS FOR HOMOPOLAR
GENERATORS

2718
CIRCUIT AND MAGNETIC ANALYSIS FOR A SYSTEM OF FARADAY
ROTATOR COILS DRIVEN BY A TWO-SPOOL, FOUR-ROTOR HOMOPOLAR
GENERATOR

2745
TEST DATA ON ELECTRICAL CONTACTS AT HIGH SURFACE VELOCITIES
AND HIGH CURRENT DENSITIES FOR HOMOPOLAR GENERATORS

2887
PRELIMINARY ENGINEERING DESIGN OF A PULSED HOMOPOLAR
GENERATOR POWER SUPPLY

3388
FUNDAMENTAL LIMITATIONS AND TOPOLOGICAL CONSIDERATIONS FOR
FAST DISCHARGE HOMOPOLAR MACHINES

4691
INERTIAL ENERGY STORAGE RESEARCH AT THE UNIVERSITY OF TEXAS
AT AUSTIN

4698
ONE MILLISECOND DISCHARGE TIME HOMOPOLAR MACHINE

5418
REBUILDING THE FIVE MEGAJOULE HOMOPOLAR MACHINE AT THE
UNIVERSITY OF TEXAS

7175
FUNDAMENTAL LIMITATIONS AND DESIGN CONSIDERATIONS FOR
COMPENSATED PULSED ALTERNATORS

7215
DESIGN OF THE ARMATURE WINDINGS OF A COMPENSATED PULSED
ALTERNATOR ENGINEERING PROTOTYPE

7219
THE DESIGN, ASSEMBLY, AND TESTING OF A DESK MODEL
COMPENSATED PULSED ALTERNATOR

7219
THE MECHANICAL DESIGN OF A COMPENSATED PULSED ALTERNATOR
PROTOTYPE

7228
APPLYING A COMPENSATED PULSED ALTERNATOR TO A FLASHLAMP
LOAD FOR NOVA-PART II

7496
TESTING AND ANALYSIS OF A FAST DISCHARGE HOMOPOLAR MACHINE
(POX)

8347
POX: A FAST DISCHARGE HOMOPOLAR GENERATOR

Ryuger, K.

5197
STREAMER CHAMBER POWER SUPPLY ON THE BASIS OF A 500KV PULSE
TRANSFORMER

10221
HIGH-VOLTAGE SYSTEM FOR THE RISK FACILITY: PART 1. SIPOLAR
GENERATOR MODEL OF VOLTAGE PULSES WITH THE AMPLITUDE UP TO
200 KV

Ryukhart, V.V.

3322
LASER-TRIGGERED VACUUM SWITCH

Ryumin, V.V.

6842
ON THE NATURE OF PULSE ELECTRIC BREAKDOWN OF AQUEOUS
ELECTROLYTES

10165
PRE-BREAKDOWN PHENOMENA IN AQUEOUS ELECTROLYTES IN
ULTRA-HIGH ELECTRIC PULSE FIELDS. PART I

Ryutov, O.O.

3788
HIGH POWER RELATIVISTIC ELECTRON BEAMS IN PLASMA AND IN
VACUUM

7588
'DIPPOUSION' ELECTRODES FOR INVESTIGATION OF THE BREAKDOWN
OF LIQUID DIELECTRICS

Rzed, S.J.

7741
BREAKDOWN AND PREBREAKDOWN PHENOMENA IN LIQUIDS

7776
PROGRESS IN THE FIELD OF ELECTRIC BREAKDOWN IN DIELECTRIC
LIQUIDS

Seed, M.

8433
COAXIAL MARX GENERATOR FOR PRODUCING INTENSE RELATIVISTIC
ELECTRON BEAMS

Seeks, R.

4681
AN ELECTROMECHANICAL PULSE GENERATOR

Sefranov, V.I.

1325
HIGH-VOLTAGE PULSE VOLTAGE GENERATOR

Seharian, A.

18485
DUAL MODE GUN DEVELOPMENT (PHASE I)

Sehlin, H.

1431
THE DESIGN OF A REPETITIVELY PULSED MEGAJOULE DENSE-PLASMA
FOCUS

Sehlin, H.L.

286
THE PLASMA FOCUS AS A PULSED POWER SOURCE FOR DRIVING
PULSED MICROEXPLOSIONS

Seiken, S.

3362
WATER SPARK GAP FOR A NITROGEN LASER

Saint-Arnaud, R.

739
CHARACTERISTICS OF IMPULSE BREAKDOWN OF STANDARD ROD GAPS
UNDER CONTROLLED-ATMOSPHERE CONDITIONS

4948
PREBREAKDOWN PHENOMENA IN STANDARD ROD GAPS SUBJECTED TO
IMPULSE VOLTAGES

Seita, Y.

9696
THREE-DIMENSIONAL ANALYSIS OF THE MAGNETODYNAMIC FIELDS IN
ELECTROMAGNETIC DEVICES TAKEN INTO ACCOUNT THE DYNAMIC
HYSTERESIS LOOPS

Sekoto, K.

3175
DIELECTRIC BREAKDOWN OF SULPHUR HEXAFLUORIDE IN NEARLY
UNIFORM FIELDS

Sekoto, Y.

635
LOW-IMPEDANCE, COAXIAL-TYPE MARX GENERATOR WITH A
QUASI-RECTANGULAR OUTPUT WAVEFORM

Sekharov, A.O.

7121
MAGNETOIMPLOSIVE GENERATORS

Sekharov, R.Z.

7128
MAGNETIC CUMULATION

Sel'man, M.A.

2111
TIME CHARACTERISTICS OF ELECTRICAL BREAKDOWN IN VACUUM

Selomo, M.M.A.

10128
RANDOM PREBREAKDOWN DISCHARGES IN SF₆/SF₈ 6/ - A POSSIBLE
DIAGNOSTIC CRITERION FOR PARTICLE-CONTAMINATED COMPRESSED
GAS APPARATUS

Selinger, S.N.

6154
MONTE CARLO SIMULATION OF THE LOW-VOLTAGE ARC MODE IN
PLASMA GIGGLES

Selmon, S.K.

3596
NOVEL DESIGN FOR ACCURATE ALIGNMENT OF HIGH VOLTAGE
ELECTRODES ASSEMBLY

- 3789
EFFECTS OF ELECTRODE CURVATURE, DISTANCE FROM GLASS
INSULATOR, AND ADDITION OF HYDROGEN ON FIELD-EMISSION
CURRENTS AND BREAKDOWN VOLTAGE IN VACUUM
- Solovov, S.
- 7884
ELECTRIC STRESSES AT CONDUCTING SURFACES LOCATED IN THE
FIELD BETWEEN PLANE PARALLEL ELECTRODES
- 7885
ELECTRIC STRESSES IN GASEOUS CAVITIES IN SOLID DIELECTRICS
- Solmann, M.
- 4581
UV LASER TRIGGERING OF SPARK GAPS BY TWO-QUANTUM
PHOTORELECTRIC EFFECT
- Somodelov, I.S.
- 3151
GENERATOR PRODUCING SINGLE NANOSECOND PULSES WITH
CONTROLLABLE AMPLITUDE AND DURATION
- Somolov, A.V.
- 144
NEUTRINO BEAM OF THE INSTITUTE OF HIGH-ENERGY PHYSICS. V.
PULSED POWER SUPPLY FOR THE NEUTRINO FOCUSING SYSTEM
- Somylov, S.V.
- 2100
PULSED SUPPLY OF PHOTOMULTIPLIERS
- Soner, M.I.
- 10414
MATCHING A PARTICULAR PULSER TO A PARALLEL-PLATE SIMULATOR
- Sondel, F.L.
- 1253
NRL LIGHT ION BEAM RESEARCH FOR INERTIAL CONFINEMENT FUSION
- 10277
TIME-DEPENDENT ION DIODE PHYSICS AND ION BEAM TRANSPORT IN
STABILIZED PLASMA CHANNELS
- 18311
ANALYSIS OF PROTON TRANSPORT EXPERIMENTS
- Sondrolini, F.
- 345
VERSATILE THREE-TERMINAL CELL FOR INVESTIGATING THE
ELECTRICAL PROPERTIES OF INSULATING MATERIALS OVER A WIDE
FREQUENCY AND TEMPERATURE RANGE
- Senin, I.V.
- 2100
PULSED SUPPLY OF PHOTOMULTIPLIERS
- Senjono, Z.N.
- 4886
0.94-MJ SUPERCONDUCTING MAGNETIC ENERGY TRANSFER AND STORAGE
- Serjeant (Ed.), W.J.
- 486
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY
- Serjeant, J.
- 7186
A HIGH CURRENT PULSER FOR EXPERIMENT 225, 'NEUTRINO
ELECTRON ELASTIC SCATTERING'
- 18338
HIGH CURRENT PULSER FOR EXPERIMENT NO. 225, NEUTRINO
ELECTRON ELASTIC SCATTERING
- Serjeant, W.J.
- 578
ELECTRON BEAM GUN SIMULATION
- 1277
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY;
LECTURE 1: INTRODUCTION TO POWER CONDITIONING SYSTEMS
- 1278
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY;
LECTURE 2: DC POWER SUPPLIES AND HARD-TUBE POWER
CONDITIONING SYSTEMS
- 1281
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY;
LECTURE 5: DISCHARGE CIRCUITS AND LOADS
- 1283
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY;
LECTURE 7: THYRATrons AND IONITRONS
- 1295
HIGH-PRESSURE SURFACE-DISCHARGE PLASMA SWITCHES
- 2178
MULTICHANNEL SURFACE SPARK GAPS
- 4336
HIGH-VOLTAGE PROBE SYSTEM WITH SUBNANOSECOND RISE TIME
- 8143
A CURRENT TRANSFORMER FOR LOW LEVEL MICROSECOND PULSES
- 8487
CRITICAL PULSE POWER COMPONENTS
- 8699
SUB-NANOSECOND JITTER, REPETITIVE IMPULSE GENERATORS FOR
HIGH RELIABILITY APPLICATIONS
- Serker, T.K.
- 1355
CURRENTS AND CHARGES ON CYLINDERS IN A PARALLEL-PLATE
TRANSMISSION LINE
- Serlabeux, J.
- 9388
INTERACTION OF CORONA WITH DIELECTRIC MATERIAL UNTIL DAMAGE
- Sasaki, T.
- 8889
INVESTIGATION OF LASER PULSE FORMING BY LTSG AND PCKELS
CELLS
- Sato, I.
- 698
NONADIABATIC ENERGY TRANSFER BETWEEN COUPLED L-C RESONATORS
AND ITS POSSIBLE APPLICATIONS TO HIGH-POWER RF PULSE
GENERATION
- Satov, Yu.A.
- 6875
VOLUME DISCHARGE WITH UV PREIONIZATION
- Satyam, M.
- 466
ROLE OF SILICON CARBIDE/MERCURY INTERFACE IN IONITRONS
- Sauera, I.
- 4369
HIGH VOLTAGE RESEARCH (BREAKDOWN STRENGTHS OF GASEOUS AND
LIQUID INSULATORS) AND ENVIRONMENTAL EFFECTS OF DIELECTRIC
DASES
- 7744
CARBON INHIBITION IN SPARKED PERFLUOROCARBON-SF₆/SF₆ 6/
MIXTURES
- 18185
HIGH VOLTAGE RESEARCH (BREAKDOWN STRENGTHS OF GASEOUS AND
LIQUID INSULATORS) AND ENVIRONMENTAL EFFECTS OF DIELECTRIC
DASES. SEMIANNUAL REPORT, APRIL 1, 1979-SEPTEMBER 30, 1979
- Saum, R.A.
- 3337
FORMATION AND GUIDING OF HIGH-VELOCITY ELECTRICAL STREAMERS
BY LASER-INDUCED IONIZATION
- Sauzade, M.
- 5134
HIGH MAGNETIC FIELD PRODUCTION BY ELECTROMAGNETIC ENERGY
STORAGE IN A SUPERCONDUCTING COIL
- Savage, D.V.
- 4411
FLOATING DEGR GRID MODULATOR

Savchenko, I.S.

10463
MULTITUBE GENERATOR BANK

Savchenko, V.A.

7095
THE LIU-10 HIGH-POWER ELECTRON ACCELERATOR

8105
CONFIGURATIONS AND MODES OF AN H-PRESSED DISCHARGE

Savic, F.

4342
LABORATORY SIMULATION OF THE STEPPED LEADER IN LIGHTNING

Savin, V.V.

6927
DYNAMIC ATMOSPHERIC PRESSURE DISCHARGE EXCITED BY AN ELECTRON BEAM

Savvatimskii, A.I.

10305
PRODUCTS FROM THE ELECTRICAL EXPLOSION OF TUNGSTEN AT CURRENTS OF APPROXIMATELY 1E11 A/SQ.M.

Sazama, F.J.

7187
A STREAMER MODEL FOR HIGH VOLTAGE WATER SWITCHES

Scarlett, W.R.

1349
OVERVOLTAGE PROTECTION BY POINT-PLANE SPARK GAPS

7194
A LARGE-AREA COLD-CATHODE GRID-CONTROLLED ELECTRON GUN FOR ANTARES

Scerch, G.

3748
HIGH POWER SOLID STATE MODULATOR FOR COHERENT AGILE MICROWAVE AMPLIFIER

7244
ELECTRO-OPTIC TRANSDUCERS AND OPTICAL FIBERS IN HIGH VOLTAGE MICROWAVE MODULATORS

Schade, E.

8185
INVESTIGATION OF A CYLINDRICAL, AXIALLY BLOWN, HIGH-PRESSURE ARC

Scherf, B.W.

885
INSULATED-GATE PLANAR THYRISTORS. I. STRUCTURE AND BASIC OPERATION

Schaeline, A.

1531
COMPUTATIONAL PROCEDURES FOR CHARACTERIZATION OF HIGH VOLTAGE SPARK SOURCES

3030
MEASUREMENT PROCEDURES FOR CHARACTERIZATION OF HIGH VOLTAGE SPARK SOURCES

Scheffler, C.F.

6489
IMPROVEMENTS ON TRANSMISSION-LINE PULSERS

Scherrer, V.E.

1747
INDUCTIVE STORAGE-PROSPECTS FOR HIGH POWER GENERATION

7605
RECOVERY CHARACTERISTIC OF EXPLODING WIRE FUSES IN AIR AND VACUUM

Schidbach, K.

4590
A DYE LASER TRIGGERED SPARK GAP

Schilling, O.

8302
DEVELOPMENT AND USE OF 60 KV. AND 150 KV FLOATING DECK MODULATORS FOR HIGH VOLTAGE PROTECTION OF MULTI-MEGAWATT ION BEAM ACCELERATORS

Schilling, M.B.

845
DEVELOPMENT AND INVESTIGATION OF RELATIVISTIC ELECTRON BEAMS WITH FINITE ENERGY SPREAD AND IMPROVED EMITTANCE

Schlegel, R.W.

10320
CALCULATIONS OF THE PERFORMANCE OF EXPLOSIVE IMPULSE GENERATORS

Schlecht, R.O.

8602
ARC DISCHARGE SOURCES

SchlageI, E.S.

1260
LIGHT-FIRED THYRISTOR DEVELOPMENT

Schlitt, L.

7195
A DOUBLE-SIDED ELECTRON BEAM GENERATOR FOR KRF LASER EXCITATION

Schmidt (Ed.), W.F.

9868
1981 IEEE 7TH INTERNATIONAL CONFERENCE ON CONDUCTION AND BREAKDOWN IN DIELECTRIC LIQUIDS

Schmidt, J.

7470
BASIC PRINCIPLES GOVERNING THE DESIGN OF MAGNETIC SWITCHES

Schmidt, R.

8978
THEORETICAL AND EXPERIMENTAL INVESTIGATION OF THE STOCHASTIC BEHAVIOR OF AN SF/SUB 6/ BLAST-SWITCHING ARC

Schmidtlin, J.A.

1316
HIGH-CURRENT ANODES FOR HIGH-POWERED XENON ARC LAMPS

Schmitter, K.M.

2441
DYNAMIC CONSTRAINTS ON INDUCTIVE ENERGY STORAGE

Schneider-munteu, M.-.

5456
DAMPING OF VOLTAGE REFLECTIONS AT OPEN CIRCUIT ENDS OF CHARGED CABLES

Schneider, M.

1246
MAGNETOOPTICAL CURRENT TRANSFORMER. 2: COMPONENTS

Schneider, R.

339
PLASMA EROSION SWITCHES WITH IMPLODING PLASMA LOADS ON A MULTITERAWATT PULSED POWER GENERATOR

653
MULTIPLE-WIRE ARRAY LOAD FOR HIGH-POWER PULSED GENERATOR

7904
INTERPRETATION OF X-RAY LINE SPECTRA FROM EXPLODED-WIRE ARRAYS

Schneider, R.T.

5328
ELECTRODE MATERIAL RELEASE DURING HIGH VOLTAGE BREAKDOWN

10182
ELECTRODE MATERIAL RELEASE DURING HIGH VOLTAGE BREAKDOWN (FINAL REPORT)

Schneider, S.

5497
INDUCTANCE EFFECTS IN ENERGY DIVERTER DISCHARGE CIRCUITS

Schneider, S.

259
COMPACT MEGAWATT AVERAGE POWER PULSE GENERATOR

279
MEGAWATT AVERAGE POWER ADIABATIC MODE THYRATONS

3749
HIGH VOLTAGE FUSES FOR PHASED ARRAY RADAR TRANSMITTERS

4381
A BLUMLEIN MODULATOR FOR A TIME-VARYING LOAD

4725
MODULATOR-REPETITIVELY PULSED FIELD EMISSION ELECTRON BEAM
GUN INTERFACE

5344
COMPACT MEGAWATT AVERAGE POWER BURST PULSE GENERATOR

5471
MULTIPLE-ELECTRODE TRIGGERED VACUUM GAPS

6109
METAL-OXIDE DEVICES FOR RAPID HIGH CURRENT SWITCHING

6322
ENERGY CONTROL FOR MICROWAVE AMPLIFIER ARRAYS

4334
INFLUENCE OF HYDROGEN ON MULTIPLE-ELECTRODE (VACUUM) GAP
CHARACTERISTICS

6353
PULSE SHARPENING WITH METAL-OXIDE GULK SWITCHING DEVICES

6583
THE 'HOURGLASS' ENERGY DIVERTER

9381
TRANSIENTS IN HIGH-POWER MODULATORS

10003
GAS-HEATING EFFECT ON PLASMA RESISTIVITY

10437
CIRCUIT PROTECTING, GAS-TUBE, DISCHARGE INTERRUPTER

10438
GAS TUBE ISOLATOR AND CHARGING CIRCUIT FOR PULSE AMPLIFIERS
IN PHASED ARRAYS

Schneider, S.O.A.J.

5461
FIRING CHARACTERISTICS OF MULTIPLE-ELECTRODE TRIGGERED
VACUUM GAPS

Schoenberg, K.F.

1351
STUDY OF THE GENERAL PLASMA CHARACTERISTICS OF A HIGH POWER
MULTIFILAMENT ION SOURCE

Schofield, A.E.

10220
HIGH VOLTAGE, HIGH CURRENT, PULSED ENERGY SOURCE HAVING
DI/DT'S OF 2×10^{12} A/S

10401
MODIFIED MARX GENERATOR

Schenbach, K.

5532
EXPLOSIVE ANODE EROSION IN HIGH CURRENT SPARKS

Schenbach, K.M.

888
LOW JITTER LASER TRIGGERED SPARK GAP USING FIBER OPTIC

Schenbeck, K.M.

T46
LASER TRIGGERING THROUGH FIBER OPTICS OF A LOW JITTER SPARK
GAP

Schonland, O.F.J.

8999
PROGRESSIVE LIGHTNING IV-THE DISCHARGE MECHANISM

Schott, H.J.

1415
A HIGH VOLTAGE DEFLECTION CONDENSER OPERATED UNDER HIGH
VACUUM CONDITIONS

Schotzau, N.J.

8942
QUENCHING PROPERTIES OF AN ARC IN A DOUBLE FLOW WITH A
VORTEX

Schreder, M.W.

3751
IMPROVED MULTIGAP ELECTRONIC CROWBAR

Schramm, O.

4719
A MODULAR POWER-CROWBAR BANK FOR THE GENERATION OF A 50 MA,
50 MICROSECOND CURRENT PULSE FOR THE TOROIDAL PLASMA
EXPERIMENT NBS II AT Garching

Schreiber, D.

8998
PRODUCTION OF PULSED MAGNETIC FIELDS WITH A FLAT PULSE TOP
OF 440 KOE AND 1 MSEC DURATION

Schubert Jr., C.W.

7181
INVESTIGATION INTO TRIGGERING LIGHTNING WITH A PULSED LASER

Schubert, C.W.

3718
THE LASER LIGHTNING ROD SYSTEM. A FEASIBILITY STUDY

Schueler, K.F.

10426
A HIGH INTENSITY PULSED SOURCE OF POLARIZED ELECTRONS

Schulz-Gulde, E.

8274
TEMPERATURE DETERMINATION FOR ARCS IN SULPHUR HEXAFLUORIDE
ACCOUNTING FOR DEMIXING

Schumacher, B.W.

2448
RADIANCE AND RADIANT ENERGY DENSITY IN LIGHT OPTICS AND
ELECTRON OPTICS ANALOGIES, DIFFERENCES, AND PRACTICAL
CONSEQUENCES

T48T
EXTENDED WORKING RANGE FOR ELECTRON BEAMS IN THE ATMOSPHERE

Schumacher, U.

843
DEVELOPMENT AND INVESTIGATION OF RELATIVISTIC ELECTRON
BEAMS WITH FINITE ENERGY SPREAD AND IMPROVED EMITTANCE

Schwab, A.J.

8188
LOW-RESISTANCE SHUNTS FOR IMPULSE CURRENTS

Schwabb, A.J.

3639
PRECISION CAPACITIVE VOLTAGE DIVIDER FOR IMPULSE VOLTAGE
MEASUREMENTS

Schwabe, R.J.

T741
BREAKDOWN AND PREBREAKDOWN PHENOMENA IN LIQUIDS

Schwartz, D.M.

4054
SPARK CHAMBER PULSING SYSTEM

Schwartz, P.

2283
RELAXATION PULSING WITH A VACUUM ARC DEVICE

Schwartz, P.R.

8916
ANODE SHEATH GROWTH AND COLLAPSE IN A HOLLOW-ANODE VACUUM ARC

Schwartz, P.C.

1263
A 10 KW LIGHTWEIGHT DC CONVERTER (TECHNOLOGY FEASIBILITY STUDY FOR LIGHTWEIGHT MEGAWATT RANGE CONVERTERS)

Schwartz, U.

10318
GENERATION OF HIGH VOLTAGE PULSES FROM INDUCTIVE ENERGY STORES BY THE USE OF EXPLODING WIRES

Schwind, A.E.

4434
TRIGGERING OF A HIGH-VOLTAGE PULSE SHAPER FOR IMPROVING TIME STABILITY AND AMPLITUDE STABILITY

Schwirzke, F.

3069
BACKGROUND GAS PRESSURE DEPENDENCE AND SPATIAL VARIATION OF SPONTANEOUSLY GENERATED MAGNETIC FIELDS IN LASER-PRODUCED PLASMAS

Sclutke, G.

873
ELECTRIC POTENTIAL MEASUREMENTS IN GASEOUS INSULATING MATERIALS BY CORONA PROBE IN A CONTROLLED ENVIRONMENT

Scoles, G.

212
OPERATING HYDROGEN THYRATONS IN PARALLEL

128
THE COOLING OF OIL-FILLED ELECTRICAL EQUIPMENT, WITH SPECIAL REFERENCE TO HIGH POWER LINE-TYPE PULSE GENERATORS

4680
AN AMENDED LINE-TYPE PULSE GENERATOR CIRCUIT

4692
INVERSE VOLTAGE CONTROL IN LINE-TYPE PULSE GENERATING CIRCUITS

Scoles, G.J.

417
THE USE OF HYDROGEN THYRATONS AS HIGH SPEED, HIGH VOLTAGE RECTIFIERS

424
VERY HIGH FREQUENCY PULSE GENERATORS USING HYDROGEN THYRATONS

3163
TRIGGERED CHARGING TECHNIQUES FOR PULSE GENERATING CIRCUITS

Scott, J.C.

2119
PRESSURE DEPENDENCE OF THE RISE TIME OF LASER-TRIGGERED SPARK GAPS

Sudder, J.K.

7124
MAGRAC-A RAILGUN SIMULATION PROGRAM

8085
RESULTS OF RAILGUN EXPERIMENTS POWERED BY MAGNETIC FLUX COMPRESSION GENERATORS

Seabrook, J.W.

1372
HIGH VOLTAGE DESIGN GUIDE FOR AIRBORNE EQUIPMENT

Sebe, S.A.

7230
FEASIBILITY STUDY OF THE USE OF AN ENVIRONMENTAL CHAMBER FOR THE EXAMINATION OF TRANSMISSION LINE ELECTRIC FIELD AND CORONA EFFECTS

Sediek, P.

4043
INVESTIGATION OF BREAKDOWN AND RESISTIVITY STRIATIONS IN HIGH-VOLTAGE SILICON DIODES

Sedol, V.S.

131
HIGH-CURRENT NANOSECOND-PULSE ELECTRON ACCELERATOR WITH INDUCTIVE SHAPING ELEMENT

1049
NANOSECOND PULSE GENERATORS WITH INDUCTIVE STORAGE

6920
CONDITIONS FOR THE CURRENT PAUSE IN EXPLODING WIRES

6978
CERTAIN FEATURES OF EXPLODING WIRES

Seelig, W.

3198
NOVEL SHORT RECOVERY TIME HIGH-VOLTAGE SWITCH

Sequin, N.J.J.

240
HIGH-POWER, HIGH-REPLICATION RATE PULSER FOR PHOTO-IMPULSE IONIZED LASERS

Seidel, O.O.

3304
SIMULATION OF POWER FLOW IN MAGNETICALLY INSULATED CONDUITS FOR PULSED MODULAR ACCELERATORS

Seidel, U.

4719
A MODULAR POWER-CROWBAR BANK FOR THE GENERATION OF A 50 MA, 50 MICROSECOND CURRENT PULSE FOR THE TOROIDAL PLASMA EXPERIMENT M05 II AT OARCHINO

Seitz, F.

1561
ON THE THEORY OF ELECTRON MULTIPLICATION IN CRYSTALS

Sekerin, V.Z.

414
THE DISCHARGE CURRENT DISTRIBUTION OVER THE SURFACE OF THE ELECTRODES OF A HYDROGEN THYRATON DURING A PULSE

Seiguchi, T.

4700
DEVELOPMENT AND PERFORMANCE CHARACTERISTICS OF A UV-PREIONIZED, HIGH-POWER TEA PULSED CO/SUB 2/-LASER

Seimur, V.O.

1095
THE LIU-10 HIGH-POWER ELECTRON ACCELERATOR

Seif, S.A.

4049
ASYMPTOTIC PLASMA AND SHEATH REPRESENTATIONS FOR LOW-PRESSURE DISCHARGES

Sein, K.I.

143
MG ENERGY STORAGE AND SWITCHED PULSE POWER SUPPLY

10422
ELECTROMECHANICAL PULSER INVESTIGATION

Seitenova, L.F.

8186
INVESTIGATION OF THE CHARACTERISTICS OF FAST-RESPONSE SEALED DISCHARGES TRIGGERED BY LASER RADIATION

Seilversteva, I.F.

8242
INVESTIGATION OF THE NEAR-ELECTRODE REGIONS OF AN ARC DISCHARGE BETWEEN ELECTRODES OF DIFFERENT CHEMICAL COMPOSITION

Seizer, A.

9991
SWITCHING IN VACUUM: A REVIEW

Samchenko, V.V.

7124
SWITCHING CHARACTERISTICS OF EXPLOSIVE DISCONNECTORS WITH
RAPID DESTRUCTION OF THE CONTACT ELEMENT

Semenov, M.M.

4884
HIGH-VOLTAGE SUPPLY SYSTEM FOR ELECTROSTATIC DEFLECTOR

Semenov, V.D.

8225
A PULSE CIRCUIT FOR EXCITATION OF A PARTICLE ACCELERATOR
ELECTROMAGNET

Semenov, V.V.

5839
ELECTRICAL DISCHARGE THROUGH LASER-INDUCED SPARK

3848
INVESTIGATION OF AN ELECTRIC DISCHARGE ACROSS A LASER SPARK

7913
AN ELECTRICAL DISCHARGE THROUGH TWO LASER SPARKS

Samkin, O.V.

6995
ENERGY BALANCE FOR A SPARK IN A SOLID DIELECTRIC

7012
MECHANICAL ASPECTS OF THE ELECTRICAL BREAKDOWN OF SOLID
DIELECTRICS

7105
CO/SU8 2/ LASER HIGH-VOLTAGE POWER SUPPLY BASED ON A PULSED
AUTOTRANSFORMER

10165
PRE-BREAKDOWN PHENOMENA IN AQUEOUS ELECTROLYTES IN
ULTRA-HIGH ELECTRIC PULSE FIELDS. PART I

Samkina, O.P.

6842
ON THE NATURE OF PULSE ELECTRIC BREAKDOWN OF AQUEOUS
ELECTROLYTES

10165
PRE-BREAKDOWN PHENOMENA IN AQUEOUS ELECTROLYTES IN
ULTRA-HIGH ELECTRIC PULSE FIELDS. PART I

San S.N.

2190
VARIATION OF TOWNSEND'S SECOND COEFFICIENT IN ELECTRODELESS
DISCHARGE

Sanik, A.V.

419
THYRATRON GENERATOR WHICH PRODUCES HIGH-VOLTAGE LONG PULSES
FOR HIGH-OMM LOADS

Serebryakov, V.A.

6546
THE USE OF FERRITES FOR THE GENERATION OF POWERFUL
HIGH-VOLTAGE PULSES OF NANOSECOND DURATION

Seredenko, E.O.

6973
A HELICAL PULSE-VOLTAGE GENERATOR

Seredenko, E.V.

7009
IMPROVED STABILITY OF EXPLOSIVE-EMISSION MULTIPLE-TIP
CATHODES

7014
MICROSECOND HIGH-CURRENT ELECTRON-BEAM ACCELERATOR

8252
ARKAD'EV-MARKS GENERATOR IN A CONDUCTING SHIELD

10300
A POWERFUL FOIL BREAKER FOR A CURRENT OF 0.5 MA, WHICH
ACTUATES IN 5 MICROSECONDS

Sergeenkov, E.A.

7811
INVESTIGATION OF THE ENERGY TRANSFER EFFICIENCY FOR A
PULSED INDUCTION DISCHARGE

10326
MEASUREMENT OF THE GAS TEMPERATURE AND ELECTRON DENSITY IN
AN "INCOMPLETE" DRAZINO DISCHARGE

Sergeev, P.V.

4818
CURRENT DENSITY IN ELECTRODE SPOTS OF ARC WITH METAL
ELECTRODES

Sergeev, V.

2087
TUBULAR PULSE-DISCHARGE LAMPS AS CIRCUIT ELEMENTS

Sergeev, V.B.

6848
MULTICHANNEL SEMICONDUCTOR NANOSECOND SWITCH FOR EXCITATION
OF COPPER VAPOR BY A TRANSVERSE DISCHARGE

Sergeev, V.V.

9461
INDUCTIVE ENERGY STORAGE FOR PULSED DISCHARGES

Sergeyev, V.F.

8595
AN ELECTROMECHANICAL PULSE SOURCE

Serov, A.V.

6503
ELECTRON ACCELERATION IN A TWO-CONDUCTOR STRUCTURE

Sessler, J.O.

10419
CRACK DETECTION APPARATUS AND METHOD

Sethian, J.D.

1298
EXPERIMENTS ON THE INJECTION OF RELATIVISTIC ELECTRON BEAMS
INTO PREFORMED CHANNELS IN THE ATMOSPHERE

Shakir, Yu.A.

7105
CO/SU8 2/ LASER HIGH-VOLTAGE POWER SUPPLY BASED ON A PULSED
AUTOTRANSFORMER

Shakirava, S.A.

8045
LOCALIZATION OF FIELD EMISSION IN SMALL SOLID ANODES

Shakun, N.B.

4884
HIGH-VOLTAGE SUPPLY SYSTEM FOR ELECTROSTATIC DEFLECTOR

Shailmanov, V.F.

7059
NANOSECOND ELECTRON ACCELERATOR

Shamko, V.V.

7075
CHARACTERISTICS OF AN UNDERWATER SPARK

Shandkii, V.F.

776
PLASMA CONTRACTION CAUSED BY THE MAGNETIC FIELD OF THE
CURRENT IN AN ELECTRON-BEAM-SUSTAINED DISCHARGE

Shannon, J.

749
TESTING OF A 100-KV 100-HZ REP-RATE GAS SWITCH

942
A 500 KV REP-RATE MARKS GENERATOR

4851
BEHAVIOR OF LOW-IMPEDANCE RELATIVISTIC ELECTRON DIODES IN
CONVERGING MAGNETIC GRADIENTS

4729
RECTANGULAR BEAM SCALING LAWS

6584
RECTANGULAR BEAM FARADAY CUP

7204
TESTING OF A 100 KV, 100 HZ REP-RATE GAS SWITCH

Sherbaugh, A.M.

7776
PROGRESS IN THE FIELD OF ELECTRIC BREAKDOWN IN DIELECTRIC LIQUIDS

Shetenov, A.A.

1645
HIGH-VOLTAGE PULSE GENERATOR FOR THE TWO-METER STREAMER CHAMBER OF THE JINR

6982
CRDS-FIELD CURRENT FLOW IN A MAGNETICALLY INSULATED DIDE

Shaulov, S.S.

4880
THREE-ELECTRODE BLUMLEIN LINE FOR SUPPLYING A STREAMER CHAMBER

Shchedrin, A.I.

776
PLASMA CONTRACTION CAUSED BY THE MAGNETIC FIELD OF THE CURRENT IN AN ELECTRON-BEAM-SUSTAINED DISCHARGE

Shcherbakov, A.A.

8980
THEORY OF POWERFUL NONSTEADY XENON DISCHARGE TAKING INTO ACCOUNT THE STABILIZING WALLS INTO ACCOUNT

Shcherbakov, Y.A.

10440
HIGH-VOLTAGE PULSE GENERATORS FOR STREAMER CHAMBERS

Shcherbinin, V.P.

9655
THYRATRON GENERATOR OF HIGH-POWER NANOSECOND PULSES WITH INCREASED EFFICIENCY

Sheer, O.D.

1741
EXPLODING WIRE PARTICLE SIZE BY LIGHT SCATTERING MEASUREMENT

3895
CORRELATED ELECTRICAL AND OPTICAL MEASUREMENTS OF EXPLODING WIRES

9785
VISUALIZATION OF CYLINDRICAL SHOCK WAVES

Shenker, J.W.

402
PULSED ION ODOE EXPERIMENT

1485
INTERACTION OF CAPACITOR-BANK-PRODUCED MEGAGAUSS MAGNETIC FIELD WITH SMALL SINGLE-TURN COIL

Sheer Jr., R.E.

1267
FUNDAMENTAL INVESTIGATION OF ARC INTERRUPTION IN GAS FLOWS

Sheldon, A.O.

10007
A SIMPLE STRIPLINE PULSER FOR SPARK CHAMBERS

Shelkov, O.A.

10221
HIGH-VOLTAGE SYSTEM FOR THE RISK FACILITY: PART I. BIFILAR GENERATOR MODEL OF VOLTAGE PULSES WITH THE AMPLITUDE UP TO 200 KV

Shemyakin, I.A.

9306
STABLE STATES OF A VOLUME DISCHARGE EXCITED BY AN ELECTRON BEAM IN AIR WITH AN SF₆/AIR MIXTURE

Shendakov, A.I.

1164
THE TRIDTRON-A CONTROLLABLE DEVICE WITH CROSSED FIELDS

7089
A GENERATOR THAT PRODUCES POWERFUL PULSES USING GAS-DISCHARGE COMPUTERS OF THE TRIDTRON AND TRIDPLASMATRON TYPE

Shenderovich, A.M.

3886
PEAKING THE TRAILING EDGE OF A HIGH-VOLTAGE NANOSECOND PULSE IN AN UNMATCHED LOAD

6479
SELF-ACCELERATION OF AN ELECTRON BEAM IN A DIATRANSPARENT MEDIUM

6535
SELF-ACCELERATION OF A CHOPPED ELECTRON BEAM IN A FERRITE-FILLED WAVEGUIDE

6644
SHORTENING THE FRONTS OF HIGH-VOLTAGE PULSES WITH THE AID OF A NONLINEAR INDUCTANCE

7290
SELF-ACCELERATION EXPERIMENT BY INTERRUPTION OF AN INTENSE ELECTRON BEAM

Shendrovich, A.M.

6619
A TRIGATRON FOR LARGE CURRENTS IN HIGH-VOLTAGE APPARATUS

Shapel', O.A.

4819
CURRENT DENSITY IN ELECTRODE SPOTS OF ARC WITH METAL ELECTRODES

Sherbondy, D.F.

5569
COMPLETE CHARACTERIZATION STUDIES PROVIDE VERIFICATION OF RSDT (RSR) RELIABILITY

Sherman, P.M.

7818
PREDICTION OF CONDITIONS FOR A SINGLE PULSE DISCHARGE

Shermanzon, E.M.

2107
SPARK-CHAMBER POWER-SUPPLY CIRCUIT WITH SEMICONDUCTOR TRIGGER

Sherstuyk, A.G.

6793
ACYCLIC GENERATORS WITHOUT A FERROMAGNETIC MAGNETIC CIRCUIT FOR SUPPLYING ELECTROPHYSICAL APPARATUS USED IN MED RESEARCH

Sherwood, A.R.

613
HIGH-VOLTAGE TECHNOLOGY FOR THE LASL IMPLSION-HEATING EXPERIMENT

1982
DESIGN OF A HIGH-VOLTAGE GENERATOR FOR THE LASL IMPLSION-HEATING EXPERIMENT

Sheetakov, I.V.

781
ELECTRICAL EXPLOSION OF CYLINDRICAL FOILS IN AIR II. HIGH-CURRENT SHUNT FINCH

784
ELECTRICAL EXPLOSION OF CYLINDRICAL FOILS IN AIR I. ELECTRICAL CHARACTERISTICS OF THE EXPLOSION

7045
ELECTRICAL EXPLOSION OF A CYLINDRICAL FOIL IN AIR. CURRENT DISTRIBUTION IN THE HIGH-CURRENT SHUNTING DISCHARGE

9430
ELECTRICAL BREAKDOWN OF CYLINDRICAL FOILS IN AIR. III. HIGH-CURRENT EXPANDING DISCHARGE

Shevchenko, E.A.

1645
HIGH-VOLTAGE PULSE GENERATOR FOR THE TWO-METER STREAMER CHAMBER OF THE JINR

Shibata, T.

5687
ADVANCED APPLICATION REPORT HIGH VOLTAGE XLPE INSULATED
POWER CABLE WITH SEMI-CONDUCTING ORGANIC LIQUID

Shibuya, Y.

3382
ELECTRICAL BREAKDOWN OF LONG GAPS IN SULFUR HEXAFLUORIDE

8284
VOLTAGE-TIME CHARACTERISTIC OF ELECTRICAL BREAKDOWN IN
SF₆/SUS 4/

Shih, K.T.

2529
ANODE CURRENT DENSITY IN HIGH-CURRENT PULSED ARCS

Shil'dyev, V.S.

8888
OPTICALLY-INITIATED DIRECTED ELECTRIC BREAKDOWN IN A GAS

Shiiling, L.A.

2211
A HIGH SPEED MVDC CIRCUIT BREAKER WITH CROSSED-PIEZO
INTERRUPTERS

10233
RESEARCH AND DEVELOPMENT ON DC CIRCUIT BREAKERS (FINAL
REPORT)

Shimamura, K.

8889
INVESTIGATION OF LASER PULSE FORMING BY LTSG AND POCRELS
CELLS

Shimizu, P.

5362
WATER SPARK GAP FOR A NITROGEN LASER

Shimin, W.L.

10519
EXPLOSIVE MHD RESEARCH

Shimomura, T.

3684
TRIGGERING MECHANISM OF A LASER-TRIGGERED SPARK GAP

Shintani, M.

7915
BREAKDOWN OF A SPARK GAP IN AIR TRIGGERED BY A LASER

Shipman Jr., J.D.

5419
STATUS OF THE UPGRADED VERSION OF THE MRL GAMBLE II PULSE
POWER GENERATOR

7588
MULTIPLE CHANNEL SWITCHING IN WATER DIELECTRIC PULSE
GENERATORS

7620
TRAVELING WAVE EXCITATION OF HIGH POWER GAS LASERS

7905
INDUCTIVE CHARGING OF PULSE LINES IN 0.1 TO 1.0 MJ RANGE
USING POIL PUSES STAGED WITH EXPLOSIVELY ACTUATED SWITCHES

Shipman, J.D.

7298
ULTRAFAST HIGH VOLTAGE PROBE

Shipman, J.D.J.

7546
A STUDY OF POWER AND ENERGY IN THE AURORA MODIFICATION
PROJECT

Shishko, V.I.

6491
A PROGRAMMING GENERATOR PRODUCING POWERFUL NANSECONO PULSES

9599
HIGH-FREQUENCY MAGNETOTHRISTOR GENERATOR OF POWERFUL
NANSECONO PULSES

10241
COMPACT TRANSFORMER BASED ON SECTIONS OF COAXIAL CABLE

Shkarofsky, I.P.

7957
REVIEW OF GAS-BREAKDOWN PHENOMENA INDUCED BY HIGH-POWER
LASERS-I

Shkilev, A.V.

5679
THE DEVELOPMENT OF A LONG SPARK AND LIGHTNING

7935
PECULIARITIES OF THE DEVELOPMENT OF THE ELECTRIC BREAKDOWN
OF AIR IN EXTREMELY LONG DISCHARGE GAPS

Shkurovat, P.I.

7866
STUDY OF PARALLEL OPERATION OF CONTROLLED SPARK GAPS

Shkurovat, P.I.

6610
STUDY OF OPERATION OF CONTROLLED SPARK GAPS IN AIR

7841
ELECTRICAL CHARACTERISTICS OF CONTROLLED HIGH-CURRENT
TRIGGERED AIR SPARK GAPS

7851
INVESTIGATION OF PREIGNITION PROCESSES IN TRISATRONS
OPERATING IN AIR

10272
A LOW-INDUCTANCE CONTROLLED VACUUM SPARK GAP OPERATING AT A
VOLTAGE OF 100 KV AND CURRENT OF UP TO 1.5 MA

Shleah, A.M.A.

3987
THE HOT-WIRE TRIGGERED SPARK GAP AT VERY HIGH VOLTAGES

8822
THE DEVELOPMENT OF THE DISCHARGE IN THE TRIGATRON SPARK GAP
AT VERY HIGH VOLTAGES

Shnooren, G.A.

6686
PRECISION PEAKING DISCHARGER WITH A NONLINEAR ELEMENT IN AN
INDUCTIVE STORAGE CIRCUIT WITH POIL BREAKER

6798
A HIGH-VOLTAGE CABLE TRANSFORMER FOR PRODUCING STRONG
PULSED CURRENTS

7871
A MEGAAMPERE SWITCH WITH AN EXPLODING POIL FOR THE
INVESTIGATION OF MAGNETIC CUMULATION

9649
ELECTRICAL EXPLOSION OF THE SKIN LAYER

10255
SURFACE EFFECT IN STRONG MAGNETIC FIELDS. I

10551
GENERATION OF UNIPOLAR CURRENT PULSES OF 10 TO 100 KA
AMPLITUDE

Shackley, M.

10293
PHYSICAL PRINCIPLES OF AVALANCHE TRANSISTOR PULSE CIRCUITS

Shoga, M.

7283
STABILIZATION OF METAL-OXIDE BULK SWITCHING DEVICES WITH
DIFFUSED OI CONTACTS

Shohet, E.

641
A COMPACT POWERFUL-PULSE GENERATOR

643
A REPETITIVE 600 KV STACKED LINE TRANSFORMER PULSE GENERATOR

Sholem, V.R.

7081
ELECTRICAL CHARACTERISTICS OF UNDERWATER EXPLODING WIRES

Shope, S.

7274
HIGH CURRENT PULSED ELECTRON BEAM GENERATOR

7881
DEVELOPMENT OF AN ADVANCED PULSED ELECTRON BEAM ACCELERATOR

Shope, S.L.

8244
PRODUCTION OF ANNULAR ELECTRON BEAMS BY POISSON DIODES

Shpack, V.G.

1899
GENERATORS OF POWERFUL SUBNANOSECOND PULSES

Shpak, V.O.

18504
SURFACE BREAKDOWN IN VACUUM ON BARIUM TITANATE

Shrapnel, A.J.

4741
ELECTRIC-FIELD DISTRIBUTION AROUND AN ISOLATED STRANDED CONDUCTOR

Shteinberg, A.A.

8998
SOME FEATURES IN THE ELECTRIC BREAKDOWN OF ELECTROLYTES

Shuchatowitz, J.

6733
HIGH VOLTAGE IMPULSE SYSTEM

Shuler, M.P.

7645
ELECTRICALLY EXPLODED WIRES-EXPERIMENTS AND THEORY

Shumakov, A.V.

5151
STABILIZATION OF THE TIME CHARACTERISTICS OF AN ARKAD'EV-MARK GENERATOR

Shumenov, V.S.

18478
RADIATION FROM A DENSE PLASMA GENERATED BY AN EXPLODED WIRE IN VACUUM

Shushiyapin, L.V.

9784
EFFECT OF ELEMENT DISTRIBUTION IN A CAPACITOR BANK ON THE CURRENT PULSE IN A PULSED PLASMA INJECTOR

Shutov, V.L.

4274
LOW-INDUCTANCE MEGAAMPERE-CURRENT COMMUTATOR BASED ON SLIDING DISCHARGE

Shutt, P.R.

18489
SPLIT PULSE GENERATOR

Shveto, V.A.

5185
POSSIBILITY OF USING MAGNETIC PULSE GENERATORS IN LINEAR INDUCTION ACCELERATORS

5199
PULSE MODULATOR FOR AN EXPERIMENTAL ELECTRON GUN

18348
LOW-RESISTANCE WIDE-SAND LOAD OF KILOAMPERE PULSE GENERATORS

18359
NONLINEAR QUASI-AXIAL LINE FOR SHOCK ELECTROMAGNETIC WAVE PRODUCTION

Sidorov, M.I.

7167
VAPOR PRESSURE AND LOCAL ANODE TEMPERATURE IN ELECTRICAL BREAKDOWN IN VACUUM BY AN ELECTRON BEAM

Sidorov, Yu.L.

1157
'NEPTUNE' HIGH-CURRENT PULSED RELATIVISTIC-ELECTRON ACCELERATOR

1847
GENERATION AND FOCUSING OF A STRONG-CURRENT ELECTRON BEAM IN A LOW-IMPEDANCE DIODE

Sigmund, R.S.

9239
CORONA AND INSULATION

Signoret, R.

4754
THE MEGA-AMPERE MAGNETIC FIELD LABORATORY IN GRENoble

Slivestrov, O.I.

1193
HIGH-VOLTAGE MEGA-AMPERE ARC GAP WITH DESTRUCTIBLE ELECTRODES

6451
CURRENT PULSE GENERATOR

6476
REMOTELY CONTROLLED CONTACTS CARRYING MEGAAMPERE CURRENTS

6476
HIGH-VOLTAGE MEGA-AMPERE CABLE TRANSFORMER

18522
GENERATOR OF CURRENT PULSES WITH AN AMPLITUDE OF 1E6 A AND STABILITY OF $\pm 0.1\%$ AT A REPETITION RATE OF 2 HZ

Sillson, A.M.

5483
BREAKDOWN AND PLASMA FORMATION IN A ROTATING PLASMA DEVICE

Silve, A.P.

5476
EXPLODING WIRE INITIATION AND ELECTRICAL OPERATION OF A 40-KV SYSTEM FOR ARC-HEATED DRIVERS UP TO 18 FEET LONG

Silve, J.R.

5480
PRIME POWER TO PULSE CONDITIONING INTERFACE METHODS

Silver, A.S.

5718
THE INTERRELATIONSHIP BETWEEN DENSITY AND DIELECTRIC STRENGTH OF HIGH PRESSURE POLYETHYLENE FOR HIGH VOLTAGE APPLICATIONS IN INSULATED WIRES

Silverstein, J.D.

5513
VOLTAGE AND CURRENT MEASUREMENTS IN MIXED DIODES

Slivestrov, O.I.

18211
CURRENT PULSE GENERATOR WITH AMPLITUDE OF 1,000,000 A AND STABILITY OF $\pm 0.01\%$ AT A REPETITION RATE OF TWO HZ

Slivkov, I.M.

3275
ACCELERATING AND SWITCHING OPTOELECTRONIC SYSTEM OF A HIGH-POWERED ACCELERATOR WITH AN INDUCTIVE STORAGE ELEMENT

Slizov, A.

18448
ELECTRON BEAM SEMICONDUCTOR SHORT PULSE GENERATOR

18462
ELECTRON-BOMBARDED SEMICONDUCTOR SHORT PULSE GENERATOR

Sineev, G.R.

285
THE EVOLUTION OF PULSED POWER

- 3413
DEVELOPMENT OF HIGH REPETITION-RATE PULSED POWER GENERATORS
- 8113
DIELECTRICS STUDY FINAL REPORT
- Simcox, G.K.H.
- 4184
THE ASSIGNMENT OF APPROPRIATE DIELECTRIC STRESSES IN LIQUIDS
- Simone, R.
- 4381
THE RECOVERY OF HIGH CURRENT LONG GAPS IN HYDROGEN AND ARCON
- Simon, R.P.
- 231
ADVANCES IN THE DEVELOPMENT OF A GAS DISCHARGE SWITCH HAVING A REPETITIVE CURRENT INTERRUPTING CAPABILITY
- 3193
REPETITIVE SERIES INTERRUPTER II
- Simenov, Y.M.
- 351
HIGH-VOLTAGE PULSE GENERATOR FOR WIRE SPARK CHAMBERS
- Simone, J.M.
- 8189
THE DIELECTRIC STRENGTH OF GASEOUS FLUOROCARBONS
- Simpeon, L.
- 10441
HIGH EFFICIENCY CURRENT DRIVER
- Sinenko, V.V.
- 9401
HIGH-POWER MAGNETOTHRISTOR PULSE GENERATOR
- Singer, S.
- 3204
COLD CATHODE ELECTRON GUNS IN THE LAST HIGH POWER SHORT-PULSE CO/SUO 2/ LASER PROGRAM
- 3414
HIGH-DENSITY Z-PINCH PULSE-POWER SUPPLY SYSTEM
- Singh, B.
- 3438
PREBREAKDOWN PROCESSES IN ELECTRICALLY STRESSED INSULATING LIQUIDS
- Singh, M.
- 9293
RESPONSE OF A TWISTED PAIR EXCITED BY THE NONUNIFORM ELECTROMAGNETIC FIELDS OF NEARBY LOOPS
- Sini'shchikova, I.V.
- 4458
EXPERIMENTS ON ACCELERATION OF DEUTERONS AND PROTONS IN AN ELECTRON BEAM PASSING THROUGH A GAS
- Sipeylov, O.A.
- 8395
AN ELECTROMECHANICAL PULSE SOURCE
- 8420
ELECTRIC MACHINE SOURCE OF IMPULSES
- Slip, S.
- 4305
PICOSECOND TRIGGER SYSTEM USEFUL IN MODE-LOCKED LASER PULSE MEASUREMENTS
- Siratyuk, O.S.
- 4971
'MINUS' PULSED, HIGH-CURRENT, NANODECOND, ELECTRON ACCELERATOR
- Sizev, V.V.
- 7104
CALCULATION OF TOROIDAL INDUCTIVE ACCUMULATORS WITH A D-CROSS SECTION FROM PARAMETERS OF A DISCHARGE PULSE AND OF THE CHARGING DEVICE
- Sklizkev, G.V.
- 271
ELECTRO-OPTICAL SHUTTER WITH SYNCHRONIZATION BY LASER RADIATION
- Sklizkev, G.V.
- 4440
OBTAINING HIGH-VOLTAGE SQUARE PULSES
- Skoromnyi, O.M.
- 10205
STAGE GENERATOR CALCULATION
- 18432
HIGH-VOLTAGE POWER SUPPLY FOR A HIGH-CURRENT INJECTOR
- 10453
PULSED CASCADE TRANSFORMER
- Skoryuev, V.A.
- 5713
ION ACCELERATION IN A MAGNETICALLY INSULATED DIODE
- Skeserev, V.A.
- 6409
SPECIAL MEANS FOR MEASUREMENT OF THE ELECTRICAL PARAMETERS OF ELECTROPHYSICAL INSTALLATIONS
- Skvortsev, A.B.
- 1105
HIGH-POWER 1 USEC ULTRAVIOLET RADIATION SOURCE FOR PUMPING OF GAS LASERS
- Skvortsev, Yu.V.
- 4387
BROADENING OF A HIGH-INTENSITY SPARK CHANNEL IN A LIQUID
- 4428
EXPANSION OF A SPARK CHANNEL IN A LIQUID
- Slede, P.O.
- 875
EXPERIMENTS ON VACUUM INTERRUPTERS IN HIGH VOLTAGE 12 KV CIRCUITS
- 8941
INTERACTION BETWEEN VACUUM ARCS AND TRANSVERSE MAGNETIC FIELDS WITH APPLICATION TO CURRENT LIMITATION
- Sletin, V.I.
- 4438
METHOD OF MEASURING THE DISPERSION OF THE DELAY TIMES OF BREAKDOWN OF CONTROLLED SPARK GAPS
- Slottery, J.C.
- 10191
HIGH VOLTAGE BREAKDOWN INITIATED BY PARTICLE IMPACT
- Slotten, A.M.
- 4157
POUR-METER SPARKS IN AIR
- 6297
THE INFLUENCE OF DISSOLVED GASES ON THE ELECTRIC STRENGTH OF N-HEXANE
- 8030
CHARACTERISTICS OF THE TRIBATRON SPARK-GAP
- Slezinger, P.I.
- 2110
THYRISTOR PULSE CIRCUIT FOR CONTROLLING THE EXPLOSION OF A TWIN WIRE

Slivinski, A.P.

4986
EFFECT OF THE INITIAL CONDITIONS ON THE DYNAMICS OF AN UNDERWATER SPARK. I. EFFECT OF THE PARAMETERS OF THE GENERATOR AND THE MEDIUM

4987
EFFECT OF THE INITIAL CONDITIONS ON THE DYNAMICS OF AN UNDERWATER SPARK. II. EFFECT OF AN EXTERNAL SOURCE OF PUMP ENERGY

Slivkov, I.N.

1693
ELECTRICAL BREAKDOWN UNDER VACUUM CAUSED BY EVAPORATION AT THE ANODE

2537
CURRENTS PRECEDING ELECTRICAL BREAKDOWN IN VACUUM

4410
HIGH-CURRENT, HIGH PULSE RATE ELECTRON ACCELERATOR WITH INDUCTIVE ENERGY STORAGE

6318
INITIATION OF ELECTRICAL BREAKDOWN IN VACUUM BY FIELD EMISSION

6343
THE GROWTH RATE OF THE POWER IN A PULSED HIGH-CURRENT BEAM OF ACCELERATED ELECTRONS

6352
A MULTIELECTRODE ELECTRON-OPTIC SYSTEM WITH AN INDUCTIVE STORAGE DEVICE FOR A HIGH-CURRENT ACCELERATOR

6835
LOW-INDUCTANCE GENERATOR OF PULSED VOLTAGE AT 1 MV

9384
ANODE FOR AN ACCELERATOR WITH AN INDUCTIVE ENERGY ACCUMULATOR

9495
VACUUM ELECTRICAL INSULATION, PRINCIPAL PROPERTIES AND RESEARCH PROBLEMS

10261
MINIMUM ENERGY FOR INITIATION OF ELECTRICAL BREAKDOWN IN VACUUM

Sloan, D.

8146
ADVANCED CONCEPTS FOR PHOTON SOURCES VOLUME 2: PAST SWITCHING OF VACUUM MAGNETIC ENERGY STORES

8292
ADVANCED CONCEPTS FOR PHOTON SOURCES: VOLUME 2. PAST SWITCHING OF VACUUM MAGNETIC ENERGY STORES

Sloan, E.L.I.

10380
ABSORPTION OF LIGHT IN GASES

Slout, T.K.

1261
HIGH-VOLTAGE DIL DAP TESTS USING PARALLEL-PLANE ELECTRODES

1291
CHARACTERISTICS OF INSULATING OIL FOR ELECTRICAL APPLICATION

Slyusarenko, S.Ya.

4492
STARTING CHARACTERISTICS OF A 100-KV TRIDATRON FILLED WITH SF/SUB 6/

Snekovskii, Yu. B.

3731
THEORETICAL AND EXPERIMENTAL INVESTIGATION OF PULSED DISCHARGES IN GASES

Smalley, K.M.

3711
AEOIS AN/SPY-I CPA CONSTANT-CURRENT HARD-TUBE MODULATOR

3748
A PDST-CHARGE REGULATOR

Smart, G.L.

2430
SOME SWITCHING PROBLEMS IN THERMONUCLEAR RESEARCH

Smekol'nikov, V.A.

7836
MICROSECOND HIGH-CURRENT ELECTRON BEAM

Smetnin, V.I.

1645
HIGH-VOLTAGE PULSE GENERATOR FOR THE TWO-METER STREAMER CHAMBER OF THE JHR

Smetnin, V.I. Tsvetkov, V.I.

9582
AMPLITUDE STABILIZATION OF HIGH-VOLTAGE PULSES USING POWERFUL COMMUTATORS

Smirnov, E.

1179
CYLINDRICAL CHANNEL IN A HIGH-CURRENT DISCHARGE IN AIR

Smirnov, E.M.

6841
OBTAINING POWERFUL MAGNETIC FIELDS BY MEANS OF A POWERFUL CAPACITOR BANK

7120
MAGNETIC CUMULATION

Smirnov, D.V.

4552
A 2-MV PULSED ELECTROVACUUM INSTALLATION

Smirnov, L.V.

3285
USE OF A CORDON IN THE NEEDLE-PLANE SYSTEM AS A HIGH-VOLTAGE DIVIDER ELEMENT

Smirnov, P.A.

7166
TWO-CHAMBER HEAVY-CURRENT HIGH-VOLTAGE SWITCH

9643
A TWO-CHAMBER HEAVY-CURRENT HIGH-VOLTAGE SWITCH

Smirnov, S.A.

831
ELECTRODES FOR HIGH-CURRENT COMMUTATORS

1146
CONTROLLED GAS DISCHARGE SWITCH WITH A COLD CATHODE

1726
NETWORK FOR PAST COMMUTATION OF LARGE CURRENTS IN AN INDUCTIVE STORAGE DEVICE

4619
A TRIDATRON FOR LARGE CURRENTS IN HIGH-VOLTAGE APPARATUS

4638
METHOD OF MEASURING THE DISPERSION OF THE DELAY TIMES OF BREAKDOWN OF CONTROLLED SPARK GAPS

6836
LOW-PRESSURE GAS-DISCHARGE COMMUTATORS

6869
THE TIME REQUIRED FOR TRANSFER OF CURRENT FROM A LIQUID-METAL COMMUTATOR INTO A SHUNTING CIRCUIT

7036
CONTROLLED DISCHARGE IN A LIQUID

7048
HIGH-CURRENT, HOLLOW-CATHODE GLOW DISCHARGE

7053
INVESTIGATION OF TRIGGERING DELAY IN A LOW-PRESSURE HOLLOW-CATHODE SPARK GAP

Smirnov, V.N.

6491
A PROGRAMMING GENERATOR PRODUCING POWERFUL HANDBECOND PULSES

Smirnov, V.P.

1137
'NEPTUNE' HIGH-CURRENT PULSED RELATIVISTIC-ELECTRON ACCELERATOR

1167
ACCELERATOR MODULE OF 'ANSARA-3'

6626
GENERATOR PRODUCING RECTANGULAR VOLTAGE PULSES HAVING AN AMPLITUDE OF 56 KV

7347
GENERATION AND FOCUSING OF A STRONG-CURRENT ELECTRON BEAM IN A LOW-IMPEDANCE DIODE

7134
OBTAINING HEAVY CURRENT ELECTRON BEAMS (SURVEY)

16491
SWITCHING CHARACTERISTICS OF A DISCHARGE IN WATER

Smith, O.A.

6438
EXPERIMENTS ON ACCELERATION OF DEUTERONS AND PROTONS IN AN ELECTRON BEAM PASSING THROUGH A GAS

Smith, A.

9666
TRACKING IN POLYMERIC INSULATION

Smith, A.L.S.

3426
GAS LASER DISCHARGES IN CONTINUOUS METAL TUBES

4147
OPERATION OF SLIDING-SPARK ARRAYS FOR LASER PRE-IONIZATION

Smith, A.M.

597
OVERVOLTAGE AND BREAKDOWN PATTERNS OF PAST MARK GENERATORS

Smith, C.B.

6668
CATHODE DARK SPACE AND NEGATIVE GLOW OF A MERCURY ARC

Smith, C.W.

3638
PREBREAKDOWN PROCESSES IN ELECTRICALLY STRESSED INSULATING LIQUIDS

7884
LIQUID MOTION AND INTERNAL PRESSURE IN ELECTRICALLY STRESSED INSULATING LIQUIDS

8166
SPARKING POTENTIALS OF SATURATED HYDROCARBON GASES

Smith, O.L.

145
SHIELDED, HIGH-VOLTAGE PROBES

3469
DESIGN OF COAXIAL-CABLE PULSE TRANSFORMERS

4715
AN ANALYSIS OF CO-AXIAL PULSE TRANSFORMERS

6716
AN INEXPENSIVE HIGH VOLTAGE PROBE

7198
CONSIDERATIONS FOR INDUCTIVELY DRIVEN PLASMA IMPLOSIONS

7269
PRELIMINARY INDUCTIVE ENERGY TRANSFER EXPERIMENTS

18273
INDUCTIVE STORE PULSE COMPRESSION SYSTEM FOR DRIVING HIGH SPEED PLASMA IMPLOSIONS

Smith, DC

7584
GAS BREAKDOWN WITH 10.6-MICRON-LENGTH CO₂ LASER RADIATION

Smith, S.O.W.

8193
A HIGH-VOLTAGE MERCURY-WETTED N2O PULSE GENERATOR WITH SECONDARY PULSE SUPPRESSION

Smith, M.

16492
SYSTEM FOR CALIBRATION OF SPEAR TRANSPORT LINE TOROIDS

Smith, I.

2363
A RELIABLE MULTIMEGAVOLT VOLTAGE DIVIDER

5277
THE ADVANCED DEVELOPMENT OF WATER TRIGATRON AND THREE-ELECTRODE SULFUR HEXAFLUORIDE SWITCHES

7242
AURORA, AN ELECTRON ACCELERATOR

7276
HIGH CURRENT PULSED ELECTRON BEAM GENERATOR

7861
DEVELOPMENT OF AN ADVANCED PULSED ELECTRON BEAM ACCELERATOR

Smith, I.D.

162
PULSED POWER FOR EMP SIMULATORS

1881
MAGNETIC INSULATION

4191
A TEST OF A VACUUM/DIELECTRIC SURFACE FLASHOVER SWITCH

8243
METHOD OF GENERATING VERY INTENSE POSITIVE-ION BEAMS

Smith, Ian

114
LINEAR INDUCTION ACCELERATORS MADE FROM PULSE-LINE CAVITIES WITH EXTERNAL PULSE INJECTION

Smith, L.O.

3486
HIGH POWER STUDY SUPERCONDUCTING GENERATORS

Smith, M.

7478
BASIC PRINCIPLES GOVERNING THE DESIGN OF MAGNETIC SWITCHES

Smith, M.E.

5177
HIGH-VOLTAGE TEST STAND AT LIVERMORE

Smith, M.N.

18383
10-MV PULSE GENERATOR: PULSE TEST ON AUTOGEN FILTER DEMONSTRATES GENERATOR CAPABILITY

Smith, M.R.

8956
PRESSURE TRANSIENTS IN A MODEL GAS-BLAST CIRCUIT BREAKER OPERATING AT EXTRA HIGH CURRENT LEVELS

Smith, M.W.

8627
EXPERIMENTS IN MAGNETIC SWITCHING

Smith, R.A.

3737
APPLICATION OF THE RSR SWITCH

5625
HIGH POWER MODULATOR TECHNIQUES (SCR)

16376
HIGH POWER MODULATOR (SCR)

Smith, R.K.

916
DEVELOPMENT OF DISTRIBUTION AND SUBTRANSMISSION SP/SUB 6/ CIRCUIT BREAKER AND HYBRID TRANSMISSION INTERRUPTER

Smith, R.P.

328
A MODEL AIR-SUPPORTED DRUM-TYPE HOMOPOLAR GENERATOR

8361
MODEL AIR-SUPPORTED DRUM-TYPE HOMOPOLAR GENERATOR

Smith, S.W.

2678
ORIGIN OF STRIATIONS DUE TO MECHANICAL EFFECTS IN FAST V.I.E
EXPLOSIONS

Smith, T.

428
A FAST HIGH VOLTAGE PULSE GENERATOR

Smith, V.L.

3713
NANOSECOND SWITCHING OF HIGH POWER LASER ACTIVATED SILICON
SWITCHES

9797
DEVELOPMENT OF 36-MEGAWATT MODULATORS FOR THE ASTRON
1800-MEGAWATT ELECTRON ACCELERATOR

Smith, M.I.

3755
QUENCH MODULATOR FOR COLD-CATHODE CROSSED-FIELD AMPLIFIER

Smoke, E.J.

3667
INSULATION STUDIES FOR HIGH POWER TUBES

Sm, P.R.

4575
THE EFFECT OF IONIZATION AND FLOW VELOCITY UPON SPARK GAP
RECOVERY

Snell, R.P.

18478
AN ELECTROMAGNETIC, PLANE STRESS-WAVE GENERATOR

Snell, E.C.

546
FERRITES FOR LINEAR APPLICATIONS I-PROPERTIES

5128
FERRITES FOR LINEAR APPLICATIONS II-PERFORMANCE REQUIREMENTS

Snell, R.L.

267
HIGH RATE OF RISE OF CURRENT PULSE GENERATION USING LOW
COST GLASS ENVELOPE THYRATONS

272
OPERATING HYDROGEN THYRATONS IN PARALLEL

Sobolev, O.P.

6389
EXPERIMENTS WITH AN EXPLOSIVE-MAGNETIC GENERATOR IN
LABORATORY CONDITIONS

6937
EXPLOSIVELY-DRIVEN MAGNETIC GENERATOR WITH PAST MEGAGAUSS
FIELD

Sobolev, S.S.

6599
HIGH-VOLTAGE GENERATORS OF NANOSECOND PULSES

Sobolev, V.A.

18452
ELECTRICALLY DRIVEN 200-JOULE PULSED LASER

Soel, M.

5583
EXPERIMENTAL RESULTS WITH SC/HC BREAKERS

Sofianek, J.C.

7226
DEVELOPMENT OF A HIGH-POWER VACUUM INTERRUPTER

Soike, A.R.

9432
PRODUCTION OF PULSED MAGNETIC FIELDS UP TO 100 KOE

Solomon, M.J.

3728
AIR BREAKDOWN BY PULSED-LASER RADIATION IN THE 2.7-AND
3.8-MICRON REGION

Solke, R.J.

5413
DEVELOPMENT OF HIGH REPETITION-RATE PULSED POWER GENERATORS

Sokolov, A.Yu.

336
PULSE GENERATOR PRODUCING A HIGH-POWER CURRENT

Soklov, S.M.

6496
BREAKDOWN MECHANISM OF A NARROW AIR GAP. II

6958
EFFICIENCY OF ENERGY TRANSFER TO AN ELECTRODELESS
HIGH-FREQUENCY DISCHARGE

Sokolov, V.S.

6635
INVESTIGATION OF RECTIFIER UNITS FOR PERIODIC CHARGING OF
STORAGE CAPACITORS

Soldatenko, A.I.

1164
THE TRIOTRON-A CONTROLLABLE DEVICE WITH CROSSED FIELDS

7889
A GENERATOR THAT PRODUCES POWERFUL PULSES USING
GAS-DISCHARGE COMPUTERS OF THE TRIOTRON AND
TRIOLASMATRON TYPE

Solimene, S.

8185
HIGH-POWER ELECTRON BEAM PREIONIZED CO/SUS 2/ CW LASER
MODELLING I: DESCRIPTION OF THE INVESTIGATED DEVICE AND
NUMERICAL CALCULATIONS ON E-BEAM IONIZATION

Solukhin, R.I.

1878
A COMPACT PULSED ELECTRON ACCELERATOR WITH AN INDEPENDENT
POWER SUPPLY

2439
COMPACT HIGH-VOLTAGE ACCELERATORS OF CHARGED PARTICLES IN
SPACE EXPERIMENTS

6692
THE DEVELOPMENT OF ELECTRICAL DISCHARGE IN WATER

6949
MEGA-VOLT ENERGY-CONCENTRATING DEVICE

Somen, J.P.

6965
LIMITATIONS ON MAGNETIC FIELDS OBTAINED BY
FLUX-COMPRESSION: I

Somov, S.V.

2882
STARTING HIGH-VOLTAGE GENERATORS AT A VOLTAGE OF UP TO 1 MV
BY MEANS OF PULSED X RADIATION

9785
SYSTEM FOR TWO-PULSE SUPPLY OF A LARGE STREAMER CHAMBER

9919
EXPERIMENTAL INVESTIGATION OF STREAMER DISCHARGE
DEVELOPMENT IN NEON

Sonju, O.K.

1255
HIGH POWER MAGNETOHYDRODYNAMIC SYSTEM (VOL II)

1259
HIGH POWER MAGNETOHYDRODYNAMIC SYSTEM (VOL I)

1275
INDUCTOR NETWORK DEVELOPMENT FOR AIRCRAFT HIGH POWER
SUPPLIES

2448
DEVELOPMENT OF A PULSED HIGH-ENERGY INDUCTIVE ENERGY
STORAGE SYSTEM

10442
EXPERIMENTAL AND ANALYTICAL RESEARCH ON A TWO MEGAWATT,
HIGH PERFORMANCE PWD GENERATOR

See Roe, K.M.

10446
EXPLOSIVE-DRIVEN EMP GENERATOR

Soref, R.A.

2339
FAIL-SAFE FIBER-OPTICS DATA BUS USING ACTIVE MULTIMODE
MIRROR TERMINALS

Sorenson, T.P.

4015
RISE TIME AND TIME-DEPENDENT SPARK-DAF RESISTANCE IN
NITROGEN AND HELIUM

Sorokin, A.R.

478
EXCITATION OF HIGH-PRESSURE LASER MEDIA BY A DISCHARGE
THROUGH AN INSULATOR

Soroko, V.M.

10460
HIGH-VOLTAGE PULSE GENERATORS FOR STREAMER CHAMBERS

Sosnowski, M.

10127
PHYSICAL MODEL OF ELECTRIC AGING AND BREAKDOWN OF EXTRUDED
POLYMERIC INSULATED POWER CABLES

Southall, M.L.

4712
U.S. AIR FORCE SUPERCONDUCTING GENERATOR DEVELOPMENT

Sower, G. D.

2449
SENSORS FOR ELECTROMAGNETIC PULSE MEASUREMENTS BOTH INSIDE
AND AWAY FROM NUCLEAR SOURCE REGIONS

Spagnolo, B.

782
SIMPLE PULSE GENERATOR FOR A POWERFUL MODULATOR

Spann, M.L.

7219
THE MECHANICAL DESIGN OF A COMPENSATED PULSED ALTERNATOR
PROTOTYPE

Spektor, A.M.

1137
'HEPTUNE' HIGH-CURRENT PULSED RELATIVISTIC-ELECTRON
ACCELERATOR

10491
SWITCHING CHARACTERISTICS OF A DISCHARGE IN WATER

Spence, P.

7206
A COMPUTERIZED MEASURING SYSTEM FOR NANOSECOND RISETIME
PULSED ACCELERATORS

Spence, P.W.

882
INDUCTANCE AND RESISTANCE CHARACTERISTICS OF SINGLE-SITE
UNTRIGGERED WATER SWITCHES IN WATER TRANSFER CAPACITOR
CIRCUITS

Spavokova, P.M.

1045
FAST-ACTING ELECTRODYNAMIC CIRCUIT BREAKER

5376
GENERATOR OF POWERFUL CURRENT PULSES

Spillman Jr., M.B.

2339
FAIL-SAFE FIBER-OPTICS DATA BUS USING ACTIVE MULTIMODE
MIRROR TERMINALS

Spindt, C.A.

7447
PHYSICAL PROPERTIES OF THIN-FILM FIELD EMISSION CATHODES
WITH MOLYBDENUM CATHODES

Spirchenko, Y.V.

5390
MECHANICAL TANGENT STRESSES IN THE ROTOR DISC OF THE
SHOCK-EXCITED MONOPOLAR GENERATOR AT ITS BRAKING

Sprackmann, B.

8978
THEORETICAL AND EXPERIMENTAL INVESTIGATION OF THE
STOCHASTIC BEHAVIOR OF AN SF/SUB 6/ BLAST-SWITCHING ARC

Springer, L.M.

4688
DISCHARGE CIRCUITRY FOR HIGH REPEATITIVE RATE METAL VAPOR
LASERS

Springer, T.E.

378
ELECTRON BEAM DUN SIMULATION

Srivastava, K.D.

2492
PROCESSES INVOLVED IN THE TRIGGERING OF VACUUM BREAKDOWN BY
LOW-VELOCITY MICROPARTICLES

3328
IN-SITU OBSERVATION OF MICROPARTICLES IN A VACUUM-INSULATED
GAP USING A SCANNING ELECTRON MICROSCOPE

3633
MECHANISM OF SURFACE CHARGING OF HIGH-VOLTAGE INSULATORS IN
VACUUM

6076
HIGH VOLTAGE INSULATORS FOR PARTICLE ACCELERATORS

8263
MICROPARTICLE-INITIATED VACUUM BREAKDOWN-SOME POSSIBLE
MECHANISMS

9287
PRE-BREAKDOWN DISCHARGES IN HIGHLY NON-UNIFORM FIELDS IN
RELATION TO GAS-INSULATED SYSTEMS

9881
EXPERIMENTAL OBSERVATION OF SURFACE CHARGING OF
HIGH-VOLTAGE INSULATORS FOR VACUUM APPARATUS

10128
RANDOM PREBREAKDOWN DISCHARGES IN SF/SUB 6/ - A POSSIBLE
DIAGNOSTIC CRITERION FOR PARTICLE-CONTAMINATED COMPRESSED
GAS APPARATUS

St. John, R.M.

6080
MOTION AND SPECTRUM OF ARC CATHODE SPOT IN A MAGNETIC FIELD

St-Jaan, D.

4780
MULTI-STAGE SYNTHETIC CIRCUIT FOR EXTRA-HIGH-VOLTAGE
CIRCUIT-BREAKER TESTING

Stebley, J.D.

7192
HIGH POWER VERY LONG PULSE TESTING OF A 200 KV. TETRODE
REGULATION TUBE

Stelowski, A.

4183
NOVEL CAPACITOR-DIVIDER VOLTAGE SENSORS FOR HIGH-VOLTAGE
TRANSMISSION SYSTEMS

Stellar, B.E.

10337
ASSEMBLY AND HANDLING APPARATUS FOR THE EBPA MARK GENERATOR

Stelling, C.

339
PLASMA ERGSION SWITCHES WITH IMPLDING PLASMA LOADS ON A
MULTITERAWATT PULSED POWER GENERATOR

653
MULTIPLE-WIRE ARRAY LOAD FOR HIGH-POWER PULSED GENERATORS

4208
OML II DIODE STUDY

Stankevich, Yu.L.

7078
EFFECT OF CATHODE SURFACE STATE ON THE DIELECTRIC STRENGTH
OF GASES AND LIQUIDS

8171
FAST ELECTRONS AND X-RAY RADIATION DURING THE INITIAL STAGE
OF GROWTH OF A PULSED SPARK DISCHARGE IN AIR

Stanley, T.D.

10223
MEASUREMENT OF MAGNETICALLY INSULATED LINE VOLTAGE USING A
THOMSON PARABOLA CHARGED PARTICLE ANALYSER

Stepleton, R.E.

10457
ELECTRON-BEAM-CONTROLLED GAS LASERS: DISCUSSION FROM THE
ENGINEERING VIEWPOINT: PART II. PROBLEMS IN THE ELECTRICAL
DESIGN OF VERY HIGH ENERGY SYSTEMS

Sterchenko, B.M.

10346
STUDY ON THE T611-500/16 THYRATRON CHARACTERISTICS

Sterinski, V.M.

1337
GENERATION OF VOLTAGE PULSES FOR TRANSVERSE DISCHARGES

1991
GENERATORS PRODUCING VOLTAGE FOR A TRANSVERSE DISCHARGE

3040
HIGH-VOLTAGE GAS-FILLED SPARK GAP

Sterk, M.B.

3574
CONTROL OF CORONA AND SPARKOVER OF COAXIAL SYSTEMS BY
IRRADIATION

Starosel'tsev, V.M.

2002
STARTING HIGH-VOLTAGE GENERATORS AT A VOLTAGE OF UP TO 1 MV
BY MEANS OF PULSED X RADIATION

Sterozin, A. M.

3731
THEORETICAL AND EXPERIMENTAL INVESTIGATION OF PULSED
DISCHARGES IN GASES

Sterozin, A.M.

7107
CONTRACTION OF THE DECAYING PLASMA IN A NITROGEN DISCHARGE

Starykh, V.V.

3191
CIRCUIT FOR SHAPING SHORT HIGH-VOLTAGE PULSES

Stee'ev, V.P.

6998
FORMATION OF A HIGH-CURRENT VACUUM SPARK BY THE HIGH-SPEED
INTERFEROMETRY METHOD

Stevitakaya (Ed.), N.V.

4048
CERAMIC HIGH-VOLTAGE CAPACITORS K-ISU-1, K-ISU-2, AND
K-ISU-3

Stefanovich, A.M.

8270
ROGOVSKII LOOP FOR MEASUREMENT OF CURRENTS OF NANOCSECOND
DURATION

Steib, O.P.

3623
HIGH-VOLTAGE CONDITIONING AT LARGE GAPS IN INDUSTRIAL VACUUM

Steinberg, D.J.

10181
ELECTRIC GUN: A VERSATILE TOOL FOR HIGH-PRESSURE SHOCKWAVE
RESEARCH

Steinberger, S.

5662
FURTHER DEVELOPMENT OF THE CASCADE HIGH POWER ARC CHAMBER

Steinmetz, L.L.

7931
LASER-TRIGGERED SPARK GAP

Steinveit, D.

4870
STUDY OF A 40 KV MULTISTAGE SPARK GAP OPERATED IN AIR AT
ATMOSPHERIC PRESSURE

8318
PULSE CIRCUIT FOR M/SUS 2/ LASERS

Stekol'nikov, B.A.

6973
A HELICAL PULSE-VOLTAGE GENERATOR

8252
ARKAD'EV-MARK GENERATOR IN A CONDUCTING SHIELD

10300
A POWERFUL POIL BREAKER FOR A CURRENT OF 0.5 MA, WHICH
ACTUATES IN 5 MICROSECONDS

Stekol'nikov, I.S.

7113
DISCHARGE PHENOMENA IN LIQUIDS

7935
PECULIARITIES OF THE DEVELOPMENT OF THE ELECTRIC BREAKDOWN
OF AIR IN EXTREMELY LONG DISCHARGE GAPS

Stekolnikov, I.S.

5679
THE DEVELOPMENT OF A LONG SPARK AND LIGHTNING

Stenarhag, B.

10043
97 KERR CELL STUDIES OF EXPLODING WIRES IN VACUUM

Stepanenko, M.M.

1050
PLASMA ACCELERATION IN A COAXIAL INJECTOR WITH
NONCYLINDRICAL ELECTRODES DRIVEN BY AN INDUCTIVE STORAGE
DEVICE

Stepanov, B.M.

1090
MOLDORAPHIC INVESTIGATION OF ELECTRICAL EXPLOSIONS OF
CONDUCTORS

Stephanekia, S.J.

1253
NRL LIGHT ION BEAM RESEARCH FOR INERTIAL CONFINEMENT FUSION

8601
AN X-RAY DIAGNOSTIC FOR LIGHT-ION CURRENT MEASUREMENTS

10311
ANALYSIS OF PROTON TRANSPORT EXPERIMENTS

10182
GENERATION OF PRACTICAL OF A TERAWATT PROTON PULSES WITH
COAXIAL REPLEX TRIODES

10387
DENSE PLASMA DISCHARGES FOR SOLID-TARGET HEATING

Stephenson, W.A.

4086
IMPROVED SYSTEM FOR THE MEASUREMENT OF HIGH-VOLTAGE PULSES

Stamenov, V.A.

3838
FOUR-CHANNEL UNIT FOR FIRING SPARK GAPS SYNCHRONOUSLY

Sterligov, A.G.

1358
ELEMENTS OF HIGH-VOLTAGE NANOSECOND PULSE GENERATORS ON COAXIAL CABLES

4429
GENERATOR OF HIGH VOLTAGE NANOSECOND PULSES WITH PRECISE LENGTH

6447
COLLECTIVE ACCELERATION OF IONS IN RELATIVISTIC ELECTRON BEAMS

Stettner, R.

1768
INTERNAL SOEMP AND ANALYTIC REPRESENTATIONS FOR THE SKYNET STRUCTURAL MODEL

1731
THE EFFECT OF ELECTRON PRECHARGING ON SOEMP RESPONSE OF INSULATORS

1797
EXPLODING-WIRE PHOTON TESTING OF SKYNET SATELLITE

18472
SOEMP RESPONSE INVESTIGATION WITH EXPLODING-WIRE PHOTONS, PART II

Stevens Jr., R.R.

2455
A COMPACT 250-KV INJECTOR SYSTEM FOR FIGMI

Stewart, A. G.

1293
DESIGN STUDY FOR AN AURORA MODIFICATION LEADING TO A 100-TERAWATT NUCLEAR WEAPON RADIATION

Stewart, A.G.

119
UPGRADING THE AURORA SIMULATOR

247
DESIGN STUDY FOR AN AURORA MODIFICATION LEADING TO A 100-TERAWATT NUCLEAR WEAPON RADIATION SIMULATOR

1294
HIGH IMPEDANCE ION DIODE EXPERIMENT ON AURORA

1448
HIGH-IMPEDANCE ION-DIODE EXPERIMENT ON THE AURORA PULSER

8895
IMPROVED DESIGN AURORA MODIFICATION PROGRAM (IDAMP)

18377
HIGH POWER PULSE COMPRESSION TECHNIQUES

Stickley, C.M.

4384
ISSUES IN UNCLASSIFIED PARTICLE BEAM RESEARCH (PROCEEDINGS OF THE 1989 PARTICLE BEAM RESEARCH WORKSHOP)

Stine Jr., R.D.

642
A LOW INDUCTANCE, COMPACT, 1 MV, 10 KJ MARX GENERATOR

Stinnett, R.W.

3492
MEASUREMENT OF FAST RISETIME MEGAMPERE CURRENTS BY QUARTZ GAUGE

3245
NEGATIVE ION LOSSES IN MAGNETICALLY INSULATED VACUUM GAPS

18223
MEASUREMENT OF MAGNETICALLY INSULATED LINE VOLTAGE USING A THOMPSON PARABOLA CHARGED PARTICLE ANALYSER

Stolev, A.M.

1863
FAST-ACTING ELECTRODYNAMIC CIRCUIT BREAKER

3376
GENERATOR OF POWERFUL CURRENT PULSES

Stoilevich, M.N.

8994
OPTIMIZATION OF ENERGY CONVERSION IN ELECTRICAL EXPLOSION OF A CONDUCTOR IN A LIQUID

Stono, G.C.

9237
FUNDAMENTAL LIMITATIONS IN THE MEASUREMENT OF CORONA AND PARTIAL DISCHARGE

9921
THE APPLICATION OF WEIBULL STATISTICS TO INSULATION AGING TESTS

Stoops, C.W.

9711
THE MEASUREMENT OF IMPEDANCE AT HIGH POWER

Stott, A.M.

10480
ELECTRICAL PULSE GENERATOR

Stott, F.E.

2567
A NEUTRAL-PARTICLE ANALYSER FOR PLASMA DIAGNOSTICS

Stover, J.

6528
NANOSECOND PULSERS FOR MM WAVE TUBES

Stover, J.V.

3745
EVALUATION OF HVDC FUSES AS TMT PROTECTIVE DEVICES

Stowers, I.F.

7221
A COMPACT 5012 AMP/SEC RAIL-GUN PULSER FOR A LASER PLASMA SHUTTER

Stoyak, M.Yu.

6999
FORMATION OF ELECTRICAL BREAKDOWN IN AQUEOUS SODIUM CHLORIDE SOLUTIONS

8999
THE DEVELOPMENT OF AN ELECTRIC DISCHARGE IN AQUEOUS ELECTROLYTES

Strechan, DC

7822
REFRACTORY ELECTRODE REGION RECOVERY FOLLOWING ARC INTERRUPTION

Strow, DC

8608
COLLECTIVE ION ACCELERATION WITH INTENSE RELATIVISTIC ELECTRON BEAMS

Street, J.C.

5338
THE FALL OF POTENTIAL IN THE INITIAL STAGES OF ELECTRICAL DISCHARGES

Strel'sov, A.F.

3731
THEORETICAL AND EXPERIMENTAL INVESTIGATION OF PULSED DISCHARGES IN GASES

Strel'kov, I.V.

4749
BREAKDOWN OF A VACUUM SPARK GAP TRIGGERED BY AN ELECTRON BEAM

7890
INITIATION OF ELECTRICAL BREAKDOWN IN VACUUM BY AN ELECTRON BEAM

Stralkev, L.A.

3383
INVESTIGATION OF ELECTRODE EROSION AND OF THE CONDITIONS OF
SPECTRUM EXCITATION WITH AN IMPULSIVE DISCHARGE IN A
MAGNETIC FIELD

Stralkev, P.S.

10179
THE 'TEREK-2' HIGH-CURRENT PULSED ELECTRON ACCELERATOR

Strickland, D.J.

1819
THE PHOTOEMISSION SPECTRUM FOR AN EXPLODING WIRE RADIATOR
SOURCE INCIDENT ON AL AND AU

Strickland, D.M.

611
COMPACT, ULTRA-HIGH DENSITY MARX GENERATOR

997
LOW JITTER, LOW INDUCTANCE SOLID DIELECTRIC SWITCHES

4095
THE MOLECULE, A COMPACT, HIGH-DENSITY, HIGH-PRECISION MARX
GENERATOR

10410
SPLIT-RING MARX GENERATOR DRAGINO

Strid, K.

3651
MEASUREMENT OF THE ENERGY RELEASED IN NANOSECOND ELECTRIC
SPARKS

Stringfield, R.

359
PLASMA EROSION SWITCHES WITH IMPLODING PLASMA LOADS ON A
MULTITERAWATT PULSED POWER GENERATOR

Strohweid, N.

4501
UV LASER TRIGGERING OF SPARK GAPS BY TWO-QUANTUM
PHOTOELECTRIC EFFECT

Stronks, G.E.

7240
A MODULATOR FOR THE SEASAT-A RADAR ALTIMETER

Stroud, J.R.

10181
ELECTRIC GUN: A VERSATILE TOOL FOR HIGH-PRESSURE SHOCKWAVE
RESEARCH

Struchkov, A.I.

7084
EROSION RATE AND PROPERTIES OF A CATHODE SPOT OF THE FIRST
KIND WITH SILVER ALLOYS

Strucula, E.C.

1260
LIGHT-PIRED THYRISTOR DEVELOPMENT

Stuetzer, O.M.

10296
THEORY OF SMALL HELICAL MAGNETIC FLUX COMPRESSION AMPLIFIERS

10298
COMPRESSED MAGNETIC FLUX AMPLIFIER WITH CAPACITIVE LOAD

10521
SMALL HELICAL FLUX COMPRESSION AMPLIFIERS

Stukelin, Yu.A.

6830
INITIAL STAGES OF THE ELECTRICAL EXPLOSION OF A WIRE IN AN
LC-LOOP

Stupin, A.V.

5339
A POWERFUL THYRISTOR MODULATOR

Sturzenegger, Ch.

8962
QUENCHING PROPERTIES OF AN ARC IN A DOUBLE FLOW WITH A
VORTEX

Styger, W.

10275
HIGH FREQUENCY RODOWSKI COIL RESPONSE CHARACTERISTICS

Sub, R.

4719
A MODULAR POWER-CROWBAR BANK FOR THE GENERATION OF A 50 MA,
50 MICROSECOND CURRENT PULSE FOR THE TOROIDAL PLASMA
EXPERIMENT NOS II AT OAKRIDGE

Subbarao, E.C.

1612
MODIFIED PLZT HIGH VOLTAGE DIELECTRICS

Sudahev, V.V.

6875
VOLUME DISCHARGE WITH UV PREIONIZATION

Suden, R.

7775
PRODUCTION OF INTENSE PROTON FLUXES IN A MAGNETICALLY
INSULATED DIODE

Suden, R.N.

1977
STABILITY OF AC VACUUM ARCS IN TRANSVERSE PULSED MAGNETIC
FIELD

2584
PRODUCTION OF INTENSE FOCUSED ION BEAMS IN A SPHERICAL
MAGNETICALLY INSULATED DIODE

4014
ADVANCES IN THE EFFICIENT GENERATION OF INTENSE PULSED
PROTON BEAMS

4205
GENERATION OF INTENSE ION BEAMS IN PULSED DIODES

7759
EXTRACTION AND FOCUSING OF INTENSE ION BEAMS FROM A
MAGNETICALLY INSULATED DIODE

8567
PROCEEDINGS OF THE INTERNATIONAL TOPICAL CONFERENCE ON HIGH
POWER ELECTRON AND ION BEAM RESEARCH AND TECHNOLOGY (2ND),
OCTOBER 3-5, 1977; VOLUME I

8568
PROCEEDINGS OF THE INTERNATIONAL TOPICAL CONFERENCE ON HIGH
POWER ELECTRON AND ION BEAM RESEARCH AND TECHNOLOGY (2ND),
OCTOBER 5-5, 1977; VOLUME II

8935
FIELD EMISSION FROM VACUUM-DEPOSITED METALLIC FILM AND ITS
ROLE IN ELECTRIC BREAKDOWN IN VACUUM

10224
HIGH POWER ELECTRON AND ION BEAM CONFERENCE

Sudarshan, T.S.

1529
ELECTRO-OPTICAL MEASUREMENTS OF SOLID INSULATOR SURFACE
FIELDS AND SURFACE CHARGING IN VACUUM

5566
THE EFFECT OF CUPROUS OXIDE COATINGS ON SURFACE FLASHOVER
OF DIELECTRIC SPACERS IN VACUUM

Suddeth, O.E.

5997
INTENSE PULSED NEUTRON SOURCE (IPNS-I) ACCELERATOR 300 MEV
FAST KICKERS

Suess, R.

5710
INVESTIGATION OF THE EROSION PHENOMENA IN HIGH CURRENT,
HIGH PRESSURE GAS DISCHARGES

5024
INVESTIGATION OF THE EROSION PHENOMENON IN HIGH CURRENT,
HIGH PRESSURE GAS DISCHARGES

Sugaya, M.

9518
OPTICAL PHENOMENA OBSERVED IN A SHORT-DAP ATMOSPHERIC
DISCHARGE USING ROTOR AND POST ELECTRODES

Suglure, M.

5639
CONTROL OF HIGH ENERGY CAPACITOR BANKS

Sugonyev, V.P.

3551
HIGH-VOLTAGE PULSE GENERATOR FOR WIRE SPARK CHAMBERS

Sukhachev, M.D.

3536
A PULSED CURRENT SOURCE WITH ENERGY RECOVERY

Sukhanov, L.A.

3082
ELECTRICAL ENGINEERING (SELECTED ARTICLES)

Sukhav, A.D.

6855
LOW-INDUCTANCE GENERATOR OF PULSED VOLTAGE AT 1 MV

Sukhushin, K.M.

6979
CHARACTERISTICS OF A HOLLOW ELECTRON BEAM IN A MAGNETICALLY
INSULATED DIODE

Suladze, K.V.

6506
EMISSION PROPERTIES OF THE PLASMA OF VACUUM SPARKS. I. ION
BEAMS

6595
FORMATION OF INTENSE CHARGED PARTICLE BEAMS IN A
CURRENT-CARRYING PLASMA

6688
SPARK SOURCE IN A HIGH-CURRENT ELECTRON INJECTOR

6636
ACCELERATION OF IONS BY A RELATIVISTIC ELECTRON BEAM

6655
ACCELERATION OF IONS IN AN ELECTRON BEAM

6664
ELECTRIC EXPLOSION OF SPIRAL WIRES IN VACUUM

6666
ELECTRICAL EXPLOSION OF WIRES IN VACUUM

6668
ELECTRON EMISSION PROPERTIES OF A VACUUM SPARK. II.
ELECTRON BEAMS

6687
PULSED ION BEAMS FROM A HIGH-CURRENT PLASMA DIODE

Sulabko, P.

7494
THE MECHANISM OF ELECTRICAL BREAKDOWN OF GASES, INITIATED
BY A LARGE NUMBER OF ELECTRONS

Sulivan, T.S.

925
MAGNETIC INSULATION IN SHORT COAXIAL VACUUM STRUCTURES

Sumida, S.

1989
X-RAY PREIONIZED HIGH-PRESSURE KRF LASER

Summerhayes Jr, N.R.

1266
ELECTRONIC CURRENT TRANSDUCER (ECT) FOR HIGH-VOLTAGE DC
LINES

Summers, OOR

2567
A NEUTRAL-PARTICLE ANALYSER FOR PLASMA DIAGNOSTICS

Sunderarajan, T.

8927
EFFECT OF PLUG FLOW ON THE STABILITY OF TWO-DIMENSIONAL ARCS

Susov, E.V.

6622
APPARATUS FOR GENERATING INTENSE MAGNETIC FIELDS OF SHORT
DURATION

Susuki, T.

8118
ARC MOTIONS DRIVEN BY MAGNETIC FIELD IN SULFUR HEXAFLUORIDE
(SF/SUB 6/)

Sutphin, M.D.

5647
SUBNANOSECOND HIGH VOLTAGE ATTENUATOR

Suverev, V.M.

6841
OBTAINING POWERFUL MAGNETIC FIELDS BY MEANS OF A POWERFUL
CAPACITOR BANK

Suzuki, P.T.

2814
AN ELECTRICAL SURGE ARRESTOR (ESA) MODEL FOR
ELECTROMAGNETIC PULSE ANALYSIS

Suzuki, T.

5560
TRANSITION FROM THE PRIMARY STREAMER TO THE ARC IN POSITIVE
POINT-TO-PLANE CORONA

Svedberg, A.

9791
A PULSE GENERATOR FOR SHORT MEGAVOLT PULSES WITH A RISE TIME
IN THE NANOSECOND REGION

Sveshnikov, V.

10475
STRUCTURE OF THE HIGH-CURRENT RELATIVISTIC ELECTRON BEAM
FORMED BY A COAXIAL GUN WITH MAGNETIC INSULATION

Sveshnikov, V.M.

6979
CHARACTERISTICS OF A HOLLOW ELECTRON BEAM IN A MAGNETICALLY
INSULATED DIODE

Svin'in, M.P.

4265
HIGH-CURRENT PULSED ELECTRON ACCELERATOR WITH AN ANNULAR
BEAM

7850
INDUCTIVE ENERGY STORAGE IN PULSED ACCELERATORS

Sviridov, Yu.F.

6921
CONTROLLED MEGAVOLT GAS-FILLED DISCHARGER

Swail, C.

685
A NEW METHOD OF EXCITING UNIFORM DISCHARGES FOR HIGH
PRESSURE LASERS

Swallow, D.W.

1258
HIGH POWER MAGNETOHYDRODYNAMIC SYSTEM (VOL II)

1259
HIGH POWER MAGNETOHYDRODYNAMIC SYSTEM (VOL I)

Swanbeck, C.E.

4886
0.54-MJ SUPERCONDUCTING MAGNETIC ENERGY TRANSFER AND STORAGE

Swenson, L.W.

1669
ELECTRICAL BREAKDOWN BETWEEN METAL ELECTRODES IN HIGH
VACUUM. I. THEORY

1686
ELECTRICAL BREAKDOWN BETWEEN METAL ELECTRODES IN HIGH
VACUUM. II. EXPERIMENTAL

Swarbrick, P.

8199
COMPOSITION AND PROPERTIES OF A SULPHUR HEXAFLUORIDE ARC
PLASMA

Sven, Y.

7280
MAGNETIC FLUX CONCENTRATION WITH THE ANODE IN A VACUUM ARC
SWITCH

Swift-Hook, D.T.

467
SPHERICAL PROBE IN A FLOWING PLASMA

Swift, D.A.

7492
THE EFFECT OF TEMPERATURE ON THE ELECTRICAL CHARACTERISTICS
OF A VACUUM GAP

Swift, G.W.

5801
CHARGING TIME OF A HIGH-VOLTAGE IMPULSE GENERATOR

Swift, J.D.

8281
TIME-RESOLVED RADIAL TEMPERATURE PROFILES FOR 10 KA SF/SUB
6/ ARCS

Synakh, V.S.

6980
CONDITIONS FOR THE MAINTENANCE OF THE CURRENT IN THE
CATHODE LAYER OF A SEMI-SELF-MAINTAINING VOLUMETRIC
DISCHARGE EXCITED BY AN ELECTRON BEAM

Satankey, Z.

2005
SUBNANOSECOND RISE TIME PULSES FROM INJECTION LASERS

SKALNIK, J.G.

5181
LIMITING CONDITIONS IN A PERFORATED TRIGGER CIRCUIT

Tabachnik, R.S.

418
THYRATRON GENERATOR THAT PRODUCES RECTANGULAR PULSES HAVING
A SMOOTHLY CONTROLLABLE LENGTH

Taherzadeh, M.

10365
PRELIMINARY DESIGN OF A 500 KEV ELECTRON GUN FOR A HIGH
POWER CO/SUB 2/ LASER AMPLIFIER

Takagi, K.

515
CHARACTERISTICS OF CO-AXIAL Marx GENERATOR AND ITS
APPLICATION TO ELECTRON BEAM FUSION

650
A STUDY OF THE DOUBLE-FOCUSING DIODE

Takagi, T.

3604
APPLICATIONS OF A LASER-TRIGGERED SPARK GAP (LTSO)

Takahashi, T.

9141
NEW TYPE OF PULSED ION SOURCE WITH CRYOGENIC ANODE

Takeda, S.

8489
CONTROL OF HIGH ENERGY CAPACITOR BANKS

6894
CROWBAR GAP SWITCH WITH TWO TRIGGERING PULSES OF OPPOSITE
POLARITIES AND ITS SIMPLIFIED GAP SWITCHES

9807
NANOSECOND PULSED ELECTRON SOURCE WITH DOUBLE PULSE CONTROL

Takash, M.

9319
TYPICAL PHENOMENA OBSERVED IN A SHORT-GAP ATMOSPHERIC
DISCHARGE USING ROTOR AND POST ELECTRODES

Takuma, T.

3689
BREAKDOWN CHARACTERISTICS OF HIGHLY NONUNIFORM LONG GAPS IN
COMPRESSED AIR

Tallier, E.O.

8380
CONTROL OF THE SHAPE OF HIGH-CURRENT, HIGH-VOLTAGE PULSES
GENERATED BY AN ARTIFICIAL LINE

Tallierice, P.J.

3743
DESIGN AND PERFORMANCE OF THE LAMPF I-1/4 PW KLYSTROM
MODULATOR

Tamura, T.

8110
FORMATION OF A POSITIVE BURST PULSE CORONA IN AIR, NITROGEN
AND OXYGEN

Tan, O.T.

574
PARAMETER ESTIMATION FOR GENERATOR SIMULATION STUDIES

Tan, Z.

2041
TUNNEL DIODE NARROW PULSE GENERATOR

Tan, Z.C.

10494
A BACK-MATCHED DELAY-LINE CLIPPING TECHNIQUE FOR USE WITH
FAST AMPLIFIERS

Tanaka, T.

5607
ADVANCED APPLICATION REPORT HIGH VOLTAGE XLPE INSULATED
POWER CABLE WITH SEMI-CONDUCTING ORGANIC LIQUID

Tanaka, J.

7747
DEGRADATION PRODUCT ANALYSIS FOR POLYMERIC DIELECTRIC
MATERIALS EXPOSED TO PARTIAL DISCHARGES

Tanenakin, V.A.

6467
MULTIELEMENT ACCELERATORS BASED ON RADIAL LINES

7895
THE LTU-15 HIGH-POWER ELECTRON ACCELERATOR

Tanberg, R.

10144
ON THE CATHODE OF AN ARC DRAWN IN VACUUM

Tarentino, F.

7255
PULSED TWT POWER SUPPLY: A TECHNIQUE FOR MINIMIZING R.F.
PHASE INSTABILITY AND HIGH VOLTAGE ENERGY

Tarasenko, V.P.

6955
PUMPING OSCILLATOR FOR LASERS HAVING TRANSVERSE EXCITATION

7948
TIME CONSTANTS OF SPARK DISCHARGES INITIATED BY A GAS-LASER
BEAM OF $\lambda = 0.5371$ MICRONS

Tarasovich, M.

2398
ION BEAM EROSION OF ROUGH GLASS SURFACES

Tarasov, M.D.

6947
MECHANISM FOR NANOSECOND VACUUM PULSED DISCHARGE

Tarasov, M.S.

7882
ELECTRICAL CONDUCTIVITY OF DIELECTRICS IN STRONG SHOCK WAVES

Tarasov, V.D.

7880
ELECTRICAL BREAKDOWN IN WATER BY 0.5-1.7-MV PULSES 0.5-5 MICROSECONDS LONG

Tarasova, L.V.

9781
THE PHYSICS OF HIGH-VOLTAGE NANOSECOND DISCHARGES IN DENSE GASES

10260
INVESTIGATION OF HIGH-VACUUM ELECTRICAL BREAKDOWN

Tardiff, J.

4755
THE BOUNCING CONDUCTOR GENERATOR

Tarumov, E.Z.

6835
LOW-INDUCTANCE GENERATOR OF PULSED VOLTAGE AT 1 MV

Tatarinova, N.V.

8229
ATMOSPHERIC EFFECTS ON THE DIELECTRIC STRENGTH OF A VACUUM GAP WITH PROCESSED ELECTRODES

Taylor, F.L.

8182
ELECTRODE EROSION IN SPARK DISCHARGES

Taylor, D.W.

5657
DESIGN AND ANALYSIS OF A STATISTICAL EXPERIMENT ON HIGH VOLTAGE BREAKDOWN IN VACUUM

5697
INDUCTANCE EFFECTS IN ENERGY DIVERTER DISCHARGE CIRCUITS

5698
INFLUENCE OF ELECTRODE MATERIAL ON HIGH-VOLTAGE VACUUM BREAKDOWN

6322
ENERGY CONTROL FOR MICROWAVE AMPLIFIER ARRAYS

9381
TRANSIENTS IN HIGH-POWER MODULATORS

10437
CIRCUIT PROTECTING, GAS-TUBE, DISCHARGE INTERRUPTER

Taylor, O.S.

9786
HIGH-CURRENT BRUSHES, PART IV: MACHINE ENVIRONMENT TESTS

Taylor, R.S.

2178
MULTICHANNEL SURFACE SPARK GAPS

Tedford, D.J.

2958
THE USE OF A PHOTOMULTIPLIER IN THE DETERMINATION OF IONIZATION COEFFICIENTS IN GASES STRESSED WITH HIGH VOLTAGE

5438
LIGHTNING STRIKE POINT LOCATION STUDIES ON SCALE MODELS

8286
CATHODE SPOTS IN THE TRANSIENT DLOW DISCHARGE IN NITROGEN

Temchin, S.M.

6654
ACCELERATION OF IONS BY A RELATIVISTIC ELECTRON BEAM

6635
ACCELERATION OF IONS IN AN ELECTRON BEAM

Temperley, J.K.

4427
ANALYSIS OF COUPLING REGION IN TRANSMISSION-LINE ACCELERATORS

5167
ANALYSIS OF TRANSMISSION-LINE ACCELERATOR CONCEPTS

7746
CHARGED, INTERNALLY SWITCHED TRANSMISSION LINE CONFIGURATIONS FOR ELECTRON ACCELERATION

Temple, V.A.K.

1383
LIGHT-TRIGGERED THYRISTORS FOR ELECTRIC POWER SYSTEMS

1584
LIGHT-TRIGGERED THYRISTORS FOR ELECTRIC POWER SYSTEMS (PHASE 2)

10130
THYRISTOR DEVICES FOR ELECTRIC POWER SYSTEMS

Teno, J.

1275
INDUCTOR NETWORK DEVELOPMENT FOR AIRCRAFT HIGH POWER SUPPLIES

2448
DEVELOPMENT OF A PULSED HIGH-ENERGY INDUCTIVE ENERGY STORAGE SYSTEM

10442
EXPERIMENTAL AND ANALYTICAL RESEARCH ON A TWO MEGAWATT, HIGH PERFORMANCE PWO GENERATOR

Tapera, A.

618
PRODUCTION AND DYNAMICS OF HIGH INTENSITY ELECTRON BEAMS

Ter Horst, D.T.J.

7888
FORM FACTOR METHOD YIELDS THERMAL CONDUCTIVITY AND RADIATED POWER OF NITROGEN ARC

Tarant'ev, A.K.

556
PULSE GENERATOR PRODUCING A HIGH-POWER CURRENT

Tarant'ev, Yu.I.

8988
THEORY OF POWERFUL NONSTEADY XENON DISCHARGE TAKING VAPORIZATION OF ITS STABILIZING WALLS INTO ACCOUNT

10306
SURFACE BREAKDOWN IN VACUUM ON BARIUM TITANATE

Tarant'ev, Yu.V.

6971
'MINUS' PULSED, HIGH-CURRENT, NANOSECOND, ELECTRON ACCELERATOR

Tasche, F.M.

18297
PARALLEL-PLATE TRANSMISSION LINE TYPE OF EMP SIMULATORS: SYSTEMATIC REVIEW AND RECOMMENDATIONS

The Sandia Laboratories Particle Beam Fusion Group

5288
DEVELOPMENTS IN SANDIA LABORATORIES PARTICLE BEAM FUSION PROGRAM

Thebaud, J.

4385
PICOSECOND TRIGGER SYSTEM USEFUL IN MODE-LOCKED LASER PULSE MEASUREMENTS

Theophanis, G.A.

10256
MILLIMICROSECOND TRIGGERING OF HIGHVOLTAGE SPARK GAPS

Theophilus, S.D.

3520
IN-SITU OBSERVATION OF MICROFARTICLES IN A VACUUM-INSULATED
GAP USING A SCANNING ELECTRON MICROSCOPE

TT83
STATIC FIELD BREAKDOWN OF SF/SUB 6/-N/SUB 2/ MIXTURES IN
ROD-FLAME GAPS

Thern, R.

449T
ALTERNATE POLARITY MULTIPLE SPARR GAP FOR HIGH EFFICIENCY
SNOWER DETECTORS

Thiel, M.G.

896T
QUENCHING PROCESSES OF AXIALLY INHOMOGENEOUS ARCS IN SF/SUB
6/ CIRCUIT BREAKERS

Thode, L.E.

TTT4
SIMULATIONS OF INTENSE RELATIVISTIC ELECTRON BEAM
GENERATION BY FOILLESS DIODES

Thomas, A.K.

5532
MAGNETIC SHIELDED ENCLOSURE DESIGN IN THE DC AND VLF REGION

Thomas, J.B.

19415
A MODEL FOR THE CURRENT PULSES OF CLOUD-TO-GROUND LIGHTNING
DISCHARGES

Thomas, R.J.

5888
HIGH-IMPULSE CURRENT AND VOLTAGE MEASUREMENT

10225
HIGH-VOLTAGE PULSE REFLECTION-TYPE ATTENUATORS WITH
SUBNANOSECOND RESPONSE

Thomas, S.W.

4933
LASER-TRIGGERED AVALANCHE-TRANSISTOR VOLTAGE GENERATOR FOR
A PICOSECOND STREAK CAMERA

Thomson, R.I.

3T83
CONCEPTUAL ENGINEERING DESIGN OF A ONE-OJ FAST DISCHARGING
HOMOPOLAR MACHINE FOR THE REFERENCE THETA-PINCH FUSION
REACTOR

4T2T
PULSED ENERGY AND SWITCHING REQUIREMENTS FOR TOKAMAR OHMIC
HEATING

T2T5
FUSION APPLICATIONS OF FAST DISCHARGING HOMOPOLAR MACHINES

Thomson, G.

10443
A 750 KW PULSE GENERATOR AND ITS USE FOR THE PRODUCTION OF
X-RAY AND ELECTRON FLASHES

Thompson, J.D.

3335
A NON-DESTRUCTIVE ACOUSTIC ELECTRIC FIELD PROBE

Thompson, J.E.

1329
ELECTRO-OPTICAL MEASUREMENTS OF SOLID INSULATOR SURFACE
FIELDS AND SURFACE CHARGING IN VACUUM

TTTT
INVESTIGATIONS OF FAST INSULATOR SURFACE FLASHOVER

Thomson, D.B.

6781
AN EXPLOSIVE-DRIVEN HIGH-FIELD SYSTEM FOR PHYSICS
APPLICATIONS

69T0
TECHNIQUE FOR MEASURING MEGA-BAUSS MAGNETIC FIELDS USING
ZEEMAN EFFECT

Tibbette, S.J.

5235
AN INFORMATIVE METHOD FOR RECORDING PARTIAL DISCHARGES IN
INSULATING MATERIALS

Tidman, D.A.

3835
PROPAGATION OF HIGH-VOLTAGE STREAMERS ALONG LASER-INDUCED
IONIZATION TRAILS

4932
IONIZING POTENTIAL WAVES AND HIGH-VOLTAGE BREAKDOWN
STREAMERS

T8T5
IONIZING GAS BREAKDOWN WAVES IN STRONG ELECTRIC FIELDS

Tiemann, M.

89T7
ARC-GAS FLOW INTERACTIONS IN A DOUBLE-NOZZLE FLOW SYSTEM

Tikhonov, V.M.

10248
THE BRIDGE STAGE OF ELECTRODE EROSION IN SWITCHING
1000-5000-A CURRENTS IN VACUUM

Timofeev, M.N.

69T9
CHARACTERISTICS OF A HOLLOW ELECTRON BEAM IN A MAGNETICALLY
INSULATED DIODE

Timokhin, V.A.

10454
SOME PECULIARITIES OF OPERATION OF CURRENT COMMUTATOR ON
INDUCTIVE LOAD

Timonin, A.M.

5841
LASER-INITIATED VACUUM DISCHARGE

T843
ENERGY-TRANSFER EFFICIENCY OF A MAGNETIC-IMPLOSION SYSTEM

T838
MOTION OF A CYLINDRICAL CONDUCTING SHELL UNDER
MAGNETODYNAMIC COMPRESSION

T932
LASER-TRIGGERED SPARK-GAP SWITCH

T939
SOLID-DIELECTRIC NANOSECOND SPARR GAP WITH LASER TRIGGERING

Timoshin, I.Ye.

28T8
GENERATOR PRODUCING TRAINS OF HIGH-VOLTAGE PULSES IN THE
NANOSECOND RANGE

Timush, D.M.

468
SQUARE PULSE GENERATOR WITH PULSES OF LARGE AMPLITUDE AND
OF VARYING DURATION AND FREQUENCY

Titkov, V.V.

6486
PRECISION PEAKING DISCHARGER WITH A NONLINEAR ELEMENT IN AN
INDUCTIVE STORAGE CIRCUIT WITH FOIL BREAKER

Tkuch, Yu.V.

6T5
HIGH-POWER CURRENT PULSE GENERATOR

1145
COMPUTATION OF SPARK GAPS BY MEANS OF A PULSED GAS LASER
OPERATING IN THE ULTRAVIOLET RANGE

Tobin, R.C.

5642
DRIVING CIRCUITS FOR COPPER HALIDE LASERS - A PARAMETRIC
STUDY

Teopfer, A.J.

341
PULSED POWER APPLICATIONS TO INTENSE NEUTRON SOURCE
DEVELOPMENT

3418
ELECTRON BEAM FOCUSING AND APPLICATION TO PULSED FUSION

Toffolo, M.E.

2881
CONTROLLABLE HOMOPOLAR MOTOR-GENERATOR ENERGY STORAGE FOR
APPLICATION IN A FUSION POWER REACTOR

Toik, K.M.

2718
CIRCUIT AND MAGNETIC ANALYSIS FOR A SYSTEM OF PARADAY
ROTATOR COILS DRIVEN BY A TWO-SPOOL, FOUR-ROTOR HOMOPOLAR
GENERATOR

2745
TEST DATA ON ELECTRICAL CONTACTS AT HIGH SURFACE VELOCITIES
AND HIGH CURRENT DENSITIES FOR HOMOPOLAR GENERATORS

2837
PRELIMINARY ENGINEERING DESIGN OF A PULSED HOMOPOLAR
GENERATOR POWER SUPPLY

4691
INERTIAL ENERGY STORAGE RESEARCH AT THE UNIVERSITY OF TEXAS
AT AUSTIN

4698
ONE MILLISECOND DISCHARGE TIME HOMOPOLAR MACHINE

3418
REBUILDING THE FIVE MEGAJOULE HOMOPOLAR MACHINE AT THE
UNIVERSITY OF TEXAS

3882
ENERGY STORAGE AND TRANSFER WITH HOMOPOLAR MACHINE FOR A
LINEAR THETA-PINCH HYBRID REACTOR

7175
FUNDAMENTAL LIMITATIONS AND DESIGN CONSIDERATIONS FOR
COMPENSATED PULSED ALTERNATORS

7218
THE DESIGN, ASSEMBLY, AND TESTING OF A DESK MODEL
COMPENSATED PULSED ALTERNATOR

7219
THE MECHANICAL DESIGN OF A COMPENSATED PULSED ALTERNATOR
PROTOTYPE

7496
TESTING AND ANALYSIS OF A FAST DISCHARGE HOMOPOLAR MACHINE
(FOX)

Tollstrup, A.V.

3897
HIGH-ENERGY DENSITIES BEFORE DWELL IN ELECTRICALLY EXPLODED
WIRES

Tolmach, I.M.

6285
EXPERIENCE IN SWITCHING KILOAMPERE DIRECT CURRENT BY MEANS
OF LIQUID METAL

6893
INVESTIGATION OF THE COMPUTATION OF A KILOAMPERE DIRECT
CURRENT BY A LIQUID METAL IN A ROTATING FIELD

Tolmachev, V.G.

1358
ELEMENTS OF HIGH-VOLTAGE NANOSECOND PULSE GENERATORS ON
COAXIAL CABLES

Tolmachev, V.G.

4419
GENERATOR OF HIGH VOLTAGE NANOSECOND PULSES WITH PRECISE
LENGTH

Tomashchik, M.E.

1737
INITIATION OF ELECTRICAL BREAKDOWN IN ULTRAHIGH VACUUM

8237
EFFECT OF GAS PRESSURE ON ELECTRICAL BREAKDOWN AND FIELD
EMISSION

Tomashchuk, Yu.P.

393
A GENERATOR FOR STARTING ACOUSTIC CHAMBERS

Tonkonegov, M.P.

4637
MECHANISM OF SURGE BREAKDOWN IN SUSPENSIONS

Tenko, L.

4881
ON ANCHORING THE MERCURY POOL CATHODE SPOT

8289
THEORY OF LIQUID SURFACE RUPTURE BY A UNIFORM ELECTRIC
FIELD

Tenen, G.F.

7927
LASER SOURCES FOR MULTIPLY-CHARGED HEAVY IONS

Topplin, H.

5425
INVESTIGATIONS ON THE INTERACTION BETWEEN ARCS AND GAS FLOW

Toptygin, V.V.

18338
GAS MIXTURE $H_2/SUB 2/ + SF_6/SUB 6/ + AR$ FOR A HIGH-PRESSURE
DISCHARGER

Toriyama, Y.

3824
BREAKDOWN OF INSULATING MATERIALS BY SURFACE DISCHARGE

Toropov, B.K.

7887
GENERATOR OF HIGH-VOLTAGE RECTANGULAR PULSES

Tourpou, C.M.

9881
EXPERIMENTAL OBSERVATION OF SURFACE CHARGING OF
HIGH-VOLTAGE INSULATORS FOR VACUUM APPARATUS

Touliati, S.Y.

3483
HIGH-VOLTAGE VACUUM INSULATION WITH EPOXY-COATED CATHODES

Townsend, P.

3327
COMPUTATION OF AXIAL AND RADIAL DEVELOPMENT OF DISCHARGES
BETWEEN FLARE PARALLEL ELECTRODES

Tovado, K.

15334
OUTPUT PERFORMANCE OF THE COAXIAL-TYPE MARK GENERATOR
CONSISTING OF SATIO/SUB 3/ SERIES CERAMIC CAPACITORS

Tozer, B.A.

3324
ANTICIPATION OF ELECTRICAL BREAKDOWN OF LONG AIR GAPS

3626
IMPULSE BREAKDOWN OF LARGE SPHERE-PLANE GAPS

3715
SPACE-CHARGE INJECTION: A NEW TECHNIQUE FOR STUDYING
NONUNIFORM FIELD BREAKDOWN PHENOMENA

Tropeznikov, V.H.

9338
BREAKDOWN-VOLTAGE STABILITY OF GAS-FILLED SWITCHES FOR
VOLTAGE PULSE GENERATOR

Trokhov, E.S.

8911
EROSION OF CATHODE MATERIAL IN A PULSED DISCHARGE BETWEEN
PARALLEL ELECTRODES

Trendler, R.C.

166
THE 10 MILLISECOND 150 KILOAMPERE PULSED POWER SUPPLY FOR
THE PERHILAS NEUTRINO POCUSSING HORN

Trester, S.

1961
ELECTRODE-LIMITED AND SPACE-CHARGE-LIMITED TRANSIENT
CURRENTS IN INSULATORS

Trava, Y.M.

1331
DESIGN OF EFFICIENT EXPLOSIVELY DRIVEN ELECTROMECHANICAL
ENERGY CONVERTERS

Travalyn, B.

1911
A SIMPLE LASER-TRIGGERED SPARR OAP FOR KILOVOLT PULSES OF
ACCURATELY VARIABLE TIMING

Tripoli, G.A.

340
ON THE DEVELOPMENT OF A REPETITIVELY PULSED ELECTRON BEAM
SYSTEM

Trivalpica, A.M.

8239
EXACT RELATIVISTIC SOLUTION FOR THE ONE-DIMENSIONAL DIODE

Troian, J.R.

2021
THE FIELD EMISSION INITIATED VACUUM ARC. I. EXPERIMENTS ON
ARC INITIATION

6924
DESIGN STUDIES FOR ULTRA-PAST, LOW-IMPEDANCE
HIGH-PEAK-POWER PULSED SYSTEMS

7966
FIELD EMISSION: LARGE CURRENT DENSITIES, SPACE CHARGE, AND
THE VACUUM ARC

Tranc, M.

4145
A GAS-SUPPLY LINE WHICH PERMITS A HIGH VOLTAGE TO BE
MAINTAINED ACROSS ITS ENDS

Trashkin, I.A.

7130
PREPULSE DISCHARGES IN THE DIODES OF A HIGH-CURRENT
ACCELERATOR WITH A DOUBLE SHAPING LINE

Treat, T.P.

184
PULSE POWER SYSTEMS EMPLOYING INDUCTIVE ENERGY STORAGE

4210
PULSE POWER SYSTEMS EMPLOYING MAGNETIC ENERGY STORAGE

5499
RADIATION GENERATION FROM EXPLODING WIRE

True, R.M.

10285
THE ELECTRON BEAM SEMICONDUCTOR (EBS) AMPLIFIER

Truetzschler, K.

4434
TRIGGERING OF A HIGH-VOLTAGE PULSE SHAPER FOR IMPROVING
TIME STABILITY AND AMPLITUDE STABILITY

Trukhin, V.A.

6865
THE CHARGING OF INDUCTIVE STORAGE DEVICES BY MEANS OF
ELECTRICAL ROTARY AGGREGATES

7104
CALCULATION OF TOROIDAL INDUCTIVE ACCUMULATORS WITH A
D-CROSS SECTION FROM PARAMETERS OF A DISCHARGE PULSE AND OF
THE CHARGING DEVICE

9788
MATCHING OF AN INDUCTIVE ENERGY STORE AND A COIL WITH LINER
WITH LIMITING OF BREAKDOWN VOLTAGE

Trump, J.O.

10037
THE INSULATION OF HIGH VOLTAGES IN VACUUM

10218
THE ROLE OF POSITIVE IONS IN HIGH VOLTAGE BREAKDOWN IN
VACUUM

Tryuchler, R.

5197
STREAMER CHAMBER POWER SUPPLY ON THE BASE OF A 500KV PULSE
TRANSFORMER

Tsapkov, V.I.

7685
RESISTANCE AND ENTHALPY OF REFRACTORY EXPLODING WIRES

Tsareva, L.S.

6621
AN APPROXIMATE THEORY OF MAGNETIC PILE-UP

6917
APPROXIMATE THEORY FOR AMPLIFICATION OF MAGNETIC FIELDS

Tsarkin, V.Ye.

1898
MOLOGRAPHIC INVESTIGATION OF ELECTRICAL EXPLOSIONS OF
CONDUCTORS

Tsaravtinev, S.S.

2347
DELAY CHARACTERISTICS OF VACUUM DISC SWITCHES

2598
ELECTRICAL STRENGTH OF VACUUM DISC SWITCHES

9831
INDUCTANCE AND INTERNAL RESISTANCE OF VACUUM DISC SWITCHES

Tsheermon, V.A.

7082
ELECTRICAL CONDUCTIVITY OF DIELECTRICS IN STRONG SHOCK WAVES

Tsidulko, Yu.A.

6977
BREAKDOWN OF WATER IN A SYSTEM WITH 'DIFFUSION' ELECTRODES

Tsints, R.

4587
PARTICLE BEAM WEAPONS-A TECHNICAL ASSESSMENT

Tsitelashvili, S.S.

3322
LASER-TRIGGERED VACUUM SWITCH

Tskhadaya, S.A.

6634
ACCELERATION OF IONS BY A RELATIVISTIC ELECTRON BEAM

6687
PULSED ION BEAMS FROM A HIGH-CURRENT PLASMA DIODE

Telef, A.

8920
CALCULATION OF THE TEMPERATURE IN A CONDUCTIVE TRACK OF AN
ARC ON THE SURFACE OF A MAGNET-BLAST CRUTE

Tsui-Pang

8995
PHOTOELECTRIC SPECTROSCOPY OF TRANSIENT DISCHARGES

Tsui, P.

8282
TIME-RESOLVED SPECTROSCOPY OF SPARK DISCHARGES

Tsujii, K.

7231
INVESTIGATION OF MECHANISM OF BREAKDOWN IN XLPE CABLES

Taukemon, V.A.

7159
PREPULSE DISCHARGES IN THE DIODES OF A HIGH-CURRENT
ACCELERATOR WITH A DOUBLE SHAPING LINE

Tsutsumi, T.

10124
DEVELOPMENT OF A 7.2 KV - 63 KA ADVANCED PUFFER GAS CIRCUIT
BREAKER

Tsuzuki, T.

4489
RELATIVISTIC ELECTRON BEAM SOURCE WITH AN AIR-CORE STEP-UP
TRANSFORMER

Tsvetkov, V.E.

1645
HIGH-VOLTAGE PULSE GENERATOR FOR THE TWO-METER STREAMER
CHAMBER OF THE JINR

4767
GENERATOR WITH AMPLITUDE AND LENGTH STABILIZATION OF THE
PULSE FOR SUPPLYING A STREAMER CHAMBER

6441
AN INVESTIGATION OF THE ELECTRIC STRENGTH OF SOME LIQUID
DIELECTRICS SUBJECT TO NANOSECOND VOLTAGE PULSES

6477
REPRODUCIBILITY OF DELAY TIME FOR BREAKDOWN OF
HIGH-PRESSURE TRIGGERED SPARK GAPS

6618
A SUPPLY GENERATOR FOR A STREAMER CHAMBER WITH A LARGE
INTERELECTRODE GAP

6982
CROSS-PIELD CURRENT FLOW IN A MAGNETICALLY INSULATED DIODE

7026
STUDY OF THE PULSE ELECTRICAL STRENGTH OF SOME LIQUIDS

Tsygankov, N.F.

8242
INVESTIGATION OF THE NEAR-ELECTRODE REGIONS OF AN ARC
DISCHARGE BETWEEN ELECTRODES OF DIFFERENT CHEMICAL
COMPOSITION

Tubbs, S.J.

8047
PHOTOPREIONIZATION OF THE 3371-ANGSTROM PULSED Nd/SUB 2/
LASER

Tuchinskii, A.M.

8312
METHODS FOR CREATION OF HIGH-VOLTAGE, HIGH-TEMPERATURE
ELECTRIC INSULATION

Tucker, T.J.

6877
BEHAVIOR OF EXPLODING GOLD WIRES

Tucker, T.R.

1580
MATERIAL RESPONSE TO 500 KEV PROTON BEAMS AT INTENSITIES
BELOW 1 GW/SQ.CM.

Tucker, M.K.

187
TERAMATT PULSE POWER SYSTEMS UTILIZING INDUCTIVE STORAGE

4869
CROWBARRING TECHNIQUE FOR HIGH-VOLTAGE CAPACITOR BANKS

4878
CURRENT SHAPING TECHNIQUES FOR HIGH-VOLTAGE CAPACITOR BANKS

7217
MAGNET OPTIMIZATION FOR PULSED ENERGY CONVERSION

10448
MULTIMEGAJoule PULSED POWER GENERATION FROM A REUSABLE
COMPRESSED MAGNETIC FIELD DEVICE

Tune, O.T.

10276
SIMILARITY RELATIONS FOR THE ELECTRIC ARC IN FORCED AXIAL
FLOW

10276
MECHANISMS FOR TEMPERATURE DECAY IN THE FREELY RECOVERING
GAS-BLAST ARC

Tune, T.

8937
FREE RECOVERY OF THE GAS-BLAST ARC COLUMN

Turchi, P.

7903
INDUCTIVE CHARGING OF PULSE LINES IN 0.1 TO 1.0 MJ RANGE
USING POIL PUSES STAGED WITH EXPLOSIVELY ACTUATED SWITCHES

Turchi, P.J.

3099
AN INDUCTIVE ENERGY STORAGE SYSTEM BASED ON A SELF-EXCITED
HOMOPOLAR GENERATOR

6493
APPLICATION OF THE HALL EFFECT TO THE SWITCHING OF
INDUCTIVE CIRCUITS

8664
MPD INTENSE BEAM PULSER

Turnen, B.M.

5031
DETECTION OF LIGHTNING SUPERBOLTS

5865
LIGHTNING DETECTION FROM SPACE

9390
ANALYSIS OF LIGHTNING DATA FROM THE OMSP SATELLITE

Turner, T.F.

1327
AN IMPROVED PULSE TRANSFORMER FOR HIGH-VOLTAGE APPLICATIONS

Turner, M.

550
300-KJ, 200-KA MARK MODULE FOR ANTARES

Turnquist, O.

223
NEW HYDROGEN THYRATONS FOR ADVANCED HIGH POWER SWITCHING

233
DEVELOPMENT OF A FORTY KILOVOLT MEGAWATT AVERAGE POWER
THYRATRON (HAPS-40)

1296
INSTANT START THYRATRON SWITCH

4415
PLASMA CATHODE THYRATRON

6106
DEVELOPMENT OF A HYDROGEN THYRATRON HAVING A LONG PULSE
CAPABILITY

6118
MULTI-MEGAWATT HYDROGEN THYRATONS WITH MAND-SECOND RISE
TIMES

Turnquist, O.V.

231
ADVANCES IN THE DEVELOPMENT OF A GAS DISCHARGE SWITCH
HAVING A REPETITIVE CURRENT INTERRUPTING CAPABILITY

246
NEW DEVELOPMENTS IN SUPER-FAST, HIGH-POWER, HYDROGEN
THYRATRON SWITCHING

716
HIGH VOLTAGE, LOW INDUCTANCE HYDROGEN THYRATRON STUDY
PROGRAM

3193
REPETITIVE SERIES INTERRUPTER II

5346
A REPETITIVELY OPERABLE, HIGH-CURRENT INTERRUPTER

5369
THE HAPS-40 BURST-MODE 40-KV MEGAWATT AVERAGE POWER
HYDROGEN THYRATRON

5362
THE PLASMA-HEATED THYRATRON

Tushabramishvili, K.Z.

144
NEUTRINO BEAM OF THE INSTITUTE OF HIGH-ENERGY PHYSICS. V.
PULSED POWER SUPPLY FOR THE NEUTRINO FOCUSING SYSTEM

Tyurkenov, P.M.

6882
EFFECT OF INHOMOGENEITY OF A TRANSVERSE MAGNETIC FIELD ON
BREAKDOWN

Udo, T.

5514
SWITCHING SURGE AND IMPULSE SPARKOVER CHARACTERISTICS OF
LARGE GAP SPACINGS AND LONG INSULATOR STRINGS

Udovenko, A.N.

7166
TWO-CHAMBER HEAVY-CURRENT HIGH-VOLTAGE SWITCH

9643
A TWO-CHAMBER HEAVY-CURRENT HIGH-VOLTAGE SWITCH

Ueda, Y.

7823
SPECTROSCOPIC STUDY OF HIGH CURRENT DISCHARGES

8968
SPECTROSCOPIC APPROACH TO THE ANALYSIS OF HIGH CURRENT ARCS
IN SP/SUB 6/

10124
DEVELOPMENT OF A 7.2 KV - 6I RA ADVANCED PUFFER GAS CIRCUIT
BREAKER

Uenosono, C.

8968
SPECTROSCOPIC APPROACH TO THE ANALYSIS OF HIGH CURRENT ARCS
IN SP/SUB 6/

Uglov, A.A.

3726
MODELING OF THE BREAKDOWN OF A DENSE MOLECULAR GAS BY LASER
RADIATION CLOSE TO A METALLIC SURFACE

Uglum, J.R.

7786
PULSED FIELD EMISSION CATHODE EMISSION MEASUREMENTS

Uhlenbusch, J.

8924
DETERMINATION OF TEMPERATURE, VELOCITY DISTRIBUTION, AND
POPULATION DENSITIES OF NEUTRAL HELIUM BY MEANS OF LASER
LIGHT TUNED ON ATOMIC RESONANCES

Uhlenbusch, J.P.

7811
INFLUENCE OF DIFFUSION AND NONEQUILIBRIUM POPULATIONS ON
NOBLE-GAS PLASMAS IN ELECTRIC ARCS

Uhler, P.T.

1615
DOUBLING BREAKDOWN VOLTAGE WITH CASCODED TRANSISTORS

Uhm, H.S.

18354
HIGH INTENSITY ELECTRON BEAM PROPAGATION BETWEEN TWO PLANE
CONDUCTORS AND ITS IMPLICATIONS FOR COLLECTIVE ION
ACCELERATION

Ujihara, R.

1928
TRIGGERING OF SPARK GAPS BY LASER-INDUCED ION EMISSION

Ukegawa, R.

4489
RELATIVISTIC ELECTRON BEAM SOURCE WITH AN AIR-CORE STEP-UP
TRANSFORMER

Uman, M.A.

4157
PDUR-METER SPARKS IN AIR

7800
COMPARISON OF LIGHTNING AND A LONG LABORATORY SPARK

Unknown

3427
FOCUS ON PULSE TRANSFORMERS

4745
AN OPTICAL TECHNIQUE FOR HIGH VOLTAGE MEASUREMENTS

Urel, A.

9141
NEW TYPE OF PULSED ION SOURCE WITH CRYOGENIC ANODE

Urbanek, J.

7827
THE TIME CONSTANT OF HIGH VOLTAGE CIRCUIT BREAKER ARCS
BEFORE CURRENT ZERO

Ury, M.

179
A METHOD FOR ENHANCING EXPLODING ALUMINUM POWDER FUSES FOR
INDUCTIVE STRIKE SWITCHING

624
LASER-TRIGGERED SOLID DIELECTRIC SWITCHING

4537
THE VERA RELATIVISTIC ELECTRON ACCELERATOR

5519
MICROSECOND DURATION INTENSE RELATIVISTIC ELECTRON BEAMS

7568
GENERATING HIGH VOLTAGE PULSES BY INTERRUPTING CURRENT IN
AN INDUCTIVE CIRCUIT

Ury, M.D.

134
PULSED POWER GENERATORS

Ushakov, A.A.

8116
A MAGNETIC-THYRISTOR GENERATOR PRODUCING HIGH-VOLTAGE
NANOSECOND PULSES

Ushakov, A.Yu.

10333
HIGH-VOLTAGE PULSE GENERATOR FOR A LOW-RESISTANCE LOAD

Ushakov, I.I.

7947
A COMPACT MAGNETIC-FIELD-PULSE GENERATOR

Ushakov, V.Y.

8181
WATER AS DIELECTRIC IN HIGH-VOLTAGE IMPULSE DEVICES

Ushakov, V.Ye.

4003
UNIT FOR INVESTIGATING THE OPTICAL AND ELECTRICAL
CHARACTERISTICS OF NANOSECOND BREAKDOWN OF CONDENSED MEDIA

6842
ON THE NATURE OF PULSE ELECTRIC BREAKDOWN OF AQUEOUS
ELECTROLYTES

4983
DEVELOPMENT OF A DISCHARGE IN A LIQUID DIELECTRIC WITH RAMP
FUNCTION VOLTAGE PULSES

4991
ELECTRICAL CONDUCTION AND DEVELOPMENT OF BREAKDOWN IN
LIQUID DIELECTRICS

7886
GAS FORMATION IN LIQUID IN INITIAL STAGES OF A PULSED
DISCHARGE

7018
INITIATION AND DEVELOPMENT OF NANOSECOND DISCHARGES IN
LIQUIDS

7113
DISCHARGE PHENOMENA IN LIQUIDS

10165
PRE-BREAKDOWN PHENOMENA IN AQUEOUS ELECTROLYTES IN
ULTRA-HIGH ELECTRIC PULSE FIELDS. PART I

Usav, Y.P.

1358
ELEMENTS OF HIGH-VOLTAGE NANOSECOND PULSE GENERATORS ON
COAXIAL CABLES

3489
DEVICE FOR TRIGGERING DISCHARGE TUBES IN A HIGH-VOLTAGE
PULSE GENERATOR

Usav, Yu.P.

4419
GENERATOR OF HIGH VOLTAGE NANOSECOND PULSES WITH PRECISE
LENGTH

6447
COLLECTIVE ACCELERATION OF IONS IN RELATIVISTIC ELECTRON
BEAMS

6975
ACCELERATION OF IONS FROM AN EXPLOSIVE-EMISSION PLASMA

6982
CROSS-FIELD CURRENT FLOW IN A MAGNETICALLY INSULATED DIBBLE

Utsuni, T.

1546
CATHODE- AND ANODE-INDUCED ELECTRICAL BREAKDOWN IN VACUUM

Vagin, L.M.

1162
THE AUTRON-A CONTROLLED PLASMA-CATHODE GAS-DISCHARGE DEVICE

Vaill, J.R.

3855
PROPAGATION OF HIGH-VOLTAGE STREAMERS ALONG LASER-INDUCED
IONIZATION TRAILS

Vakhrushin, Y.P.

5636
POWER PULSE TRANSFORMER

Vallero, L.M.

10371
PENETRATION OF PULSED ELECTROMAGNETIC WAVES INTO CONDUCTING
MEDIA

Valvevko, V.V.

9432
PRODUCTION OF PULSED MAGNETIC FIELDS UP TO 700 KOE

Van Atta, L.C.

1532
A NEW DESIGN FOR A HIGH-VOLTAGE DISCHARGE TUBE

Van Brunt, R.J.

9273
MECHANISMS FOR INCEPTION OF DC AND 60-HZ AC CORONA IN
SF/SUB 6/

Van De Graeff, R.J.

1532
A NEW DESIGN FOR A HIGH-VOLTAGE DISCHARGE TUBE

16637
THE INSULATION OF HIGH VOLTAGES IN VACUUM

Van Den Neuvel, M.M.C.

5922
CURRENT CHOPPING INTRODUCED BY ARC COLLAPSE

Van Der Leen, H.A.

10232
A TRIGGERED VACUUM SPARK-GAP SWITCH

Van Haeswijk, R.G.

3326
IN-SITU OBSERVATION OF MICROPARTICLES IN A VACUUM-INSULATED
GAP USING A SCANNING ELECTRON MICROSCOPE

Van Lint, V.A.J.

1781
THE EFFECT OF ELECTRON PRECHARGING ON SGEMP RESPONSE OF
INSULATORS

1797
EXPLODING-WIRE PHOTON TESTING OF SKYNET SATELLITE

1816
SPONTANEOUS DISCHARGES AND THE EFFECT OF ELECTRON CHARGING
ON SKYNET SGEMP RESPONSE

3528
IONIZATION RADIATION EFFECTS IN INSULATORS AND INSULATING
PARTS

10472
SGEMP RESPONSE INVESTIGATION WITH EXPLODING-WIRE PHOTONS,
PART II

10487
MODAL CHARACTERIZATION OF SKYNET RESPONSE TO ELECTRICAL AND
PHOTON STIMULATION

Van Mark, E.

5655
CROWBAR SYSTEM IN ISAR I

Vance, E.F.

5547
ELECTROMAGNETIC-INTERFERENCE CONTROL

Vanderwall, J.

2003
SUBNANOSECOND RISE TIME PULSES FROM INJECTION LASERS

Vandevander, J.P.

5860
HIGH POWER DENSITY WATER DIELECTRIC SWITCHING

7183
DETERMINATION OF LINE VOLTAGE IN SELF-MAGNETICALLY
INSULATED FLOWS

Vandra, R.H.

1927
HIGH-VOLTAGE PULSE GENERATOR OFFERS VARIABLE DELAY AND ONLY
3-NS JITTER

Vannoy, L.M.

4073
DIGITAL SIMULATION AND PARAMETER ESTIMATION TECHNIQUES FOR
THE E-LINE PULSE-FORMING NETWORK

Vannilat, J.

1269
SF/SUB 6/ DIELECTRIC FILL GAS GAUGE

Vanykov, M.F.

7261
GROWTH OF THE SPARK DISCHARGE CANAL FOR A DISCHARGE CIRCUIT
WITH A RAPIDLY INCREASING CURRENT

Venyukov, M.P.

2794
SPARK DISCHARGE OVER THE SURFACE OF FILMS OF DIFFERENT
COMPOSITION

6857
SPARK DISCHARGE EMISSION IN HELIUM

6988
EFFICIENCY OF ENERGY TRANSFER TO AN ELECTRODELESS
HIGH-FREQUENCY DISCHARGE

8132
INVESTIGATING THE LUMINESCENCE ORIGINATING DURING THE
ELECTRIC PULSION OF THIN WIRES

VanDevander, J.F.

5504
SIMULATION OF POWER FLOW IN MAGNETICALLY INSULATED
CONVOLUTIONS FOR PULSED MODULAR ACCELERATORS

VenDevender, J.P.

927
MIL-A 2-D CODE TO INVESTIGATE ELECTRON FLOW THROUGH
NON-UNIFORM FIELD REGION OF MAGNETICALLY INSULATED
TRANSMISSION LINES

1779
LOW PREPULSE, HIGH POWER DENSITY WATER DIELECTRIC SWITCHES

4731
SHORT PULSE ELECTRICAL BREAKDOWN STRENGTH OF H₂SUB 2/ O

5978
UNTRIGGERED WATER SWITCHING

7214
COMPTON SCATTERING OF PHOTONS FROM ELECTRONS IN
MAGNETICALLY INSULATED TRANSMISSION LINES

7224
SELF-MAGNETICALLY INSULATED POWER FLOW

8245
NEGATIVE ION LOSSES IN MAGNETICALLY INSULATED VACUUM GAPS

8851
HIGH VOLTAGE, MAGNETICALLY SWITCHED PULSED POWER SYSTEMS

8677
POWER FLOW FOR VACUUM-INSULATED INDUCTIVE LOADS

Vargo, D.J.

8182
ELECTRODE EROSION IN SPARK DISCHARGES

Vernado, S.G.

1978
CIVILIAN APPLICATIONS OF PARTICLE-BEAM-INITIATED INERTIAL
CONFINEMENT FUSION TECHNOLOGY

Vervetsis, A.G.

10414
MATCHING A PARTICULAR PULSER TO A PARALLEL-PLATE SIMULATOR

Vasil'ev, M.P.

8889
SPECIAL MEANS FOR MEASUREMENT OF THE ELECTRICAL PARAMETERS
OF ELECTROPHYSICAL INSTALLATIONS

Vasil'ev, V.I.

2547
DELAY CHARACTERISTICS OF VACUUM DISC SWITCHES

2598
ELECTRICAL STRENGTH OF VACUUM DISC SWITCHES

9031
INDUCTANCE AND INTERNAL RESISTANCE OF VACUUM DISK SWITCHES

Vasil'ev, V.V.

144
NEUTRINO BEAM OF THE INSTITUTE OF HIGH-ENERGY PHYSICS. V.
PULSED POWER SUPPLY FOR THE NEUTRINO FOCUSING SYSTEM

Vasilievskii, M.A.

7009
IMPROVED STABILITY OF EXPLOSIVE-EMISSION MULTIPLE-TIP
CATHODES

7014
MICROSECOND HIGH-CURRENT ELECTRON-BEAM ACCELERATOR

10171
EXPERIMENTAL STUDY OF A MAGNETICALLY INSULATED DIODE FOR
PULSE LENGTHS $\gg 10^{-9}$ SEC

Vasserman, S.B.

6398
HIGH-CURRENT PULSED ELECTRON ACCELERATOR

Vasyukov, V.A.

9305
MAGNETOIMPLOSIVE GENERATORS FOR RAPID-RISETIME MEGAMPERE
PULSES

Vetset, P.I.

10327
A DIVIDER FOR MEASURING NANOSECOND-LENGTH PULSES

Vault, M.L.

5359
THE DAMAGE SUSCEPTIBILITY OF INTEGRATED CIRCUITS TO A
SIMULATED IEMP TRANSIENT

Vedvin, S.S.

8119
EFFECT OF CORE CHARACTERISTICS ON PULSE-SHAPE DISTORTION BY
A PULSE TRANSFORMER

Vedenov, A.A.

9987
GENERATION OF MEGAGAUSS MAGNETIC FIELDS USING A LINER
COMPRESSED BY HIGH-PRESSURE GAS

Velth, R.J.

7045
ELECTRICALLY EXPLODED WIRES-EXPERIMENTS AND THEORY

Velikhov, E.P.

9987
GENERATION OF MEGAGAUSS MAGNETIC FIELDS USING A LINER
COMPRESSED BY HIGH-PRESSURE GAS

Velikhov, V.V.

1381
ACCELERATION OF IONS BY A MODULATED ELECTRON BEAM

Venditti, C.

2075
SINGLE TIME MEASUREMENT DETERMINES CAPACITOR R AND L

Venevtsev, I.T.

10285
STAGE GENERATOR CALCULATION

10452
HIGH-VOLTAGE POWER SUPPLY FOR A HIGH-CURRENT INJECTOR

10453
PULSED CASCADE TRANSFORMER

Verbovskii, V.V.

10452
HIGH-VOLTAGE POWER SUPPLY FOR A HIGH-CURRENT INJECTOR

Verdeyen, J.T.

1771
LOW PRESSURE, HIGH VOLTAGE DISCHARGES FOR THE PRODUCTION OF
ENERGETIC ELECTRON BEAMS

Verge, R.L.

4893
LIGHTWEIGHT MULTIMEGAWATT POWER TECHNOLOGY-A SURVEY

Vermis, L.

8977
THE VOLTAGE ACROSS A PUSE DURING THE CURRENT INTERRUPTION
PROCESS

Verre, E.

228
SIMPLE, FAST RISE TIME, HIGH REPETITION RATE POCELS CELL
DRIVER

Vorobin, Yu.M.

8948
MECHANISM OF THE PULSED ELECTRICAL BREAKDOWN OF WATER

6953
OPTICAL STUDY OF NANOSECOND PREBREAKDOWN PHENOMENA IN WATER

Vershynov, L.S.

10221
HIGH-VOLTAGE SYSTEM FOR THE RISK FACILITY: PART I. BIPOLAR
GENERATOR MODEL OF VOLTAGE PULSES WITH THE AMPLITUDE UP TO
200 KV

Vetter, A.A.

10480
EFFECT OF DISSOCIATION PULSE CIRCUIT INDUCTANCE ON THE CUCL
LASER

Vibholm, S.

4045
ANALYSIS OF SPARK BREAKDOWN CHARACTERISTICS FOR SPHERE GAPS

Vijh, A.K.

7733
THE INFLUENCE OF SOLID-STATE CONESION OF CONDITIONED METAL
ELECTRODES ON THE ELECTRICAL STRENGTH OF THE VACUUM GAP

7759
THE NATURE OF METAL-ELECTRODES/SF/SUS 6/ REACTIONS IN
SF/SUS 6/ DECOMPOSITION DUE TO DIRECT-CURRENT INTERRUPTION
UNDER SIMULATED CIRCUIT-BREAKER CONDITIONS

Vilova, G.S.

1153
HIGH-VOLTAGE MEGA-AMP ARC GAP WITH DESTRUCTIBLE ELECTRODES

6476
REMOTELY CONTROLLED CONTACTS CARRYING MEGAAMPERE CURRENTS

6476
HIGH-VOLTAGE MEGA-AMPERE CABLE TRANSFORMER

Vinnikov, I.L.

3822
ALTERNATING MAGNETIC-FIELD INDUCTION METER UTILIZING THE
HALL EFFECT

Vinogradova, G.M.

5931
NUMERICAL STUDY OF UNSTEADY PROCESSES IN A PARADAY MAG
GENERATOR

Virkovitsky, I.M.

3664
MPD INTENSE BEAM PULSER

Virolik, F.

5515
LARGE OUTPUT MILLIMICROSECOND IMPULSE GENERATOR USING
ELECTROMAGNETIC SHOCK WAVES

Vishnevskii, A.I.

1164
THE TRIOTRON-A CONTROLLABLE DEVICE WITH CROSSED FIELDS

7089
A GENERATOR THAT PRODUCES POWERFUL PULSES USING
GAS-DISCHARGE COMMUTATORS OF THE TRIOTRON AND
TRIOPLASMATRON TYPE

Vitkevitsky, I. M.

1568
EXPLOSIVELY ACTUATED 100 KA OPENING SWITCH FOR HIGH VOLTAGE
APPLICATIONS

Vitkevitsky, I.M.

103
INDUCTIVE STORAGE PULSE-TRAIN GENERATOR

335
PULSE POWER TECHNOLOGY FOR CONTROLLED THERMONUCLEAR FUSION

707
USE OF TRANSFORMERS IN PRODUCING HIGH POWER OUTPUT FROM
HOMOPOLAR GENERATORS

780
REPETITIVE ELECTRON-BEAM CONTROLLED SWITCHING

597
REPETITIVE ELECTRON BEAM CONTROLLED SWITCHING

906
TRIDENT-A MEGAVOLT PULSE GENERATOR USING INDUCTIVE ENERGY
STORAGE

1297
CURRENT INTERRUPTION IN INDUCTIVE STORAGE SYSTEMS WITH
INERTIAL CURRENT SOURCE

1747
INDUCTIVE STORAGE-PROSPECTS FOR HIGH POWER GENERATION

3774
A PRELIMINARY STUDY OF AEROSOL INITIATED CO/SUB 2/ LASER
PRODUCED AIR SPARKS AND THEIR ABILITY TO GUIDE ELECTRICAL
DISCHARGES

4721
DEVELOPMENT OF INDUCTIVE STORAGE FOR GENERATION OF HIGH
VOLTAGE PULSES

7298
ULTRAFAST HIGH VOLTAGE PROBE

7574
HOMOPOLAR CURRENT SOURCE FOR MASS ACCELERATORS

7583
INTERACTION OF ACCELERATING HIGH-CURRENT ELECTRON BEAMS
WITH EXTERNAL MAGNETIC FIELDS

7589
MULTIPLE CHANNEL SWITCHING IN WATER DIELECTRIC PULSE
GENERATORS

7685
RECOVERY CHARACTERISTIC OF EXPLODING WIRE PUSES IN AIR AND
VACUUM

7536
CHARACTERISTICS OF LASER-INITIATED IONIZATION CHANNELS IN
AIR

7545
ELECTRICALLY EXPLODED WIRES-EXPERIMENTS AND THEORY

7874
PULSED HIGH VOLTAGE AND HIGH CURRENT OUTPUTS FROM HOMOPOLAR
ENERGY STORAGE SYSTEM

7903
INDUCTIVE CHARGING OF PULSE LINES IN 0.1 TO 1.0 MJ RANGE
USING POIL PUSES STAGED WITH EXPLOSIVELY ACTUATED SWITCHES

10214
PULSED HIGH-VOLTAGE AND HIGH-CURRENT OUTPUTS FROM HOMOPOLAR
ENERGY STORAGE SYSTEM

10227
INTERACTION OF LASER-INDUCED IONIZATION WITH ELECTRIC FIELDS

10357
DENSE PLASMA DISCHARGES FOR SOLID-TARGET HEATING

Vitalinski, S.A.

6789
A GENERATOR OF CURRENT PULSES OF ADJUSTABLE SHAPE AND
DURATION FOR SUPPLYING GAS-DISCHARGE TUBES

Vizir', V.A.

9635
TRIOTRON GENERATOR OF HIGH-POWER NANOSECOND PULSES WITH
INCREASED EFFICIENCY

Vladimirov, V.I.

9839
ELECTRICAL DISCHARGE THROUGH LASER-INDUCED SPARK

5540
INVESTIGATION OF AN ELECTRICAL DISCHARGE ACROSS A LASER SPARK

7913
AN ELECTRICAL DISCHARGE THROUGH TWO LASER SPARKS

Vladimirov, V.V.

774
PLASMA CONTRACTION CAUSED BY THE MAGNETIC FIELD OF THE
CURRENT IN AN ELECTRON-BEAM-SUSTAINED DISCHARGE

Vlastov, A.E.

1750
TEMPERATURE OF THE RESTRIKE CHANNELS OF EXPLODING WIRES

Vlastov, A.E.

3789
INSTABILITIES OF ELECTRICALLY EXPLODED WIRES

8161
THE BEHAVIOR OF INPUT-POWER DENSITY IN EXPLODING-WIRE
RESTRIKES

Vedovozov, V.M.

6671
EXPLODING FOILS FOR ACCELERATOR APPLICATIONS

6634
LOW-INDUCTANCE CAPACITOR MODULE FOR CHARGING TO 105 KV AND
ENERGY STORAGE CAPACITY 80 KJ

Vogel, H.F.

4727
PULSED ENERGY AND SWITCHING REQUIREMENTS FOR TOKAMAK OHMIC
HEATING

5882
ENERGY STORAGE AND TRANSFER WITH HOMOPOLAR MACHINE FOR A
LINEAR THETA-FINCH HYBRID REACTOR

Voinov, V.F.

9518
A GENERATOR WHICH PRODUCES CURRENT PULSES OF UP TO 18 KA AT
A VOLTAGE APPROXIMATELY 180 V

Voitenko, A.E.

733
EXPLOSIVE ELECTRICAL GENERATOR

6509
EXPERIMENTS WITH AN EXPLOSIVE-MAGNETIC GENERATOR IN
LABORATORY CONDITIONS

6698
SELF-SIMILAR ELECTRICAL SKIN EXPLOSION OF A CONDUCTOR

6695
USE OF AN EXPLOSIVE MAGNETIC GENERATOR TO SUPPLY A GAS
DISCHARGE

6937
EXPLOSIVELY-DRIVEN MAGNETIC GENERATOR WITH FAST MEGAGAUSS
FIELD

Voik, G.J.

3997
INTENSE PULSED NEUTRON SOURCE (IFNS-I) ACCELERATOR 580 MEV
FAST KICKERS

Voikov, B.I.

244
ELECTRON CURRENT IN DELAYED TRIGGERING OF HIGH-VOLTAGE,
HIGH-VACUUM PULSED DISCHARGES

Voiodin, V.O.

1645
HIGH-VOLTAGE PULSE GENERATOR FOR THE TWO-METER STREAMER
CHAMBER OF THE JINR

10316
HIGH-VOLTAGE PULSE GENERATOR WITH A PROTECTIVE SOLENOID

Voleshchuk, V.I.

18327
A DIVIDER FOR MEASURING NANOSECOND EHT PULSES

Voltenko, A.E.

6657
CALCULATING SCHEME AND SWITCHING-ON OF THE LOAD OF PLANE
EXPLOSIVE-DRIVEN MAGNETIC GENERATORS

Von Bergemann, H.M.

1223
LOW-IMPEDANCE HIGH-VOLTAGE PULSERS FOR TRAVELLING-WAVE
EXCITATION OF HIGH-POWER UV GAS LASERS

Vonnegut, B.

3700
ARTIFICIAL INITIATION OF LIGHTNING DISCHARGES

Vorb'ev, G.A.

7128
A NANOSECOND PULSE GENERATOR FOR SPARK CHAMBERS

Vorb'ev, A.A.

6637
MECHANISM OF SURGE BREAKDOWN IN SUSPENSIONS

Vorb'ev, A.N.

8116
A MAGNETIC-THYRISTOR GENERATOR PRODUCING HIGH-VOLTAGE
NANOSECOND PULSES

Vorb'ev, G.A.

6618
A SUPPLY GENERATOR FOR A STREAMER CHAMBER WITH A LARGE
INTERELECTRODE GAP

6620
A 300-KV NANOSECOND PULSE GENERATOR

6989
ELECTRIC BREAKDOWN IN SOLID DIELECTRICS

7816
NANOSECOND BREAKDOWN OF POLYMERS

8971
SWITCHING CHARACTERISTICS OF A THREE-ELECTRODE SPARK GAP

Vorb'ev, F.A.

1139
NEW HIGH-POWER NANOSECOND SWITCH

Vorb'ev, V.V.

2717
PULSED BREAKDOWN OF AIR IN A HOMOGENEOUS FIELD AT LARGE
OVERVOLTAGES

6492
THE DEVELOPMENT OF ELECTRICAL DISCHARGE IN WATER

6977
BREAKDOWN OF WATER IN A SYSTEM WITH 'DIFFUSION' ELECTRODES

7303
INCREASE OF DIELECTRIC STRENGTH OF WATER IN A SYSTEM WITH
'DIFFUSION' ELECTRODES

Vorb'yev, A.A.

5325
CHARGING DIELECTRICS WITH A BEAM OF CHARGED PARTICLES

10145
PRE-BREAKDOWN PHENOMENA IN AQUEOUS ELECTROLYTES IN
ULTRA-HIGH ELECTRIC PULSE FIELDS. PART I

Vorb'yev, G.A.

18281
THE POSSIBILITY OF THE USE OF LIQUID DISCHARGERS IN
HIGH-VOLTAGE NANOSECOND PULSE CIRCUITS

Vorb'yev, F.A.

6641
ON THE USE OF GAS-DISCHARGE MICROGAPS IN HIGH-VOLTAGE
NANOSECOND PULSE DEVICES

Vorobev, G.A.

5678
TECHNIQUES OF SHAPING HIGH-VOLTAGE NANOSECOND PULSES

18447
THE POSSIBILITY OF USING LIQUID DISCHARGERS IN HIGH-VOLTAGE
NANOSECOND PULSE CIRCUITS

Voronich, V.B.

6958
STABILIZATION OF A FINCHED HIGH-CURRENT DISCHARGE BY MEANS
OF A PLASMA JET

Voronin, V.S.

3462
COAXIAL HIGH-VOLTAGE DIODE WITH MAGNETIC INSULATION

Varanava, N.G.

2189
THYRISTOR HIGH-VOLTAGE PULSE GENERATORS

Varantsov-Vol'yaminov, P.N.

8959
QUALITATIVE MODEL OF INITIATION OF A VACUUM ARC I.
BREAKDOWN MECHANISM

Vershall, R.E.

875
EXPERIMENTS ON VACUUM INTERRUPTERS IN HIGH VOLTAGE T2 RV
CIRCUITS

Vershall, R.E.

1320
DEVELOPMENT OF A CURRENT LIMITER USING VACUUM ARC CURRENT
COMPUTATION

8941
INTERACTION BETWEEN VACUUM ARCS AND TRANSVERSE MAGNETIC
FIELDS WITH APPLICATION TO CURRENT LIMITATION

Voss, P.

4843
INVESTIGATION OF BREAKDOWN AND RESISTIVITY STRIATIONS IN
HIGH-VOLTAGE SILICON DIODES

Votta, G.A.

916
DEVELOPMENT OF DISTRIBUTION AND SUBTRANSMISSION SP/SUB 4/
CIRCUIT BREAKER AND HYBRID TRANSMISSION INTERRUPTER

Vul, B.

1227
SUPERCONDUCTING INDUCTIVE ENERGY STORAGE UNIT FOR LASER
PUMPING SYSTEMS

Vychkov, Yu.I.

6449
NONDEPENDENT PULSED ATMOSPHERIC PRESSURE DISCHARGE
SUSTAINED BY A HIGH-ENERGY ELECTRON BEAM LASTING 100
MICROSECONDS

Vyskellio, P.I.

7107
CONTRACTION OF THE DECAYING PLASMA IN A NITROGEN DISCHARGE

9158
ELECTRON DISTRIBUTION FUNCTION IN 4:1 N/SUB 2/-O/SUB 2/
MIXTURE

Vysotskii, V.

1227
SUPERCONDUCTING INDUCTIVE ENERGY STORAGE UNIT FOR LASER
PUMPING SYSTEMS

Weisman, E.M.

8248
RELATIVISTIC PLANAR GIGOE IN A MAGNETIC FIELD

Wekelam, G.

5093
ELECTRICAL AND PHOTOGRAPHIC MEASUREMENTS OF HIGH-POWER ARCS

Welker, M.S.

4886
0.54-MJ SUPERCONDUCTING MAGNETIC ENERGY TRANSFER AND STORAGE

Welker, R.C.

7578
HALF-MEGAMPERE MAGNETIC-ENERGY-STORAGE PULSE GENERATOR

Wellie, P.J.

7280
IMPEDANCE MATCHING BY TAPERED TRANSMISSION LINES

Welsh, D.

4998
EFFECT OF CATHODE MATERIAL IN A LASER TRIGGERED SPARK GAP

Welsh, E.J.

1387
SP/SUB 4/ OIL DIELECTRIC FOR POWER TRANSFORMERS

Welsh, S.T.

263
LOW INDUCTANCE SPARK GAP SWITCH FOR BLUMLEIN-DRIVEN LASERS

Welters, J.P.

1531
COMPUTATIONAL PROCEDURES FOR CHARACTERIZATION OF HIGH
VOLTAGE SPARK SOURCES

3038
MEASUREMENT PROCEDURES FOR CHARACTERIZATION OF HIGH VOLTAGE
SPARK SOURCES

4969
THE FORMATION AND GROWTH OF A STABILIZED SPARK DISCHARGE

Weng, C.P.

5343
MULTIPLE-CIRCUIT PULSE GENERATOR FOR HIGH REPETITION RATE
RARE GAS HALIDE LASERS

Weng, S.T.

10358
A SLOW CYCLING FLUX PUMP USING DIGITAL CONTROL

Wenick, R.W.

4968
PRODUCTION AND USE OF HIGH TRANSIENT MAGNETIC FIELDS. II

10427
CHEMICAL TO ELECTROMAGNETIC ENERGY CONVERSION TECHNIQUES

Wernick, M.L.

188
THE NRL MULTI-MEGAJOULE INERTIAL-INDUCTIVE ENERGY STORAGE
SYSTEM

3099
AN INDUCTIVE ENERGY STORAGE SYSTEM BASED ON A SELF-EXCITED
HOMOPOLAR GENERATOR

Warren, L.

5047
THERMAL EROSION OF ELECTRICAL INSULATING MATERIALS

Warren, R.W.

7193
THE EARLY COUNTERPULSE TECHNIQUE APPLIED TO VACUUM
INTERRUPTERS

7208
A 33-0VA INTERRUPTER TEST FACILITY

7237
THE USE OF VACUUM INTERRUPTERS AND BYPASS SWITCHES TO CARRY
CURRENTS FOR LONG TIMES

7258
THE USE OF VACUUM INTERRUPTERS AT VERY HIGH CURRENTS

Watanabe, K.S.T.

4082
HIGH VOLTAGE PULSE SUPPLY FOR WIRE SPARK CHAMBER BY MEANS
OF THYRATRON

Watanabe, T.

3609
BREAKDOWN CHARACTERISTICS OF HIGHLY NONUNIFORM LONG GAPS IN
COMPRESSED AIR

Wetara, R.T.

3574
CONTROL OF CORONA AND SPARKOVER OF COAXIAL SYSTEMS BY
IRRADIATION

4898
A CYLINDRICAL ELECTROSTATIC FLUXMETER FOR CORONA STUDIES

5438
LIGHTNING STRIKE POINT LOCATION STUDIES ON SCALE MODELS

Matsen, A.

948
ELECTRON DENSITIES IN LASER-TRIGGERED SPARK GAP DISCHARGES

3386
HIGH VOLTAGE STATIC BREAKDOWN IN VACUUM

4548
PERTURBATION OF THE STATIC VOLTAGE BREAKDOWN MECHANISM IN VACUUM BY A WEAK MAGNETIC FIELD

7216
FAST RISING TRANSIENT HEAVY CURRENT SPARK DAMAGE TO ELECTRODES

Matsen, D.B.

5844
SOME ASPECTS OF DIELECTRIC BREAKDOWN OF SOLIDS

Matsen, H.

747
LONG-LIFE HIGH-REPETITION-RATE TRIGGERED SPARK GAP

1135
HIGH-VOLTAGE PULSER DEVELOPMENT

Matson, V.J.

4530
SCHEMATIC MODELS OF A PULSE FORMING SYSTEM

Matson, W.S.

10406
HIGH CURRENT PULSER CIRCUIT

Matts, A.J.

10310
JOINT ELECTRON BEAM COMMONALITY EXPERIMENTS ON BLACKJACK 3 AND 5 PRIME: PART I. MACHINE CHARACTERIZATIONS

Meaver, L.A.

1576
HIGH AVERAGE POWER PULSER DESIGN FOR COPPER HALIDE LASER SYSTEMS

Meib Jr., F.H.

5897
HIGH-ENERGY DENSITIES BEFORE DWELL IN ELECTRICALLY EXPLODED WIRES

Meib, C.E.

5642
DRIVING CIRCUITS FOR COPPER HALIDE LASERS - A PARAMETRIC STUDY

Meib, R.P.

574
PARAMETER ESTIMATION FOR GENERATOR SIMULATION STUDIES

Meier, F.H.

1741
EXPLODING WIRE PARTICLE SIZE BY LIGHT SCATTERING MEASUREMENT

Medler, H.

4582
FERRITE DECOUPLED CROWBAR SPARK GAP

5655
CROWBAR SYSTEM IN ISAR 1

Meene, D.E.

5588
HIGH VOLTAGE CABLE SPLICING AND CABLE TERMINATION TECHNIQUES

Mehrie, R.B.

828
A MODEL AIR-SUPPORTED DRUM-TYPE HOMOPOLAR GENERATOR

8561
MODEL AIR-SUPPORTED DRUM-TYPE HOMOPOLAR GENERATOR

Meil, T.A.

5744
DESIGN CHARTS FOR CROOP-COMPENSATION NETWORKS

3755
MULTIGAP CROWBAR TRIGGERING STUDY

3756
RAPID RECYCLE CROWBAR CIRCUITS

Meiner, M.

1008
PULSE SHARPENING IN FERRITE TRANSMISSION LINES

2141
ANALYSIS OF AN INDUCTIVE ENERGY HIGH-PERVEANCE ELECTRON-BEAM GENERATOR

10545
ANALYSIS OF AN INDUCTIVE ENERGY HIGH PERVEANCE ELECTRON BEAM GENERATOR

10552
HIGH VOLTAGE NANOSECOND PULSER USING A REPETITIVE SERIES INTERRUPTER

Meinfeld, M.

1842
ELECTRON GUN FOR GENERATION OF SUBNANOSECOND ELECTRON PACKETS AT VERY HIGH REPETITION RATE

Meingert, R.C.

7640
CALCULATION OF HEATING AND BURST PHENOMENA IN ELECTRICALLY EXPLODED FOILS

10181
ELECTRIC GUN: A VERSATILE TOOL FOR HIGH-PRESSURE SHOCKWAVE RESEARCH

Meiss, K.

5185
CAPACITIVE MEASUREMENTS OF SLOW FLUCTUATIONS IN HIGH-VOLTAGE SUPPLIES FOR ELECTRON MICROSCOPES

Meiss, V.

10419
CRACK DETECTION APPARATUS AND METHOD

Meisz, S.Z.

7561
ELECTRODE-LIMITED AND SPACE-CHARGE-LIMITED TRANSIENT CURRENTS IN INSULATORS

Weldon, D.M.

4886
0.34-MJ SUPERCONDUCTING MAGNETIC ENERGY TRANSFER AND STORAGE

Weldon, M.F.

182
MAGNETIC FIELD CALCULATIONS FOR HIGH-ENERGY PULSED POWER SUPPLIES

201
PULSED POWER FROM INERTIAL STORAGE WITH HOMOPOLAR MACHINES FOR CONVERSION

871
COMPUTER BASED ELECTRICAL ANALYSIS OF HOMOPOLAR GENERATOR DRIVEN, BITTER PLATE STORAGE INDUCTORS WITH RADIAL CURRENT DIFFUSION

2085
THE TESTING OF SLIDING ELECTRICAL CONTACTS FOR HOMOPOLAR GENERATORS

2718
CIRCUIT AND MAGNETIC ANALYSIS FOR A SYSTEM OF FARADAY ROTATOR COILS DRIVEN BY A TWO-SPOOL, FOUR-ROTOR HOMOPOLAR GENERATOR

2745
TEST DATA ON ELECTRICAL CONTACTS AT HIGH SURFACE VELOCITIES
AND HIGH CURRENT DENSITIES FOR HOMOPOLAR GENERATORS

2887
PRELIMINARY ENGINEERING DESIGN OF A PULSED HOMOPOLAR
GENERATOR POWER SUPPLY

3388
FUNDAMENTAL LIMITATIONS AND TOPOLOGICAL CONSIDERATIONS FOR
PASI DISCHARGE HOMOPOLAR MACHINES

4491
INERTIAL ENERGY STORAGE RESEARCH AT THE UNIVERSITY OF TEXAS
AT AUSTIN

4698
ONE MILLISECOND DISCHARGE TIME HOMOPOLAR MACHINE

5418
REBUILDING THE FIVE MEGAJOULE HOMOPOLAR MACHINE AT THE
UNIVERSITY OF TEXAS

5882
ENERGY STORAGE AND TRANSFER WITH HOMOPOLAR MACHINE FOR A
LINEAR THETA-PINCH HYBRID REACTOR

7175
FUNDAMENTAL LIMITATIONS AND DESIGN CONSIDERATIONS FOR
COMPENSATED PULSED ALTERNATORS

7218
THE DESIGN, ASSEMBLY, AND TESTING OF A DESK MODEL
COMPENSATED PULSED ALTERNATOR

7219
THE MECHANICAL DESIGN OF A COMPENSATED PULSED ALTERNATOR
PROTOTYPE

7220
APPLYING A COMPENSATED PULSED ALTERNATOR TO A PLASMLAMP
LOAD FOR NOVA-FARI II

7496
TESTING AND ANALYSIS OF A PAST DISCHARGE HOMOPOLAR MACHINE
(FDX)

8355
HOMOPOLAR GENERATOR DEVELOPMENT AT THE UNIVERSITY OF TEXAS

Walden, M.P. Weeden, N.H.

7215
DESIGN OF THE ARMATURE WINDINGS OF A COMPENSATED PULSED
ALTERNATOR ENGINEERING PROTOTYPE

Wolkus, M.

2397
HIGH VOLTAGE PROTECTION OF HIGH POWER ION SOURCES BY FAST
VACUUM TUBE SWITCHES

Weller, O.C.

4103
NOVEL CAPACITOR-DIVIDER VOLTAGE SENSORS FOR HIGH-VOLTAGE
TRANSMISSION SYSTEMS

Wells, F.H.

8249
MILLIMICROSECOND PULSE TECHNIQUES (SECOND EDITION)

Wetzel, J.P.

1264
DEVELOPMENT OF LIGHTWEIGHT TRANSFORMERS FOR AIRBORNE POWER
SUPPLIES

2550
LIGHTWEIGHT POWER CONDITIONING MAGNETICS

Wendel, R.C.

1387
SP/SUB 6/ OIL DIELECTRIC FOR POWER TRANSFORMERS

Werkheiser, A.H.

619
PULSE GENERATORS AND MODULATORS FOR LASER APPLICATIONS

Wessenberg, D.L.

187
TERAWATT PULSE POWER SYSTEMS UTILIZING INDUCTIVE STORAGE

Wessenberg, G.R.

18448
MULTIMEGAJOULE PULSED POWER GENERATION FROM A REUSABLE
COMPRESSED MAGNETIC PIELD DEVICE

Westendorp, M.P.

6855
SPARK-DAP SWITCHING OF A 384-KJ LOW INDUCTANCE CAPACITOR
BANK

Westenberg, E.R.

T447
PHYSICAL PROPERTIES OF THIN-FILM PIELD EMISSION CATHODES
WITH POLYBENZENE CONES

Westgate, C.R.

5614
ELECTRICAL AND PHOTOGRAPHIC CHARACTERIZATION OF
LOW-INTENSITY CAPACITOR SPARK DISCHARGES

Wey, J.

5449
ELECTRICAL AND OPTICAL CHARACTERISTICS OF A MULTICHANNEL
N/SUB 2/-LASER

Whalley, S.W.

3742
CHARGING AND STABILIZING SYSTEM FOR A PULSED CROSSED-PIELD
AMPLIFIER USING AN SCR-SWITCHED ULTRASONIC INVERTER

Wheeler, C.B.

18289
THE PERFORMANCE OF ELECTRICAL FUSES UNDER IMPULSIVE
CONDITIONS I/DC SUPPLIES

Wheldon, R.J.

235
DOUBLE GAP METAL ENVELOPE THYRATRONS

2172
DOUBLE-ENDED HYDROGEN THYRATRONS FOR CROWBAR PROTECTION OF
HIGH-POWER TWT SYSTEMS

3759
THE DEVELOPMENT OF DEUTERIUM THYRATRONS FOR OPERATION AT
HIGH DUTY-RATIOS AND HIGH AVERAGE CURRENTS

Whitbeck, R.F.

4713
ANALYSIS OF POWER TRANSFORMERS UNDER TRANSIENT CONDITIONS

White, C.W.

1429
PFN CHARACTERIZATION AND LIFE TEST

White, E.

2836
SIMPLE INSTRUMENTATION FOR RISE AND DECAY TIME MEASUREMENT
OF CATHODOLUMINESCENCE IN AN ELECTRON MICROSCOPE

White, E.L.

5438
LIGHTNING STRIKE POINT LOCATION STUDIES ON SCALE MODELS

White, J.

889
NEW TECHNOLOGIES ADVANCE POWER SEMICONDUCTOR
STATE-OF-THE-ART

Whitman, A.M.

7234
MODELING OF ARC DISCHARGES IN POWER CIRCUIT BREAKERS

Whitman, L.C.

7387
IMPULSE VOLTAGE TESTS ON AIR AND C/SUB 3/ F/SUB 3/

Whitney, M.T.

8238
ELECTRON EMISSION PRECEDING ELECTRICAL BREAKDOWN IN VACUUM

Whittaker, D.
R203
THEORETICAL PROPERTIES OF SPHERICALLY-SYMMETRIC STATIC ARCS

Whittaker, D.A.
8803
IMPROVED DESIGN AURORA MODIFICATION PROGRAM (IDAMP)

Wick, R.V.
S102
LOW-JITTER MULTIGAP LASER-TRIGGERED SWITCHING AT 50 PPS

Wickham, M.
S3R
MICROSECOND-PULSED ION BEAM FROM A MARX GENERATOR

Widen, A.
831R
PULSE CIRCUIT FOR N/SUB 2/ LASERS

Widner, M.M.
S914
DEEP CRATERS PRODUCED BY SHOCK FOCUSING IN RELATIVISTIC ELECTRON-BEAM DIODES
S933
ION SHEATH MOTION IN PLASMA-FILLED DIODES

Wilcox, J.M.
7438
EXPERIMENTAL STUDY OF THE PROPAGATION OF AN IONIZING WAVE IN A COAXIAL PLASMA GUN

Wilcox, R.E.
7217
MAGNET OPTIMIZATION FOR PULSED ENERGY CONVERSION

Widl, P.
191
APPLYING A MONOPOLAR POWER SUPPLY TO A TOKAMAK
71RR
CONTACTS FOR PULSED HIGH CURRENT: DESIGN AND TEST
7202
SAFETY GROUNDING SWITCHES IN LARGE EXPERIMENTS: GENERAL CONSIDERATIONS AND THE TEST APPLICATION

Wiley, L.
7759
EXTRACTION AND FOCUSING OF INTENSE ION BEAMS FROM A MAGNETICALLY INSULATED DIODE

Wilhelm, R.
3677
SWITCHES FOR HIGH CURRENT DEVICES

Williams, M.D.
4209
PARAMETERS AFFECTING FIRING TIME OF SIMULTANEOUSLY TRIGGERED TRIDATRON SPARK GAP SWITCHES

Wilkinson, T.D.
3855
PROPAGATION OF HIGH-VOLTAGE STREAMERS ALONG LASER-INDUCED IONIZATION TRAILS
8081
CHANNELING OF AN IONIZING ELECTRICAL STREAMER BY A LASER BEAM

Wilkins, R.
S047
THERMAL EROSION OF ELECTRICAL INSULATING MATERIALS
9000
TRACKING IN POLYMERIC INSULATION

Will, H.A.
3684
CASTING COPPER TO TUNGSTEN FOR HIGH POWER ARC LAMP CATHODES

Williams, A.M.
7763
HIGH-POWER VACUUM SPARK GAP
7779
SOME PROPERTIES OF A GRADED VACUUM SPARK GAP

Williams, B.O.
R100
THE POSSIBILITY OF PHOTODETACHMENT IN THE IMPULSE BREAKDOWN OF POSITIVE POINT-PLANE GAPS IN AIR

Williams, P.
2E1
ELECTROMAGNETIC GUNS, LAUNCHERS AND REACTION ENGINES

Williams, P.P.
94R
ELECTRON DENSITIES IN LASER-TRIGGERED SPARK GAP DISCHARGES
3432
STUDIES OF TRANSIENT DISCHARGES
R213
ELECTRON DENSITIES IN LASER-TRIGGERED HYDROGEN SPARKS

Williams, R.L.J.
3397
TEST PROCEDURES FOR EVALUATING TERMINAL PROTECTION DEVICES USED IN EMP APPLICATIONS

Williams, R.R.
S492
MEASUREMENT OF FAST RISE TIME MEGAMPERE CURRENTS BY QUARTZ GAUGE

Williamson, K.D.J.
S1R8
ELECTRICAL BREAKDOWN AND TRACKING CHARACTERISTICS OF PULSED HIGH VOLTAGES IN CRYOGENIC HELIUM AND NITROGEN

Willis, W.L.
1279
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY; LECTURE 3: PULSE VOLTAGE CIRCUITS
1282
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY; LECTURE 6: SPARK GAPS
12R6
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY; LECTURE 10: MEASUREMENT TECHNIQUES
7485
PULSE POWER REQUIREMENTS FOR LASER ISOTOPE SEPARATION

Wilson, A.
10373
HYBRID EM METHODS

Wilson, M.A.
R1R9
THE DIELECTRIC STRENGTH OF GASEOUS FLUOROCARBONS

Winans, J.G.
60R0
MOTION AND SPECTRUM OF ARC CATHODE SPOT IN A MAGNETIC FIELD

Winder, R.P.M.
3700
ARTIFICIAL INITIATION OF LIGHTNING DISCHARGES

Wingrave, E.R.J.
10175
PULSE COMPRESSION TUBES

Winje, R.

298
A 255 KJ PULSED POWER SUPPLY

Winningsstad, C.N.

745
NANOSECOND PULSE MEASUREMENTS

Winterberg, P.

188
GENERATION OF ULTRA-INTENSE HEAVY ION BEAMS FOR INERTIAL
CONFINEMENT FUSION

198
MAGNETICALLY INSULATED PULSE POWER DRIVEN LINAC

395
MAGNETICALLY INSULATED LINAC DRIVEN BY A MULTISTAGE MARX
GENERATOR

1595
THERMONUCLEAR MICRO-EXPLOSIONS WITH INTENSE ION BEAMS

1393
MAGNETICALLY INSULATED AND INDUCTIVELY CHARGED CAPACITOR
FOR THE ATTAINMENT OF GIGAVOLT POTENTIALS

1594
MAGNETICALLY INSULATED TRANSFORMER FOR ATTAINING ULTRAHIGH
VOLTAGES

1715
ATTAINMENT OF GIGAVOLT POTENTIALS BY MAGNETIC INSULATION

8114
PRODUCTION OF DENSE THERMONUCLEAR PLASMAS BY INTENSE
RELATIVISTIC ELECTRON BEAMS

Winterberg, F.

1729
ON THE CONCEPT OF MAGNETIC INSULATION

10466
NANOSECOND MEGAJOULE ACCELERATOR FOR BEAM INDUCED
THERMONUCLEAR MICROEXPLOSIONS

Wiser, N.

1754
COMMENTS ON THE LIQUID-METAL MODEL FOR THE CALCULATED
ELECTRICAL RESISTIVITY OF AN EXPLODING COPPER WIRE

Wittel, M.

10218
INVESTIGATIONS OF THE PROPERTIES OF SP/SUB 6/ AS AN ARC
QUENCHING MEDIUM

Wittman, W.J.

975
A COAXIAL E-BEAM EXCITATION SYSTEM FOR HIGH POWER EXCIMER
LASERS

Woolke, U.J.

9801
EXPERIMENTAL OBSERVATION OF SURFACE CHARGING OF
HIGH-VOLTAGE INSULATORS FOR VACUUM APPARATUS

Wojewodzka, A.

1560
NEW DATA ON THE CREEP DISCHARGE AT THE SURFACE OF A
DIELECTRIC

2456
ANALYSIS OF FLASHES ACCOMPANYING DISCHARGES IN AIR AT
DIELECTRIC SURFACES

Wojewodzka, M.

8134
THE RELATION BETWEEN THE CHARGE TRANSPORTED AND NUMBER OF
PHOTONS EMITTED IN PARTIAL DISCHARGES ON DIELECTRIC SURFACES

Wolff, N.

4480
EROSION OF METAL CATHODES BY ARCS AND BREAKDOWNS IN VACUUM

Wolien, J.J.

4806
0.34-MJ SUPERCONDUCTING MAGNETIC ENERGY TRANSFER AND STORAGE

Wolter, K.D.

TT47
DEGRADATION PRODUCT ANALYSIS FOR POLYMERIC DIELECTRIC
MATERIALS EXPOSED TO PARTIAL DISCHARGES

Wood, P.

5T61
TRIPISTORS FOR PULSE MODULATION AT HIGH PEAK AND AVERAGE
POWERS

Woodson, P.M.

5T22
COMPUTATION OF IONISATION GROWTH AT HIGH CURRENT DENSITIES

5755
SIMULATION OF THE GROWTH OF AXIALLY SYMMETRIC DISCHARGES
BETWEEN PLANE PARALLEL ELECTRODES

5527
COMPUTATION OF AXIAL AND RADIAL DEVELOPMENT OF DISCHARGES
BETWEEN PLANE PARALLEL ELECTRODES

Woodson, M.N.

182
MAGNETIC FIELD CALCULATIONS FOR HIGH-ENERGY PULSED POWER
SUPPLIES

281
PULSED POWER FROM INERTIAL STORAGE WITH HOMOPOLAR MACHINES
FOR CONVERSION

258
DETAILED DESIGN, FABRICATION AND TESTING OF AN ENGINEERING
PROTOTYPE COMPENSATED PULSED ALTERNATOR

8T1
COMPUTER BASED ELECTRICAL ANALYSIS OF HOMOPOLAR GENERATOR
DRIVEN BITTER PLATE STORAGE INDUCTORS WITH RADIAL CURRENT
DIFFUSION

2085
THE TESTING OF SLIDING ELECTRICAL CONTACTS FOR HOMOPOLAR
GENERATORS

2718
CIRCUIT AND MAGNETIC ANALYSIS FOR A SYSTEM OF FARADAY
ROTATOR COILS DRIVEN BY A TWO-SPOOL, FOUR-ROTOR HOMOPOLAR
GENERATOR

2745
TEST DATA ON ELECTRICAL CONTACTS AT HIGH SURFACE VELOCITIES
AND HIGH CURRENT DENSITIES FOR HOMOPOLAR GENERATORS

2887
PRELIMINARY ENGINEERING DESIGN OF A PULSED HOMOPOLAR
GENERATOR POWER SUPPLY

3580
FUNDAMENTAL LIMITATIONS AND TOPOLOGICAL CONSIDERATIONS FOR
FAST DISCHARGE HOMOPOLAR MACHINES

4691
INERTIAL ENERGY STORAGE RESEARCH AT THE UNIVERSITY OF TEXAS
AT AUSTIN

4698
ONE MILLISECOND DISCHARGE TIME HOMOPOLAR MACHINE

5418
REBUILDING THE FIVE MEGAJOULE HOMOPOLAR MACHINE AT THE
UNIVERSITY OF TEXAS

7175
FUNDAMENTAL LIMITATIONS AND DESIGN CONSIDERATIONS FOR
COMPENSATED PULSED ALTERNATORS

7218
THE DESIGN, ASSEMBLY, AND TESTING OF A DESK MODEL
COMPENSATED PULSED ALTERNATOR

7219
THE MECHANICAL DESIGN OF A COMPENSATED PULSED ALTERNATOR
PROTOTYPE

7220
APPLYING A COMPENSATED PULSED ALTERNATOR TO A PULSED LAMP
LOAD FOR NDVA-PART II

7496
TESTING AND ANALYSIS OF A FAST DISCHARGE HOMOPOLAR MACHINE
(FOX)

8347
FDX: A FAST DISCHARGE HOMOPOLAR GENERATOR

8355
HOMOPOLAR GENERATOR DEVELOPMENT AT THE UNIVERSITY OF TEXAS

Headworth, J.R.

18349
UV LASER TRIGGERING OF HIGH-VOLTAGE GAS SWITCHES

Meaissy, G.A.

9826
AN EXTENSION OF THE RAMSAUER-TOWNSEND EXPERIMENT IN A XENON
THYRATRON

Mooton, R. E.

1289
INVESTIGATION OF HIGH-VOLTAGE PARTICLE-INITIATED BREAKDOWN
IN GAS-INSULATED SYSTEMS

Wright Jr., W.

5572
LOW-INDUCTANCE, LOW-IMPEDANCE MEGAWATT AVERAGE POWER LOAD

Wright Jr., W.H.

4388
PULSER FOR EMP SIMULATION

4382
SPECTROGRAPHIC ERRORS IN PULSED DISCHARGES

Wright Jr., W.

6562
PULSE MODULATOR BEHAVIOR OF THE LIQUID METAL PLASMA VALVE
(LMPV)

Wright, L.G.

1344
HIGH SPEED TRANSMITTER PULSER

Wright, T.P.

5921
ELECTRON BEAM GENERATION IN PLASMA-FILLED DIODES

Wright, W.

4725
MODULATOR-REPETITIVELY PULSED FIELD EMISSION ELECTRON BEAM
GUN INTERFACE

Wright, W.H.J.

4381
A BLUMLEIN MODULATOR FOR A TIME-VARYING LOAD

Wright, W.J.

3544
LOW INDUCTANCE, LOW IMPEDANCE MEGAWATT AVERAGE POWER LOAD

Wu, T.T.

1355
CURRENTS AND CHARGES ON CYLINDERS IN A PARALLEL-PLATE
TRANSMISSION LINE

Munach, DC

4730
CALIBRATION OF A KERR CELL SYSTEM FOR HIGH-VOLTAGE PULSE
MEASUREMENTS

5340
HIGH PULSE POWER FAILURE OF DISCRETE RESISTORS

Yablachnikov, B.A.

6695
USE OF AN EXPLOSIVE MAGNETIC GENERATOR TO SUPPLY A GAS
DISCHARGE

Yagov, V.A.

7146
INFLUENCE OF A DIELECTRIC MEDIUM ON THE CHARACTERISTICS OF
A HIGH-SPEED EXPLOSIVE CIRCUIT BREAKER

10483
HIGH-CURRENT DISCHARGES IN NITROGEN WITH AN INDUCTIVE
STORAGE BANK

Yahagi, K.

4481
ON THE CONDITIONING PHENOMENA OF SURFACE FLASHOVER OF EPOXY
RESINS IN A VACUUM

10215
TEMPERATURE DEPENDENCE OF SURFACE FLASHOVER VOLTAGE OF
POLYETHYLENE IN VACUUM

Yakovlev, S.P.

3445
INCREASING THE MAXIMUM GRADIENTS IN THE WINDINGS OF THE
PULSE TRANSFORMERS OF ACCELERATOR FOREINJECTORS

Yakovlev, K.A.

5901
A DEVICE FOR MEASURING PULSE POWER

Yakovlev, V.A.

3322
LASER-TRIGGERED VACUUM SWITCH

Yakuahin, M.I.

6461
DYNAMICS OF THE DEVELOPMENT OF HIGH-CURRENT INDUCTION
DISCHARGE

Yamakawa, T.

8649
HIGH VOLTAGE PULSE GENERATOR FOR INFLECTOR

Yamamoto, T.

3649
SYNTHETIC PAPER FOR EXTRA HIGH VOLTAGE CABLE

6174
NANOSECOND PULSED ELECTRON ACCELERATOR

9806
NANOSECOND PULSED ELECTRON SOURCE CONTROLLED WITH A
MERCURY-WETTED SWITCH

9807
NANOSECOND PULSED ELECTRON SOURCE WITH DOUBLE PULSE CONTROL

Yamanaka, C.

8089
INVESTIGATION OF LASER PULSE FORMING BY LT50 AND POCKELS
CELLS

Yamanaka, T.

8089
INVESTIGATION OF LASER PULSE FORMING BY LT50 AND POCKELS
CELLS

Yamashchikov, V.A.

7105
CO/SUB 2/ LASER HIGH-VOLTAGE POWER SUPPLY BASED ON A PULSED
AUTOTRANSFORMER

Yamashiki, T.

9310
TYPICAL PHENOMENA OBSERVED IN A SHORT-DAP ATMOSPHERIC
DISCHARGE USING ROTOR AND POST ELECTRODES

Yamashita, S.

8933
EXPERIMENTAL INVESTIGATION ON ARC PHENOMENA IN SF/SUB 6/
PUFFER CIRCUIT BREAKERS

Yampolskii, I.R.

10463
MULTITUBE GENERATOR BANK

Yanabu, B.

8933
EXPERIMENTAL INVESTIGATION ON ARC PHENOMENA IN SF/SUB 6/
PUFFER CIRCUIT BREAKERS

10126
FACTORS INFLUENCING THE INTERRUPTING ABILITY OF SF₆/SUB 6/
PUFFER BREAKER AND DEVELOPMENT OF 500KV-30KA ONE-BREAK
CIRCUIT BREAKER

Yankelovich, E.B.

9517
A GENERATOR FOR SHAPING SINGLE HIGH-VOLTAGE NANOSECOND
PULSES ACROSS AN UNMATCHED LOAD

Yankelovich, Yu.B.

6488
SPARK CURRENT AND VOLTAGE IN NANOSECOND BREAKDOWN OF A GAS
GAP

Yankovskii, A.A.

5385
INVESTIGATION OF ELECTRODE EROSION AND OF THE CONDITIONS OF
SPECTRUM EXCITATION WITH AN IMPULSIVE DISCHARGE IN A
MAGNETIC FIELD

Yano, M.

3484
APPLICATIONS OF A LASER-TRIGGERED SPARK GAP (LTSD)

5694
TRIGGERING MECHANISM OF A LASER-TRIGGERED SPARK GAP

T941
SPARK DISCHARGE TRIGGERED BY A PULSE LASER BEAM

Yanishin, E.V.

6832
INVESTIGATING PREBREAKDOWN FIELDS IN WATER BY MEANS OF THE
KERR EFFECT

6948
MECHANISM OF THE PULSED ELECTRICAL BREAKDOWN OF WATER

6557
OPTICAL STUDY OF NANOSECOND PREBREAKDOWN PHENOMENA IN WATER

Yanishin, R.V.

6832
INVESTIGATING PREBREAKDOWN FIELDS IN WATER BY MEANS OF THE
KERR EFFECT

Yantovskii, E.I.

6885
EXPERIENCE IN SWITCHING KILOAMPERE DIRECT CURRENT BY MEANS
OF LIQUID METAL

6895
INVESTIGATION OF THE COMMUTATION OF A KILOAMPERE DIRECT
CURRENT BY A LIQUID METAL IN A ROTATING FIELD

Yarushkin, Yu.P.

9601
HIGH-POWER MAGNETOTHRISTOR PULSE GENERATOR

Yarysheva, M.D.

4725
CONTROLLED DISCHARGE IN A VACUUM GAP SWITCHED BY 1 MC
CURRENT PULSES OF UP TO 150 KA

T011
INVESTIGATION OF THE ENERGY TRANSFER EFFICIENCY FOR A
PULSED INDUCTION DISCHARGE

Yee, K.S.

7648
CALCULATION OF HEATING AND BURST PHENOMENA IN ELECTRICALLY
EXPLODED FOILS

Yevdokimov, D.B.

5325
CHARGING DIELECTRICS WITH A BEAM OF CHARGED PARTICLES

Yeliazin, A.

2521
AN OPTIMIZED CHARGE SIMULATION METHOD FOR THE CALCULATION
OF HIGH VOLTAGE FIELDS

Yokota, T.

2175
HIGH REPETITION RATE BURST-MODE SPARK GAP

Yokota, T.T.

189
THE EXPERIMENTAL TEST ACCELERATOR (ETA)

Yonao, O.

1973
CIVILIAN APPLICATIONS OF PARTICLE-BEAM-INITIATED INERTIAL
CONFINEMENT FUSION TECHNOLOGY

3418
ELECTRON BEAM FOCUSING AND APPLICATION TO PULSED FUSION

4383
LASER-FUSION AND ELECTRON-BEAM-FUSION RESEARCH PROGRESS
REPORT JANUARY-JUNE 1974

5208
DEVELOPMENTS IN SANDIA LABORATORIES PARTICLE BEAM FUSION
PROGRAM

5848
ACCELERATION OF CHARGED PARTICLES BY INTENSE ELECTRON BEAMS

5855
ELECTRON BEAM FOCUSING USING CURRENT-CARRYING PLASMAS IN
HIGH-MU/GAMMA DIODES

York, O.W.

2899
SYSTEM FOR DATA ACQUISITION FROM HIGH VOLTAGE TERMINALS

York, T.M.

7678
PRESSURE DISTRIBUTION IN THE STRUCTURE OF A PROPAGATING
CURRENT SHEET

Yoshida, R.

8009
INVESTIGATION OF LASER PULSE FORMING BY LT50 AND FOCRELS
CELLS

Young, F.C.

1253
MRL LIGHT ION BEAM RESEARCH FOR INERTIAL CONFINEMENT FUSION

1294
HIGH IMPEDANCE ION DIODE EXPERIMENT ON AURORA

1448
HIGH-IMPEDANCE ION-DIODE EXPERIMENT ON THE AURORA FUSLER

10311
ANALYSIS OF PROTON TRANSPORT EXPERIMENTS

Young, T.S.T.

T986
INTENSE ELECTRON BEAM GENERATION AND COMPRESSION

Younger, C.

8305
GASEOUS DISCHARGE SWITCH IN OVERSIZED WAVEGUIDE

Yudao, V.I.

9505
MAGNETIC FIELD COMPRESSION BY A STRONG SHOCK WAVE

Yudin, A.F.

1645
HIGH-VOLTAGE PULSE GENERATOR FOR THE TWO-METER STREAMER
CHAMBER OF THE JINR

Yudin, L.I.

5545
A BROADBAND PULSE POWER AMPLIFIER

6458
A GENERATOR OF POWERFUL PULSES OF COMPLEX SHAPE

6599
HIGH-VOLTAGE GENERATORS OF NANOSECOND PULSES

7100
A PULSE GENERATOR BASED ON TACITRONS

Yurchenko, V.I.

6918
CAPACITOR DISCHARGE INTO A LOAD CONSISTING OF TWO PARALLEL LEADS WITH SKIN EFFECT

6919
COMPUTER CALCULATION OF QUASISTATIONARY PULSED MAGNETIC FIELDS

6938
FLUX LOSS IN THE PRODUCTION OF ULTRA-STRONG FIELDS BY RAPID COMPRESSION OF CONDUCTING SHELLS

Yurika, Ye.Ye.

7757
ELECTRON-OPTICS STUDY OF THE DEVELOPMENT OF AN ELECTRIC DISCHARGE IN A GAS AT HIGH-ELECTRIC FIELD INTENSITIES AND WITH ONE-ELECTRON IGNITION

10168
DEVELOPMENT OF SURFACE DISCHARGE ALONG A DIELECTRIC WITH LARGE DIELECTRIC CONSTANT IN GAS IN THE NANOSECOND RANGE

10306
SURFACE BREAKDOWN IN VACUUM ON BARIUM TITANATE

Yurkin, Yu.Y.

2107
SPARK-CHAMBER POWER-SUPPLY CIRCUIT WITH SEMICONDUCTOR TRIGGER

Yuryanova, M.D.

4274
LOW-INDUCTANCE MEGAAMPERE-CURRENT COMMUTATOR BASED ON SLIDING DISCHARGE

Yushko, K.B.

1060
ELECTRIC-DISCHARGE SF₆/SUB 6/-N/SUB 2/ LASER PUMPED BY AN INDUCTIVE STORAGE UNIT

Yushkev, Yu.G.

778
PULSED BREAKDOWN OF GASEOUS HELIUM AT LOW TEMPERATURES

YOUNG, F.J.

5200
THE THEORY OF THE OPTIMUM TRANSMISSION-LINE PULSE-TRANSFORMER

Zablotskaya, G.R.

3843
INCREASING THE MAXIMUM GRADIENTS IN THE WINDINGS OF THE PULSE TRANSFORMERS OF ACCELERATOR FOREINJECTORS

Zablotskaya, O.R.

3789
HIGH-PRECISION FAST-ACTING DISCHARGER WITH A SOLID DIELECTRIC

Zaffanillo, L.D.

1290
ELECTROSTATIC AND ELECTROMAGNETIC EFFECTS OF ULTRAHIGH-VOLTAGE TRANSMISSION LINES

Zagaynov, V.M.

2030
PULSE GENERATOR FOR A TRIN-ECHO NUCLEAR MAGNETIC RESONANCE RELAXOMETER

Zageradnov, O.G.

675
HIGH-POWER CURRENT PULSE GENERATOR

Zahn, M.

895
POLARITY EFFECT MEASUREMENTS USING THE KERR ELECTRO-OPTIC EFFECT WITH COAXIAL CYLINDRICAL ELECTRODES

Zelants, S.L.

7866
STUDY OF PARALLEL OPERATION OF CONTROLLED SPARK GAPS

10331
GENERATION OF UNIPOLAR CURRENT PULSES OF 10 TO 180 KA AMPLITUDE

Zeltsev, A.I.

10341
HIGH-CURRENT HIGH-PRESSURE DISCHARGE CHAMBER. I

Zeltsev, N.K.

8242
INVESTIGATION OF THE NEAR-ELECTRODE REGIONS OF AN ARC DISCHARGE BETWEEN ELECTRODES OF DIFFERENT CHEMICAL COMPOSITION

Zejic, V.

4780
MULTI-STAGE SYNTHETIC CIRCUIT FOR EXTRA-HIGH-VOLTAGE CIRCUIT-BREAKER TESTING

Zakharov, V.V.

10849
VOLT-AMPERE CHARACTERISTIC AND TRANSITION CURRENT OF A GAS GAP WHEN ACTED UPON BY PULSED IONIZING RADIATION

Zakstai'akaya, O.A.

1795
EFFECT OF STRUCTURAL INHOMOGENEITIES IN EXPLODING WIRES

Zakutin, V.V.

7290
SELF-ACCELERATION EXPERIMENT BY INTERRUPTION OF AN INTENSE ELECTRON BEAM

Zaky, A.A.

3452
INFLUENCE OF ELECTRODE COATINGS ON THE BREAKDOWN STRENGTH OF TRANSFORMER OIL

7490
THE EFFECT OF ORGANIC ADDITIVES ON THE BREAKDOWN AND DASSING PROPERTIES OF MINERAL OILS

7752
EFFECT OF DISSOLVED GASES, ORGANIC ADDITIVES AND FIELD CONFIGURATION ON CO-FIELD MOTION IN INSULATING OILS

Zanasco, J.P.

403
GENERATION OF HIGH CURRENT, LONG DURATION RECTANGULAR PULSES

Zanovskii, Y.V.

10345
SYSTEM FOR HIGH-VOLTAGE SUPPLY OF MAGNETOSTRICTION SPARK CHAMBERS IN THE 'PHOTON' FACILITY

10346
STUDY ON THE TGII-500/16 THYRATRON CHARACTERISTICS

ZapoI'akii, A.F.

1060
ELECTRIC-DISCHARGE SF₆/SUB 6/-N/SUB 2/ LASER PUMPED BY AN INDUCTIVE STORAGE UNIT

Zarebi, M.J.

466
ROLE OF SILICON CARBIDE/MERCURY INTERFACE IN IONITRONS

Zaroga, F.

4644
SIMPLE SPARK GAP FOR A HIGH REPETITION RATE NITROGEN LASER

Zarem, A.M.

10240
A METHOD FOR MEASURING VERY HIGH SPEED TRANSIENT CURRENTS

Zavalov, C.

4079
HIGH VOLTAGE NANOSECOND PULSE GENERATORS

- 18184
HIGH VOLTAGE NANOSECOND PULSE GENERATOR
- Zeln Eldine, M.E.
- 3452
INFLUENCE OF ELECTRODE COATINGS ON THE BREAKDOWN STRENGTH OF TRANSFORMER OIL
- Zel'dovich, Ye.B.
- 3194
CASCADE IONIZATION OF A GAS BY A LIGHT PULSE
- Zelenakli, R.F.
- 7158
PREPULSE DISCHARGES IN THE DIODES OF A HIGH-CURRENT ACCELERATOR WITH A DOUBLE SHAPING LINE
- Zenkov, O.I.
- 7895
THE LIU-18 HIGH-POWER ELECTRON ACCELERATOR
- Zharinov, E.I.
- 7046
EXTRACTION OF ENERGY FROM INDUCTIVE STORES AND EXPLOSIVE-MAGNETIC GENERATORS INTO AN INDUCTIVE LOAD USING CIRCUIT BREAKING
- 7067
TAKE-OFF OF ENERGY FROM EXPLOSIVE-MAGNETIC GENERATORS TO AN INDUCTIVE LOAD USING THE BREAKING OF A CIRCUIT
- 7128
MAGNETIC CUMULATION
- Zharkov, A.M.
- 2038
PULSE GENERATOR FOR A TWIN-ECHO NUCLEAR MAGNETIC RESONANCE RELAXOMETER
- Zhdanov, A.L.
- 6438
METHOD OF MEASURING THE DISPERSION OF THE DELAY TIMES OF BREAKDOWN OF CONTROLLED SPARK GAPS
- Zheleznikov, A.V.
- 10221
HIGH-VOLTAGE SYSTEM FOR THE RISK FACILITY, PART 1. BIPOLAR GENERATOR MODEL OF VOLTAGE PULSES WITH THE AMPLITUDE UP TO 200 KV
- Zhel'tov, K.A.
- 7059
NANOSECOND ELECTRON ACCELERATOR
- Zhibura, V.F.
- 6609
SPECIAL MEANS FOR MEASUREMENT OF THE ELECTRICAL PARAMETERS OF ELECTROPHYSICAL INSTALLATIONS
- Zhilanov, I.V.
- 6772
COMPARISON OF THE DIELECTRIC PROPERTIES OF NORMAL AND HEAVY WATER, ADSORBED ON ZEOLITES
- Zhitenev, V.O.
- 5636
POWER PULSE TRANSFORMER
- Zhukov, V.M.
- 9882
EXPLOSIVE ELECTRON EMISSION FROM COPPER POINTS
- 10192
EMISSION CHARACTERISTICS OF AN EXPLOSIVE GALLIUM CATHODE
- Zidon, A.
- 7251
INVESTIGATION OF MECHANISM OF BREAKDOWN IN XLPE CABLES
- Ziganshin, R.O.
- 1207
MULTICHANNEL HIGH-CURRENT PULSED COMMUTATOR
- Zigler, O.L.
- 5385
LASER TRIGGERED SWITCHING OF A PULSED, CHARGED, OIL FILLED SPARK GAP
- Zili, J.A.
- 4888
TANTALUM CAPACITOR BEHAVIOR UNDER FAST TRANSIENT OVERVOLTAGES
- Zilake, F.
- 5185
CAPACITIVE MEASUREMENTS OF SLOW FLUCTUATIONS IN HIGH-VOLTAGE SUPPLIES FOR ELECTRON MICROSCOPES
- Zimmerman, A.
- 5575
MODULATOR CHARGING SYSTEM UPGRADE FOR A 5-MEV ELECTRON ACCELERATION
- Zimmerman, S.W.
- 9126
TIME RESOLVED ELECTRICAL MEASUREMENTS IN HIGH CURRENT DISCHARGES
- Zinchenko, A.K.
- 10526
MEASUREMENT OF THE GAS TEMPERATURE AND ELECTRON DENSITY IN AN 'INCOMPLETE' GRAZING DISCHARGE
- Zinchenko, N.I.
- 5858
FOUR-CHANNEL UNIT FOR FIRING SPARK GAPS SYNCHRONOUSLY
- Zinchenko, V.I.
- 5721
BREAKDOWN OF AIR NEAR TRANSPARENT DIELECTRICS
- Zinder, D.
- 4119
SCR TURN-OFF PROBLEM ELIMINATED IN RAPID-FIRE STROBOSCOPE TRIGGER
- Zinkernagel, J.
- 7178
A DOUBLE FREQUENCY METHOD FOR THE DETERMINATION OF THE VOLTAGE DEPENDENT CAPACITANCE VARIATION OF COMPRESSED GAS CAPACITORS
- Zinn, M.N.
- 5657
DESIGN AND ANALYSIS OF A STATISTICAL EXPERIMENT ON HIGH VOLTAGE BREAKDOWN IN VACUUM
- 5698
INFLUENCE OF ELECTRODE MATERIAL ON HIGH-VOLTAGE VACUUM BREAKDOWN
- Zinov'ev, N.T.
- 6995
ENERGY BALANCE FOR A SPARK IN A SOLID DIELECTRIC
- Zold, T.
- 5143
AN AUTOMATIC ELECTRIC FIELD MEASURING EQUIPMENT OF VERY HIGH RESOLUTION AND ITS APPLICATION FOR THE STUDY OF ACOUSTOELECTRIC PHENOMENA
- Zolanko, V.A.
- 10327
A DIVIDER FOR MEASURING NANOSECOND PULSES
- Zolotarev, E.I.
- 9528
BREAKDOWN-VOLTAGE STABILITY OF GAS-FILLED SWITCHES FOR VOLTAGE PULSE GENERATOR
- Zolotukhin, V.O.
- 7859
DISRUPTION OF ELECTRICALLY EXPLODING CONDUCTORS IN THE CASE OF CURRENT PULSE LIMITATION

Zeletykh, B.H.

8279
THE MECHANISM OF ELECTRICAL EROSION OF METALS IN LIQUID
DIELECTRIC MEDIA

Zetev, N.I.

7138
EXPLOSION-MAGNETIC GENERATOR WITH AN INDUCTIVE LOAD

Zetova, E.A.

6865
THE CHARGING OF INDUCTIVE STORAGE DEVICES BY MEANS OF
ELECTRICAL ROTARY AGGREGATES

9780
MATCHING OF AN INDUCTIVE ENERGY STORE AND A COIL WITH LIMER
WITH LIMITING OF BREAKING VOLTAGE

Zowarke, R.

7496
TESTING AND ANALYSIS OF A FAST DISCHARGE HOMOPOLAR MACHINE
(FOX)

Zowarke, R.C.

5418
REBUILDING THE FIVE MEGAJOULE HOMOPOLAR MACHINE AT THE
UNIVERSITY OF TEXAS

Zubkev, P.I.

6930
ELECTRIC STRENGTH OF SCATTERED DETONATION GASES

6932
ELECTRICAL CONDUCTIVITY IN THE DETONATION ZONE OF CONDENSED
EXPLOSIVES

6935
ELECTRICAL DISCHARGE IN PENTAERYTHRITOL TETRAHITRATE POWDER

6936
ELECTRICAL STABILITY OF DETONATION PRODUCTS OF CONDENSED
EXPLOSIVES

Zucker (Ed.), O.S.F.

7859
ENERGY STORAGE, COMPRESSION, AND SWITCHING

Zucker, O.

199
NEW OPTIONS IN PULSE POWER UTILIZING LASER SWITCHES

1451
THE DESIGN OF A REPETITIVELY PULSED MEGAJOULE DENSE-PLASMA
FOCUS

4682
A DESIGN APPROACH TO A REPETITIVELY PULSED SUPER FAST
CAPACITOR BANK

4685
A PULSE COMPRESSION NETWORK

Zucker, O.S.

3715
NANOSECOND SWITCHING OF HIGH POWER LASER ACTIVATED SILICON
SWITCHES

5768
GENERAL CONSIDERATION OF ENERGY COMPRESSION

5769
LIGHT ACTIVATED SEMICONDUCTOR SWITCHES

5594
R AND O RECOMMENDATIONS FOR FUTURE ERDA SWITCH REQUIREMENTS

Zucker, O.S.F.

5483
FAIL-SAFE ISOLATION DEVICE PROVIDES MAXIMUM ENERGY TRANSFER
FROM EXPLODING WIRE EXPERIMENTS

Zuckier, K.

587
STUDY OF THE EFFECTS OF GAS FLOW ON THE PERFORMANCE OF
GAS-BLAST CIRCUIT BREAKERS

Zueckier, K.

5625
INVESTIGATIONS ON THE INTERACTION BETWEEN ARCS AND GAS FLOW

Zukowski, E.

1560
NEW DATA ON THE CREEP DISCHARGE AT THE SURFACE OF A
DIELECTRIC

2436
ANALYSIS OF FLASHES ACCOMPANYING DISCHARGES IN AIR AT
DIELECTRIC SURFACES

8134
THE RELATION BETWEEN THE CHARGE TRANSPORTED AND NUMBER OF
PHOTONS EMITTED IN PARTIAL DISCHARGES ON DIELECTRIC SURFACES

Zukowski, W.

8134
THE RELATION BETWEEN THE CHARGE TRANSPORTED AND NUMBER OF
PHOTONS EMITTED IN PARTIAL DISCHARGES ON DIELECTRIC SURFACES

Zverev, G.I.

10463
MULTITUDE GENERATOR BANK

Zysin, Yu.A.

7120
MAGNETIC CUMULATION

CORPORATE AUTHOR

A. Revoli & Co. Ltd., Hasbourn, County Durham, UK

5646
SPECIAL SPARK-GAP SWITCHES FOR USE IN SYNTHETIC TEST CIRCUITS

5458
LIGHTNING STRIKE POINT LOCATION STUDIES ON SCALE MODELS

7766
HIGH-TEMPERATURE EFFECTS ON FLASHOVER IN AIR

A.A. Zhdanov Leningrad State University, Leningrad, USSR

6465
INVESTIGATION OF THE TIME CHARACTERISTICS OF THE TRANSITION OF FIELD EMISSION TO A VACUUM ARC

6999
FORMATION OF ELECTRICAL BREAKDOWN IN AQUEOUS SODIUM CHLORIDE SOLUTIONS

8045
LOCALIZATION OF FIELD EMISSION IN SMALL SOLID ANGLES

8959
QUALITATIVE MODEL OF INITIATION OF A VACUUM ARC I. BREAKDOWN MECHANISM

8998
SOME FEATURES IN THE ELECTRIC BREAKDOWN OF ELECTROLYTES

8999
THE DEVELOPMENT OF AN ELECTRIC DISCHARGE IN AQUEOUS ELECTROLYTES

18192
EMISSION CHARACTERISTICS OF AN EXPLOSIVE BARIUM CATHODE

A.F. Ioffe Physicotechnical Institute, Academy of Sciences of the Ukrainian SSR, Leningrad

5859
ELECTRICAL DISCHARGE THROUGH LASER-INDUCED SPARK

5868
INVESTIGATION OF AN ELECTRIC DISCHARGE ACROSS A LASER SPARK

6840
MULTICHANNEL SEMICONDUCTOR NANOSECOND SWITCH FOR EXCITATION OF COPPER VAPOR BY A TRANSVERSE DISCHARGE

7915
AN ELECTRICAL DISCHARGE THROUGH TWO LASER SPARKS

Academy of Sciences of the Ukrainian SSR, Kharkov, USSR

1726
NETWORK FOR FAST COMMUTATION OF LARGE CURRENTS IN AN INDUCTIVE STORAGE DEVICE

Academy of Sciences of the Ukrainian SSR, Kiev

776
PLASMA CONTRACTION CAUSED BY THE MAGNETIC FIELD OF THE CURRENT IN AN ELECTRON-BEAM-SUSTAINED DISCHARGE

Academy of Sciences of the USSR, Dnepropetrovsk, USSR

18475
STRUCTURE OF THE HIGH-CURRENT RELATIVISTIC ELECTRON BEAM FORMED BY A COAXIAL GUN WITH MAGNETIC INSULATION

Academy of Sciences of the USSR, Makhachkala, USSR

10486
MECHANISM FOR A SECONDARY SURFACE BREAKDOWN IN A REVERSE-BIAS HIGH-VOLTAGE SILICON P-N JUNCTION

Academy of Sciences of the USSR, Moscow, USSR

1227
SUPERCONDUCTING INDUCTIVE ENERGY STORAGE UNIT FOR LASER PUMPING SYSTEMS

5462
COAXIAL HIGH-VOLTAGE DIODE WITH MAGNETIC INSULATION

4722
HIGH-VOLTAGE PULSE GENERATORS OF THE BASE OF THE SHOCK TRANSFORMER

7189
DEVELOPMENT OF HIGH CURRENT ELECTRON PULSE ACCELERATORS AT THE INSTITUTE OF HIGH TEMPERATURES

8912
ACCURACY OF THE NEW METHOD OF CALCULATING THE ELECTRICAL CHARACTERISTICS OF THE CHANNEL IN A PPM GENERATOR

8954
PAUSE IN PLASMA EMISSION AFTER NANOSECOND-PULSE EXCITATION

10505
PRODUCTS FROM THE ELECTRICAL EXPLOSION OF TUNGSTEN AT CURRENTS OF APPROXIMATELY 10¹¹ A/SM.

10482
ELECTRICALLY DRIVEN 200-JOULE PULSED LASER

Academy of Sciences of the USSR, Novosibirsk, USSR

1160
PRODUCTION OF AN INTENSE ELECTRON BEAM

Academy of Sciences of the USSR, Tomsk, USSR

1007
PULSED HIGH-CURRENT ELECTRON TECHNOLOGY

1049
NANOSECOND PULSE GENERATORS WITH INDUCTIVE STORAGE

1058
CURRENT BREAKER WITH SPACE DISCHARGE CONTROLLED BY ELECTRON BEAM

1087
A MULTISPARK HIGH-VOLTAGE TRIGATRON

1099
GENERATORS OF POWERFUL SUBNANOSECOND PULSES

1622
PULSE ELECTRON ACCELERATOR TO EXCITE LARGE GAS VOLUMES

5771
PULSED NANOSECOND ELECTRIC DISCHARGES IN GASES

4775
HIGH-VOLTAGE GENERATOR PRODUCING SINGLE NANOSECOND PULSES ACROSS A VARIABLE LOAD

6456
ELECTRON ENERGY SPECTRUM IN HIGH-ENERGY NANOSECOND ACCELERATORS

6457
EMISSION OF ELECTRONS FROM THE PLASMA OF AN UNCOMPLETED DISCHARGE ALONG A DIELECTRIC IN A VACUUM

6494
ARRANGEMENT FOR STUDYING FIELD EMISSION IN THE NANOSECOND AND SUBNANOSECOND RANGES

6612
TRANSFORMERS FOR HEAVY-CURRENT NANOSECOND IMPULSES

6689
SCREENING EFFECT IN HIGH-CURRENT DIODES

6842
ON THE NATURE OF PULSE ELECTRIC BREAKDOWN OF AQUEOUS ELECTROLYTES

6880
CONDITIONS FOR SPUTTER EMISSION IN HIGH-PRESSURE SPATIAL GASEOUS DISCHARGES

6902
PULSE DISCHARGES IN GASES UNDER CONDITIONS OF STRONG IONIZATION BY ELECTRONS

6927
DYNAMIC ATMOSPHERIC PRESSURE DISCHARGE EXCITED BY AN ELECTRON BEAM

6931
ELECTRIC-FIELD INSTABILITIES OF A VOLUME GAS DISCHARGE EXCITED BY AN ELECTRON BEAM

6935
ENERGY INPUT IN ELECTRICAL IONIZATION LASERS

6936
EXPLOSIVE PROCESSES AT THE CATHODE OF A GAS DISCHARGE

6942
GROWTH OF A NANOSECOND PULSED DISCHARGE IN A GAS WITH DNE-ELECTRON INITIATION

6955
PUMPING OSCILLATOR FOR LASERS HAVING TRANSVERSE EXCITATION

6980
CONDITIONS FOR THE MAINTENANCE OF THE CURRENT IN THE CATHODE LAYER OF A SEMI-SELF-MAINTAINING VOLUMETRIC DISCHARGE EXCITED BY AN ELECTRON BEAM

6985
DISCHARGE IN A HIGH-PRESSURE GAS, INITIATED BY A BEAM OF FAST ELECTRONS

7330
FORMATION OF NEW EMISSION CENTERS ON A CATHODE DURING
CURRENT SWITCHING IN VACUUM. I. FORMATION OF NEW EMISSION
CENTERS

7331
FORMATION OF NEW EMISSION CENTERS ON A CATHODE DURING
CURRENT SWITCHING IN VACUUM. II. EXPERIMENTAL CONFIRMATION
FOR VACUUM DISCHARGES

7335
FORMATION OF PLASMA CHANNEL BY A VACUUM SPARK

7334
FORMATION OF THE SPARK CHANNEL AND CATHODE SPOT IN A PULSED
VOLUME DISCHARGE

7314
NANOSECOND BREAKDOWN OF POLYMERS

7317
NANOSECOND GAS DISCHARGE IN AN INHOMOGENEOUS FIELD WITH
EXPLOSIVE PROCESSES ON THE ELECTRODES

7073
VOLUME DISCHARGE EXCITED IN A GAS BY AN ELECTRON BEAM IN
THE CASE OF INHOMOGENEOUS IONIZATION

8151
CURRENT PULSE GENERATOR

8225
A PULSE CIRCUIT FOR EXCITATION OF A PARTICLE ACCELERATOR
ELECTROMAGNET

8251
CONDITIONS FOR INITIATION OF A DISCHARGE IN A SPHERICAL GAS
GAP WITH A PLASMA CATHODE

8244
MULTIPLE-SPARK OPERATION OF A MEGAVOLT TRIGATRON

10082
VARIATIONS IN THE RESISTANCE OF SPARK GAPS IN WATER UNDER
THE EFFECT OF HIGH PULSE VOLTAGE

10148
DEVELOPMENT OF SURFACE DISCHARGE ALONG A DIELECTRIC WITH
LARGE DIELECTRIC CONSTANT IN GAS IN THE NANOSECOND RANGE

10174
FORMATION OF NEW EMISSION CENTERS ON THE CATHODE IN THE
PROCESS OF SWITCHING ELECTRICAL CURRENT IN A VACUUM. III.
THE EFFECT OF A TRANSVERSE MAGNETIC FIELD

10179
THE "TEREK-2" HIGH-CURRENT PULSED ELECTRON ACCELERATOR

10330
GAS MIXTURE $H_2/SUB\ 2/ + SF_6/SUB\ 6/ + AR$ FOR A HIGH-PRESSURE
DISCHARGER

10468
POTENTIAL OF A HOLLOW ELECTRON BEAM IN A
MAGNETICALLY-INSULATED DIODE

10471
RETURN CURRENT IN MICROSECOND HIGH-CURRENT MAGNETICALLY
INSULATED DIODES

Admiralty Surface Weapons Establishment, Portsmouth,
Hampshire, UK

3742
CHARGING AND STABILISING SYSTEM FOR A PULSED CROSSED-FIELD
AMPLIFIER USING AN SCR-SWITCHED ULTRASONIC INVERTER

Advanced Kinetics Inc., Costa Mesa, CA

10427
CHEMICAL TO ELECTROMAGNETIC ENERGY CONVERSION TECHNIQUES

Aeronautical Research Council (Dt. Brit.)

10219
THE INFLUENCE OF GAS STREAMS AND MAGNETIC FIELDS ON
ELECTRIC DISCHARGES: PART 3-ARCS AT PRESSURES UP TO 18
ATMOSPHERES IN ANNULAR GAPS

Aeronomy Lab, ESSA Research Labs, Boulder, CO 80302

7756
ELECTRON ATTACHMENT TO $SF_6/SUB\ 6/$

Aerospace Corp, El Segundo, CA 90245

1566
AUTOMATING THE E-BEAM LASER LABORATORY

3781
AUTOMATED PARTIAL-DISCHARGE TESTING OF TRAVELING-WAVE TUBES

5475
EXPLOSION WIRE FACILITY

10446
EXPLOSIVE-DRIVEN EMP GENERATOR

Aerospace Corp, Los Angeles, CA 90039

1927
HIGH-VOLTAGE PULSE GENERATOR OFFERS VARIABLE DELAY AND ONLY
5-NS JITTER

Aerospace Research Labs, Wright-Patterson AFB, OH

5120
SURVEY OF EFFECT OF SURFACE PROPERTIES ON ANODE EROSION

Affiliation Not Given

1179
CYLINDRICAL CHANNEL IN A HIGH-CURRENT DISCHARGE IN AIR

2007
TUBULAR PULSE-DISCHARGE LAMPS AS CIRCUIT ELEMENTS

5258
NANOSECOND VOLUME DISCHARGE IN AIR AT ATMOSPHERIC PRESSURE

Ain Shams University, Egypt

10128
RANDOM PREBREAKDOWN DISCHARGES IN $SF_6/SUB\ 6/$ - A POSSIBLE
DIAGNOSTIC CRITERION FOR PARTICLE-CONTAMINATED COMPRESSED
GAS APPARATUS

Air Force Aero Propulsion Lab, Wright-Patterson Air Force
Base, OH 45433

7210
APPLICATION OF SUBSYSTEM SUMMARY ALGORITHMS FOR HIGH POWER
SYSTEM STUDIES

Air Force Avionics Lab, Wright-Patterson Air Force Base, OH
45433

208
VARIABLE CAPACITANCE ELECTROSTATIC ELECTRICAL PULSE
GENERATOR

AirResearch Co., Torrance, CA 90509

747
LONG-LIFE HIGH-REPETITION-RATE TRIGGERED SPARK GAP

1135
HIGH-VOLTAGE PULSER DEVELOPMENT

Akademie der Wissenschaften der DDR, Zentralinstitut für
Elektronenphysik, Berlin, DDR

3390
ON THE THEORY OF THE SPARK PLASMA IN NANOSECOND LIGHT
SOURCES AND FAST SPARK-GAP SWITCHES

Akademie der Wissenschaften der DDR, Zentralinstitut für
Elektronenphysik, Berlin, DDR

4460
EROSION OF METAL CATHODES BY ARCS AND BREAKDOWNS IN VACUUM

Akemiya Nauk USSR, Khar'kov Fiziko-Tekhnicheskii Inst.

10285
STAGE GENERATOR CALCULATION

All-Union Institute, Leningrad, USSR

10485
HIGH-CURRENT DISCHARGES IN NITROGEN WITH AN INDUCTIVE
STORAGE BANK

All-Union Institute, Moscow, USSR

5617
ELECTRICAL BREAKDOWN AND THE SIMILARITY LAW IN $SF_6/SUB\ 6/$ AT
EXTRA-HIGH-VOLTAGES

5553
INVESTIGATIONS INTO ELECTRICAL DISCHARGES IN GASES

6545
THE GROWTH RATE OF THE POWER IN A PULSED HIGH-CURRENT BEAM
OF ACCELERATED ELECTRONS

6911
THEORY OF THE VACUUM ARC

7018
PREBREAKDOWN PROCESSES IN HIGH-PRESSURE GASES

7028
TIME FOR THERMAL INSTABILITY TO DEVELOP IN MICROSCOPIC PROTRUSIONS ON THE CATHODE DURING VACUUM BREAKDOWN

7079
EFFECT OF ELECTROSTATIC FORCES IN VACUUM BREAKDOWN

7084
EROSION RATE AND PROPERTIES OF A CATHODE SPOT OF THE FIRST KIND WITH SILVER ALLOYS

7116
GENERALIZED CHARACTERISTICS OF THE OSCILLATORY SYSTEM OF A TUNED HIGH-VOLTAGE TRANSFORMER FOR SUPPLYING HIGH-CURRENT PULSED ACCELERATORS

7150
MOTION OF THE CATHODE SPOT OF A VACUUM ARC

8176
CATHODE EMISSION MECHANISM IN AN ARC DISCHARGE

8186
INVESTIGATION OF THE CHARACTERISTICS OF FAST-RESPONSE SEALED DISCHARGES TRIGGERED BY LASER RADIATION

8938
HIGH-CURRENT DISCHARGE IN A DENSE PLASMA SOURCE

9127
TRANSIENT CHARACTERISTICS OF RADIATION EMISSION FROM THE PLASMA OF A PULSED DISCHARGE IN VACUUM

9219
EXPERIMENTAL STUDY OF THE DYNAMICS OF CATHODE SPOTS DEVELOPMENT

10198
THERMAL ANODE INSTABILITY IN THE PREBREAKDOWN STAGE OF VACUUM BREAKDOWN

10268
THE BRIDGE STAGE OF ELECTRODE EROSION IN SWITCHING 1000-5000-A CURRENTS IN VACUUM

10484
INVESTIGATION OF THE INFLUENCE OF THE DISCHARGE MEDIUM ON THE CHARACTERISTICS OF LASER-RADIATION-TRIGGERED DISCHARGE GAPS

Allgemeine Elektrizitäts-Gesellschaft, AEG-TELEFUNKEN
Hochspannungsschaltgerätfabrik, Kassel, FRG

9790
A HALF CYCLE AIR BLAST GENERATOR BREAKER FOR HIGH POWER TESTING FIELDS

Allied Corp., Morristown, NJ

8947
METALLIC GLASSES: A MAGNETIC ALTERNATIVE

Allied Corp., Parsippany, NJ

8947
METALLIC GLASSES: A MAGNETIC ALTERNATIVE

Allis-Chalmers, Boston Plant, Boston, MA

7808
PUMP FACTOR METHOD YIELDS THERMAL CONDUCTIVITY AND RADIATED POWER OF NITROGEN ARC

Allis-Chalmers, Milwaukee, WI

10295
ARC STABILITY OF ELECTRODEGATIVE GASES

American Institute Of Physics, New York, NY 10017

1332
A NEW DESIGN FOR A HIGH-VOLTAGE DISCHARGE TUBE

American Meteorological Society, Boston, MA

5684
A HIGH-POWER ELECTRIC SPARK IN AIR AT ATMOSPHERIC PRESSURE

10374
THE APPLICATION OF STEEP PULSE CURRENTS TO THE ELECTROHYDRAULIC AND MAGNETIC FORMING OF METALS

American Science And Engineering, Inc., Cambridge, MA

1331
DESIGN OF EFFICIENT EXPLOSIVELY DRIVEN ELECTROMECHANICAL ENERGY CONVERTERS

Ames Lab. IA

4077
HIGH VOLTAGE DOUBLE PULSE SYSTEM FOR THE STUDY OF THRESHOLD SWITCHING MATERIALS

Ames Research Center, Moffett Field, CA

5476
EXPLODING WIRE INITIATION AND ELECTRICAL OPERATION OF A 40-KV SYSTEM FOR ARC-HEATED DRIVERS UP TO 10 FEET LONG

8329
A PULSE-FORMING NETWORK FOR PARTICLE PATH VISUALIZATION

Angewandte Physik, Technische Hochschule Darmstadt, Darmstadt, FRG

5532
EXPLOSIVE ANODE EROSION IN HIGH CURRENT SPARKS

5638
QUANTITATIVE MEASUREMENTS OF THE EMISSION FROM HIGH DENSITY NANOSECOND SPARK CHANNELS

7926
LASER INITIATED SPARK DEVELOPMENT IN AN AIR GAP

Arco-Everett Research Lab, Everett 49, WA

5518
HIGH-POWER PULSE STEEPENING BY MEANS OF EXPLODING WIRES

Argonne National Lab, Argonne, IL

311
AN INEXPENSIVE PULSED POWER SUPPLY FOR A SEPTUM MAGNET

620
STREAMER CHAMBER CHARGING REGULATOR SYSTEM

828
A MODEL AIR-SUPPORTED ORUM-TYPE HOMOPOLAR GENERATOR

3105
AVALANCHING TRANSISTORS SPEED UP HIGH-VOLTAGE PULSES

3597
INTENSE PULSED NEUTRON SOURCE (IPNS-I) ACCELERATOR 500 MEV FAST KICKERS

5798
A SOLID STATE NANOSECOND PULSER USING MARX BANK TECHNIQUES

6704
ANALYSIS OF FLUX COMPRESSION EXPERIMENTS III

7209
ANALYSIS OF THE MULTIPHASE INDUCTOR-CONVERTER BRIDGE

8361
MODEL AIR-SUPPORTED ORUM-TYPE HOMOPOLAR GENERATOR

10262
PHOTOGRAPHIC OBSERVATIONS OF A PREBREAKDOWN DISCHARGE TRANSITION BETWEEN METAL ELECTRODES IN VACUUM

10558
A SLOW CYCLING FLUX PUMP USING DIGITAL CONTROL

10367
PULSED POWER SUPPLY FOR INJECTION BUMP MAGNETS

Army Ammunition Research and Development Command, Aberdeen Proving Ground, MD 21805

1350
SIX CHANNEL DIGITAL DELAY GENERATOR

1741
EXPLODING WIRE PARTICLE SIZE BY LIGHT SCATTERING MEASUREMENT

4427
ANALYSIS OF COUPLING REGION IN TRANSMISSION-LINE ACCELERATORS

5161
ANALYSIS OF TRANSMISSION-LINE ACCELERATOR CONCEPTS

5895
CORRELATED ELECTRICAL AND OPTICAL MEASUREMENTS OF EXPLODING WIRES

5896
CURRENT MEASUREMENT AND TRANSIENT SKIN EFFECTS IN EXPLODING
WIRE CIRCUITS

5908
SHOCK-PRODUCING MECHANISMS FOR EXPLODING WIRES

6976
CURRENT DIFFUSION IN CYLINDRICAL EXPLODING WIRES AND FUSES
DURING MICROSECOND ELECTRICAL PULSES

7746
CHARGED, INTERNALLY SWITCHED TRANSMISSION LINE
CONFIGURATIONS FOR ELECTRON ACCELERATION

9785
VISUALIZATION OF CYLINDRICAL SHOCK WAVES

9884
HIGH-TEMPERATURE CORES IN EXPLODING WIRES

10301
ENERGY PARTITION IN THE EXPLODING WIRE PHENOMENA

10320
CALCULATIONS OF THE PERFORMANCE OF EXPLOSIVE IMPULSE
GENERATORS

Army Foreign Sci and Tech Center, Charlottesville, VA

10428
DEVICE FOR CHARGING ACCUMULATOR OF A POWERFUL PULSED
GENERATOR

10429
ANALYSIS OF THE OPERATING REGIMES OF AN IMPULSE UNIPOLAR
GENERATOR WITH REGULATION OF EXCITATION FLUX

10430
DEVELOPMENT OF AN ELECTRICAL DISCHARGE IN GAPS WITH GREAT
OVERVOLTAGE AT LOW AIR PRESSURE

Army Missile Command, Redstone Arsenal, AL 35899

619
PULSE GENERATORS AND MODULATORS FOR LASER APPLICATIONS

3702
CONCEPTS STUDY FOR NANOSECOND RISETIME MULTI-MEGAJOULE
IMPULSE POWER SYSTEMS

4725
MODULATOR-REPETITIVELY PULSED FIELD EMISSION ELECTRON BEAM
GUN INTERFACE

5593
ON THE PROPAGATION OF HIGH INTENSITY, HIGH VOLTAGE ELECTRON
BEAMS AND THE MAXIMUM CURRENT WHICH SUCH BEAMS MAY POSSESS

8892
EFFECTS OF CW POWER ON THE PULSED GAS BREAKDOWN THRESHOLD
IN ARGON AT 10.6-MICRON RADIATION

10378
A NEW LASER POWER SUPPLY

Artac Associates Inc, Hayward, CA

10319
EXPLOSIVE MHD RESEARCH

Arthur O. Little, Inc., Cambridge, MA

3700
ARTIFICIAL INITIATION OF LIGHTNING DISCHARGES

5974
NANOSECOND BREAKDOWN IN LIQUID DIELECTRICS

Atomic Energy Commission, Washington, DC

10426
HIGH INTENSITY, PULSED THERMAL NEUTRON SOURCE

10445
METHOD OF GENERATING UNIPOLAR AND BIPOLAR PULSES

Atomic Energy Institute, Moscow, USSR

5345
A BROADBAND PULSE POWER AMPLIFIER

6026
GENERATOR PRODUCING RECTANGULAR VOLTAGE PULSES HAVING AN
AMPLITUDE OF 50 KV

7100
A PULSE GENERATOR BASED ON TACITRONS

Atomic Energy Organization of Iran, Tehran, Nuclear Research
Center.

10365
PRELIMINARY DESIGN OF A 300 KEV ELECTRON GUN FOR A HIGH
POWER CO/SUB 2/ LASER AMPLIFIER

Atomic Energy Research Establishment, Harwell, Berkshire, UK

2450
SOME SWITCHING PROBLEMS IN THERMONUCLEAR RESEARCH

8249
MILLIMICROSECOND PULSE TECHNIQUES (SECOND EDITION)

8318
PRODUCTION OF MILLIMICROSECOND CURRENT PULSES USING A
PRESSURIZED SPARK GAP

8939
IMPORTANCE OF INSULATING INCLUSIONS IN ARC INITIATION

10073
VACUUM SPARK EROSION AT CATHODIC INCLUSIONS

10270
THE ROLE OF INCLUSIONS AND SURFACE CONTAMINATION IN ARC
INITIATION AT LOW PRESSURES

Atomic Weapons Research Establishment, Aldermaston,
Berkshire, UK

2217
METHOD OF APPLYING AN AVALANCHE TRANSISTOR GENERATED 70 NS
GATING IMPULSE TO A FOCUSED PHOTOMULTIPLIER

4440
A MULTICHANNEL LASER TRIGGERED SPARK GAP WITH SUBNANOSECOND
RISETIME FOR ELECTRO-OPTIC SWITCHING

5659
ELECTRICAL BREAKDOWN BETWEEN ERBIUM OXIDE, ERBIUM
DEUTERIDE, AND MOLYBDENUM ELECTRODES IN A VACUUM

6028
LOW-INDUCTANCE SWITCHING USING PARALLEL SPARK-GAPS

8184
EXPLODING POIL DEVICES FOR SHAPING MEGAAMP CURRENT PULSES

10282
MODELLING OF COMPRESSED MAGNETIC FIELD GENERATORS BY
EQUIVALENT CIRCUIT APPROACH

Auburn University, AL

5668
INVESTIGATION OF DESIGN OF HIGH VOLTAGE, HIGH CURRENT SOLID
STATE SWITCHING DEVICES (FINAL TECHNICAL REPORT)

Auroral Observatory, Tromsø, Norway

445
SOME OBSERVATIONS ON ARC POTENTIALS IN HYDROGEN THYRATRON
PULSE DISCHARGES

Austin Research Associates Inc, TX

10388
CONCEPTUAL DESIGN OF AN AUTO-RESONANT ACCELERATOR EXPERIMENT

Australian National University, Canberra, Australia

745
A PROPOSAL FOR THE CONSTRUCTION AND OPERATION OF AN
INDUCTIVE STORE FOR 20 MJ

4389
AN IMPROVED METHOD OF TRIGGERING PLASMLAMPS POWERED FROM AN
ENERGY STORAGE INDUCTOR

4999
FAST CIRCUIT BREAKER FOR THE DISCHARGE OF A STORAGE INDUCTOR

5683
USE OF THE HOMOPOLAR GENERATOR TO POWER XENON DISCHARGE
TUBES AND SOME ASSOCIATED SWITCHING PROBLEMS

5894
CENTERING A HIGH-CURRENT ARC IN A COAXIAL ARC CHAMBER

7503
DESIGN OF BRUSH GEAR FOR HIGH CURRENT PULSES AND HIGH
SLIDING VELOCITIES

7807
ELECTROMAGNETIC ACCELERATION OF MACROPARTICLES TO HIGH
VELOCITIES

B104
TESTS ON THE CANBERRA HOMOPOLAR GENERATOR ARRANGED TO
SUPPLY THE 5 MEGAWATT MAGNET

Avco Corp, Wilmington, MA

10236
MILLIMICROSECOND TRIGGERING OF HIGHVOLTAGE SPARK GAPS

Avco Everett Research Lab, Inc, Everett, MA 02149

164
SIMPLE, PULSED, ELECTRON BEAM GUN

228
SIMPLE, FAST RISE TIME, HIGH REPETITION RATE POKELS CELL
DRIVER

2440
DEVELOPMENT OF A PULSED HIGH-ENERGY INDUCTIVE ENERGY
STORAGE SYSTEM

5195
SMALL SCALE DISCHARGE STUDIES

7435
NEW TYPE OF ACCELERATOR FOR HEAVY IONS

10442
EXPERIMENTAL AND ANALYTICAL RESEARCH ON A TWO MEGAWATT,
HIGH PERFORMANCE MAGNETIC GENERATOR

AFAPL, Wright-Patterson AFB, OH

4712
U.S. AIR FORCE SUPERCONDUCTING GENERATOR DEVELOPMENT

AFCL, Bedford, MA 01750

1745
LIQUID-COPPER RESISTIVITY

3648
SWITCHING JITTER IN SPARK GAP TRIGGERED BY A TEM/SUB
00/-MODE MODE-LOCKED RUBY LASER

3706
ELECTRODE PHENOMENA IN A HIGH CURRENT 20-NAANOSECOND SPARK

3710
AFTERGLOW TAILS AND STABILITY OF HIGH-DENSITY NANOSECOND
ARC CHANNELS

5756
NANOSECOND PULSES OF VERY LOW IMPEDANCE

6968
PRODUCTION AND USE OF HIGH TRANSIENT MAGNETIC FIELDS. II

8137
EXPANSION OF INITIAL HIGH-CURRENT SPARK CHANNELS

9981
'CROWBAR' TRIGGERING METHOD FOR HIGH POWER PULSE CIRCUITS

10112
EXPLODING WIRES: VOLUME III

10177
EXPLODING WIRES: VOLUME IV

10247
LIQUID BEHAVIOR OF EXPLODING WIRES

AFDOL, Wright-Patterson AFB, OH

1499
LASER-INDUCED LIGHTNING CONCEPT EXPERIMENT

AFIT, Wright-Patterson AFB, OH

5718
THE LASER LIGHTNING ROD SYSTEM, A FEASIBILITY STUDY

4075
DIGITAL SIMULATION AND PARAMETER ESTIMATION TECHNIQUES FOR
THE E-LINE PULSE-FORMING NETWORK

5255
INVESTIGATION OF A LASER TRIGGERED SPARK GAP

8150
GAS BREAKDOWN CALCULATION: A COMPARATIVE STUDY

8489
PRIME POWER TO PULSE CONDITIONING INTERFACE METHODS

AFOSR, Bolling AFB, Washington, DC 20332

4384
ISSUES IN UNCLASSIFIED PARTICLE BEAM RESEARCH (PROCEEDINGS
OF THE 1980 PARTICLE BEAM RESEARCH WORKSHOP)

AFWL, Kirtland AFB, NM 87117

105
SHIELDED, HIGH-VOLTAGE PROBES

611
COMPACT, ULTRA-HIGH DENSITY MARX GENERATOR

615
PRECISE LASER INITIATED CLOSURE OF MULTIMEGAVOLT SPARK GAPS

656
THE LASER TRIGGERING OF HIGH-VOLTAGE SWITCHES

864
AN ELECTRON-BEAM-TRIGGERED SPARK GAP

987
HIGH POWER PULSE MODELING OF COAXIAL TRANSMISSION LINES

997
LOW JITTER, LOW INDUCTANCE SOLID DIELECTRIC SWITCHES

2169
DESIGN OF COAXIAL-CABLE PULSE TRANSFORMERS

2449
SENSORS FOR ELECTROMAGNETIC PULSE MEASUREMENTS BOTH INSIDE
AND AWAY FROM NUCLEAR SOURCE REGIONS

3869
BACKGROUND GAS PRESSURE DEPENDENCE AND SPATIAL VARIATION OF
SPONTANEOUSLY GENERATED MAGNETIC FIELDS IN LASER-PRODUCED
PLASMAS

5585
LASER-TRIGGERED SWITCHING OF A PULSED, CHARGED, OIL FILLED
SPARK GAP

3502
PLASMA-INDUCED FIELD EMISSION AND THE CHARACTERISTICS OF
HIGH-CURRENT RELATIVISTIC ELECTRON FLOW

3634
NANOSECOND BREAKDOWN IN HEXANE

3714
SHIVA ELECTROMAGNETIC IMPLUSION X-RAY SOURCE

3861
SUBNANOSECOND-JITTER LASER-TRIGGERED SWITCHING AT MODERATE
REPETITION RATES

4093
THE MOLECULE, A COMPACT, HIGH-DENSITY, HIGH-PRECISION MARX
GENERATOR

4699
PFM DESIGN INTERFACE WITH E-BEAM SUSTAINED GAS DISCHARGE

5102
LOW-JITTER MULTIGAP LASER-TRIGGERED SWITCHING AT 50 PPS

5255
INVESTIGATION OF A LASER TRIGGERED SPARK GAP

5540
HIGH PULSE POWER FAILURE OF DISCRETE RESISTORS

6038
A LASER-TRIGGERED 50 PPS HIGH-VOLTAGE SWITCH WITH
NANOSECOND JITTER

7175
IEEE 2ND INTERNATIONAL PULSED POWER CONFERENCE DIGEST OF
TECHNICAL PAPERS

7198
CONSIDERATIONS FOR INDUCTIVELY DRIVEN PLASMA IMPLUSIONS

7200
PRELIMINARY INDUCTIVE ENERGY TRANSFER EXPERIMENTS

7252
PEAK SWITCH CURRENT ENHANCEMENT FILTER

7809
HIGH VOLTAGE PULSER TECHNIQUES FOR ELECTROMAGNETIC PULSE
(EMP) SIMULATORS

7951
12.2-LASER-TRIGGERED MEGAVOLT SWITCHING

- 8044
EFFECT OF HIGH MAGNETIC FIELDS ON THE THRESHOLD OF
LASER-INDUCED GAS BREAKDOWN
- 8408
COLLECTIVE ION ACCELERATION WITH INTENSE RELATIVISTIC
ELECTRON BEAMS
- 10273
INDUCTIVE STORE PULSE COMPRESSION SYSTEM FOR DRIVING HIGH-
SPEED PLASMA IMPLSIONS
- 10280
AIRCRAFT EMP ISOLATION STUDY
- 10297
PARALLEL-PLATE TRANSMISSION LINE TYPE OF EMP SIMULATORS:
SYSTEMATIC REVIEW AND RECOMMENDATIONS
- 10325
PULSER FOR VERTICALLY POLARIZED DIFOLE FACILITY (VFD-II)
- 10414
MATCHING A PARTICULAR PULSER TO A PARALLEL-PLATE SIMULATOR
- 10455
EXPLOSIVE ELECTRON EMISSION AND THE CHARACTERISTICS OF
HIGH-CURRENT ELECTRON FLOW
- AN Ukrainskoj SSR, Kher'kov Fiziko-Tekhnicheskij Inst.
- 10452
HIGH-VOLTAGE POWER SUPPLY FOR A HIGH-CURRENT INJECTOR
- 10455
PULSED CASCADE TRANSFORMER
- Ber-Ilan University, Ramat-Gan, Israel
- 1756
COMMENTS ON THE LIQUID-METAL MODEL FOR THE CALCULATED
ELECTRICAL RESISTIVITY OF AN EXPLODING COPPER WIRE
- Battelle Memorial Institute, Columbus, OH
- 5495
HIGH-VOLTAGE BREAKDOWN IN VACUUM AND IN OIL
- Bell Labs, Murray Hill, NJ 07974
- 1453
CALCULATION OF ELECTRIC FIELD BREAKDOWN IN QUARTZ AS
DETERMINED BY DIELECTRIC DISPERSION ANALYSIS
- 3712
MULTIPHOTON FRAGMENTATION AND IONIZATION
- 5027
REVIEW OF MAGNETIC PROPERTIES OF Fe-Ni ALLOYS
- 6097
THE PRODUCTION OF HIGH VELOCITY MERCURY VAPOR JETS BY SPARK
DISCHARGE
- 7509
ELECTRICAL BREAKDOWN IN HIGH VACUUM
- 8061
ELECTRON EMISSION AT HIGH FIELDS DUE TO POSITIVE IONS
- 8090
FEMTOSECOND OPTOELECTRONIC SWITCHING AND GATING IN SILICON
- 8190
CARBON SEGREGATION AND ARC DAMAGE OF TUNGSTEN ELECTRODES
- Bell Labs, Whippany, NJ
- 5534
NOISE REDUCTION TECHNIQUES IN ELECTRONIC SYSTEMS
- Ben Gurion University of The Negev, Beer-Sheva, Israel
- 8920
CALCULATION OF THE TEMPERATURE IN A CONDUCTIVE TRACK OF AN
ARC ON THE SURFACE OF A MAGNET-BLAST CHUTE
- Bendix Corp, Kansas City, MO
- 5612
EFFECTS OF COATING AND CLEANING ON CORONA AND HIGH-VOLTAGE
BREAKDOWN IN ELECTRONIC ASSEMBLIES
- Bhabha Atomic Research Centre, Bombay, India
- 10317
PRELIMINARY RESULTS OF EXPERIMENTS WITH MODERATE POWER RED
- Bialystok Div, Warsaw University, Bialystok, Poland
- 1560
NEW DATA ON THE CREEP DISCHARGE AT THE SURFACE OF A
DIELECTRIC
- 2436
ANALYSIS OF FLASHES ACCOMPANYING DISCHARGES IN AIR AT
DIELECTRIC SURFACES
- 8134
THE RELATION BETWEEN THE CHARGE TRANSPORTED AND NUMBER OF
PHOTONS EMITTED IN PARTIAL DISCHARGES ON DIELECTRIC SURFACES
- Birkbeck College, London, UK
- 7934
AQUEOUS DIELECTRICS
- Boeing Aerospace Co, Seattle, WA 98124
- 513
HIGH VOLTAGE SPECIFICATIONS AND TESTS (AIRBORNE EQUIPMENT)
- 1372
HIGH VOLTAGE DESIGN GUIDE FOR AIRBORNE EQUIPMENT
- 5688
REDUCTION OF SPARKING VOLTAGES DUE TO A MAGNETIC FIELD
PARALLEL TO THE AXIS OF ROD ELECTRODES
- 7284
NANOSECOND RESPONSE 'GASKET-TYPE' MAGNETIC LOOP CURRENT
MONITOR FOR RELATIVISTIC ELECTRON BEAM CURRENT MEASUREMENTS
- Bonar, Long Electronics Ltd.
- 6280
NOVEL PRINCIPLE OF TRANSIENT HIGH-VOLTAGE GENERATION
- Boston College, Chestnut Hill, MA
- 5468
CHEMICAL AND PHYSICAL CHARACTERISTICS OF EXPLODING WIRE
PRODUCTS
- Brigham Young University, Provo, UT
- 10481
ENV AC PARALLEL TRANSMISSION LINE CALCULATIONS WITH
APPLICATION TO THE NEAR RESONANCE PROBLEM
- Brighton Polytechnic, Hove, Sussex, Brighton, BN2 4BJ, UK
- 1555
A VARIABLE LOW FREQUENCY HIGH VOLTAGE GENERATOR USING
VALVES WITH FIBRE OPTIC LIGHT GUIDE CONTROL
- 2013
THE PREDICTION OF PULSE PERMEABILITY AND LOSS OF NI/PE
ALLOYS IN TOROIDAL CORE PULSE CURRENT TRANSFORMERS
- British Oxygen Co., Crawley, Sussex, UK
- 5047
THERMAL EROSION OF ELECTRICAL INSULATING MATERIALS
- British Steel Corp, Moorgate, Rotherham, Yorkshire, UK
- 5093
ELECTRICAL AND PHOTOGRAPHIC MEASUREMENTS OF HIGH-POWER ARCS
- British Thomson-Houston Co., Ltd.
- 7296
THE USE OF SATURABLE REACTORS AS DISCHARGE DEVICES FOR
PULSE GENERATORS
- Brookhaven National Lab, Upton, NY
- 4941
OPERATIONAL EXPERIENCE WITH A PROTOTYPE PAST KICKER
MODULATOR
- Brookhaven National Lab, Upton, NY
- 949
ANALYSIS AND APPLICATION OF A TRANSFORMER CORE THAT ACTS AS
AN ARC SNUBBER
- Brown University, Providence, RI
- 4097
ALTERNATE POLARITY MULTIPLE SPARK GAP FOR HIGH EFFICIENCY
SHOWER DETECTORS

Brown, Boveri & Co Ltd, Baden, Switzerland

2321
CURRENT INTERRUPTION IN HIGH-VOLTAGE NETWORKS

4791
STUDIES OF SPARK FORMATION AT HIGH SWITCHING VOLTAGES OF POSITIVE POLARITY

7827
THE TIME CONSTANT OF HIGH VOLTAGE CIRCUIT BREAKER ARCS BEFORE CURRENT ZERO

8185
INVESTIGATION OF A CYLINDRICAL, AXIALLY BLOWN, HIGH-PRESSURE ARC

10274
SIMILARITY RELATIONS FOR THE ELECTRIC ARC IN FORCED AXIAL FLOW

Bureau Of Reclamation, Denver, CO 80225

4429
A PROGRAMMABLE D-C HIGH-VOLTAGE RAMPED TEST SYSTEM FOR ELECTRICAL INSULATION

BDM Corp, Albuquerque, NM 87106

303
EMP SUSCEPTIBILITY OF INTEGRATED CIRCUITS

632
DISTRIBUTED PARAMETER MODEL OF THE TRESTLE PULSER

7182
ANALYSIS OF A DISTRIBUTED PULSE POWER SYSTEM USING A CIRCUIT ANALYSIS CODE

10404
CHEMICAL REACTION HERTZIAN GENERATOR

10434
HERTZIAN GENERATOR DEVELOPMENT

BDM Corp, El Paso, TX

8049
SUBNANOSECOND RISE TIME MULTIKILOVOLT PULSE GENERATOR

BDM Corp, McLean, VA

4384
ISSUES IN UNCLASSIFIED PARTICLE BEAM RESEARCH (PROCEEDINGS OF THE 1980 PARTICLE BEAM RESEARCH WORKSHOP)

BDM Corporation

217
HIGH FREQUENCY THYRISTOR EVALUATION

C.A. Parsons & Co Ltd, Newcastle-upon-Tyne, UK

489
SOLID INSULATORS IN VACUUM: A REVIEW

3452
INFLUENCE OF ELECTRODE COATINGS ON THE BREAKDOWN STRENGTH OF TRANSFORMER DIL

10055
ELECTRODE PROTRUSIONS PRODUCED BY ELECTRON BEAM BOMBARDMENT AND THEIR ROLE IN VACUUM BREAKDOWN

C.N.A.M., Paris, France

10474
TECHNICAL PROBLEMS INVOLVED IN M/SUB 2/ STREAMER CHAMBERS

C.N.R.S. Universite P. Sabatier, Toulouse, France

9388
INTERACTION OF CORONA WITH DIELECTRIC MATERIAL UNTIL DAMAGE

Cable Technology Labs, Inc., New Brunswick, NJ

10127
PHYSICAL MODEL OF ELECTRIC ARCS AND BREAKDOWN OF EXTRUDED POLYMERIC INSULATED POWER CABLES

California Institute of Technology, Pasadena, CA

5138
A PRECISION MEGOHM RATIO UNIT FOR HIGH VOLTAGE MEASUREMENTS

10259
FIELDS CURRENTS FROM POINTS

10480
EFFECT OF DISSOCIATION PULSE CIRCUIT INDUCTANCE ON THE CUCI LASER

Carleton University, Ottawa, Ontario, Canada

597
OVERVOLTAGE AND BREAKDOWN PATTERNS OF FAST MARX GENERATORS

A05
A NEW METHOD OF EXCITING UNIFORM DISCHARGES FOR HIGH PRESSURE LASERS

Carnegie Mellon University, Pittsburgh PA 15213

1561
ON THE THEORY OF ELECTRON MULTIPLICATION IN CRYSTALS

5200
THE THEORY OF THE OPTIMUM TRANSMISSION-LINE PULSE-TRANSFORMER

8937
FREE RECOVERY OF THE GAS-BLAST ARC COLUMN

10271
THE SPECTRAL ENERGY DISTRIBUTION AND OPACITY OF WIRE EXPLOSION VAPORS

10274
SIMILARITY RELATIONS FOR THE ELECTRIC ARC IN FORCED AXIAL FLOW

10276
MECHANISMS FOR TEMPERATURE DECAY IN THE FREELY RECOVERING GAS BLAST ARC

Case Western Reserve University, Cleveland, OH 44106

573
PULSED SUPERCONDUCTING INDUCTIVE STORAGE SYSTEM

5324
THEORETICAL AND EXPERIMENTAL STUDY OF SUPERCONDUCTING INDUCTIVE STORAGE SYSTEMS

Cavendish Laboratory, Cambridge

9737
A METHOD OF PRODUCING STRONG MAGNETIC FIELDS

Central Electricity Generating Board, London, UK

602
REVERSE CURRENT AND ARC-BACK IN A SINGLE-GAP MERCURY-ARC VALVE

4298
FIBRE-OPTICAL CURRENT MEASUREMENT

4761
ELECTRIC-FIELD DISTRIBUTION AROUND AN ISOLATED STRANDED CONDUCTOR

Central Electricity Research Labs, Leatherhead, Surrey, UK

2433
THE SOURCE OF HIGH-BETA ELECTRON EMISSION SITES ON BRAD-AREA HIGH-VOLTAGE ALLOY ELECTRODES

7492
THE EFFECT OF TEMPERATURE ON THE ELECTRICAL CHARACTERISTICS OF A VACUUM GAP

8100
THE POSSIBILITY OF PHOTODETACHMENT IN THE IMPULSE BREAKDOWN OF POSITIVE POINT-PLANE GAPS IN AIR

8125
OPTICAL METHODS FOR MEASUREMENT OF VOLTAGE AND CURRENT ON POWER SYSTEMS

Central Research Institute of The Electric Power Industry, Tokyo, Japan

3024
BREAKDOWN OF INSULATING MATERIALS BY SURFACE DISCHARGE

3609
BREAKDOWN CHARACTERISTICS OF HIGHLY NONUNIFORM LONG GAPS IN COMPRESSED AIR

3689
RESISTOR DIVIDER WITH DIVIDING ELEMENT ON HIGH VOLTAGE SIDE
FOR IMPULSE VOLTAGE MEASUREMENTS

5090
INFLUENCE OF AIR DENSITY ON FLASHOVER VOLTAGES OF AIR GAPS
AND INSULATORS

5534
SWITCHING SURGE AND IMPULSE SPARKOVER CHARACTERISTICS OF
LARGE GAP SPACINGS AND LONG INSULATOR STRINGS

Central Research Institute Of Electric Power Industry, Tokyo,
Japan

3814
IMPULSE FLASHOVER CHARACTERISTICS OF LONG AIR GAPS AND
ATMOSPHERIC CORRECTION

Centre d'Etudes de Voujeauc, Savren, France

4134
THE MEGA GAUSS MAGNETIC FIELD LABORATORY IN GRENOBLE

Centre d'Etudes Nucleaires, Boite Postale N 6, 92
Fontenay-aux-Roses, France

2993
AVOIDING FLASHOVERS IN LOW INDUCTANCE HIGH VOLTAGE SPARK
GAPS AT ATMOSPHERIC PRESSURE

Centre de Recherche, Compagnie Generale d'Electricite,
Marseilles, France

3636
OPTICAL KERR CONSTANT MEASUREMENT IN SOME LIQUIDS AND
GLASSES

Chace Assoc, Punta Gera, FL 33950

2281
A METHOD FOR DETERMINING DENSITY-RADIUS RELATIONS DURING
WIRE EXPLOSIONS

Chelsea College, University of London, London, UK

4317
COMMENTS ON MANY-BODY DIELECTRIC RELAXATION IN SOLIDS

Chicago Operations Office(AEC), IL

10424
A HIGH INTENSITY PULSED SOURCE OF POLARIZED ELECTRONS

Chomerica, Inc., Plainville, MA

10204
R.F. SHIELDING PERFORMANCE OF REINFORCED METAL FILLED
CONDUCTIVE PLASTIC FLAT GASKETS

Chubu Electric Power Co., Inc., Nagoya, Japan

5090
INFLUENCE OF AIR DENSITY ON FLASHOVER VOLTAGES OF AIR GAPS
AND INSULATORS

Chuvash State University, USSR

10320
A HIGH-VOLTAGE PULSE GENERATOR WITH AN EXTENDED ZONE OF
STABLE OPERATION

City University, London, EC1, UK

4540
A HIGH VOLTAGE SOURCE WITH DIGITAL CONTROL FOR DIELECTRIC
MEASUREMENTS

City University, St. John Street, London

2779
PRESSURE DEPENDENCE OF THE RISE TIME OF LASER-TRIGGERED
SPARK GAPS

Clerendon Lab, Oxford, UK

261
HIGH RATE OF RISE OF CURRENT PULSE GENERATION USING LOW
COST GLASS ENVELOPE THYRATONS

5642
DRIVING CIRCUITS FOR COPPER HALIDE LASERS - A PARAMETRIC
STUDY

Clerkson College Of Technology, Potsdam, NY 13675

5348
HIGH PULSE POWER FAILURE OF DISCRETE RESISTORS

Cober Electronics Inc, Stamford, CT 06902

1508
A MINIATURE, HIGH VOLTAGE, HIGH CURRENT NANOSECOND PULSE
GENERATOR

1663
TWO TANDEM PULSE GENERATORS PROVIDE WAVEFORM FLEXIBILITY

4019
HIGH VOLTAGE NANOSECOND PULSE GENERATORS

College Of Advanced Technology, Birmingham

5089
THE REIGNITION VOLTAGE CHARACTERISTICS OF FREELY RECOVERING
ARCS

College Of Engineering, Riyadh, Saudi Arabia

1752
EFFECT OF DISSOLVED BASES, ORGANIC ADDITIVES AND FIELD
CONFIGURATION ON CO-FIELD MOTION IN INSULATING OILS

College Of Technology, Seikai University, Tokyo, Japan

1169
LICHTENBERG FIGURES ON VARIOUS ELECTRICAL INSULATING
MATERIALS

Columbia University, New York, NY 10027

4867
A 100 KV, FAST, HIGH ENERGY, NONUNIFORM FIELD DISTORTION
SWITCH

5338
THERMAL SENSITIVE PAPER AS A DIAGNOSTIC FOR INTENSE
RELATIVISTIC ELECTRON BEAM DYNAMICS

Consultant, Lexington, MA

223
NEW HYDROGEN THYRATONS FOR ADVANCED HIGH POWER SWITCHING

233
DEVELOPMENT OF A FORTY KILOVOLT MEGAWATT AVERAGE POWER
THYRATRON (MAPS-40)

6106
DEVELOPMENT OF A HYDROGEN THYRATRON HAVING A LONG PULSE
CAPABILITY

Control Data Corporation, Minneapolis, MN 55435

10409
SINGLE-CHIP PULSE GENERATOR PROVIDES 50 MHZ WITH ADJUSTABLE
DUTY CYCLE

Cornell Aeronautical Lab Inc, Buffalo, NY 14221

4291
LASER-TRIGGERED-SWITCH STUDY (PROJECT LASWITCH)

1929
LASER TRIGGERED SWITCH STUDY

Cornell University, Ithaca, NY

1617
MAGNETIC INSULATION AND MICROWAVE OPERATION

Cornell University, Ithaca, NY 14850

624
LASER-TRIGGERED SOLID DIELECTRIC SWITCHING

1546
CATHODE- AND ANODE-INDUCED ELECTRICAL BREAKDOWN IN VACUUM

1603
PROGRESS IN INTENSE PULSED ION SOURCES

1033
HIGH-CURRENT-PULSED LINEAR ION ACCELERATORS

1917
STABILITY OF AC VACUUM ARCS IN TRANSVERSE PULSED MAGNETIC
FIELD

2176
HIGH-POWER ELECTRON AND ION BEAM GENERATION

2304
PRODUCTION OF INTENSE FOCUSED ION BEAMS IN A SPHERICAL
MAGNETICALLY INSULATED DIODE

4814
ADVANCES IN THE EFFICIENT GENERATION OF INTENSE PULSED
PROTON BEAMS

4285
GENERATION OF INTENSE ION BEAMS IN PULSED DIODES

4977
A NEW DIODE FOR THE PRODUCTION OF HIGH POWER RELATIVISTIC
ELECTRON BEAMS

5183
THEORY OF INTENSE ION BEAM ACCELERATION

5466
BREAKDOWN OF MAGNETIC INSULATION DUE TO DIAMAGNETISM

5619
HIGH POWER ELECTROSTATIC ION ACCELERATORS

7759
EXTRACTION AND FOCUSING OF INTENSE ION BEAMS FROM A
MAGNETICALLY INSULATED DIODE

7771
MICROSECOND-PULSE INSULATION AND INTENSE ION BEAM
GENERATION IN A MAGNETICALLY INSULATED VACUUM DIODE

7775
PRODUCTION OF INTENSE PROTON FLUXES IN A MAGNETICALLY
INSULATED DIODE

8138
LASER-INDUCED ELECTRON EMISSION FROM SOLIDS: MANY-PHOTON
PHOTOELECTRIC EFFECTS AND THERMIONIC EMISSION

8238
BEAM GENERATION IN FOIL-LESS DIODES

8258
THEORY OF FOIL-LESS DIODE GENERATION OF INTENSE
RELATIVISTIC ELECTRON BEAMS

8367
PROCEEDINGS OF THE INTERNATIONAL TOPICAL CONFERENCE ON HIGH
POWER ELECTRON AND ION BEAM RESEARCH AND TECHNOLOGY (2ND),
OCTOBER 3-5, 1977: VOLUME I

8368
PROCEEDINGS OF THE INTERNATIONAL TOPICAL CONFERENCE ON HIGH
POWER ELECTRON AND ION BEAM RESEARCH AND TECHNOLOGY (2ND),
OCTOBER 3-5, 1977: VOLUME II

8483
PRODUCTION AND FOCUSING OF A HIGH-POWER RELATIVISTIC
ANNULAR ELECTRON BEAM

8935
FIELD EMISSION FROM VACUUM-DEPOSITED METALLIC FILM AND ITS
ROLE IN ELECTRIC BREAKDOWN IN VACUUM

10224
HIGH POWER ELECTRON AND ION BEAM CONFERENCE

18295
NANOSECOND PULSE TECHNIQUE FOR MULTIPLE FRONT STUDIES IN
SHOCK TUBES

Culham Lab, Abingdon, Oxfordshire, UK

1543
RECOMMENDED PRACTICE FOR LIGHTNING SIMULATION AND TESTING
TECHNIQUES FOR AIRCRAFT

1545
SIMULATION OF LIGHTNING STRIKES TO AIRCRAFT

2437
ARC VOLTAGE OF PULSED HIGH CURRENT SPARK GAPS

2547
A NEUTRAL-PARTICLE ANALYSER FOR PLASMA DIAGNOSTICS

5044
HIGH-CURRENT 60 KV MULTIPLE-ARC SPARK GAP SWITCH OF 1.7 MN
INDUCTANCE

5434
INDUCED VOLTAGES, MEASUREMENT TECHNIQUES AND TYPICAL VALUES

5435
A SWEPTSTROKE EXPERIMENT WITH A ROCKET SLED

5436
ARCS ON METAL SHEETS IN SIMULATED LIGHTNING DISCHARGES

5437
INDUCED VOLTAGES IN FULL SIZE AIRCRAFT AT ID/SUP II/ A/3

5438
LIGHTNING STRIKE POINT LOCATION STUDIES ON SCALE MODELS

5439
RECENT DEVELOPMENTS IN HIGH CURRENT TESTING TECHNIQUES FOR
LIGHTNING SIMULATION

5535
TECHNIQUES OF STRIKE TESTS ON STRUCTURES, COMPONENTS AND
MATERIALS

5601
BEAM OPTICS FOR ION EXTRACTION WITH A HIGH-VOLTAGE-RATIO
ACCELERATION- DECELERATION SYSTEM

6857
TRIGGERING MECHANISM OF LOW-PRESSURE SPARK GAPS

7495
THE PARALLEL OPERATION OF LOW-INDUCTANCE HIGH-CURRENT SPARK
GAPS WITHOUT TRANSIT TIME ISOLATION

8109
SIMULATION OF LIGHTNING CURRENTS IN RELATION TO MEASURED
PARAMETERS OF NATURAL LIGHTNING

8122
A PROPOSAL FOR THE CONSTRUCTION AND OPERATION OF AN
INDUCTIVE STORE FOR 28 MEGAJOULES

9988
LOW-INDUCTANCE 100 KV SWITCH (SPARK GAP) FOR STARTING,
DIVERTING AND CLAMPING CAPACITOR DISCHARGES

Culham Translational Office, UK

5662
FURTHER DEVELOPMENT OF THE CASCADE HIGH POWER ARC CHAMBER

Cutler-Hammer Inc, Deer Park, NY

5545
COUPLING BETWEEN OPEN AND SHIELDED WIRE LINES OVER A GROUND
PLANE

9997
SWITCHING IN VACUUM: A REVIEW

CEA Centre d'Etudes de Limeil, Villeneuve-Saint Georges,
France

7927
LASER SOURCES FOR MULTIPLY-CHARGED HEAVY IONS

CEA Centre d'Etudes de Valduc, Le-bur-Tille, France

7445
OPTIMIZATION OF A HIGH ENERGY REB GENERATOR AND CONTRIBUTED
STUDY OF THE PULSED REB

18366
DESIGN AND DEVELOPMENT OF A HIGH-POWER, 500 KV PULSED LINE

CEA Centre d'Etudes Nucleaires, Serclay, France 92268

3623
HIGH-VOLTAGE CONDITIONING AT LARGE GAPS IN INDUSTRIAL VACUUM

4385
PICosecond TRIGGER SYSTEM USEFUL IN MODE-LOCKED LASER PULSE
MEASUREMENTS

4734
THE MEGAGAUSS MAGNETIC FIELD LABORATORY IN CRENSBLE

8104
RESONANCE EFFECTS IN MULTIPHOTON IONIZATION OF ATOMS

18292
STABILIZATION OF THE OUTPUTS OF PULSE AMPLIFIERS UTILIZING
NON-LINEAR FEEDBACK NETWORKS. APPLICATION TO NUCLEAR
SPECTROMETER AMPLIFIERS

18498
SUSCEPTIBILITY OF PULSE NUCLEAR MEASURING EQUIPMENT TO
ELECTRICAL INTERFERENCES

18461
GENERATOR OF EXTENDED DURATION HIGH VOLTAGE PULSES

CEA, France

5433
ARTIFICIAL TRIGGERING OF LIGHTNING ABOVE GROUND

CEGB, Burywood House, Guildford GU2 5BN, UK

4105
NOVEL CAPACITOR-DIVIDER VOLTAGE SENSORS FOR HIGH-VOLTAGE
TRANSMISSION SYSTEMS

CERN, Geneva, Switzerland

- 485
A CERAMIC THYRATRON WIRE SPARK CHAMBER PULSER
- 3753
HIGH VOLTAGE PULSE GENERATORS FOR KICKER MAGNET EXCITATION
- 5156
TRIGGERING OF A PRESSURIZED SPARK GAP BY A LASER BEAM
- 5611
DESIGN AND CONSTRUCTION OF A SPARK GAP ASSEMBLY AND ASSOCIATED CIRCUITS
- 5636
MECHANISM WHICH LEADS TO THE FORMATION OF AN ELECTRIC SPARK AT VERY HIGH VOLTAGE AND UNDER ULTRA-VACUUM FOR THE MEASUREMENT OF THE DELAY TIME OF THE DISRUPTION
- 10005
A PULSE TRANSFORMER FOR LARGE WIRE SPARK CHAMBERS
- 10474
TECHNICAL PROBLEMS INVOLVED IN M/SUB 2/ STREAMER CHAMBERS

CERN, Prévessin, France

- 485
GENERATION OF HIGH CURRENT, LONG DURATION RECTANGULAR PULSES

CESI-Centro Elettrotecnico Sperimentale Italiano, Milan, Italy

- 4944
PERFORMANCE OF SPHERE AND ROD-ROD GAPS UNDER HIGH DIRECT VOLTAGES

D. V. Efremov Scientific-Research Institute, Leningrad, USSR

- 704
ELECTRICAL EXPLOSION OF CYLINDRICAL FOILS IN AIR I. ELECTRICAL CHARACTERISTICS OF THE EXPLOSION

D.V. Efremov Institute, Leningrad, USSR

- 701
ELECTRICAL EXPLOSION OF CYLINDRICAL FOILS IN AIR II. HIGH-CURRENT SHUNT PINCH

- 1090
BREAKDOWN OF A SOLID-DIELECTRIC SWITCH

- 1187
ELECTRICAL EXPLOSION OF FOILS. II

- 1188
ELECTRICAL EXPLOSION OF FOILS. I

- 4265
HIGH-CURRENT PULSED ELECTRON ACCELERATOR WITH AN ANNULAR BEAM

- 4572
SHAPING OF VOLTAGE PULSES BY DISCHARGING AN INDUCTIVE STORAGE BANK WITH A CHARGED-PARTICLE BEAM

- 7043
ELECTRICAL EXPLOSION OF A CYLINDRICAL POIL IN AIR. CURRENT DISTRIBUTION IN THE HIGH-CURRENT SHUNTING DISCHARGE

- 7045
ENERGY-TRANSFER EFFICIENCY OF A MAGNETIC-IMPLOSION SYSTEM

- 7056
MICROSECOND HIGH-CURRENT ELECTRON BEAM

- 7059
MOTION OF A CYLINDRICAL CONDUCTING SHELL UNDER MAGNETODYNAMIC COMPRESSION

- 7130
AN INDUCTIVE STORE WITH ELECTROMAGNETIC CURRENT MULTIPLICATION

- 7803
EFFECTS OF TARGET-ELECTRODE POLARITY AND FOCAL-PLANE POSITION ON A LASER-TRIGGERED GAP

- 9430
ELECTRICAL BREAKDOWN OF CYLINDRICAL FOILS IN AIR. III. HIGH-CURRENT EXPANDING DISCHARGE

- 9792
ELECTRICAL DISCHARGE IN NITROGEN AND SULFUR HEXAFLUORIDE IN A UNIFORM FIELD

Daresbury Lab, Daresbury, Warrington WA44AD, UK

- 1338
MICROPARTICLES IN HIGH-VOLTAGE ACCELERATOR TUBES

Defence Research Information Centre, Orpington (England).

- 10444
DISCHARGE IN GAS AT HIGH PRESSURE INITIATED BY A BEAM OF FAST ELECTRONS

Defence Academy Of Japan, Hashirimizu, Yokosuka, Japan

- 7817
OBSERVATIONS ON THE INTERMITTENT ELECTRON EMISSION IN LIQUEFIED NITROGEN

Defence Academy Of Japan, Obaredai, Yokosuka, Japan

- 7285
NANOSECOND SURFACE DISCHARGE STUDY BY USING DUST FIGURE TECHNIQUES

Department of the Air Force, Washington, DC

- 8659
LOW FREQUENCY PULSE GENERATOR APPARATUS

- 10385
SPARK GAP NANOSECOND PULSE GENERATOR

- 10589
WIDE PULSE LOW PRF PULSE GENERATOR

- 10409
SPLIT PULSE GENERATOR

- 10470
SPLIT-RING MARX GENERATOR GRADING

Department of the Army, Washington, DC

- 6571
CONSTANT CURRENT CHARGING CIRCUITS FOR HIGH ENERGY MODULATORS

- 8716
THYRATRON MARX HIGH VOLTAGE GENERATOR

- 10552
HIGH VOLTAGE NANOSECOND PULSER USING A REPETITIVE SERIES INTERRUPTER

- 10577
HIGH POWER PULSE COMPRESSION TECHNIQUES

- 10392
ELECTRICAL PULSE GENERATORS

- 10400
ELECTRICAL PULSE GENERATOR

- 10417
PULSE GENERATOR EMPLOYING PLURAL PULSE-FORMING NETWORKS WITH PULSE PRODUCING MEANS FOR CANCELLATION OF UNDESIRABLE REFLECTED PULSE

- 10418
PULSE GENERATOR EMPLOYING PLURAL PULSE FORMING NETWORKS PROVIDING OVERLAPPED PULSES TO EFFECT RIPPLE CANCELLATION

- 10456
SOLID STATE PULSER USING PARALLEL STORAGE CAPACITORS

- 10457
CIRCUIT PROTECTING, GAS-TUBE, DISCHARGE INTERRUPTER

- 10438
GAS TUBE ISOLATOR AND CHARGING CIRCUIT FOR PULSE AMPLIFIERS IN PHASED ARRAYS

- 10441
HIGH EFFICIENCY CURRENT DRIVER

Department of the Navy, Washington, DC

- 8664
HPO INTENSE BEAM PULSER

- 10550
PULSE GENERATOR UTILIZING SUPERCONDUCTING APPARATUS

- 10390
PULSE CIRCUIT FOR RADIOAC SETS

- 10391
PULSE GENERATOR

- 10393
EXPLOSIVE PULSE GENERATOR

- 10396
TRIGGER PULSE CIRCUIT

- 10399
REMOTELY CONTROLLED POWER PULSE GENERATOR
- 10406
HIGH CURRENT PULSER CIRCUIT
- 10419
CRACK DETECTION APPARATUS AND METHOD
- 10425
DELAYED PULSE GENERATOR
- Department Of Energy
- 2718
CIRCUIT AND MAGNETIC ANALYSIS FOR A SYSTEM OF FARADAY
ROTATOR COILS DRIVEN BY A TWO-SPOOL, FOUR-ROTOR HOMOPOLAR
GENERATOR
- 2745
TEST DATA ON ELECTRICAL CONTACTS AT HIGH SURFACE VELOCITIES
AND HIGH CURRENT DENSITIES FOR HOMOPOLAR GENERATORS
- 8347
FOX: A FAST DISCHARGE HOMOPOLAR GENERATOR
- 8355
HOMOPOLAR GENERATOR DEVELOPMENT AT THE UNIVERSITY OF TEXAS
- The Detroit Edison Co., Detroit, MI 48226
- 1508
STUDY OF LIGHTNING CURRENT MAGNITUDE THROUGH DISTRIBUTION
ARRESTERS
- Deutsch-Französisches Forschungsinstitut, Saint Louis, France
- 5649
ELECTRICAL AND OPTICAL CHARACTERISTICS OF A MULTICHANNEL
N/SUB 2/-LASER
- Deutsche Akademie der Wissenschaften zu Berlin, Zauthen, GDR
- 4454
TRIGGERING OF A HIGH-VOLTAGE PULSE SHAPER FOR IMPROVING
TIME STABILITY AND AMPLITUDE STABILITY
- Okimawood Industries, Inc., Albuquerque, NM 87106
- 1309
EMP INTERACTION: PRINCIPLES, TECHNIQUES, AND REFERENCE DATA
(A COMPLETE CONCATEANATION OF TECHNOLOGY FROM THE EMP
INTERACTION NOTES) EMP INTERACTION 2-1
- Dow Corning Corp, Midland, MI
- 5706
SILICONE RUBBER GRADED CONSTRUCTION FOR HIGH VOLTAGE
INSULATION
- DuPont Co, Wilmington, DE 19898
- 3907
SELECTION OF MATERIALS FOR USE AS ELECTRICAL INSULATION-A
PHILOSOPHICAL AND SYSTEMATIC APPROACH
- 7758
A TUTORIAL ON TREEING
- 10051
REDUCING ELECTRICAL INTERFERENCE
- Dynamic Systems, Inc., McLean, VA 22102
- 798
MAGNETIC FIELD SENSITIVITY OF AN OPTICAL FIBER WITH
MAGNETOSTRICTIVE JACKET
- Dynamics Instrumentation Co.
- 5550
GROUNDING AND SHIELDING TECHNIQUES IN INSTRUMENTATION
- E-H Research Labs, Oakland, CA 94607
- 5812
BE KING TO YOUR PULSE GENERATOR
- E-Systems, Inc., Greenville, TX 75401
- 1257
DEMONSTRATION OF FIBER OPTIC LINK APPLICATIONS IN UTILITY
PLANT MULTIPLEXED INSTRUMENT AND CONTROL SYSTEMS
- Ecole Polytechnique De Montreal, Montreal, Quebec, Canada
- 2754
A NEW APPROACH TO COMPUTE UNIFORM FIELD BREAKDOWN OF OASES
- Ecole Polytechnique, Palaiseau, France
- 1062
ELECTRON GUN FOR GENERATION OF SUBNANOSECOND ELECTRON
PACKETS AT VERY HIGH REPETITION RATE
- Edwards High Vacuum International, Menor Royal, Crawley,
Sussex, UK
- 4748
GROUNDING MONITOR FOR HIGH VOLTAGE ACCELERATORS
- Effects Technology Inc, Santa Barbara, CA
- 10512
TWCP ELECTRON BEAM TESTING PROGRAM: VOLUME IV. TWCP
ELECTRON BEAM TESTS
- 10313
TWCP ELECTRON BEAM TESTING PROGRAM: VOLUME I. SUMMARY
- Egyptian Atomic Energy Establishment, Cairo, Egypt
- 4111
CONTROLLED AVALANCHE RECTIFIER CHAINS FOR ACCELERATING
VOLTAGE SUPPLIES
- Eidgenössische Technische Hochschule, Zurich, Switzerland
- 5638
EFFECT OF ATMOSPHERIC HUMIDITY ON BREAKDOWN VOLTAGE OF
VARIOUS SPARKOVER LENGTHS AT VARIOUS VOLTAGE FORMS
- Eindhoven University of Technology, Eindhoven, Netherlands
- 801
A NANOSECOND RISE TIME DIFFERENTIAL PULSE TRANSFORMER
- 4188
EROSION STRUCTURES ON CATHODES ARCED IN VACUUM
- 7808
FORM FACTOR METHOD YIELDS THERMAL CONDUCTIVITY AND RADIATED
POWER OF NITROGEN ARC
- 8922
CURRENT CHOPPING INTRODUCED BY ARC COLLAPSE
- 8984
A CATHODE SPOT MODEL AND ITS ENERGY BALANCE FOR METAL
VAPOUR ARCS
- 8985
COMPONENTS OF CATHODE EROSION IN VACUUM ARCS
- Electric Power Research Institute, Palo Alto, CA 94304
- 2855
SYMPOSIUM PROCEEDINGS NEW CONCEPTS IN FAULT CURRENT
LIMITERS AND POWER CIRCUIT BREAKERS
- Electrical Research Association, Leatherhead, Surrey, UK
- 5438
LIGHTNING STRIKE POINT LOCATION STUDIES ON SCALE MODELS
- 7780
SOME PROPERTIES OF SOLID-LIQUID COMPOSITE DIELECTRIC SYSTEMS
- Electricite De France
- 5435
ARTIFICIAL TRIGGERING OF LIGHTNING ABOVE GROUND
- Electricity Corp, UAR
- 4919
FLASHOVER TESTS ON DUST-CONTAMINATED INSULATORS
- Electricity Council Research Centre, Copenhurst, UK
- 4214
THE STATISTICAL DISTRIBUTION OF VALUES OF BREAKDOWN VOLTAGE
FOR AN AIR GAP
- Electro-Optical Systems, Inc., Pasadena, CA
- 5897
HIGH-ENERGY DENSITIES BEFORE DWELL IN ELECTRICALLY EXPLODED
WIRES
- Electromagnetic Applications, Inc., Denver, CO
- 9788
ASSESSMENT METHODOLOGY OF THE LIGHTNING THREAT TO ADVANCED
AIRCRAFT
- Electronic Communications, Inc., St. Petersburg, FL 33755
- 7908
PLASMA DIELECTRIC CUTS SIZE AND WEIGHT OF HIGH-POWER
AIRBORNE EQUIPMENT. IT'S PARTICULARLY EFFECTIVE WITH
HIGH-FREQUENCY RADIO AND RADAR TRANSMITTERS

Electrotechnical Lab, Tokyo, Japan

3024
BREAKDOWN OF INSULATING MATERIALS BY SURFACE DISCHARGE

3484
APPLICATIONS OF A LASER-TRIGGERED SPARK GAP (LTSG)

3684
TRIGGERING MECHANISM OF A LASER-TRIGGERED SPARK GAP

3889
CONTROL OF HIGH ENERGY CAPACITOR BANKS

6894
CROWBAR GAP SWITCH WITH TWO TRIGGERING PULSES OF OPPOSITE POLARITIES AND ITS SIMPLIFIED GAP SWITCHES

7941
SPARK DISCHARGE TRIGGERED BY A PULSE LASER BEAM

Energy Research and Development Administration

18394
ELECTRON PULSE GENERATOR OF THE GROUNDING GRID TYPE EMPLOYING A DELAY LINE STORAGE MEANS

18395
HIGH VOLTAGE FIELD-REVERSAL PULSE GENERATOR USING A LASER SWITCHING MEANS TO ACTIVATE A FIELD EMISSION X-RAY TUBE

18397
FAST PULSE GENERATOR UTILIZING AN ELECTRON BEAM TO CAUSE AN ARC BREAKDOWN ACROSS THE GAP REGION OF A COAXIAL LINE CENTER CONDUCTOR

18398
PULSE GENERATOR WITH STANDING WAVE ENERGY STORAGE

18481
MODIFIED MARX GENERATOR

Energy Sciences Inc., Bedford, MA 01730

3729
REVIEW OF DIELECTRICS AND SWITCHING

Energy Sciences Inc., Burlington, MA 01803

4578
RESONANT TRANSFORMER ELECTRON BEAM PULSER

8113
DIELECTRICS STUDY FINAL REPORT

Engineer Research and Development Lab, Fort Belvoir, VA

8898
A THEORY OF THE PRODUCTION OF ELECTRODE VAPOR JETS BY SPARKS AND ARCS

Engineering Physics Institute, Moscow, USSR

8229
ATMOSPHERIC EFFECTS ON THE DIELECTRIC STRENGTH OF A VACUUM GAP WITH PROCESSED ELECTRODES

English Electric Valve Co Ltd, Chelmsford, Essex, UK

219
HOLLOW-ANODE MULTIGAP THYRATRONS

235
DOUBLE GAP METAL ENVELOPE THYRATRONS

237
PLASMA MOUNTING GLASS ENVELOPE HYDROGEN THYRATRONS

251
THYRATRONS FOR SHORT PULSE LASER CIRCUITS

267
HIGH RATE OF RISE OF CURRENT PULSE GENERATION USING LOW COST GLASS ENVELOPE THYRATRONS

272
OPERATING HYDROGEN THYRATRONS IN PARALLEL

394
A MULTIGAP, DOUBLE-ENDED, HYDROGEN THYRATRON

417
THE USE OF HYDROGEN THYRATRONS AS HIGH SPEED, HIGH VOLTAGE RECTIFIERS

424
VERY HIGH FREQUENCY PULSE GENERATORS USING HYDROGEN THYRATRONS

728
THE COOLING OF OIL-FILLED ELECTRICAL EQUIPMENT, WITH SPECIAL REFERENCE TO HIGH POWER LINE-TYPE PULSE GENERATORS

2172
DOUBLE-ENDED HYDROGEN THYRATRONS FOR CROWBAR PROTECTION OF HIGH-POWER TWT SYSTEMS

3748
THE GENERATION OF HIGH FREQUENCY SINUSOIDAL AND PULSE WAVEFORMS USING HYDROGEN THYRATRONS

3763
TRIGGERED CHARGING TECHNIQUES FOR PULSE GENERATING CIRCUITS

4680
AN AMENDED LINE-TYPE PULSE GENERATOR CIRCUIT

4698
GASEOUS SWITCHES: THE PAST AND PRESENT STATE OF THE ART

4692
INVERSE VOLTAGE CONTROL IN LINE-TYPE PULSE GENERATING CIRCUITS

7799
CALIBRATION OF UNIFORM-FIELD SPARK-GAPS FOR HIGH-VOLTAGE MEASUREMENT AT POWER FREQUENCIES

European Space Research Inst, Frascati, Italy

5658
DAMPING OF VOLTAGE REFLECTIONS AT OPEN CIRCUIT ENDS OF CHARGED CABLES

ECOM, Fort Monmouth, NJ 07703

233
DEVELOPMENT OF A FORTY KILOVOLT MEGAWATT AVERAGE POWER THYRATRON (MAPS-40)

259
COMPACT MEGAWATT AVERAGE POWER PULSE GENERATOR

278
MEGAWATT AVERAGE POWER ADIABATIC MODE THYRATRONS

725
SOLID STATE CLIPPER DIODES FOR HIGH POWER MODULATORS

1888
PULSE SHARPENING IN FERRITE TRANSMISSION LINES

1324
SPARK-GAP STUDIES

2181
ANALYSIS OF AN INDUCTIVE ENERGY HIGH-PERFORMANCE ELECTRON-BEAM GENERATOR

3886
HIGH AVERAGE POWER TESTS OF A CROSSED-FIELD CLOSING SWITCH

3544
LOW INDUCTANCE, LOW IMPEDANCE MEGAWATT AVERAGE POWER LOAD

3749
HIGH VOLTAGE FUSES FOR PHASED ARRAY RADAR TRANSMITTERS

4888
PULSER FOR EMP SIMULATION

4381
A BLUMLEIN MODULATOR FOR A TIME-VARYING LOAD

4683
A HALF MEGAWATT PULSE FORMING NETWORK

4725
MODULATOR-REPEATIVELY PULSED FIELD EMISSION ELECTRON BEAM DUN INTERFACE

5344
COMPACT MEGAWATT AVERAGE POWER BURST PULSE GENERATOR

5368
THE MAPS-40 BURST-MODE 40-KV MEGAWATT AVERAGE POWER HYDROGEN THYRATRON

5463
ADIABATIC MODE OPERATION OF THYRATRONS FOR MEGAWATT AVERAGE POWER APPLICATIONS

5572
LOW-INDUCTANCE, LOW-IMPEDANCE MEGAWATT AVERAGE POWER LOAD

5605
CHARACTERIZATION OF EMP PROTECTION DEVICES

5657
DESIGN AND ANALYSIS OF A STATISTICAL EXPERIMENT ON HIGH VOLTAGE BREAKDOWN IN VACUUM

5661
FIRING CHARACTERISTICS OF MULTIPLE-ELECTRODE TRIGGERED VACUUM DAPS

5671
MULTIPLE-ELECTRODE TRIGGERED VACUUM DAPS

5697
INDUCTANCE EFFECTS IN ENERGY DIVERTER DISCHARGE CIRCUITS

5698
INFLUENCE OF ELECTRODE MATERIAL ON HIGH-VOLTAGE VACUUM BREAKDOWN

6103
CATHODE-CURRENT DEPENDENCE ON PULSE WIDTH FOR HYDROGEN THYRATRON

6109
METAL-OXIDE DEVICES FOR RAPID HIGH CURRENT SWITCHING

6158
PLASMA PROPERTIES OF KILAMPERE DISCHARGES

6322
ENERGY CONTROL FOR MICROWAVE AMPLIFIER ARRAYS

6336
INFLUENCE OF HYDROGEN ON MULTIPLE-ELECTRODE (VACUUM) DAP CHARACTERISTICS

6353
PULSE SHARPENING WITH METAL-OXIDE BULK SWITCHING DEVICES

6528
NANOSECOND PULSERS FOR MM WAVE TUBES

6582
PULSE MODULATOR BEHAVIOR OF THE LIQUID METAL PLASMA VALVE (LMPV)

6582
SPECTROGRAPHIC ERRORS IN PULSED DISCHARGES

6583
THE 'HOURGLASS' ENERGY DIVERTER

7203
STABILIZATION OF METAL-OXIDE BULK SWITCHING DEVICES WITH DIFFUSED OI CONTACTS

7250
THE CROSSED-FIELD CLDSING SWITCH-A STATUS REPORT

8063
FIELD-DEPENDENT SECONDARY EMISSION

8306
HIGH POWER, LOW NOISE PULSE CABLE

8732
A HALF MEGAWATT PULSE FORMING NETWORK (PFN)

9301
TRANSIENTS IN HIGH-POWER MODULATORS

10003
GAS-HEATING EFFECT ON PLASMA RESISTIVITY

10184
HIGH VOLTAGE NANOSECOND PULSE GENERATOR

10278
ABSTRACTS OF THE HYDROGEN THYRATRON SYMPOSIUM (4TH), HELD AT SIGNAL CORPS ENGINEERING LABORATORY, FORT MONMOUTH, N. J., NOVEMBER 17 AND 18, 1955

10283
THE ELECTRON BEAM SEMICONDUCTOR (EBS) AMPLIFIER

10343
ANALYSIS OF AN INDUCTIVE ENERGY HIGH PERVEANCE ELECTRON BEAM GENERATOR

10421
ELECTRON BEAM DIODE POWER ACCUMULATOR

EGSO Inc., Salem, MA 01970

225
NEW HYDROGEN THYRATRONS FOR ADVANCED HIGH POWER SWITCHING

231
ADVANCES IN THE DEVELOPMENT OF A GAS DISCHARGE SWITCH HAVING A REPETITIVE CURRENT INTERRUPTING CAPABILITY

233
DEVELOPMENT OF A FORTY KILOVOLT MEGAWATT AVERAGE POWER THYRATRON (MAPS-40)

246
NEW DEVELOPMENTS IN SUPER-FAST, HIGH-POWER, HYDROGEN THYRATRON SWITCHING

716
HIGH VOLTAGE, LOW INDUCTANCE HYDROGEN THYRATRON STUDY PROGRAM

1296
INSTANT START THYRATRON SWITCH

4415
PLASMA CATHODE THYRATRON

5193
REPETITIVE SERIES INTERRUPTER II

5346
A REPETITIVELY OPERABLE, HIGH-CURRENT INTERRUPTER

5360
THE MAPS-40 BURST-MODE 40-KV MEGAWATT AVERAGE POWER HYDROGEN THYRATRON

5362
THE PLASMA-HEATED THYRATRON

6106
DEVELOPMENT OF A HYDROGEN THYRATRON HAVING A LONG PULSE CAPABILITY

6110
MULTI-MEGAWATT HYDROGEN THYRATRONS WITH HALF-SECOND RISE TIMES

EGSO, Inc., Albuquerque, NM 87114

2449
SENSORS FOR ELECTROMAGNETIC PULSE MEASUREMENTS BOTH INSIDE AND AWAY FROM NUCLEAR SOURCE REGIONS

EGSO Inc., Olathe, CA

1482
LASER-CONTROLLED SWITCHING

EURATOM-CEA, Centre d'Etudes Nucleaires, France 92260

2133
SPECTRALLY RESOLVED OPTICAL DIAGNOSTICS FOR HIGH-POWER NEUTRAL BEAMS

2553
OPTICAL DIAGNOSTICS ON HIGH-POWER NEUTRAL BEAMS

Faculte Des Sciences O'Orsay, Orsay, France

3154
HIGH MAGNETIC FIELD PRODUCTION BY ELECTROMAGNETIC ENERGY STORAGE IN A SUPERCONDUCTING COIL

Fairchild Industries Inc., Farmingdale, NY 11735

4076
HIGH ENERGY DENSITY CAPACITORS FOR VACUUM OPERATION WITH A PULSED PLASMA LOAD

7907
ELECTRODE EROSION PROCESSES IN PULSED PLASMA THRUSTERS

Fairchild Space and Defense Systems, Syosset, NY

10200
SHIELDING EFFICIENCY OF ELECTRICALLY CONDUCTIVE PROTECTIVE COATINGS FOR MAGNESIUM AND ALUMINUM SURFACES

10299
DESIGNING THE RFI SHIELDED PACKAGE

Fermi National Accelerator Lab., Batavia, IL 60510

166
THE 10 MILLISECOND 150 KILAMPERE PULSED POWER SUPPLY FOR THE FERMILAB NEUTRINO DISCUSSION GROUP

290
A 230 KJ PULSED POWER SUPPLY

10554
A SLOW CYCLIND FLUX PUMP USING DIGITAL CONTROL

Field Emission Corp, McMinnville, OR 97128

1669
ELECTRICAL BREAKDOWN BETWEEN METAL ELECTRODES IN HIGH VACUUM. I. THEORY

1686
ELECTRICAL BREAKDOWN BETWEEN METAL ELECTRODES IN HIGH VACUUM. II. EXPERIMENTAL

6824
DESIGN STUDIES FOR ULTRA-FAST, LOW-IMPEDANCE HIGH-PEAK-POWER PULSED SYSTEMS

18224
INTENSE, NANOSECOND ELECTRON BEAMS

Fighting Vehicles Research and Development Establishment, Chertsey, Surrey, UK

7911
A SIMPLE LASER-TRIGGERED SPARK GAP FOR KILOVOLT PULSES OF ACCURATELY VARIABLE TIMING

Flinders University of South Australia, Australia

8191
A HIGH-POWER RF LINE GENERATOR OF NOVEL DESIGN

Ford Motor Co, Dearborn, MI

5555
OPTICAL FREQUENCY ELECTRICAL DISCHARGES IN GASES

Franklin GHO Corp, West Palm Beach, FL

5644
INFLUENCE OF STATISTICAL TIME LAGS UPON ELECTRIC BREAKDOWN IN ELECTRODEGATIVE GASES

The Fujikura Cable Works, Ltd.

5649
SYNTHETIC PAPER FOR EXTRA HIGH VOLTAGE CABLE

The Furukawa Electric Co. Ltd., Tokyo, Japan

525
THE RESEARCH IN DISCHARGE SUPPRESSION OF HIGH VOLTAGE CROSSLINKED POLYETHYLENE INSULATED POWER CABLE

5607
ADVANCED APPLICATION REPORT HIGH VOLTAGE XLPE INSULATED POWER CABLE WITH SEMI-CONDUCTING ORGANIC LIQUID

Fusion Studies Lab, Urbana, IL 61801

10275
HIGH FREQUENCY ROGOWSKI COIL RESPONSE CHARACTERISTICS

Fysisch Laboratorium Rijksuniversiteit Utrecht, The Netherlands

5586
INFLUENCE OF ADSORBED GASES ON PREBREAKDOWN CURRENTS IN VACUUM

FOM-Instituut voor Plasma-Fysica, Rijnhuizen, Jutphaas, The Netherlands

10252
A TRIGGERED VACUUM SPARK-GAP SWITCH

FTD, Wright-Patterson AFB, OH

1525
HIGH-VOLTAGE PULSE VOLTAGE GENERATOR

1558
ELEMENTS OF HIGH-VOLTAGE NANOSECOND PULSE GENERATORS ON COAXIAL CABLES

1560
GLIDE DISCHARGES ON INSULATORS IN TRANSFORMER OIL DUE TO VOLTAGE PULSES

4080
HIGH VOLTAGE PULSE CAPACITORS

5581
RECORDING SHOCK WAVES AND EXPLODING WIRE ELECTRICAL CHARACTERISTICS

5567
ELECTRODYNAMIC PULSE GENERATOR

5576
GENERATOR OF POWERFUL CURRENT PULSES

5678
TECHNIQUES OF SHAPING HIGH-VOLTAGE NANOSECOND PULSES

5679
THE DEVELOPMENT OF A LONG SPARK AND LIGHTNING

5685
A MAGNETO-DYNAMIC TRIGGER

5689
DEVICE FOR TRIGGERING DISCHARGE TUBES IN A HIGH-VOLTAGE PULSE GENERATOR

7128
A NANOSECOND PULSE GENERATOR FOR SPARK CHAMBERS

7159
PULSE CURRENT GENERATOR

8414
DEVICE FOR GENERATING POWERFUL ELECTRICAL PULSES

8595
AN ELECTROMECHANICAL PULSE SOURCE

8620
ELECTRIC MACHINE SOURCE OF IMPULSES

8815
LARGE OUTPUT MILLIMICROSECOND IMPULSE GENERATOR USING ELECTROMAGNETIC SHOCK WAVES

10211
CURRENT PULSE GENERATOR WITH AMPLITUDE OF 1,000,000 A AND STABILITY OF ± 0.001 AT A REPETITION RATE OF TWO HZ

10281
THE POSSIBILITY OF THE USE OF LIQUID DISCHARGERS IN HIGH-VOLTAGE NANOSECOND PULSE CIRCUITS

10284
DEVICE WHICH TRIGGERS HIGH-VOLT PULSE GENERATOR

10289
SYNCHRONIZING THE START OF 400-KV VOLTAGE PULSE GENERATOR (GIN-400) AND MEASURING CIRCUIT DURING OSCILLOGRAPHING OF SHORT-TERM PROCESSES

10522
GENERATOR OF CURRENT PULSES WITH AN AMPLITUDE OF 1E6 A AND STABILITY OF ± 0.01 AT A REPETITION RATE OF 2 HZ

10447
THE POSSIBILITY OF USING LIQUID DISCHARGERS IN HIGH-VOLTAGE NANOSECOND PULSE CIRCUITS

O.M. Krzhizhanovskii Institute, Moscow, USSR

7115
DISCHARGE PHENOMENA IN LIQUIDS

7955
PECULIARITIES OF THE DEVELOPMENT OF THE ELECTRIC BREAKDOWN OF AIR IN EXTREMELY LONG DISCHARGE GAPS

8257
EFFECT OF CORONA CHARGE ON THE FORMATION OF A LONG POSITIVE SPARK UNDER THE ACTION OF A VOLTAGE PULSE

O.M. Krzhizhanovskii Power Engineering Institute, Moscow, USSR

10470
RADIATION FROM A DENSE PLASMA GENERATED BY AN EXPLODED WIRE IN VACUUM

D.S. Institute of Technology and Science, Indore, India

455
DIELECTRIC INVESTIGATION OF ELECTRIC DISCHARGES IN A MERCURY VAPOUR FILLED THYRATRON

Denne Research Centre, Yogyakarta, Indonesia

10556
STUDY ON THE MAKING OF COCKROFT WALTON HIGH TENSION

General Atomic Co, San Diego, CA 92121

1542
FIBER-OPTIC HIGH VOLTAGE ISOLATION OF CAMAC HIGHWAY

2881
CONTROLLABLE HOMOPOLAR MOTOR-GENERATOR ENERGY STORAGE FOR APPLICATION IN A FUSION POWER REACTOR

5554
FIELD-REVERSED MIRROR PILOT REACTOR

General Dynamics Corp, San Diego, CA 92112

1517
INVESTIGATION OF ELECTRODE EROSION IN HIGH CURRENT ELECTRIC ARCS

2529
ANODE CURRENT DENSITY IN HIGH-CURRENT PULSED ARCS

General Electric Co, King of Prussia, PA

4688
DISCHARGE CIRCUITRY FOR HIGH REPETITION RATE METAL VAPOR LASERS

General Electric Co, Philadelphia, PA 19153

9812
DEVELOPMENT OF CONTACT MATERIALS FOR VACUUM INTERRUPTERS

9350
HIGH-CURRENT VACUUM ARCS: PART I. AN EXPERIMENTAL STUDY

General Electric Co, Pittsfield, MA 01201

1294
ELECTROSTATIC AND ELECTROMAGNETIC EFFECTS OF ULTRANIGH-VOLTAGE TRANSMISSION LINES

4857
STATIC AND DYNAMIC PROPERTIES OF ARCS NEAR PLANE SURFACES

7169
A MODEL FOR THE STUDY OF SWITCHING-SURGE BREAKDOWN OF LONG AIR GAPS

7785
THE CHANNEL OF THE SPARK DISCHARGE

8136
DIELECTRIC BEHAVIOR OF SOME FLUOROGASES AND THEIR MIXTURES WITH NITROGEN

10200
LIGHTNING EFFECTS RELATING TO AIRCRAFT: PART II. CHARACTERISTICS OF SIMULATED LIGHTNING FLAMES AND THEIR EFFECTS ON LIGHTNING ARRESTERS AND AVIONIC EQUIPMENT

10201
LIGHTNING EFFECTS RELATING TO AIRCRAFT: PART III. MEASUREMENTS OF LIGHTNING-INDUCED VOLTAGES IN AN F4H-1

General Electric Co, Schenectady, NY 12301

968
THE EFFECT OF GLASS DEBRIS ON ELECTRON EMISSION AND ELECTRICAL BREAKDOWN OF VACUUM INTERRUPTERS

1246
ELECTRONIC CURRENT TRANSDUCER (ECT) FOR HIGH-VOLTAGE DC LINES

1267
FUNDAMENTAL INVESTIGATION OF ARC INTERRUPTION IN GAS FLOWS

1362
SUPERCONDUCTING ROTOR RESEARCH

1303
LIGHT-TRIGGERED THYRISTORS FOR ELECTRIC POWER SYSTEMS

1344
LIGHT-TRIGGERED THYRISTORS FOR ELECTRIC POWER SYSTEMS (PHASE 2)

2191
PULSE TRANSFORMERS

5495
PLASMA-INJECTION VACUUM ENERGY DIVERTER (CROWBAR)

5581
DEVELOPMENT OF SOLID AND/OR LIQUID-METAL COLLECTORS FOR ACYCLIC MACHINES

6035
VACUUM ARCS AND SWITCHING

6055
SPARK-GAP SWITCHING OF A 3B4-KJ LOW INDUCTANCE CAPACITOR BANK

6660
A MEANS OF RAISING THE THRESHOLD CURRENT FOR ANODE SPOT FORMATION IN METAL-VAPOR ARCS

6064
ANODE PHENOMENA IN METAL-VAPOR ARCS AT HIGH CURRENTS

6661
ON ANCHORING THE MERCURY POOL CATHODE SPOT

6368
TRIGGERED VACUUM GAPS

7226
DEVELOPMENT OF A HIGH-POWER VACUUM INTERRUPTER

7741
BREAKDOWN AND PREBREAKDOWN PHENOMENA IN LIQUIDS

7774
PROGRESS IN THE FIELD OF ELECTRIC BREAKDOWN IN DIELECTRIC LIQUIDS

7974
LOW VOLTAGE FIRING CHARACTERISTICS OF A TRIGGERED VACUUM GAP

8103
WIDE FREQUENCY RANGE CURRENT TRANSFORMERS

8190
THE EFFECT OF PRESSURE ON THE POSITIVE POINT-TO-PLANE DISCHARGE IN N₂/SUB 2/, O₂/SUB 2/, CO₂/SUB 2/, SO₂/SUB 2/, SF₆/SUB 6/, CCL₄/SUB 2/F₂/SUB 2/, A, HE, AND H₂/SUB 2/

8287
INSULATING MATERIALS FOR DESIGN AND ENGINEERING PRACTICE

8289
A THEORY OF LIQUID SURFACE RUPTURE BY A UNIFORM ELECTRIC FIELD

8305
GASEOUS DISCHARGE SWITCH IN OVERSIZED WAVEGUIDE

8337
DEVELOPMENT OF HIGH VOLTAGE-HIGH CURRENT SWITCHES (FINAL REPORT)

8982
TIME DELAY IN TRIGGERED VACUUM GAP

9007
RECOVERY CHARACTERISTICS OF A TRIGGERED-VACUUM GAP AT HIGH CURRENTS

9012
DEVELOPMENT OF CONTACT MATERIALS FOR VACUUM INTERRUPTERS

10029
POTENTIAL OF AMORPHOUS ALLOYS FOR APPLICATION IN MAGNETIC DEVICES

10125
EXPERIMENTAL AND THEORETICAL STUDY OF A DC ARC IN A CONSTANT DIAMETER NOZZLE FLOW

10130
THYRISTOR DEVICES FOR ELECTRIC POWER SYSTEMS

General Electric Co, Syracuse, NY 13201

3727
ANALYSIS OF PHASED ARRAY RADAR POWER SUPPLY SYSTEMS OPERATING UNDER VARIABLE PULSE LOADING CONDITIONS

4684
A HIGH VOLTAGE D-C REGULATOR SYSTEM PERFORMANCE PREDICTION TECHNIQUE

8127
SIX WAYS TO CONTROL TRANSIENTS: VARISTOR, GAS-DISCHARGE AND RC SUPPRESSORS PROTECT CIRCUITS FROM DESTRUCTIVE SURGES

10775
PULSE COMPRESSION TUBES

General Electric Co, Valley Forge, PA

8115
100-KHZ QUENCHING SPARKGAPS HAVE IE12 A/S CURRENT RISE

General Instrument Corp, Neptune, NJ

3644
SPARK GAPS CAN SWITCH AS WELL AS PROTECT

Georgia Institute of Technology, Atlanta, GA 30332

574
PARAMETER ESTIMATION FOR GENERATOR SIMULATION STUDIES

Georgia Power Co., Atlanta, GA

2350
CORRELATION OF ELECTROCHEMICAL TREERING IN POWER CABLES REMOVED FROM SERVICE AND IN CABLES TESTED IN THE LABORATORY

German Academy of Sciences, East Berlin, DDR

4187
EROSION CRATERS AND ARC CATHODE SPOTS IN VACUUM

Gesellschaft Fur Schwerionenforschung, Darmstadt, FRG

1415
A HIGH VOLTAGE DEFLECTION CONDENSER OPERATED UNDER HIGH VACUUM CONDITIONS

HD-A131 752

PULSED POWER BIBLIOGRPPHY VOLUME 1 INDICES(U) AIR FORCE 4/
WEAPONS LAB KIRTLAND AFB NM J BEMESDERFER ET AL.
AUG 83 AFWL-TR-83-74-VOL-1

UNCLASSIFIED

F/G 20/5

NL





MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

General Electric Co., King of Prussia, PA

4688
DISCHARGE CIRCUITRY FOR HIGH REPETITION RATE METAL VAPOR LASERS

General Electric Co., Philadelphia, PA 19153

9612
DEVELOPMENT OF CONTACT MATERIALS FOR VACUUM INTERRUPTERS

9350
HIGH-CURRENT VACUUM ARCS: PART I. AN EXPERIMENTAL STUDY

General Electric Co., Pittsfield, MA 01201

1296
ELECTROSTATIC AND ELECTROMAGNETIC EFFECTS OF ULTRAHIGH-VOLTAGE TRANSMISSION LINES

4657
STATIC AND DYNAMIC PROPERTIES OF ARCS NEAR FLAME SURFACES

7169
A MODEL FOR THE STUDY OF SWITCHING-SURGE BREAKDOWN OF LONG AIR GAPS

7765
THE CHANNEL OF THE SPARR DISCHARGE

6134
DIELECTRIC BEHAVIOR OF SOME FLUOROGASES AND THEIR MIXTURES WITH NITROGEN

10200
LIGHTNING EFFECTS RELATING TO AIRCRAFT: PART II. CHARACTERISTICS OF SIMULATED LIGHTNING PLASMAS AND THEIR EFFECTS ON LIGHTNING ARRESTERS AND AVIONIC EQUIPMENT

10201
LIGHTNING EFFECTS RELATING TO AIRCRAFT: PART III. MEASUREMENTS OF LIGHTNING-INDUCED VOLTAGES IN AN F4H-1

General Electric Co., Schenectady, NY 12301

960
THE EFFECT OF GLASS DERRIS ON ELECTRON EMISSION AND ELECTRICAL BREAKDOWN OF VACUUM INTERRUPTERS

1264
ELECTRONIC CURRENT TRANSDUCER (ECT) FOR HIGH-VOLTAGE DC LINES

1267
FUNDAMENTAL INVESTIGATION OF ARC INTERRUPTION IN GAS PLOWS

1302
SUPERCONDUCTING ROTOR RESEARCH

1303
LIGHT-TRIGGERED THYRISTORS FOR ELECTRIC POWER SYSTEMS

1304
LIGHT-TRIGGERED THYRISTORS FOR ELECTRIC POWER SYSTEMS (PHASE 2)

2191
PULSE TRANSFORMERS

3495
PLASMA-INJECTION VACUUM ENERGY DIVERTER (CROWBAR)

3501
DEVELOPMENT OF SOLID AND/OR LIQUID-METAL COLLECTORS FOR ACYCLIC MACHINES

6035
VACUUM ARCS AND SWITCHING

6035
SPARR-GAP SWITCHING OF A 384-RJ LOW INDUCTANCE CAPACITOR BANK

6666
A MEANS OF RAISING THE THRESHOLD CURRENT FOR ANODE SPOT FORMATION IN METAL-VAPOR ARCS

6664
ANODE PHENOMENA IN METAL-VAPOR ARCS AT HIGH CURRENTS

6891
ON ANCHORING THE MERCURY POOL CATHODE SPOT

6366
TRIGGERED VACUUM GAPS

7226
DEVELOPMENT OF A HIGH-POWER VACUUM INTERRUPTER

7741
BREAKDOWN AND PREBREAKDOWN PHENOMENA IN LIQUIDS

7776
PROGRESS IN THE FIELD OF ELECTRIC BREAKDOWN IN DIELECTRIC LIQUIDS

7974
LOW VOLTAGE FIRING CHARACTERISTICS OF A TRIGGERED VACUUM GAP

8103
WIDE FREQUENCY RANGE CURRENT TRANSFORMERS

R190
THE EFFECT OF PRESSURE ON THE POSITIVE POINT-TO-PLANE DISCHARGE IN N₂/SUR 2/, O₂/SUR 2/, CO₂/SUR 2/, SO₂/SUR 2/, SF₆/SUR 6/, CCL₄/SUR 2/P/SUR 2/, A. HE, AND N₂/SUR 2/

R207
INSULATING MATERIALS FOR DESIGN AND ENGINEERING PRACTICE

6209
A THEORY OF LIQUID SURFACE RUPTURE BY A UNIFORM ELECTRIC FIELD

R305
GASEOUS DISCHARGE SWITCH IN OVERSIZED WAVEGUIDE

6337
DEVELOPMENT OF HIGH VOLTAGE-HIGH CURRENT SWITCHES (FINAL REPORT)

R902
TIME DELAY IN TRIGGERED VACUUM GAP

9807
RECOVERY CHARACTERISTICS OF A TRIGGERED-VACUUM GAP AT HIGH CURRENTS

9812
DEVELOPMENT OF CONTACT MATERIALS FOR VACUUM INTERRUPTERS

10029
POTENTIAL OF AMORPHOUS ALLOYS FOR APPLICATION IN MAGNETIC DEVICES

10125
EXPERIMENTAL AND THEORETICAL STUDY OF A DC ARC IN A CONSTANT DIAMETER NOZZLE FLOW

10130
THYRISTOR DEVICES FOR ELECTRIC POWER SYSTEMS

General Electric Co., Syracuse, NY 13201

3727
ANALYSIS OF PHASED ARRAY RADAR POWER SUPPLY SYSTEMS OPERATING UNDER VARIABLE PULSE LOADING CONDITIONS

4684
A HIGH VOLTAGE D-C REGULATOR SYSTEM PERFORMANCE PREDICTION TECHNIQUE

R127
SIX WAYS TO CONTROL TRANSIENTS: VARISTOR, GAS-DISCHARGE AND RC SUPPRESSORS PROTECT CIRCUITS FROM DESTRUCTIVE SURGES

10375
PULSE COMPRESSION TUBES

General Electric Co., Valley Forge, PA

R115
100-RN2 QUENCHING SPARKGAPS HAVE IE12 A/S CURRENT RISE

General Instrument Corp., Hightstown, NJ

3644
SPARK GAPS CAN SWITCH AS WELL AS PROTECT

Georgia Institute of Technology, Atlanta, GA 30332

374
PARAMETER ESTIMATION FOR GENERATOR SIMULATION STUDIES

Georgia Power Co., Atlanta, GA

2350
CORRELATION OF ELECTROCHEMICAL TREEING IN POWER CABLES REMOVED FROM SERVICE AND IN CABLES TESTED IN THE LABORATORY

German Academy Of Sciences, East Berlin, DDR

4107
EROSION CRATERS AND ARC CATHODE SPOTS IN VACUUM

Gesellschaft Fur Schwerionenforschung, Darmstadt, FRG

1415
A HIGH VOLTAGE DEFECTION CONDENSER OPERATED UNDER HIGH VACUUM CONDITIONS

Goddard Space Flight Center, Greenbelt, MD

1305
THE PREVENTION OF ELECTRICAL BREAKDOWN IN SPACECRAFT

1699
PREVENTION OF ELECTRICAL BREAKDOWN IN SPACECRAFT

6394
ACTIVE LAMP PULSE DRIVER CIRCUIT

Serpukhov Polytechnic Institute, USSR

317
GENERATOR PRODUCING NANOSECOND PULSES WITH AN INCREASED
REPETITION FREQUENCY

2094
NANOSECOND-PULSE GENERATOR USING THYRISTORS

6446
COLLECTIVE ION ACCELERATION BY A HIGH-CURRENT RELATIVISTIC
ELECTRON BEAM

6491
A PROGRAMMING GENERATOR PRODUCING POWERFUL NANOSECOND PULSES

9399
HIGH-FREQUENCY MAGNETOTHRISTOR GENERATOR OF POWERFUL
NANOSECOND PULSES

Obssledovaniy; Komitet Po Ispol'zovaniyu Atomnoj Energii
Moscow. Inst. Teoreticheskoy i Eksperimental'noy
Fiziki.

10455
INVESTIGATION OF THE RE-ESTABLISHMENT OF IMPULSE ELECTRICAL
STRENGTH AFTER DISCHARGE IN SPARK CHAMBERS WITH SMALL
CLEARANCE

Gould Inc, Colmar, PA 19315

516
DEVELOPMENT OF DISTRIBUTION AND SURTRANSMISSION SF/SUB 6/
CIRCUIT BREAKER AND HYBRID TRANSMISSION INTERRUPTER

2147
MAGNETICALLY CONTROLLED VACUUM-ARC ON-OFF SWITCH

7257
SF/SUB 6/ PADDED INSULATION

Gould Inc, Greensburg, PA 15601

5555
STUDY OF ARC BY-PRODUCTS IN GAS-INSULATED EQUIPMENT

7251
MAGNETICALLY MODULATED VACUUM ARC FOR DC SWITCHING

Government Of Israel Scientific Department, Tel-Aviv, Israel

641
A COMPACT POWERFUL-PULSE GENERATOR

Grenoble-1 University, Annecy, France

R661
LOW NOISE, LARGE DYNAMIC RANGE PULSE AMPLIFIER

Gulf Energy And Environmental Systems, Inc., San Diego, CA

5526
IONIZATION RADIATION EFFECTS IN INSULATORS AND INSULATING
PARTS

GEC Marconi Research Labs, Essex, UK

127
POWER SYSTEM FOR A HIGH-POWER BURST MODE PULSED LOAD

3742
CHARGING AND STABILISING SYSTEM FOR A PULSED CROSSED-FIELD
AMPLIFIER USING AN SCR-SWITCHED ULTRASONIC INVERTER

5556
DOUBLE-ENDED THYRISTORS IN HIGH-POWER BURST MODE PULSE
MODULATOR APPLICATIONS

GEC Measurement Ltd, Stafford, UK

4105
NOVEL CAPACITOR-DIVIDER VOLTAGE SENSORS FOR HIGH-VOLTAGE
TRANSMISSION SYSTEMS

GAIE Atomic Energy Institute, Moscow, USSR

551
HIGH-VOLTAGE PULSE GENERATOR FOR WIRE SPARK CHAMBERS

1777
RIG FOR TESTING COLO CATHODES

4389
REGULATOR FOR HIGH VOLTAGE CAPACITOR BANK

5192
RER FOCUSING IN A HIGH-VOLTAGE DIODE

5255
USE OF A CORONA IN THE NEEDLE-PLANE SYSTEM AS A
HIGH-VOLTAGE DIVIDER ELEMENT

R278
ROGOVSKII LOOP FOR MEASUREMENT OF CURRENTS OF NANOSECOND
DURATION

6675
PERFORMANCES OF THE OUTLET PULSE VALVE FOR THE PROTON
SOURCE OF THE I-2 LINEAR ACCELERATOR

OTE Labs Inc., Meltham, MA 02154

5565
HERTZIAN ARRAY SWITCH INVESTIGATION

7125
VERSATILE HIGH ENERGY CAPACITOR DISCHARGE SYSTEM

OTE Sylvania, Inc, Needham Heights, MA 02154

7246
HAYSTACK MILL LONG-RANGE IMAGING RADAR TRANSMITTER

10408
155-KA DIRECT DRIVE EMP PULSER

M.G. Aerco, Ltd., Niagara Falls, Ontario, Canada

9051
EXPERIMENTAL OBSERVATION OF SURFACE CHARGING OF
HIGH-VOLTAGE INSULATORS FOR VACUUM APPARATUS

M.N. Mills Physics Lab, Royal Port, UK

671
A FLEXIBLE HIGH POWER PULSE GENERATOR USING THYRISTORS

Maefly Ltd, Basel, Switzerland

621
THE GENERATION OF LIGHTNING AND SWITCHING IMPULSE VOLTAGES
IN THE UVV REGION WITH AN IMPROVED MARX CIRCUIT

5676
INFLUENCE OF CORONA DISCHARGES ON THE BREAKDOWN VOLTAGE OF
AEROSOLS

Mahn-Meltnar Inst, FRG

10256
ADC DATA ACQUISITION SYSTEM FOR THE ACCELERATOR VICKSI

Manford Engineering Development Lab., Richland, WA.,
Department of Energy.

10105
HIGH VOLTAGE INSTRUMENT CABLES FOR 655 OEO.C IN-VESSEL
BREEDER REACTOR SERVICE

Harry Diamond Labs, Adelphi, MD 20705

119
UPGRADING THE AURORA SIMULATOR

247
DESIGN STUDY FOR AN AURORA MODIFICATION LEADING TO A
105-TERAWATT NUCLEAR WEAPON RADIATION SIMULATOR

1295
DESIGN STUDY FOR AN AURORA MODIFICATION LEADING TO A
155-TERAWATT NUCLEAR WEAPON RADIATION

1446
HIGH-IMPEDANCE ION-DIODE EXPERIMENT ON THE AURORA PULSER

5457
AURORA ELECTRON BEAM MODIFICATION

5515
VOLTAGE AND CURRENT MEASUREMENTS IN NIFX DIODES

6895
IMPROVED DESIGN AURORA MODIFICATION PROGRAM (IOAMP)

10391
REFLEX TRIODE WITH UNIDIRECTIONAL ION FLOW

10411
ELECTROMAGNETIC ASPECTS OF EMP TESTING

Harry Diamond Labs, Washington, DC 20438

2003
SUBNANOSECOND RISE TIME PULSES FROM INJECTION LASERS

2008
300 KV RECTANGULAR PULSE GENERATOR WITH NANOSECOND RISE TIME

3359
THE DAMAGE SUSCEPTIBILITY OF INTEGRATED CIRCUITS TO A SIMULATED IEMP TRANSIENT

5597
TEST PROCEDURES FOR EVALUATING TERMINAL PROTECTION DEVICES USED IN EMP APPLICATIONS

8390
A SIMPLE GENERATOR OF SEVERAL-HUNDRED-KILOVOLT PULSES WITH NANOSECOND RISE TIMES

10348
LONG-DURATION PULSER TO SIMULATE CW OPERATION

10415
TEMPS (TRANSPORTABLE EMP SIMULATOR) FINAL REPORT: VOLUME II. APPENDICES

10416
TEMPS (TRANSPORTABLE EMP SIMULATOR) FINAL REPORT: VOLUME I

Harvard University, Cambridge, MA

1314
HIGH VOLTAGE BREAKDOWN IN AN OSD-4 POINTED EXPERIMENT

1335
CURRENTS AND CHARGES ON CYLINDERS IN A PARALLEL-PLATE TRANSMISSION LINE

1402
CONTRIBUTION TO THE THEORY OF IMPULSE BREAKDOWN

4091
THE AFFLICTION OF PASCHEN'S LAW TO THE RE-IONIZATION OF AN ARC

Hebrew University, Jerusalem, Israel

3954
ENERGY TRANSFER FROM A LOW-VOLTAGE CAPACITOR BANK TO A HIGH INDUCTANCE WITH THE AID OF AN AIR PULSE TRANSFORMER

7541
ELECTRODE-LIMITED AND SPACE-CHARGE-LIMITED TRANSIENT CURRENTS IN INSULATORS

High Voltage Engineering Corp, Burlington, MA

5048
TRANSIENTS IN LARGE TANDEM ACCELERATORS

High Voltage Institute, Kassel, FRG

8961
QUENCHING PROCESSES OF AXIALLY INHOMOGENEOUS ARCS IN SF/SUB 6/ CIRCUIT BREAKERS

High Voltage Lab, Aachen, FRG

8978
THEORETICAL AND EXPERIMENTAL INVESTIGATION OF THE STOCHASTIC BEHAVIOR OF AN SF/SUB 6/ BLAST-SWITCHING ARC

Hirst Research Labs, Wembley, UK

3701
THYRISTORS FOR PULSE MODULATION AT HIGH PEAK AND AVERAGE POWERS

Hochspannungsinstitut, Technical University, Munich, Germany

4917
FIRING AND VOLTAGE SHAPE OF MULTISTAGE IMPULSE GENERATORS

Malher Science College, Indore, India

435
DIELECTRIC INVESTIGATION OF ELECTRIC DISCHARGES IN A MERCURY VAPOUR FILLED THYRATRON

Honeywell Corporate Research Center, Bloomington, MN 55420

5233
AN INFORMATIVE METHOD FOR RECORDING PARTIAL DISCHARGES IN INSULATING MATERIALS

Hosei University, Tokyo, Japan

9696
THREE-DIMENSIONAL ANALYSIS OF THE MAGNETODYNAMIC FIELDS IN ELECTROMAGNETIC DEVICES TAKEN INTO ACCOUNT THE DYNAMIC HYSTERESIS LOOPS

Huddersfield Polytechnic, Huddersfield

4741
A SIMPLE CIRCUIT FOR THE PRODUCTION OF A HIGH VOLTAGE STEP

Hughes Aircraft Co, Culver City, CA 90230

4717
A COMPACT LOW INDUCTANCE LOAD FOR PULSE TESTS

4737
PULSE DISCHARGE CAPACITOR WEIGHT MINIMIZATION BY FEAR POIL EDGE FIELDS

5249
FLUOROCARBON GASES

5331
CAPACITORS FOR AIRCRAFT HIGH POWER (FINAL REPORT)

7197
APPLICATION OF FPM CAPACITORS IN HIGH POWER SYSTEMS

10222
SULFUR HEXAFLUORIDE

Hughes Aircraft Co, Fullerton, CA

3745
EVALUATION OF HVDC FUSES AS TMT PROTECTIVE DEVICES

4411
FLOATING DEGR GRID MODULATOR

Hughes Aircraft Co, Torrance, CA 90509

7240
A MODULATOR FOR THE SEASAT-A RADAR ALTIMETER

Hughes Research Labs, Malibu, CA 90265

124
ORIENTATION INDEPENDENT IGNITRON

1502
A LONG PULSE, HIGH-CURRENT ELECTRON GUN FOR E-BEAM SUSTAINED EXCIMER LASERS

2180
OPERATING CHARACTERISTICS OF THE CROSSED-FIELD CLOSING SWITCH

2211
A HIGH SPEED HVDC CIRCUIT BREAKER WITH CROSSED-FIELD INTERRUPTERS

3006
HIGH AVERAGE POWER TESTS OF A CROSSED-FIELD CLOSING SWITCH

3758
THE CROSSED FIELD SWITCH TUBE AND ITS APPLICATION TO HIGH POWER MODULATORS

4192
CROSSED-FIELD CLOSING SWITCH DEVELOPMENT

4708
THE LIQUID METAL PLASMA VALVE CLOSING SWITCH

8542
THE GAMITRON-A HIGH POWER CROSSED-FIELD SWITCH TUBE FOR HVDC INTERRUPTION

4542
PULSE MODULATOR BEHAVIOR OF THE LIQUID METAL PLASMA VALVE (LMFV)

T254
THE CROSSED-FIELD CLOSING SWITCH-A STATUS REPORT

7735
A PHYSICAL MODEL ON THE INITIATION OF ATMOSPHERIC-PRESSURE GLOW DISCHARGES

8957
PROPERTIES OF ANCHORED CATHODE SPOTS OF A DC MERCURY VACUUM ARC

8988
FEASIBILITY OF A HIGH AVERAGE POWER CROSSED FIELD CLOSING SWITCH

10233
RESEARCH AND DEVELOPMENT ON DC CIRCUIT BREAKERS (FINAL REPORT)

Hydro-Quebec Institute of Research, Veransee, Quebec, Canada

3228
CAPACITANCE CALCULATIONS FOR SOME BASIC HIGH VOLTAGE ELECTRODE CONFIGURATIONS

4216
BEHAVIOR OF AIR INSULATING GAPS OF DC SYSTEMS UNDER IMPULSE, DC AND COMPOSITE VOLTAGES

4474
INFLUENCE OF RAIN ON SWITCHING IMPULSE SPARKOVER VOLTAGE OF LARGE-ELECTRODE AIR GAPS

4788
MULTI-STAGE SYNTHETIC CIRCUIT FOR EXTRA-HIGH-VOLTAGE CIRCUIT-BREAKER TESTING

5551
LOW-FREQUENCY SHIELDING EFFECTIVENESS OF A DOUBLE CYLINDER ENCLOSURE

7788
THE INFLUENCE OF SOLID-STATE COMESION OF CONDITIONED METAL ELECTRODES ON THE ELECTRICAL STRENGTH OF THE VACUUM GAP

7789
THE NATURE OF METAL-ELECTRODES/SP/SUB 6/ REACTIONS IN SP/SUB 6/ DECOMPOSITION DUE TO DIRECT-CURRENT INTERRUPTION UNDER SIMULATED CIRCUIT-BREAKER CONDITIONS

T909
A NOVEL CONDUCTING GLAZE

8987
DIGITAL IMPULSE RECORDER FOR HIGH-VOLTAGE LABORATORIES

9881
EXPERIMENTAL OBSERVATION OF SURFACE CHARGING OF HIGH-VOLTAGE INSULATORS FOR VACUUM APPARATUS

MOLEC M.V., Utrecht, Netherlands

8977
THE VOLTAGE ACROSS A FUSE DURING THE CURRENT INTERRUPTION PROCESS

I.V. Kurchatov Institute of Atomic Energy, Moscow, USSR

1050
PLASMA ACCELERATION IN A COAXIAL INJECTOR WITH NONCYLINDRICAL ELECTRODES DRIVEN BY AN INDUCTIVE STORAGE DEVICE

1167
ACCELERATOR MODULE OF 'ANDARA-S'

1197
HIGH PULSED MAGNETIC FIELDS FOR NUCLEAR FUEL ROD SEALING

4134
TRANSPORT OF A RELATIVISTIC ELECTRON BEAM TO A FUSION TARGET

5715
ION ACCELERATION IN A MAGNETICALLY INSULATED OTOOE

4873
VOLUME DISCHARGE WITH UV PREIONIZATION

7107
CONTRACTION OF THE DECAYING PLASMA IN A NITROGEN DISCHARGE

7135
DEVELOPMENT OF HIGH-CURRENT ELECTRON ACCELERATORS

8925
DISTRIBUTION FUNCTION AND MEAN ENERGY OF ELECTRONS IN A HIGH-FREQUENCY MOLECULAR-GAS DISCHARGE

8951
NUMERICAL STUDY OF UNSTEADY PROCESSES IN A PARADAY PNO GENERATOR

Ian Smith Inc., Alameda, CA 94501

114
LINEAR INDOCTION ACCELERATORS MADE FROM PULSE-LINE CAVITIES WITH EXTERNAL PULSE INJECTION

Ibaraki University, Mitachi-shi, Ibaraki, Japan

9510
TYPICAL PHENOMENA OBSERVED IN A SHORT-GAP ATMOSPHERIC DISCHARGE USING ROTOR AND POST ELECTRODES

Iker Inc, Burlington, MA

5518
PICOSECOND RISETIME SWITCH STUDY

Illinois Institute of Technology, Chicago, IL

5549
GEOMETRICAL EFFECTS ON SHIELDING EFFECTIVENESS AT LOW FREQUENCIES

6704
ANALYSIS OF FLUX COMPRESSION EXPERIMENTS III

4918
THEORY OF THE CHARE EFFECT

Imperial College Of Science And Technology, London, UK

8995
ON THE HIGH-FREQUENCY RESPONSE OF A ROGOWSKI COIL

9218
THE GLOW-DISCHARGE-TO-ARC TRANSITION INSTABILITY

10209
THE PERFORMANCE OF ELECTRICAL FUSES UNDER IMPULSIVE CONDITIONS I:DC SUPPLIES

Imperial College, University of London, London, UK

2042
ULTRASHORT PULSE MEASUREMENTS

Indian Institute of Science, Bangalore, India

446
ROLE OF SILICON CARBIDE/MERCURY INTERFACE IN IONITRONS

4810
PREBREAKDOWN CURRENT MEASUREMENTS IN VACUUM GAPS STRESSED BY ALTERNATING VOLTAGES

4582
LOW-VOLTAGE AND HIGH-CURRENT DELAY CHARACTERISTICS OF A SIMPLE TRIGGERED VACUUM GAP

4484
SPARKING POTENTIALS AND IONISATION COEFFICIENTS IN SP/SUB 6/

4456
DISTRIBUTION OF SURFACE CHARGES ON PERSPEX DUE TO PARTIAL DISCHARGES

4914
EPOXY RESIN CHAMBER FOR HIGH VOLTAGE BREAKDOWN STUDIES IN HIGH VACUUM

5574
IMPULSE-VOLTAGE BREAKDOWN CHARACTERISTICS OF LARGE GAPS AT LOW PRESSURES

7494
THE MECHANISM OF ELECTRICAL BREAKDOWN OF GASES, INITIATED BY A LARGE NUMBER OF ELECTRONS

Indian Institute of Technology, Kanpur, India

1412
MODIFIED PLT HIGH VOLTAGE DIELECTRICS

Indian Institute Of Technology, New Delhi-110029, India

658
HIGH-POWER PULSE GENERATION

Informatica, Inc., Rockville, MD.

8604
CALCULATIONS FOR EXPLOSIVE MAGNETIC GENERATORS

Institut Universitaire de Recherche Scientifique, Chemin
Philippen, Pau, France

2957
THE ROLE OF THE CATHODE ZONE IN THE TRANSITION CORONA
EFFECT ARC

Institut für Experimentelle Kernphysik, Karlsruhe, FRG

5648
SUPERCONDUCTING SWITCH WITH IMPULSE CURRENT TRIGGERING

Institut für Plasmaphysik, Garching, FRG

477
ESTIMATES ON THE ACCELERATION OF PELLETS BY GASDYNAMIC AND
ELECTROSTATIC MEANS

1413
PULSED CHARGING OF CAPACITORS BY MEANS OF EXPLODING WIRES

2397
HIGH VOLTAGE PROTECTION OF HIGH POWER ION SOURCES BY FAST
VACUUM TUBE SWITCHES

2441
DYNAMIC CONSTRAINTS ON INDUCTIVE ENERGY STORAGE

3718
INVESTIGATION OF THE EROSION PHENOMENA IN HIGH CURRENT,
HIGH PRESSURE GAS DISCHARGES

3719
IR ABSORPTION OF HIGHLY EXCITED SF₆/SUB 6/

4188
INVESTIGATIONS ON FAST SWITCHING
SUPERCONDUCTIVE/NORMALCONDUCTIVE CURRENT BREAKERS
(CRYOTRONS)

4382
FERRITE DECOUPLED CROWBAR SPARK GAP

4768
EFFECTS OF SPARK GAP GEOMETRY AND LASER COMPONENTS ON THE
LASER-TRIGGERED ELECTRIC BREAKDOWN

5583
EXPERIMENTAL RESULTS WITH SC/MC BREAKERS

5653
CAPACITOR BANKS FOR A TURBULENCE HEATING EXPERIMENT

5655
CROWBAR SYSTEM IN ISAR I

5663
GENERATION OF RAPID RISE CURRENT PULSES IN THE MSEC RANGE
FOR FAST COMPRESSION EXPERIMENTS

5672
PRESSURIZED SWITCHING UNIT DESIGNED TO START AND TO CROWBAR
A TURBULENCE HEATING EXPERIMENT

5676
SAFETY PROBLEMS IN THE JULIETTA CAPACITOR BANK

5677
SWITCHES FOR HIGH CURRENT DEVICES

5686
A 15 KV TRIGGER-GENERATOR WITH SPARK GAP

5824
INVESTIGATION OF THE EROSION PHENOMENON IN HIGH CURRENT,
HIGH PRESSURE GAS DISCHARGES

8274
TEMPERATURE DETERMINATION FOR ARCS IN SULPHUR HEXAFLUORIDE
ACCOUNTING FOR OSMOSIS

Institut für Technische Physik, OPVL, Stuttgart, FRG

8928
EFFECT OF SELF-MAGNETIC FORCES ON THE ANODE MECHANISM OF A
HIGH CURRENT DISCHARGE

Institut für Werkstoffe der Elektrotechnik, Ruhr-Universität
Bochum, FRG

8998
PRODUCTION OF PULSED MAGNETIC FIELDS WITH A PLAT PULSE TOP
OF 440 ROE AND 1 MSEC DURATION

Institut Franco-Allemand Recherches, St. Louis, France

10445
A 730 KW PULSE GENERATOR AND ITS USE FOR THE PRODUCTION OF
X-RAY AND ELECTRON FLASHES

Institut für Elektronenmikroskopie Am Fritz-Haber-Institut
Der Max-Planck-Gesellschaft, Berlin, GDR

3185
CAPTIVE MEASUREMENTS OF SLOW FLUCTUATIONS IN HIGH-VOLTAGE
SUPPLIES FOR ELECTRON MICROSCOPES

Institut für Theoretische Physik, Universität Graz

6784
ANALYSIS OF PLASMA COMPRESSION EXPERIMENTS III

Institut Max von Laue-Paul Langevin, France

3623
HIGH-VOLTAGE CONDITIONING AT LARGE GAPS IN INDUSTRIAL VACUUM

Institute of Nuclear Physics, Siberian Div. of the USSR
Academy of Sciences, Novosibirsk, USSR

7899
A PULSED ELECTRON BEAM ACCELERATOR 'AQUADEN'

Institute of Semiconductor Physics, Academy of Sciences of
the USSR, Novosibirsk, USSR

478
EXCITATION OF HIGH-PRESSURE LASER MEDIA BY A DISCHARGE
THROUGH AN INSULATOR

Institute for Problems in Mechanics, Moscow, USSR

572
OPTICAL DISCHARGES

Institute for Pure & Applied Mechanics, Novosibirsk, USSR

2439
COMPACT HIGH-VOLTAGE ACCELERATORS OF CHARGED PARTICLES IN
SPACE EXPERIMENTS

Institute of Applied Mathematics, Academy of Sciences of the
USSR, Moscow, USSR

6917
APPROXIMATE THEORY FOR AMPLIFICATION OF MAGNETIC FIELDS

Institute of Applied Physics, Univ. Bern, Switzerland

3198
NOVEL SHORT RECOVERY TIME HIGH-VOLTAGE SWITCH

Institute of Atmospheric Optics, Academy of Sciences of the
USSR, Moscow, USSR

3772
RAPID CUTOFF OF A HIGH CURRENT IN AN ELECTRON-BEAM-EXCITED
DISCHARGE

6449
COMPUTATION OF THE ELECTRIC FIELD AT MULTIPPOINT CATHODES

6449
NONINDEPENDENT PULSED ATMOSPHERIC PRESSURE DISCHARGE
SUSTAINED BY A HIGH-ENERGY ELECTRON BEAM LASTING 100
MICROSECONDS

6929
ELECTRIC FIELD DISTRIBUTION IN THE ANODE LAYER OF A
NON-SELF-MAINTAINED VOLUMETRIC DISCHARGE SUSTAINED BY A
BEAM OF FAST ELECTRONS

6939
FORMATION OF A SPARK CHANNEL IN A BULK DISCHARGE INITIATED
BY A FAST-ELECTRON BEAM

6936
SOME CHARACTERISTICS OF A SPARK DISCHARGE INITIATED BY AN
ELECTRON BEAM

6960
THE DIFFUSE AND CHANNEL STAGES IN THE OVERVOLTAGE BREAKDOWN
OF A GAS GAP

6998
FORMATION OF A HIGH-CURRENT VACUUM SPARK BY THE HIGH-SPEED
INTERFEROMETRY METHOD

7019
PROPERTIES OF A SPACE DISCHARGE EXCITED BY AN ELECTRON BEAM
OF 10-5 SEC DURATION

9517
A GENERATOR FOR SHAPING SINGLE HIGH-VOLTAGE NANOSECOND
PULSES ACROSS AN UNMATCHED LOAD

18074
EXPLOSIVE EMISSION ELECTRONS FROM METALLIC NEEDLES

18175
MICRODISCHARGES ON THE SURFACE OF A DIELECTRIC IN A VACUUM

Institute Of Atomic Energy, Moscow, USSR

5191
CIRCUIT FOR SHAPING SHORT HIGH-VOLTAGE PULSES

Institute Of Atomic Physics, Bucharest, Rumania

448
SQUARE PULSE GENERATOR WITH PULSES OF LARGE AMPLITUDE AND
OF VARYING DURATION AND FREQUENCY

Institute Of Atomic Physics, Moscow, USSR

5106
MULTICHANNEL VACUUM SPARK GAP

Institute Of Automation And Electrical Measurements, Academy
of Sciences of the USSR, Novosibirsk, USSR

6819
EXPLODING WIRES WITH HIGH ENERGY INPUT

Institute Of Automation And Electrometry, Academy of Sciences
of the USSR, Novosibirsk, USSR

6632
A COMPENSATED SHUNT FOR MEASUREMENT OF POWERFUL
NONSTATIONARY CURRENTS

6815
ELECTRICAL CONDUCTIVITY OF AN ALUMINUM FOIL IN AN
ELECTRICAL EXPLOSION

6852
INVESTIGATING PREBREAKDOWN FIELDS IN WATER BY MEANS OF THE
KERR EFFECT

6857
MAGNETIC ACCUMULATION IN A PLANE LINER OF FINITE THICKNESS

6838
MAGNETIC ACCUMULATION IN A TAILORED-PROFILE, PLANE,
EXPLOSIVE-MAGNETIC GENERATOR WITH ARBITRARY LOAD

6874
WORK PERFORMED BY A PLANAR EXPLOSION MAGNETIC GENERATOR ON
A RESISTIVE LOAD

6948
MECHANISM OF THE PULSED ELECTRICAL BREAKDOWN OF WATER

6955
OPTICAL STUDY OF NANOSECOND PREBREAKDOWN PHENOMENA IN WATER

Institute Of Earth Physics, Academy of Sciences of the USSR

7138
EXPLOSION-MAGNETIC GENERATOR WITH AN INDUCTIVE LOAD

Institute Of Electrical Welding, Academy Of Sciences
Ukrainian SSR, Kiev

4778
MODULATION OF THE TRANSMISSION FACTOR OF RESISTIVE DIVIDERS
IN MEASURING A HIGH DC VOLTAGE

Institute Of Electronics, Automation, And Remote Control,
Academy of Sciences of the Georgian SSR, Tbilisi, USSR

3822
ALTERNATING MAGNETIC-FIELD INDUCTION METER UTILIZING THE
HALL EFFECT

Institute Of Engineering Physics, Academy of Sciences of the
USSR, Khar'kov

4489
USE OF A 'LASER SPARK' TO INITIATE A HIGH-POWER
HIGH-PRESSURE GAS DISCHARGE

Institute Of Heat And Mass Transfer, Academy of Sciences of
the Belorussian SSR, Minsk, USSR

8994
OPTIMIZATION OF ENERGY CONVERSION IN ELECTRICAL EXPLOSION
OF A CONDUCTOR IN A LIQUID

Institute Of High Current Electronics, Academy of Sciences of
the USSR, Moscow, USSR

6694
TRANSITION FROM A NON-SELF-SUSTAINED VOLUME DISCHARGE
MAINTAINED BY A BEAM OF FAST ELECTRONS TO A SPARK DISCHARGE

Institute Of High-Energy Physics, Protvino, USSR

144
NEUTRINO BEAM OF THE INSTITUTE OF HIGH-ENERGY PHYSICS. V.
PULSED POWER SUPPLY FOR THE NEUTRINO FOCUSING SYSTEM

Institute Of Hydrodynamics, Academy of Sciences of the USSR,
Moscow, USSR

6672
EXPLOSIVE GENERATORS

Institute Of Nuclear Physics, Academy of Sciences of the
USSR, Novosibirsk, USSR

1155
HIGH-VOLTAGE MEGA-AMP ARC GAP WITH DESTRUCTIBLE ELECTRODES

2818
GENERATOR PRODUCING TRAINS OF HIGH-VOLTAGE PULSES IN THE
NANOSECOND RANGE

5538
PLASMA-SURFACE SOURCE OF NEGATIVE IONS

6436
SURFACE BREAKDOWN OF A SOLID DIELECTRIC IN VACUUM. III.
QUANTITATIVE MODEL

6438
A GENERATOR OF POWERFUL PULSES OF COMPLEX SHAPE

6451
CURRENT PULSE GENERATOR

6548
TRANSFORMER TYPE ACCELERATORS FOR INTENSE ELECTRON BEAMS

6599
HIGH-VOLTAGE GENERATORS OF NANOSECOND PULSES

6446
SUPPLY AND CONTROL OF AN ACCELERATOR ACTING ON THE
PRINCIPLE OF A TESLA TRANSFORMER

6476
HIGH-VOLTAGE MEGA-AMPERE CABLE TRANSFORMER

6695
USE OF AN EXPLOSIVE MAGNETIC GENERATOR TO SUPPLY A GAS
DISCHARGE

6919
COMPUTER CALCULATION OF QUASISTATIONARY PULSED MAGNETIC
FIELDS

6957
EXPLOSIVELY-DRIVEN MAGNETIC GENERATOR WITH FAST MEGA-AMPERE
FIELD

6958
FLUX LOSS IN THE PRODUCTION OF ULTRA-STRONG FIELDS BY RAPID
COMPRESSION OF CONDUCTING SHELLS

6952
ON POSSIBILITIES OF TRANSFORMER TYPE ACCELERATORS

6977
BREAKDOWN OF WATER IN A SYSTEM WITH 'DIFFUSION' ELECTRODES

9513
THE PRODUCTION OF PULSED MEGA-AMPERE FIELDS BY COMPRESSION OF
THE METALLIC CYLINDER IN Z-PINCH CONFIGURATION

10119
METHODS OF MEASURING VARYING AND PULSED MAGNETIC FIELDS
(REVIEW)

Institute Of Nuclear Physics, Academy of Sciences of the
USSR, Novosibirsk, USSR

3708
HIGH POWER RELATIVISTIC ELECTRON BEAMS IN PLASMA AND IN
VACUUM

3752
TRANSFORMER-TYPE HIGH-CURRENT ACCELERATOR

6692
THE DEVELOPMENT OF ELECTRICAL DISCHARGE IN WATER

Institute of Nuclear Physics, Academy of Sciences of the USSR, Novosibirsk, USSR, USSR

2018
GENERATOR PRODUCING TRAINS OF HIGH-VOLTAGE PULSES IN THE NANOSECOND RANGE

The Institute of Physical and Chemical Research, Wako-shi, Saitama, Japan

10334
OUTPUT PERFORMANCE OF THE COAXIAL-TYPE MARX GENERATOR CONSISTING OF BATIO/SUB 3/ SERIES CERAMIC CAPACITORS

Institute of Physical Studies, Academy of Sciences of the Armenian SSR, Ashtarak, USSR

8828
HIGH-CURRENT ELECTRON ACCELERATOR FOR OPTICAL PUMPING OF GASES

Institute of Physics and Technology, Academy of Sciences, Geor. SSR, Bikhuni, USSR

8886
SPARK SOURCE IN A HIGH-CURRENT ELECTRON INJECTOR

Institute of Physics Research, Academy of Sciences of the Armenian SSR, Ashtarak

3787
EXPERIMENTAL INVESTIGATION OF THE STABILITY CONDITIONS OF A DISCHARGE IN A GAS STREAM

Institute of Physics, Academy of Sciences of the Azerbaijan SSR, Baku, USSR

10194
DESTRUCTION OF POLYMER DIELECTRICS BY PARTIAL DISCHARGES

Institute of Physics, Academy of Sciences of the BSSR, Minsk

8893
SIMILARITY BETWEEN PHYSICAL PROCESSES IN A PULSED DISCHARGE AND IN THE EFFECT OF LASER RADIATION ON A METAL

Institute of Physics, Academy of Sciences of the Georgian SSR, Tbilisi, USSR

7172
THE USE OF A PLANAR THREE-ELECTRODE BLUMLEIN LINE FOR THE SUPPLY OF SYMMETRIC STREAMER CHAMBERS

Institute of Physics, Polish Academy of Sciences, Warsaw, Poland

7184
THE DESIGN OF SOLENOIDS FOR GENERATING HIGH MAGNETIC FIELDS

Institute of Physics, University of Uppsala, Uppsala, Sweden

4870
STUDY OF A 40 KV MULTISTAGE SPARK GAP OPERATED IN AIR AT ATMOSPHERIC PRESSURE

10043
9T KERR-CELL STUDIES OF EXPLODING WIRES IN VACUUM

Institute of Semiconductor Physics, Academy of Sciences of the USSR, Novosibirsk, USSR

1537
GENERATION OF VOLTAGE PULSES FOR TRANSVERSE DISCHARGES

1991
GENERATORS PRODUCING VOLTAGE FOR A TRANSVERSE DISCHARGE

3840
HIGH-VOLTAGE GAS-FILLED SPARK GAP

Institute of Theoretical and Applied Mechanics, Academy of Sciences of the USSR, Novosibirsk, USSR

1070
A COMPACT PULSED ELECTRON ACCELERATOR WITH AN INDEPENDENT POWER SUPPLY

Institute of Theoretical and Applied Mechanics, Siberian Branch, Academy of Sciences of the USSR, Novosibirsk

6949
MEGAVOLT ENERGY-CONCENTRATING DEVICE

Institute of Theoretical and Experimental Physics, Moscow, USSR

593
A GENERATOR FOR STARTING ACOUSTIC CHAMBERS

438
FORMATION OF COMPLEX MAGNETIC CYCLES IN A 7-GEV PROTON SYNCHROTRON

2090
HIGH-VOLTAGE PULSE GENERATOR

8240
HIGH-VOLTAGE PULSE GENERATOR IN THE NANOSECOND RANGE

Institutet For Hogspenningsforskning, Uppsala, Sweden

1750
TEMPERATURE OF THE RESTRICTION CHANNELS OF EXPLODING WIRES

Instituto Politecnico Nacional, Mexico City, Mexico

10291
DESIGN AND CONSTRUCTION OF A PRECISION PULSE GENERATOR

Intermagnetic General, Guildford, NY

7217
MAGNET OPTIMIZATION FOR PULSED ENERGY CONVERSION

International Research and Development Co Ltd, Newcastle-upon-Tyne, UK

10855
ELECTRODE PROTRUSIONS PRODUCED BY ELECTRON BEAM BOMBARDMENT AND THEIR ROLE IN VACUUM BREAKDOWN

Ion Physics Corp, Burlington, MA 01803

540
ON THE DEVELOPMENT OF A REPETITIVELY PULSED ELECTRON BEAM SYSTEM

579
IS-KJ LC GENERATOR: LOW INDUCTANCE DEVICE FOR A 100-CM PULSED ELECTRON ACCELERATOR

815
PRECISE LASER INITIATED CLOSURE OF MULTIMEGAVOLT SPARK GAPS

1515
HIGH VOLTAGE BREAKDOWN STUDY

517
STUDY OF ELECTRON BEAM PROPAGATION EFFICIENCIES IN NEUTRAL GAS AS A FUNCTION OF MU/GAMMA

4198
HIGH VOLTAGE BREAKDOWN STUDY: HANDBOOK OF VACUUM INSULATION

4736
100 MW ELECTRON BEAM GENERATOR

5048
TRANSIENTS IN LARGE TANDEM ACCELERATORS

5295
MULTIMEGAVOLT MODULATOR STUDY

7225
VOLTAGE DISTRIBUTION AND CURRENT IN A CYLINDRICAL RELATIVISTIC DIODE

7292
THE GENERATION AND DIAGNOSIS OF PULSED RELATIVISTIC ELECTRON BEAMS ABOVE 100 WATTS

7489
THE CURRENT IN A CYLINDRICAL RELATIVISTIC DIODE

7708
PULSED FIELD EMISSION CATHODE EMISSION MEASUREMENTS

9288
PULSE CORONA DISCHARGE IN ELECTROSTATIC PRECIPITATORS

Iowa State University, Ames, IA 50010

7515
DEVELOPMENT OF SPARK IN AIR FROM A NEGATIVE POINT

Israel Atomic Energy Commission, Beersheba, Israel

10314
FOUR-CHANNEL DELAY GENERATOR MODEL ST40

Israel Scientific Dept, Tel-Aviv, Israel

843
A REPETITIVE 800 KV STACKED LINE TRANSFORMER PULSE GENERATOR

IRT Corporation, San Diego, Calif.

1818
SPONTANEOUS DISCHARGES AND THE EFFECT OF ELECTRON CHARGING ON SKYNET SOEMP RESPONSE

177, Nutley, NJ

7241
A STABLE LOAD-INVARIANT HIGH-FREQUENCY SCR SERIES RESONANT
INVERTER FOR RADAR TRANSMITTER APPLICATIONS

10371
PENETRATION OF PULSED ELECTROMAGNETIC WAVES INTO CONDUCTING
MEDIA

The Iven A. Gettling Labs, El Segundo, CA 90245

5343
MULTIPLE-CIRCUIT PULSE GENERATOR FOR HIGH REPETITION RATE
RARE GAS HALIDE LASERS

Jadavpur University, Calcutta, India

2190
VARIATION OF TOWNSEND'S SECOND COEFFICIENT IN ELECTRODELESS
DISCHARGE

James Cook University, Townsville, Queensland, Australia

10477
A TECHNIQUE FOR VERY-HIGH-SPEED PULSE GENERATION WITH
VARIABLE REPETITION RATE

The JET Project, Abingdon, Oxfordshire, UK

143
PULSE ENERGY STORAGE AND SWITCHED PULSE POWER SUPPLY

Jet Propulsion Lab, Pasadena, CA

8111
THE EXPLODING WIRE PHENOMENON

10480
EFFECT OF DISSOCIATION PULSE CIRCUIT INDUCTANCE ON THE CUCL
LASER

Joint Inst. for Nuclear Research, Dubna (USSR).

5102
BIG OPTICAL SPARK CHAMBERS AND PULSE GENERATORS FOR THEIR
SUPPLYING

5105
POSSIBILITY OF USING MAGNETIC PULSE GENERATORS IN LINEAR
INDUCTION ACCELERATORS

5190
PULSE MODULATOR FOR AN EXPERIMENTAL ELECTRON GUN

5197
STREAMER CHAMBER POWER SUPPLY ON THE BASE OF A 500KV PULSE
TRANSFORMER

10221
HIGH-VOLTAGE SYSTEM FOR THE RISK FACILITY: PART 1. BIPOLAR
GENERATOR MODEL OF VOLTAGE PULSES WITH THE AMPLITUDE UP TO
200 KV

10349
GTI-742 STROKE PULSE GENERATOR MADE IN THE CAMAC STANDARD

10353
DEVICE FOR AUTOMATIC CONTROL OF THE MENF-2 MODULATOR OF
THE 'KRION' ION SOURCE

10359
NONLINEAR QUASI-AXIAL LINE FOR SHOCK ELECTROMAGNETIC WAVE
PRODUCTION

10454
SOME PECULIARITIES OF OPERATION OF CURRENT COMMUTATOR ON
INDUCTIVE LOAD

Joint Inst. for Nuclear Research, Dubna (USSR). Lab. of
Computing Techniques and Automation.

10316
HIGH-VOLTAGE PULSE GENERATOR WITH A PROTECTIVE SOLENOID

Joint Inst. for Nuclear Research, Dubna (USSR). Lab. of High
Energy.

10315
SHAPER-AMPLIFIER FOR DRIFT CHAMBERS

10344
UNIVERSAL PULSE GENERATOR WITH A NANOSECOND FAST RESPONSE

10345
SYSTEM FOR HIGH-VOLTAGE SUPPLY OF MAGNETOSTRICTION SPARK
CHAMBERS IN THE 'PHOTON' FACILITY

10346
STUDY ON THE T011-500/10 THYRATRON CHARACTERISTICS

Joint Inst. for Nuclear Research, Dubna (USSR). Lab. of
Nuclear Problems.

4084
HIGH-VOLTAGE SUPPLY SYSTEM FOR ELECTROSTATIC DEFLECTOR

5201
TRIGGER AND CONTROL CIRCUITS FOR HIGH-VOLTAGE GENERATORS

10449
THREE-DAP SPARK DISCHARGER FOR SPARK CHAMBER SUPPLY

Joint Inst. for Nuclear Research, Dubna (USSR). Lab. of
Nuclear Problems.

10400
HIGH-VOLTAGE PULSE GENERATORS FOR STREAMER CHAMBERS

Joint Institute of Nuclear Research, Dubna, USSR

1445
HIGH-VOLTAGE PULSE GENERATOR FOR THE TWO-METER STREAMER
CHAMBER OF THE JINR

4444
A THREE-DAP SPARK-DISCHARGE DEVICE FOR SUPPLYING SPARK
CHAMBERS

Joint Publications Research Service, Arlington, VA

4204
LASER CONTROL OF SPARK GAPS

10439
DISCHARGING OF INDUCTIVE POWER ACCUMULATOR FOR GENERATING
SHORT-FRONT PULSE

10443
MULTITUBE GENERATOR BANK

JAYCOR Inc, Alexandria, VA 22304

780
REPETITIVE ELECTRON-BEAM CONTROLLED SWITCHING

1292
BEAM REQUIREMENTS FOR LIGHT-ION DRIVEN INERTIAL-CONFINEMENT
FUSION

1290
EXPERIMENTS ON THE INJECTION OF RELATIVISTIC ELECTRON BEAMS
INTO PREFORMED CHANNELS IN THE ATMOSPHERE

1300
MATERIAL RESPONSE TO 500 KEV PROTON BEAMS AT INTENSITIES
BELOW 1 GW/CM²

10227
INTERACTION OF LASER-INDUCED IONIZATION WITH ELECTRIC FIELDS

10217
TIME-DEPENDENT ION OPTICS PHYSICS AND ION BEAM TRANSPORT IN
STABILIZED PLASMA CHANNELS

Roman Sciences Corp, Colorado Springs, CO 80907

9290
SHIELDING EFFECTIVENESS OF METALLIC HONEYCOMBS

Rensselaer State University, Manhattan, KS 66502

10101
ELECTRIC GUN: A VERSATILE TOOL FOR HIGH-PRESSURE SHOCKWAVE
RESEARCH

Katholieke Universiteit Leuven, Leuven, Belgium

2417
EXPLOSIVE-DRIVEN ENERGY GENERATORS WITH TRANSFORMER COUPLING

Kharkov State University, Razn, USSR

444
SHORT-CURRENT-PULSE GENERATOR FOR SUPPLYING SEMICONDUCTOR
LASERS

9233
DETERMINATION OF TEMPERATURE AND OTHER PARAMETERS OF AN
EXPLODING-WIRE PLASMA BY MEANS OF SELF-REVERSAL OF LINES
AND ABSORPTION SPECTRA

Kobe University, Kobe-ku, Yokohama-shi, Japan

035
LOW-IMPEDANCE, COAXIAL-TYPE MARK GENERATOR WITH A
QUASI-RECTANGULAR OUTPUT WAVEFORM

1265
A CW X-RAY PREIONIZER FOR HIGH-REPETITION-RATE GAS LASERS

1300
X-RAY PREIONIZED HIGH-PRESSURE RRF LASER

- 10354
OUTPUT PERFORMANCE OF THE COAXIAL-TYPE MARX GENERATOR
CONSISTING OF 8AT10/SUB 3/ SERIES CERAMIC CAPACITORS
Kent State University, Kent, OH 44242
- 429
A HIGH-VOLTAGE PULSE GENERATOR FOR SPARK CHAMBERS IN SPACE
Khar'kov Aeronautical Institute, USSR
- 4749
BREAKDOWN OF A VACUUM SPARK GAP TRIGGERED BY AN ELECTRON
BEAM
Khar'kov Aviation Institute, USSR
- 6693
TRANSIENTS IN INDUCTIVE ENERGY-STORAGE DEVICES FOR PLASMA
INJECTORS
6898
PLASMA INJECTORS WITH CAPACITY AND INDUCTANCE ENERGY STORAGE
9784
EFFECT OF ELEMENT DISTRIBUTION IN A CAPACITOR BANK ON THE
CURRENT PULSE IN A PULSED PLASMA INJECTOR
Khar'kov Institute Of Radioelectronics, USSR
- 1146
CONTROLLED GAS DISCHARGE SWITCH WITH A COLD CATHODE
Khar'kov Military Engineering College
- 8155
ON THE THEORY OF FIELD EMISSION FROM METALS
Khar'kov Physicotechnical Institute, Academy of Sciences of
the Ukrainian SSR, Khar'kov, USSR
- 10199
POSITION OF THE CATHODE SPOT OF A VACUUM ARC IN AN
INHOMOGENEOUS MAGNETIC FIELD
Khar'kov Polytechnic Institute
- 2026
MEASUREMENT OF THE ACTUATION TIME OF SPARK GAPS IN A
CASCADED PULSE-VOLTAGE GENERATOR
Khar'kov State University, USSR
- 9518
A GENERATOR WHICH PRODUCES CURRENT PULSES OF UP TO 10 KA AT
A VOLTAGE APPROXIMATELY 100 V
Khar'kov, USSR
- 6872
USE OF ELECTRIC EXPLOSION OF WIRES IN A HIGH-PRESSURE GAS
TO BREAK A CURRENT CIRCUIT
Kiev Polytechnic Institute, USSR
- 1164
THE TRIOTRON-A CONTROLLABLE DEVICE WITH CROSSED FIELDS
7089
A GENERATOR THAT PRODUCES POWERFUL PULSES USING
GAS-DISCHARGE COMMUTATORS OF THE TRIOTRON AND
TRIOPLASMATRON TYPE
Knolls Atomic Power Labs, Schenectady, NY
- 10470
AN ELECTROMAGNETIC, PLANE STRESS-WAVE GENERATOR
Kollman Instrument Corp, Syosset, NY 11791
- 2598
ION BEAM EROSION OF ROUGH GLASS SURFACES
Korea Advanced Institute Of Science, Chongyangni, Seoul, Korea
- 1806
OPTICAL FLASHES FROM DOUBLE WIRE EXPLOSION
Ktech Corp, Albuquerque, NM
- 10310
JOINT ELECTRON BEAM COMMONALITY EXPERIMENTS ON BLACKJACK 3
AND 3 PRIME: PART I. MACHINE CHARACTERIZATIONS
Kyoto University, Yoshida Hon-machi, Sakya-ku, Kyoto, Japan
- 0968
SPECTROSCOPIC APPROACH TO THE ANALYSIS OF HIGH CURRENT ARCS
IN SF/SUB 6/
L.B.J. Space Center, Houston, TX 77058
- 4898
TANTALUM CAPACITOR BEHAVIOR UNDER FAST TRANSIENT
OVERVOLTAGES
Lab d'Electrotechnique, Orsay, France
- 7594
NEW TYPE OF ULTRAFAST CIRCUIT BREAKER: ITS PRINCIPLE AND
PERFORMANCES
Lab de Magnetisme, Grenoble Cedex, France
- 4734
THE MEGA GAUSS MAGNETIC FIELD LABORATORY IN GRENoble
Lab de Physique des Decharges, Gif-sur-Yvette, France
- 9259
CORONA AND INSULATION
Lab de Recherches sur la Physique Des Plasmas, Lausanne, S
witzerland
- 8285
WIDESAND HIGH VOLTAGE PROBE
Lab di Fisica del Plasma ed Elettronica Sperimentale del CNR,
Milan, Italy
- 4644
SIMPLE SPARK GAP FOR A HIGH REPETITION RATE NITROGEN LASER
Lab Central des Industries Electriques, Fontenay aux Rss es,
France
- 9388
INTERACTION OF CORONA WITH DIELECTRIC MATERIAL UNTIL DAMAGE
Lab Gas Ionizzati, EURECOM-CNR, Frascati, Italy
- 5521
RAPID TRANSFER OF MAGNETIC ENERGY BY MEANS OF EXPLODING
FOILS
6965
LIMITATIONS ON MAGNETIC FIELDS OBTAINED BY
FLUX-COMPRESSION: I
10178
PULSED HIGH MAGNETIC FIELDS
Langley Research Center, Hampton, VA
- 4209
PARAMETERS AFFECTING FIRING TIME OF SIMULTANEOUSLY
TRIGGERED TRIGATRON SPARK GAP SWITCHES
Laval University, Quebec, Canada
- 1743
EXPLOSION OF BARE AND INSULATED COPPER WIRES
Lawrence Berkley Labs, Berkley, CA
- 969
ANALYSIS AND APPLICATION OF A TRANSFORMER CORE THAT ACTS AS
AN ARC SNUBBER
Lawrence Berkley Lab, Berkley CA
- 109
THE EXPERIMENTAL TEST ACCELERATOR (ETA)
153
QUASI-STATIC DRIFT-TUBE ACCELERATING STRUCTURES FOR
LOW-SPEED HEAVY IONS
299
CONSTANT PULSE ENERGY POWER SUPPLY FOR A HIGH REPETITION
RATE LASER SYSTEM
770
LARGE AREA NEGATIVE ION SOURCE FOR HIGH VOLTAGE NEUTRAL
BEAMS
1551
STUDY OF THE GENERAL PLASMA CHARACTERISTICS OF A HIGH POWER
MULTIFILAMENT ION SOURCE

1562
OVERVIEW OF HEAVY ION FUSION PROGRAM IN U.S.A.

5933
SPARK GAP TRIGGER AMPLIFIER WITH 1-MSEC RECOVERY TIME

518A
PRESENT AND FUTURE TECHNOLOGY OF HIGH VOLTAGE SYSTEMS FOR NEUTRAL BEAM INJECTIONS

7476
HYDROMAGNETIC CAPACITOR

7747
HIGH-VOLTAGE, LOW-INDUCTANCE SWITCH FOR MEGAMPERE PULSE CURRENTS

854A
PARTICLE ACCELERATION BY COLLECTIVE EFFECTS

Lawrence Livermore Lab, Livermore, CA 94550

159
THE EXPERIMENTAL TEST ACCELERATOR (ETA)

199
NEW OPTIONS IN PULSE POWER UTILIZING LASS SWITCHES

206
THE PLASMA FOCUS AS A PULSE POWER SOURCE FOR DRIVING PULSE MICROEXPLOSIONS

224
OFF-RESONANCE TRANSFORMER CHARGING FOR 255-KV WATER BLUMLEIN

402
PULSE POWER ION GIGOE EXPERIMENT

449
2X 11 10-MEGAJOULE IONITRON CROWBAR

517
COMPACT ELECTRON ACCELERATOR FOR PUMPING GAS LASERS

759
VERY FAST, HIGH PEAK POWER PLASMA TRIODE AMPLIFIERS FOR DRIVING OPTICAL GATES

952
KRF LASER-TRIGGERED SPARK GAP FOR LOW-JITTER TIMING

1321
METHOD OF UTILIZING SPARK-GAP FOIL SWITCHES IN DETERMINING DETONATION VELOCITIES OF SOLID EXPLOSIVE MATERIALS

1431
THE DESIGN OF A REPETITIVELY PULSED MEGAJOULE DENSE-PLASMA FOCUS

1485
INTERACTION OF CAPACITOR-BANK-PRODUCED MEGA GAUSS MAGNETIC FIELD WITH SMALL SINGLE-TURN COIL

1781
THE EFFECT OF ELECTRON PRECHARGING ON SOEMP RESPONSE OF INSULATORS

2175
HIGH REPETITION RATE BURST-MODE SPARK GAP

2827
SUBNANOSECOND SWITCH FOR USE IN SHOCK WAVE EXPERIMENTS

2872
ENERGY STORAGE OPTIONS FOR SHIVA UPGRADE

3713
NANOSECOND SWITCHING OF HIGH POWER LASER ACTIVATED SILICON SWITCHES

3748
GENERAL CONSIDERATION OF ENERGY COMPRESSION

37A9
LIGHT ACTIVATED SEMICONDUCTOR SWITCHES

3888
HIGH-IMPULSE CURRENT AND VOLTAGE MEASUREMENT

4571
DESIGN AND CONSTRUCTION OF FAST HIGH ENERGY, HIGH VOLTAGE CAPACITOR BANKS

4191
A TEST OF A VACUUM/DIELECTRIC SURFACE FLASHOVER SWITCH

423A
MODEL FOR A LOW PRESSURE SPARK GAP

4592
A PICOSECOND RISE TIME HIGH VOLTAGE DIVIDER

4652
A DESIGN APPROACH TO A REPETITIVELY PULSED SUPER FAST CAPACITOR BANK

4655
A PULSE COMPRESSION NETWORK

4933
LASER-TRIGGERED AVALANCHE-TRANSISTOR VOLTAGE GENERATOR FOR A PICOSECOND STREAK CAMERA

5177
HIGH-VOLTAGE TEST STAND AT LIVERMORE

5334
FIELD-REVERSED MIRROR PILOT REACTOR

5380
155-KV HYDROGEN THYRATRON WITHOUT GRADIENT GRIDS

5441
DESIGN AND CONSTRUCTION OF FAST ENERGY, HIGH VOLTAGE CAPACITOR BANKS

5443
QUICK2: A ONE-DIMENSIONAL CODE FOR CALCULATING BULK AND VACUUM EMITTED PHOTO-COMPTON CURRENTS

5483
FAIL-SAFE ISOLATION DEVICE PROVIDES MAXIMUM ENERGY TRANSFER FROM EXPLODING WIRE EXPERIMENTS

5488
IMPROVED BEAM CURRENT DENSITIES AT HIGH VOLTAGES

5573
MODULATOR CHARGING SYSTEM UPGRADE FOR A 5-MEV ELECTRON ACCELERATION

5594
R AND G RECOMMENDATIONS FOR FUTURE ERGAS SWITCH REQUIREMENTS

4710
ENERGY AND TECHNOLOGY REVIEW

7191
EMITTANCE MEASUREMENTS ON FIELD EMITTER DIODES

7195
A DOUBLE-SIDED ELECTRON BEAM GENERATOR FOR KRF LASER EXCITATION

7211
APPLYING A COMPENSATED PULSED ALTERNATOR TO A FLASHLAMP LOAD FOR NOVA

7213
BALANCE, PARALLEL OPERATION OF FLASHLAMPS

7221
A COMPACT 5E12 AMP/SEC RAIL-GUN PULSER FOR A LASER PLASMA SHUTTER

7223
THE NEAR AND LONG TERM PULSE POWER REQUIREMENT FOR LASER DRIVEN INERTIAL CONFINEMENT FUSION

7243
DRIVING POKELS CELLS IN MULTI-ARM LASERS

7470
BASIC PRINCIPLES GOVERNING THE DESIGN OF MAGNETIC SWITCHES

7559
ENERGY STORAGE, COMPRESSION, AND SWITCHING

7640
CALCULATION OF HEATING AND BURST PHENOMENA IN ELECTRICALLY EXPLODED FOILS

7724
MAGRAC-A RAILGUN SIMULATION PROGRAM

7931
LASER-TRIGGERED SPARK GAP

8085
RESULTS OF RAILGUN EXPERIMENTS POWERED BY MAGNETIC FLUX COMPRESSION GENERATORS

8090
RAILGUN ACCELERATORS FOR DRAM-SIZED PROJECTILES

8112
THEORETICAL ANALYSIS OF THE HYDRODYNAMIC FLOW IN EXPLODING WIRE PHENOMENA

8322
STUDY OF EFFICIENT HIGH-POWER, HIGH-ENERGY NEUTRAL BEAMS FOR THE REFERENCE MIRROR REACTOR

8627
EXPERIMENTS IN MAGNETIC SWITCHING

8652
FAST, VERSATILE POKELS CELL DRIVER

8633
FIBER OPTIC TELEMETRY SYSTEM FOR LLL HIGH-VOLTAGE TEST STAND

8944
KRP LASER-TRIGGERED SPARK GAP FOR LOW JITTER TIMING

9797
DEVELOPMENT OF 56-MEGAWATT MODULATORS FOR THE ASTRON 1000-MEGAWATT ELECTRON ACCELERATOR

10181
ELECTRIC GUN: A VERSATILE TOOL FOR HIGH-PRESSURE SHOCKWAVE RESEARCH

10225
HIGH-VOLTAGE PULSE REFLECTION-TYPE ATTENUATORS WITH SUBNANOSECOND RESPONSE

10324
VERY FAST, HIGH PEAK-POWER, PLANAR TRIODE AMPLIFIERS FOR DRIVING OPTICAL DYES

Leeds University, Leeds, UK

2419
INFLUENCE OF HUMIDITY ON THE SPARKOVER OF ROD-ROD GAPS OF SEVERAL GEOMETRICAL FORMS SUBJECTED TO POSITIVE IMPULSE VOLTAGES OF VARYING WAVESHAPES

3329
EFFECT OF HUMIDITY ON SPARKOVER OF AIRGAPS UNDER IMPULSE VOLTAGES

3387
INFLUENCE OF RADIATION ON THE SPARKOVER OF SPHERE GAPS AND CROSSL-ED-CYLINDER GAPS STRESSED WITH IMPULSE VOLTAGES

4668
VARIATION OF ION DENSITY IN A HIGH-VOLTAGE LABORATORY DURING IMPULSE-VOLTAGE TESTING

7491
THE EFFECT OF ROTATING ARC VELOCITY ON COPPER CATHODE EROSION

7805
ELECTRIC STRESSES IN GASEOUS CAVITIES IN SOLID DIELECTRICS

Lehigh University, Bethlehem, PA

2798
MEASUREMENT OF NANOSECOND MV TRANSIENTS WITH KERR EFFECT

Lenin Power Institute, Moscow, USSR

7075
CURRENT CUTOFF AND REPEATED BREAKDOWN IN ELECTRICAL DISCHARGES IN LIQUIDS

Leningrad Electrical Engineering Institute, Leningrad, USSR

7101
A SHAPER THAT PRODUCES SHORT PULSES ACROSS A CAPACITIVE LOAD

Leningrad Electrical Engineering Institute, USSR

419
THYRATRON GENERATOR WHICH PRODUCES HIGH-VOLTAGE LONG PULSES FOR HIGH-OMM LOADS

Leningrad Polytechnical Institute, Leningrad, USSR

945
GAS COOLING AND ELECTRIC STRENGTH RECOVERY AFTER A SPARK DISCHARGE

3287
CONTROLLED VACUUM SPARK GAPS RATED AT A VOLTAGE OF 50 KV FOR MULTIPLE COMMUTATION OF MEGA-AMPERE CURRENTS

4274
LOW-INDUCTANCE MEGAAMPERE-CURRENT COMMUTATOR BASED ON SLIDING DISCHARGE

8434
DRIVEN HIGH-VOLTAGE NANOSECOND PULSE GENERATOR TRIGGERED BY LASER RADIATION

7931
INVESTIGATION OF PREIGNITION PROCESSES IN TRIGATRONS OPERATING IN AIR

7071
A MEGAAMPERE SWITCH WITH AN EXPLODING FOIL FOR THE INVESTIGATION OF MAGNETIC CUMULATION

8114
A MAGNETIC-THYRISTOR GENERATOR PRODUCING HIGH-VOLTAGE NANOSECOND PULSES

10272
A LOW-INDUCTANCE CONTROLLED VACUUM SPARK GAP OPERATING AT A VOLTAGE OF 100 KV AND CURRENT OF UP TO 1.5 MA

10331
GENERATION OF UNIPOLAR CURRENT PULSES OF 10 TO 100 KA AMPLITUDE

10333
HIGH-VOLTAGE PULSE GENERATOR FOR A LOW-RESISTANCE LOAD

Leningrad State University, USSR

1937
STABILITY OF FIELD EMISSION AND MIGRATION PROCESSES PRECEDING DEVELOPMENT OF A VACUUM ARC

9568
TRANSITION FROM FIELD EMISSION TO A VACUUM ARC

Leningrad Technological Institute, Leningrad, USSR

7943
A COMPACT MAGNETIC-FIELD-PULSE GENERATOR

Leningrad Technological Institute, USSR

4971
'MINUS' PULSED, HIGH-CURRENT, NANOSECOND, ELECTRON ACCELERATOR

Levinthal Electronic Products, Inc., Palo Alto, CA

3698
ENERGY DISSIPATION AND ELECTRODE EROSION IN ARCS

Lewis Research Center, Cleveland, OH

1359
EXPERIMENTAL RESULTS ON PLASMA INTERACTIONS WITH LARGE SURFACES AT HIGH VOLTAGES

4428
AN ELECTRO-OPTIC, HIGH-VOLTAGE, TRANSIENT PROBE

3604
CASTING COPPER TO TUNGSTEN FOR HIGH POWER ARC LAMP CATHODES

8126
SERIES II: DESIGN REQUIREMENTS FOR INTEGRATING ELECTRIC PROPULSION INTO A SPACECRAFT

8182
ELECTRODE EROSION IN SPARK DISCHARGES

10193
HIGH-VOLTAGE CHARACTERISTICS OF A LARGE-GAP COAXIAL-CYLINDER ELECTRODE

Linfield College, McMinnville, OR

2021
THE FIELD EMISSION INITIATED VACUUM ARC. I. EXPERIMENTS ON ARC INITIATION

7966
FIELD EMISSION: LARGE CURRENT DENSITIES, SPACE CHARGE, AND THE VACUUM ARC

Lockheed Missile And Space Co., Palo Alto, CA 94305

7583
INTERACTION OF ACCELERATING HIGH-CURRENT ELECTRON BEAMS WITH EXTERNAL MAGNETIC FIELDS

Lockheed Palo Alto Research Laboratory, Palo Alto, CA 94304

1907
SKIN EFFECT IN EXPLODING-WIRE PHYSICS

Los Alamos National Labs. Los Alamos, NM

I098
PURE ROTATIONAL HF LASER OSCILLATIONS FROM EXPLODING-WIRE
LASER

Los Alamos National Labs. Los Alamos, NM 87545

I40
HIGH DENSITY Z-PINCH PULSE POWER SUPPLY

I64
SIMPLE, PULSED, ELECTRON BEAM GUN

S78
ELECTRON BEAM GUN SIMULATION

S90
CONTEMPORARY CAPACITIVE ENERGY STORAGE SYSTEMS

S90
S80-KJ, 200-KA MAXX MODULE FOR ANTARES

S62
HIGH-VOLTAGE MICROSECOND PULSE-FORMING NETWORK

615
HIGH-VOLTAGE TECHNOLOGY FOR THE LASL IMPLOSION-HEATING
EXPERIMENT

606
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY

714
EXPLOSIVE MAGNETIC FLUX COMPRESSION PLATE GENERATORS AS
FAST HIGH-ENERGY POWER SOURCES

922
INFLUENCE OF NONUNIFORM EXTERNAL MAGNETIC FIELDS AND
ANODE-CATHODE SHAPING ON MAGNETIC INSULATION IN COAXIAL
TRANSMISSION LINES

996
LIGHT ACTIVATED 10 KV LOW JITTER PULSER

I277
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY;
LECTURE 1: INTRODUCTION TO POWER CONDITIONING SYSTEMS

I278
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY;
LECTURE 2: DC POWER SUPPLIES AND HARD-TUBE POWER
CONDITIONING SYSTEMS

I279
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY;
LECTURE 3: PULSE VOLTAGE CIRCUITS

I280
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY;
LECTURE 4: TRANSMISSION LINES AND CAPACITORS

I281
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY;
LECTURE 5: DISCHARGE CIRCUITS AND LOADS

I282
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY;
LECTURE 6: SPARK GAPS

I283
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY;
LECTURE 7: THYRISTORS AND IGBTs

I284
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY;
LECTURE 8: CHARGING CIRCUITS

I286
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY;
LECTURE 10: MEASUREMENT TECHNIQUES

I287
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY;
LECTURE 11: PARTICULAR APPLICATIONS

I295
HIGH-PRESSURE SURFACE-DISCHARGE PLASMA SWITCHES

I549
OVERVOLTAGE PROTECTION BY POINT-PLANE SPARK GAPS

I505
PREIONIZATION OF PULSED GAS LASERS BY RADIOACTIVE SOURCE

I982
DESIGN OF A HIGH-VOLTAGE GENERATOR FOR THE LASL
IMPLOSION-HEATING EXPERIMENT

2455
A COMPACT 250-KV INJECTOR SYSTEM FOR PLOMI

2724
DEVELOPMENT OF THE SWITCHING COMPONENTS FOR ZT-40

S150
EXPLOSIVELY PRODUCED MEGAGAUSS FIELDS AND APPLICATIONS

S180
ELECTRICAL BREAKDOWN AND TRACKING CHARACTERISTICS OF PULSED
HIGH VOLTAGES IN CRYOGENIC HELIUM AND NITROGEN

S199
OPTICALLY ISOLATED HIGH-VOLTAGE TRIGGER SYSTEM

S286
COLD CATHODE ELECTRON GUNS IN THE LASL HIGH POWER
SHORT-PULSE CO/SUB 2/ LASER PROGRAM

S667
SUBNANOSECOND HIGH VOLTAGE ATTENUATOR

S703
CONCEPTUAL ENGINEERING DESIGN OF A ONE-GJ FAST DISCHARGING
NONPOLAR MACHINE FOR THE REFERENCE THETA-PINCH FUSION
REACTOR

S743
DESIGN AND PERFORMANCE OF THE LAMPF 1-1/4 MW KLYSTRON
MODULATOR

6110
PULSE FORMING NETWORKS FOR FAST PUMPING OF HIGH POWER
ELECTRON-BEAM-CONTROLLED CO/SUB 2/ LASERS

4695
METAL FOILS FOR USE IN PULSED LASER APPLICATIONS

4701
PRINCIPAL CONSIDERATIONS IN LARGE ENERGY-STORAGE CAPACITOR
BANKS

4702
PULSED POWER SYSTEMS FOR THE LASL HIGH ENERGY LASER
FACILITY

4704
PULSE POWER REQUIREMENTS FOR LASER ISOTOPE SEPARATION
SYSTEMS

4714
AN AIR-POWERED FIBER-OPTIC COUPLED PULSER SYSTEM FOR CTR
EXPERIMENTS

4727
PULSED ENERGY AND SWITCHING REQUIREMENTS FOR TOKAMAK OMNIA
HEATING

4806
0.36-MJ SUPERCONDUCTING MAGNETIC ENERGY TRANSFER AND STORAGE

4983
A SPARK GAP MONITOR

S196
SPARK GAP OVERPRESSURES IN THE TRANSFER CAPACITOR DEVICE

S552
AN INTRODUCTION TO EXPLOSIVE MAGNETIC FLUX COMPRESSION
GENERATORS

S555
A NON-DESTRUCTIVE ACOUSTIC ELECTRIC FIELD PROBE

S414
HIGH-DENSITY Z-PINCH PULSE-POWER SUPPLY SYSTEM

S516
CHARACTERISTICS OF A MAGNETIC ENERGY STORAGE SYSTEM USING
EXPLODING FOILS

S591
MULTICHANNEL SPARK-GAP TECHNOLOGY FOR STAGED THETA-PINCH
MACHINES

S602
ANALYSIS OF NONPOLAR GENERATORS AND SUPERCONDUCTING
INDUCTIVE ENERGY STORAGE SYSTEMS AS POWER SUPPLIES FOR
HIGH-ENERGY, SPACE-BASED LASERS

S670
MODEL-10 PRECISION DELAY TRIGGER GENERATOR

S755
HIGH-VOLTAGE PULSE MONITOR SYSTEM FOR NEUTRINO ELECTRON
ELASTIC SCATTERING

S802
ENERGY STORAGE AND TRANSFER WITH NONPOLAR MACHINE FOR A
LINEAR THETA-PINCH HYBRID REACTOR

8791
AN EXPLOSIVE-DRIVEN HIGH-FIELD SYSTEM FOR PHYSICS APPLICATIONS

8747
MEGAGAUSS PHYSICS

8759
PRODUCTION OF VERY HIGH MAGNETIC FIELDS BY IMPLOSION

8979
TECHNIQUE FOR MEASURING MEGAGAUSS MAGNETIC FIELDS USING ZEEMAN EFFECT

7174
SIMULATIONS OF INTENSE RELATIVISTIC ELECTRON BEAM GENERATION BY POISSON DIODES

7184
A HIGH CURRENT PULSER FOR EXPERIMENT 225, 'NEUTRINO ELECTRON ELASTIC SCATTERING'

7193
THE EARLY COUNTERPULSE TECHNIQUE APPLIED TO VACUUM INTERRUPTERS

7199
A LARGE-AREA COLD-CATHODE GRID-CONTROLLED ELECTRON GUN FOR ANTARES

7199
ELECTRIC DISCHARGE CHARACTERISTICS OF CABLE PPM USED AS A PUMP

7288
A 33-OVA INTERRUPTER TEST FACILITY

7222
REVIEW AND STATUS OF ANTARES

7257
THE USE OF VACUUM INTERRUPTERS AND BYPASS SWITCHES TO CARRY CURRENTS FOR LONG TIMES

7258
THE USE OF VACUUM INTERRUPTERS AT VERY HIGH CURRENTS

7275
PUSION APPLICATIONS OF FAST DISCHARGING HOMOPOLAR MACHINES

7485
PULSE POWER REQUIREMENTS FOR LASER ISOTOPE SEPARATION

7795
HIGH-POWER VACUUM SPARK GAP

7779
SOME PROPERTIES OF A GRADED VACUUM SPARK GAP

8888
THE INITIATION OF ELECTRICAL BREAKDOWN IN VACUUM

8884
MAGNETIC SWITCHES AND CIRCUITS

8985
RESULTS OF RAILGUN EXPERIMENTS POWERED BY MAGNETIC FLUX COMPRESSION GENERATORS

8399
ANTARES PROTOTYPE 300-KJ, 259-KA MARX GENERATOR (FINAL REPORT)

8497
CRITICAL PULSE POWER COMPONENTS

8993
BLUMLEIN LINE GENERATION OF LONG-PULSE, PRECISELY REGULATED WAVESHAPE FOR NONLINEAR RESISTIVE LOADS

8997
STRIPLINE MAGNETIC MODULATORS FOR LASERS AND ACCELERATORS

8999
SUB-NANOSECOND JITTER, REPETITIVE IMPULSE GENERATORS FOR HIGH RELIABILITY APPLICATIONS

19229
HIGH VOLTAGE, HIGH CURRENT, PULSED ENERGY SOURCE HAVING DI/DI'S OF 2E12 A/S

19243
EXPLOSIVE FLUX COMPRESSION GENERATORS FOR RAIL GUN POWER SOURCES

18267
SMALL-APERTURE DIAPHRAGMS IN ION-ACCELERATOR TUBES

18279
ACCELERATOR TECHNOLOGY PROGRAM. PROGRESS REPORT, APRIL-DECEMBER 1978

18338
HIGH CURRENT PULSER FOR EXPERIMENT NO. 225, NEUTRINO ELECTRON ELASTIC SCATTERING

18392
AVALANCHE TRANSISTOR PULSER FOR FAST-GATED OPERATION OF MICRO-CHANNEL PLATE IMAGE-INTENSIFIERS

19372
ALUMINUM FLUORIDE EXPLODING-WIRE LASER

18457
ELECTRON-BEAM-CONTROLLED GAS LASERS: DISCUSSION FROM THE ENGINEERING VIEWPOINT, PART II. PROBLEMS IN THE ELECTRICAL DESIGN OF VERY HIGH ENERGY SYSTEMS

19479
AVALANCHE TRANSISTOR PULSER FOR FAST-GATED OPERATION OF MICROCHANNEL PLATE IMAGE-INTENSIFIERS

Lowell Technological Institute Research Foundation, Lowell, MA

18112
EXPLODING WIRES: VOLUME III

18177
EXPLODING WIRES: VOLUME IV

LSU, Baton Rouge, LA 70803

574
PARAMETER ESTIMATION FOR GENERATOR SIMULATION STUDIES

M.A. Bench-Bruvich Leningrad Electrotechnical Institute of Communications, Leningrad, USSR

9892
EXPLOSIVE ELECTRON EMISSION FROM COPPER POINTS

M.I. Kellin Leningrad Polytechnical Institute, Leningrad, USSR

655
WAVE PROCESSES IN HIGH-POWER NANOSECOND PULSE GENERATORS

9883
ELECTRIC FIELD CONFIGURATION FOR A GRAZING DISCHARGE

7841
ELECTRICAL CHARACTERISTICS OF CONTROLLED HIGH-CURRENT TRIGGERED AIR SPARK GAPS

7846
STUDY OF PARALLEL OPERATION OF CONTROLLED SPARK GAPS

7994
SPECTROSCOPIC STUDY OF A CONTROLLED DISCHARGE IN A HIGH-VOLTAGE VACUUM SWITCH

7998
TRANSIENT BEHAVIOR OF A HIGH-VOLTAGE LOW-PRESSURE TRIGGERED SPARK GAP

7145
TIME CHARACTERISTICS OF A MULTICHANNEL GRAZING-DISCHARGE HIGH-VOLTAGE SWITCH

19255
SURFACE EFFECT IN STRONG MAGNETIC FIELDS. I

19309
X RADIATION OF A NANOSECOND GRAZING DISCHARGE IN A GAS

19324
MEASUREMENT OF THE GAS TEMPERATURE AND ELECTRON DENSITY IN AN 'INCOMPLETE' GRAZING DISCHARGE

M.V. Keldysh Institute Of Applied Mathematics, Academy of Sciences of the USSR

372A
MODELING OF THE BREAKDOWN OF A DENSE-MOLECULAR GAS BY LASER RADIATION CLOSE TO A METALLIC SURFACE

Mechlett Labs Inc, Stamford, CT

18435
ELECTRON BEAM SEMICONDUCTOR DEVICES

Marchwood Engineering Lab, Southampton, UK

392
A CIRCUIT WHICH PREDICTS AND DIVERTS FLASHOVER FROM A LONG AIR GAP

467
SPHERICAL PROBE IN A FLOWING PLASMA

2082
THE NATURE OF FIELD EMISSION SITES

2396
EFFECT OF MECHANICAL CONTACT FORCE ON WITHSTAND VOLTAGE OF
COPPER-BISMUTH AND CLR VACUUM INTERRUPTERS

2549
ELECTRICAL FIELD BREAKDOWN IN SULPHUR HEXAFLUORIDE

3524
ANTICIPATION OF ELECTRICAL BREAKDOWN OF LONG AIR GAPS

3828
IMPULSE BREAKDOWN OF LARGE SPHERE-PLANE GAPS

3115
SPACE-CHARGE INJECTION: A NEW TECHNIQUE FOR STUDYING
NONUNIFORM FIELD BREAKDOWN PHENOMENA

8281
TIME-RESOLVED RADIAL TEMPERATURE PROFILES FOR 10 KA SP/SUB
6/ ARCS

Massachusetts Institute of Technology, Cambridge, MA

221
ELECTROMAGNETIC GUNS, LAUNCHERS AND REACTION ENGINES

1396
PARTICLE-INITIATED BREAKDOWN IN GAS DIELECTRIC CABLE
INSULATION EXPANDED SCOPE PROGRAM

1477
IMPULSE BREAKDOWN IN THE 1E-9-SEC. RANGE OF AIR AT
ATMOSPHERIC PRESSURE

1532
A NEW DESIGN FOR A HIGH-VOLTAGE DISCHARGE TUBE

1946
BOOTSTRAP CIRCUIT GENERATES HIGH-VOLTAGE PULSE TRAIN

2875
SINGLE TIME MEASUREMENT DETERMINES CAPACITOR R AND L

3251
INSULATOR PLASMOVER MECHANISM IN VACUUM INSULATED CRYOCABLES

3255
IONIZATION, ELECTRODE SURFACES AND DISCHARGES IN SP/SUB 6/
AT EXTRA-HIGH-VOLTAGES

5988
LIGHTENING PICTURES PRODUCED BY HIGH-VOLTAGE DISCHARGES IN
VACUUM

5617
ELECTRICAL BREAKDOWN AND THE SIMILARITY LAW IN SP/SUB 6/ AT
EXTRA-HIGH-VOLTAGES

4857
STATIC AND DYNAMIC PROPERTIES OF ARCS NEAR PLANE SURFACES

4074
CURRENT FLOW IN A HIGH-VOLTAGE DIODE SUBJECTED TO A CROSSED
MAGNETIC FIELD

4387
PARTICLE BEAM WEAPONS-A TECHNICAL ASSESSMENT

4696
MICROWAVE EMISSION FROM MAGNETICALLY INSULATED RELATIVISTIC
ELECTRON-BEAM DIODES

4897
ALTERNATE POLARITY MULTIPLE SPARK GAP FOR HIGH EFFICIENCY
SHOWER DETECTORS

3296
COMPRESSED GAS INSULATION IN THE MILLION-VOLT RANGE: A
COMPARISON OF SP/SUB 6/ WITH N/SUB 2/ AND CO/SUB 2/

5782
PARTICLE-INITIATED BREAKDOWN IN GAS DIELECTRIC CABLE
INSULATION EXPANDED SCOPE PROGRAM (FINAL REPORT)

6518
PAST HIGH-VOLTAGE HIGH-CURRENT SWITCH: THYRATRON-SPARK GAP
HYBRID

6968
PRODUCTION AND USE OF HIGH TRANSIENT MAGNETIC FIELDS. II

8847
PHOTOPREIONIZATION OF THE SSI-ANOSTROM PULSED N/SUB 2/
LASER

8119
PRODUCTION AND MEASUREMENT OF ULTRA-HIGH SPEED IMPULSES

8314
PARTICLE-INITIATED BREAKDOWN IN GAS DIELECTRIC CABLE
INSULATION EXPANDED SCOPE PROGRAM (FINAL REPORT)

9255
CHARACTERIZATION OF INSULATOR SURFACES BY IONIZATION AND TRANSDUCER
IN GASES

10857
THE INSULATION OF HIGH VOLTAGES IN VACUUM

10210
THE ROLE OF POSITIVE IONS IN HIGH VOLTAGE BREAKDOWN IN
VACUUM

10294
PRODUCTION AND MEASUREMENT OF ULTRASHORT-SPEED IMPULSES:
IMPULSE BREAKDOWN IN THE 1E-9 SEC RANGE OF AIR AT
ATMOSPHERIC PRESSURE

10329
COMPOSITION OF THE INTERELECTRODE PREBREAKDOWN CURRENT IN
HIGH VACUUM

10485
MAGNETIC INSULATION OF AN INTENSE RELATIVISTIC ELECTRON BEAM

Max-Planck-Institut für Biophysikalische Chemie, Göttingen,
FRG, Germany

4590
A DYE LASER TRIGGERED SPARK GAP

Max-Planck-Institut für Plasmaphysik, Garching, Euratom Assoc.

4719
A MODULAR POWER-CROWBAR BANK FOR THE GENERATION OF A 50 MA,
50 MICROSECOND CURRENT PULSE FOR THE TOROIDAL PLASMA
EXPERIMENT NBS II AT GARCHING

Max-Planck-Institut für Plasmaphysik, Garching, FRG

845
DEVELOPMENT AND INVESTIGATION OF RELATIVISTIC ELECTRON
BEAMS WITH FINITE ENERGY SPREAD AND IMPROVED EMITTANCE

Maxwell Laboratories Inc., San Diego, CA 92123

2188
DEVELOPMENT OF A 100-KV MULTIMEGAWATT REPETITION RATE GAS
SWITCH

Maxwell Labs Inc. San Diego, CA 92123

284
SALVING DIAGNOSTICS IN THE PULSE-POWER ENVIRONMENT

642
A LOW INDUCTANCE, COMPACT, 1 MV, 10 KJ MARR GENERATOR

749
TESTING OF A 100-KV 100-HZ REP-RATE GAS SWITCH

912
A 150 KV LOW IMPEDANCE MULTIPLE OUTPUT TRIODE GENERATOR

942
A 500 KV REP-RATE MARR GENERATOR

1366
THE POWER BEHIND THE PULSE

2165
A NEW RESONANCE TRANSDUCER

5721
HIGH POWER SPARK GAP SWITCH DEVELOPMENT

4851
BEHAVIOR OF LOW-IMPEDANCE RELATIVISTIC ELECTRON DIODES IN
CONVERGING MAGNETIC GRADIENTS

4257
HIGH POWER SPARK GAP SWITCH PROGRAM

4685
A HALF MEGAWATT PULSE FORMING NETWORK

4686
A 3 MA, 600 KV PAST CAPACITOR BANK FOR A SHOCK-HEATED TDRS

4689
ELECTRON BEAM CONTROLLED SWITCHING

4718
A HIGH CURRENT, HIGH FREQUENCY CAPACITIVE ENERGY STORAGE
SYSTEM USED TO PRODUCE INTENSE MAGNETIC FIELDS

4729
RECTANGULAR BEAM SCALING LAWS

5417
HIGH-VOLTAGE SPIRAL GENERATORS

5431
HIGH POWER SPARK GAP OPTIMIZATION

5456
ADVANCED SIMULATION RESEARCH: VOLUME II-VACUUM ENERGY STORAGE

5827
MARX--AND MARX-LIKE--HIGH-VOLTAGE GENERATORS

6304
RECTANGULAR BEAM FARADAY CUP

7188
A SIMULATION APPROACH TO HIGH AVERAGE POWER REPETITIVELY PULSED SWITCH TESTING

7204
TESTING OF A 100 KV, 100 HZ REP-RATE GAS SWITCH

7904
INTERPRETATION OF X-RAY LINE SPECTRA FROM EXPLODED-WIRE ARRAYS

8297
ADVANCED SIMULATION RESEARCH: VOLUME II. VACUUM ENERGY STORAGE

10035
SPECIFYING POWER CONDITIONING EQUIPMENT

10036
THE BEHAVIOR OF POLYESTER FILM ENERGY STORAGE CAPACITORS

10402
MARX DEVELOPMENT PROJECT

Maxwell Labs Inc, Woburn, MA 01801

1258
HIGH POWER MAGNETOHYDRODYNAMIC SYSTEM (VOL II)

1259
HIGH POWER MAGNETOHYDRODYNAMIC SYSTEM (VOL I)

1275
INDUCTOR NETWORK DEVELOPMENT FOR AIRCRAFT HIGH POWER SUPPLIES

McDonnell Aircraft Co, St. Louis, MO 63166

9129
A PORTABLE SYSTEM FOR FULL-SCALE AIRCRAFT LIGHTNING-INDUCED COUPLING TESTS

9789
THE NAVY P/A-18A HORNET ELECTROMAGNETIC COMPATIBILITY PROGRAM

McDonnell Douglas Astronautic Company, Huntington Beach, CA

10478
AN ELECTROMAGNETIC, PLANE STRESS-WAVE GENERATOR

McGill University, Montreal, Canada

5143
AN AUTOMATIC ELECTRIC FIELD MEASURING EQUIPMENT OF VERY HIGH RESOLUTION AND ITS APPLICATION FOR THE STUDY OF ACOUSTOELECTRIC PHENOMENA

McGraw-Edison Co., Franksville, WI

10123
ARC-INTERRUPTION AND DAS-EVOLUTION CHARACTERISTICS OF COMMON POLYMERIC MATERIALS

Megapulse, Inc., Bedford, MA

4106
THE ASSIGNMENT OF APPROPRIATE DIELECTRIC STRESSES IN LIQUIDS

Meldensha Electric Mfg. Co., Ltd., Numazu, Japan

3014
IMPULSE FLASHOVER CHARACTERISTICS OF LONG AIR GAPS AND ATMOSPHERIC CORRECTION

The Meteorological Office, London Road, Bracknell, Berks

9827
A RELIABLE 60KV FLASHLAMP TRIGGERING SYSTEM

Mhd Research Inc, Newport Beach, CA

10349
RESEARCH ON THE PHYSICS OF PULSED MMO GENERATORS

10370
RESEARCH ON THE PHYSICS OF CONTINUOUS AND PULSED MMO GENERATORS

10301
GENERATION OF SHORT DURATION PULSES IN LINEAR MMO GENERATORS

Michelson Lab, China Lake, CA

9762
ELECTRONIC SHUTTER PHOTOGRAPHS OF EXPLODING BRIDGE WIRES

Microwave Associates Inc, Burlington, MA

3409
INVESTIGATION OF HIGH POWER GASEOUS ELECTRONICS

Minneapolis, MN 55417

3429
HIGH-SPEED SWITCH MANOLES -OR- 400-V FEAR AND IS CONTROLLED BY LOGIC LEVELS

Miskinun College, New Concord, OH 43762

1330
MICROFARTICLES IN HIGH-VOLTAGE ACCELERATOR TUBES

Mission Research Corp, Alexandria, VA

8628
EXPERIMENTS ON THE INTERACTION OF HIGHPOWER MICROWAVES WITH AIR

Mission Research Corp, La Jolla, CA

1781
THE EFFECT OF ELECTRON PRECHARGING ON SOEMP RESPONSE OF INSULATORS

1797
EXPLODING-WIRE PHOTON TESTING OF SKYNET SATELLITE

1816
SPONTANEOUS DISCHARGES AND THE EFFECT OF ELECTRON CHARGING ON SKYNET SOEMP RESPONSE

10472
SOEMP RESPONSE INVESTIGATION WITH EXPLODING-WIRE PHOTONS, PART II

Mission Research Corp, Santa Barbara, CA

1797
EXPLODING-WIRE PHOTON TESTING OF SKYNET SATELLITE

10407
NOTE ON THE USE OF CHARGE INJECTION FOR SOEMP SIMULATION

Mission Research Corporation, La Jolla, CA 92038

10407
MODAL CHARACTERIZATION OF SKYNET RESPONSE TO ELECTRICAL AND PHOTON STIMULATION

Mission Research Corporation, Santa Barbara, CA 93101

10472
SOEMP RESPONSE INVESTIGATION WITH EXPLODING-WIRE PHOTONS, PART II

Mission Research Corporation, Santa Barbara, CA 93102

1768
INTERNAL SOEMP AND ANALYTIC REPRESENTATIONS FOR THE SKYNET STRUCTURAL MODEL

Mitsubishi Electric Corp, Amagasaki, Japan

3352
ELECTRICAL BREAKDOWN OF LONG GAPS IN SULFUR HEXAFLUORIDE

7823
SPECTROSCOPIC STUDY OF HIGH CURRENT DISCHARGES

8204
VOLTAGE-TIME CHARACTERISTIC OF ELECTRICAL BREAKDOWN IN SF/SUB 6/

8968
SPECTROSCOPIC APPROACH TO THE ANALYSIS OF HIGH CURRENT ARCS
IN SF/SUO 6/

18124
DEVELOPMENT OF A 7.2 KV - 63 KA ADVANCED PUFFER GAS CIRCUIT
BREAKER

Molecular Research Corp., Cambridge, MA 02142

1301
A PROGRAM TO EVALUATE, DEVELOP AND TEST FEROPLASTIC
MATERIALS AS IMPROVED ELECTRICAL INSULATION FOR HIGH POWER
UNDERGROUND CABLES

Monsanto Research Corp., Miami, OH 45342

10030
PULSED LASER STEREOPHOTOGRAPHY OF MINIATURE EXPLODING FOIL

Moscow Energetics Institute, Moscow, USSR

1795
EFFECT OF STRUCTURAL INHOMOGENEITIES IN EXPLODING WIRES

6623
CALCULATION OF THE VOLTAGE IMPULSE IN ELECTRIC EXPLOSION OF
CONDUCTORS

6688
RESTORATION OF THE DIELECTRIC STRENGTH FOLLOWING EXPLOSION
OF A WIRE

6876
ANALYSIS OF THE TRUMP-VAN DE GRAAFF CONDITION FOR VACUUM
BREAKDOWN

6928
EFFECT OF THE MEDIUM ON THE ELECTRICAL EROSION OF
ELECTRODES AT HIGH CURRENTS

Moscow Engineering Institute, Moscow, USSR

6882
EFFECT OF INHOMOGENEITY OF A TRANSVERSE MAGNETIC FIELD ON
BREAKDOWN

Moscow Engineering-Physics Institute, Moscow, USSR

2892
STARTING HIGH-VOLTAGE GENERATORS AT A VOLTAGE OF UP TO 1 MV
BY MEANS OF PULSED X RADIATION

2187
SF₆-CHAMBER POWER-SUPPLY CIRCUIT WITH SEMICONDUCTOR
TRIGGER

5339
A POWERFUL THYRISTOR MODULATOR

8276
THE APPLICATION OF AVALANCHE TRIODES IN NUCLEAR-ELECTRONICS
CIRCUITS

9785
SYSTEM FOR TWO-PULSE SUPPLY OF A LARGE STREAMER CHAMBER

9919
EXPERIMENTAL INVESTIGATION OF STREAMER DISCHARGE
DEVELOPMENT IN NEON

Moscow Institute of Power Engineering, Moscow, USSR

6925
DELAY IN PULSED BREAKDOWN OF NEARLY-ILLUMINATED GAPS

Moscow Physical Engineering Institute, Moscow, USSR

8951
EROSION OF CATHODE MATERIAL IN A PULSED DISCHARGE BETWEEN
PARALLEL ELECTRODES

Moscow Power Engineering Institute, Moscow, USSR

8179
EFFECT OF ELECTRODE ROUGHNESS OF BREAKDOWN VOLTAGE

8180
EFFECT OF ELECTRODE ROUGHNESS ON THE ELECTRICAL STRENGTH OF
COMPRESSED GASES

Moscow Power Institute, Moscow, USSR

7125
VOLTAGE WAVEFORM FOR EXPLODING WIRES

7692
INVESTIGATION OF THE BREAKDOWN BY RECTANGULAR VOLTAGE
PULSES OF A LIQUID IN AN INHOMOGENEOUS FIELD

8283
VAPORIZATION OF METAL ELECTRODES BY PULSED CURRENTS

Moscow State University, Moscow, USSR

244
ELECTRON CURRENT IN DELAYED TRIGGERING OF HIGH-VOLTAGE,
HIGH-VACUUM PULSED DISCHARGES

5164
LOW-VOLTAGE SF₆ FEARER

6648
THE ELECTROMAGNETIC FIELD IN A CAVITY UNDERGOING COMPRESSION

6661
DYNAMICS OF THE DEVELOPMENT OF HIGH-CURRENT INDUCTION
DISCHARGE

6914
VOLTAGE-CURRENT CHARACTERISTIC OF GAS DISCHARGE WITH
EXTERNAL IONIZATION

7646
EXTRACTION OF ENERGY FROM INDUCTIVE STORES AND
EXPLOSIVE-MAGNETIC GENERATORS INTO AN INDUCTIVE LOAD USING
CIRCUIT BREAKING

7861
NUMERICAL CALCULATION OF THE MAGNETIC CUMULATION PROCESS

7863
REDUCTION OF GAS BREAKDOWN VOLTAGE WITH PULSED IONIZING
RADIATION

7867
TAKE-OFF OF ENERGY FROM EXPLOSIVE-MAGNETIC GENERATORS TO AN
INDUCTIVE LOAD USING THE BREAKING OF A CIRCUIT

7184
CALCULATION OF TOROIDAL INDUCTIVE ACCUMULATORS WITH A
O-CROSS SECTION FROM PARAMETERS OF A DISCHARGE PULSE AND OF
THE CHARGING DEVICE

7186
COMPRESSION OF MAGNETIC FIELD IN AN IMPLODING SPHERICAL
CAVITY

7124
SWITCHING CHARACTERISTICS OF EXPLOSIVE DISCONNECTORS WITH
RAPID DESTRUCTION OF THE CONTACT ELEMENT

8979
THEORETICAL MODEL FOR BREAKDOWN OF FLASH-DISCHARGE TUBES
CAUSED BY INTERNAL PRESSURE DURING VAPORIZATION OF WALL
MATERIAL

9121
SPECTROSCOPIC STUDY OF THE PLASMA OF A LOW-VOLTAGE PULSE
DISCHARGE IN VACUUM

9583
MAGNETIC FIELD COMPRESSION BY A STRONG SHOCK WAVE

10049
VOLT-AMPERE CHARACTERISTIC AND TRANSITION CURRENT OF A GAS
DISCHARGE WHEN ACTED UPON BY PULSED IONIZING RADIATION

Motorele Semi-conductor Products Inc., Phoenix, AZ 85008

4119
SCR TURN-OFF PROBLEM ELIMINATED IN RAPID-FIRE STROBOSCOPE
TRIGGER

Mullard Research Labs

546
FERRITES FOR LINEAR APPLICATIONS I-PROPERTIES

8128
FERRITES FOR LINEAR APPLICATIONS II-PERFORMANCE REQUIREMENTS

Musashi Institute of Technology, Tokyo, Japan

3824
BREAKDOWN OF INSULATING MATERIALS BY SURFACE DISCHARGE

Museum Of Science, Boston, MA

3780
ARTIFICIAL INITIATION OF LIGHTNING DISCHARGES

PG Valve Co, London, UK

3759
THE DEVELOPMENT OF DEUTERIUM THYRATONS FOR OPERATION AT
HIGH DUTY-RATIOS AND HIGH AVERAGE CURRENTS

T493
THE HOLLOW THERMIONIC CATHODE SYSTEM USED IN THYRATONS

Nagoya University, Nagoya, Japan

818
CHARACTERISTICS OF CO-AXIAL MARX GENERATOR AND ITS
APPLICATION TO ELECTRON BEAM FUSION

658
A STUDY OF THE DOUBLE-FOCUSING DIDE

649
HIGH VOLTAGE NANSECONDS PULSE GENERATOR WITH VERY FAST
RISE TIME

698
NONRADIATIVE ENERGY TRANSFER BETWEEN COUPLED L-C RESONATORS
AND ITS POSSIBLE APPLICATIONS TO HIGH-POWER RF PULSE
GENERATION

3374
FAST AIR GAP CROWBAR SWITCH DECOUPLED BY A LOW PRESSURE GAP

9484
APPLICATIONS OF A LASER-TRIGGERED SPARK GAP (LYSG)

3684
TRIGGERING MECHANISM OF A LASER-TRIGGERED SPARK GAP

4958
A QUICK RESPONSE HIGH VOLTAGE DIVIDER

4489
RELATIVISTIC ELECTRON BEAM SOURCE WITH AN AIR-CORE STEP-UP
TRANSFORMER

5326
CROSS SECTIONS FOR CHARGE TRANSFER COLLISIONS INVOLVING
HYDROGEN ATOMS

T915
BREAKDOWN OF A SPARK GAP IN AIR TRIGGERED BY A LASER

8405
COAXIAL MARX GENERATOR FOR PRODUCING INTENSE RELATIVISTIC
ELECTRON BEAMS

8418
DIRECT CONTROL OF LARGE POWER SERIES TRIODES WITH
TRANSISTORS FOR HIGH VOLTAGE POWER SOURCE

8787
TEST STAND FOR MAGNETRON NEGATIVE ION SOURCE AT IPP-MADYA

National Aeronautics and Space Administration, Washington, DC

4881
HIGH VOLTAGE PULSE GENERATOR

10237
THE LEADING-EDGE PRINCIPLE WITH PULSE TRANSFORMERS:
REDUCTION OF THE CONTROL RESOLUTION BY A LOW NOISE LEVEL
HIGH SPEED PREAMPLIFIER

18386
RESETTABLE MONOSTABLE PULSE GENERATOR

National Bureau of Standards Washington D C

9498
INVESTIGATIONS OF THE EXPLODING WIRE PROCESS AS A SOURCE
FOR HIGH TEMPERATURE STUDIES

National Bureau of Standards, Boulder, CO 80302

9285
MICROWAVE DOPPLER MEASUREMENTS OF THE IONIZATION FRONT IN
CYLINDRICAL SHOCK WAVES FROM EXPLODING WIRES

9286
PRECURSOR ELECTRONS AHEAD OF CYLINDRICAL SHOCK WAVES

T918
CONTINUOUS LASER-SUSTAINED PLASMAS

8897
CW GAS BREAKDOWN IN ARGON USING 10.6-MICRON LASER RADIATION

10957
SNP IMPULSE GENERATOR

18425
PICOSECOND PULSE GENERATORS USING MICROMINIATURE MERCURY
SWITCHES

National Bureau of Standards, Washington, DC

1583
AN INTERNATIONAL COMPARISON OF HIGH VOLTAGE CAPACITOR
CALIBRATIONS

1629
IMPULSE GENERATOR SPECTRUM AMPLITUDE MEASUREMENT TECHNIQUES

1692
PRESENT CAPABILITIES OF THE NBS AUTOMATIC PULSE MEASUREMENT
SYSTEM

5382
ELECTRICAL MEASUREMENT OF HIGH VOLTAGE PULSES IN DIAGNOSTIC
X-RAY UNITS

8363
OPTICAL METHODS OF ELECTRICAL MEASUREMENT AT HIGH VOLTAGE
LEVELS

18472
PICOSECOND PULSE RESEARCH AT NBS

National Bureau of Standards, Washington, DC National
Engineering Lab.: Department of Energy.

18184
MEASUREMENT TECHNIQUES FOR HIGH POWER SEMICONDUCTOR
MATERIALS AND DEVICES. ANNUAL REPORT, OCTOBER 1,
1977-SEPTEMBER 30, 1978

National Bureau of Standards, Washington, DC 20234

3647
RECENT REFINEMENTS AND DEVELOPMENTS IN KERR SYSTEM
ELECTRICAL MEASUREMENT TECHNIQUES

9686
PULSED LASER KERR SYSTEM POLARIMETER FOR ELECTRO-OPTICAL
PULSE PATTERN MEASUREMENT OF TRANSIENT ELECTRICAL
PARAMETERS

4738
CALIBRATION OF A KERR CELL SYSTEM FOR HIGH-VOLTAGE PULSE
MEASUREMENTS

5881
KERR COEFFICIENTS OF POLYCHLORINATED BIPHENYLS AND
CHLORINATED NAPHTHALENE

5538
SURGE MEASUREMENT ERRORS INTRODUCED BY COAXIAL CABLES

9726
TIME RESOLVED ELECTRICAL MEASUREMENTS IN HIGH CURRENT
DISCHARGES

9273
MECHANISMS FOR INCEPTION OF DC AND 60-HZ AC CORONA IN
SF₆/SUO 6/

9485
MINIATURE ELF ELECTRIC FIELD PROBE

9488
TEMPERATURE DEPENDENCE OF THE ELECTRO-OPTIC KERR
COEFFICIENT OF NITROBENZENE

National Measurement Lab, Sydney, Australia

413
VOLTAGE INDUCED CAPACITANCE FLUCTUATIONS IN A COMPRESSED
DAS, HIGH VOLTAGE CAPACITOR

National Physical Research Lab, Pretoria, South Africa

1834
HIGH-POWER PHOTOFREQUENCY-STABILIZED CARBON DIOXIDE
WAVELENGTH LASERS OPERATING AT GAS PRESSURES OF UP TO 13 ATM

National Research Council, Ottawa, Ontario, Canada

2178
MULTICHANNEL SURFACE SPARK GAPS

9555
THE MEASUREMENT OF SHORT-DURATION IMPULSE VOLTAGES

4336
HIGH-VOLTAGE PROBE SYSTEM WITH SUBNANOSECOND RISE TIME

4342
LABORATORY SIMULATION OF THE STEPPED LEADER IN LIGHTNING

5953
A SIMPLE LASER-TRIGGERED SPARK GAP WITH SUBNANOSECOND
RISETIME

5646
TRANSIENT PHENOMENA IN THE MARK-TYPE MULTIPLIER CIRCUIT
AFTER FIRING THE FIRST SWITCHING SPARK GAP

7916
HIGH-VOLTAGE PULSER SPARES BATTERY SUPPLY

8145
STEP RESPONSE OF MEASURING SYSTEMS FOR HIGH IMPULSE VOLTAGES

6141
A HIGH-IMPEDANCE, NANOSECOND RISE TIME PROBE FOR MEASURING
HIGH-VOLTAGE IMPULSES

6194
A RIGID-ROD CURRENT GUN BASED ON THE QUENCHED SPARK
PRINCIPLE

National Research Group, Madison, WI 53705

928
PARALLEL COMBINATIONS OF PRE-IONIZED LOW JITTER SPARK GAPS

Nauchno-Issledovatel'skiy Inst. Elektrofizicheskoy
Apparatury, Leningrad (USSR).

5598
MECHANICAL TANGENT STRESSES IN THE ROTOR DISC OF THE
SMOKE-EXCITED MONOPOLAR GENERATOR AT ITS RRARING

Naval Air Systems Command, Washington, DC 20361

9789
THE NAVY P/A-IRA NORMET ELECTROMAGNETIC COMPATIBILITY
PROGRAM

Naval Civil Engineering Lab, Port Hueneme, CA

5588
HIGH VOLTAGE CABLE SPLICING AND CABLE TERMINATION TECHNIQUES

5982
RADIO-FREQUENCY SHIELDING PROVIDED BY BOLTED SEAMS
CONNECTING ARMORED-PLYWOOD PANELS

6129
CONSTRUCTION AND EVALUATION OF A PROTOTYPE
ELECTROMAGNETICALLY SHIELDED ROOM

8131
GUIDE FOR SHIELDED ENCLOSURE CONSTRUCTION PROBLEMS

10363
10-RV PULSE GENERATOR: PULSE TEST ON AUTOGEN FILTER
DEMONSTRATES GENERATOR CAPABILITY

Naval Electronics Lab, San Diego, CA

10493
SOLID-STATE BWO MODULATOR

Naval Ordnance Test Station, Pasadena, CA

5588
TERMINATED EXPLODING WIRE ENERGY SOURCE

10248
A METHOD FOR MEASURING VERY HIGH SPEED TRANSIENT CURRENTS

Naval Postgraduate School, Monterey, CA 93940

3069
BACKGROUND GAS PRESSURE DEPENDENCE AND SPATIAL VARIATION OF
SPONTANEOUSLY REGENERATED MAGNETIC FIELDS IN LASER-PRODUCED
PLASMAS

6317
POWER AMPLIFICATION WITH GATE TURN-OFF CONTROLLED RECTIFIERS

10379
AN OUTPUT EXPRESSION FOR A DISPERSIVE DELAY PULSE
COMPRESSION FILTER UNDER ARBITRARY INPUTS

Naval Research Lab, Orlando, FL

5711
THE MEASUREMENT OF IMPEDANCE AT HIGH POWER

Naval Research Lab, Washington, DC 20375

103
INDUCTIVE STORAGE PULSE-TRAIN GENERATOR

179
A METHOD FOR ENHANCING EXPLODING ALUMINUM POIL FUSES FOR
INDUCTIVE STORAGE SWITCHING

188
THE NRL MULTI-MEGAJOULE INERTIAL-INDUCTIVE ENERGY STORAGE
SYSTEM

334
PULSED POWER GENERATORS

335
PULSED POWER TECHNOLOGY FOR CONTROLLED THERMONUCLEAR FUSION

579
15-RJ LC GENERATOR: LOW INDUCTANCE DEVICE FOR A 100-OM
PULSED ELECTRON ACCELERATOR

787
USE OF TRANSFORMERS IN PRODUCING HIGH POWER OUTPUT FROM
MONOPOLAR GENERATORS

788
REPETITIVE ELECTRON-BEAM CONTROLLED SWITCHING

798
MAGNETIC FIELD SENSITIVITY OF AN OPTICAL PIRER WITH
MAGNETOSTRICTIVE JACKET

897
REPETITIVE ELECTRON BEAM CONTROLLED SWITCHING

986
TRIGENT-A MEGAVOLT PULSE GENERATOR USING INDUCTIVE ENERGY
STORAGE

923
STEADY STATE NUMERICAL SOLUTION OF MAGNETICALLY INSULATED
CHARGE FLOW IN COAXIAL GEOMETRY

938
HIGH-POWER ION BEAM GENERATION WITH AN INVERSE REFLUX
TETRODE

1253
NRL LIGHT ION BEAM RESEARCH FOR INERTIAL CONFINEMENT FUSION

1292
BEAM REQUIREMENTS FOR LIGHT-ION DRIVEN INERTIAL-CONFINEMENT
FUSION

1294
HIGH IMPEDANCE ION DIODE EXPERIMENT ON AURORA

1297
CURRENT INTERRUPTION IN INDUCTIVE STORAGE SYSTEMS WITH
INERTIAL CURRENT SOURCE

1298
EXPERIMENTS ON THE INJECTION OF RELATIVISTIC ELECTRON BEAMS
INTO PREFORMED CHANNELS IN THE ATMOSPHERE

1448
HIGH-IMPEDANCE ION-DIODE EXPERIMENT ON THE AURORA PULSER

1588
MATERIAL RESPONSE TO 500 REV PROTON BEAMS AT INTENSITIES
BELOW 1 OM/30.CM.

1767
INDUCTIVE STORAGE-PROSPECTS FOR HIGH POWER GENERATION

1868
EXPLOSIVELY ACTUATED 100 KA OPENING SWITCH FOR HIGH VOLTAGE
APPLICATIONS

2443
INTENSE RELATIVISTIC ELECTRON BEAM INTERACTION WITH A COOL
THETA PINCH PLASMA

2446
MAGNETIC-FIELD-INDUCED ENHANCEMENT OF
RELATIVISTIC-ELECTRON-BEAM ENERGY DEPOSITION

3099
AN INDUCTIVE ENERGY STORAGE SYSTEM BASED ON A SELF-EXCITED
MONOPOLAR GENERATOR

3753
TWO-DIMENSIONAL FLUID SIMULATION OF RELATIVISTIC ELECTRON
BEAM-HIGH Z TARGET INTERACTIONS

3734
WHYRAC, A NEW MODULAR ONE-DIMENSIONAL EXPLODING WIRE CODE

3774
A PRELIMINARY STUDY OF AEROSOL INITIATED CO/SUB 2/ LASER
PRODUCED AIR SPARKS AND THEIR ABILITY TO GUIDE ELECTRICAL
DISCHARGES

4337
THE VEGA RELATIVISTIC ELECTRON ACCELERATOR

4440
ION-INDUCED PINCH AND THE ENHANCEMENT OF ION CURRENT BY
PINCHED ELECTRON FLOW IN RELATIVISTIC DIODES

4721
DEVELOPMENT OF INDUCTIVE STORAGE FOR GENERATION OF HIGH
VOLTAGE PULSES

4756
100 MW ELECTRON BEAM GENERATOR

4935
PRODUCTION OF INTENSE DEUTERON BEAMS

5419
STATUS OF THE IMPROVED VERSION OF THE NRL GAMBLE II PULSE
POWER GENERATOR

5478
EXPLODING WIRE RESEARCH 1974-1983

5487
HIGH VOLTAGE, HIGH POWER TRANSISTORS: CHARACTERISTICS OF
DEVELOPMENTAL UNITS

5517
HIGH VOLTAGE PROBE FOR LIQUID IMMERSION

5519
MICROSECOND DURATION INTENSE RELATIVISTIC ELECTRON BEAMS

5536
THE GAMBLE I PULSED ELECTRON BEAM GENERATOR

5570
DEPENDENCE OF THE ION CURRENT ON VOLTAGE IN A REFLEX TRIODE

5631
THE USE OF FINITE $J/\sin \theta$ FOR INCREASING THE ION
EFFICIENCY OF HIGH IMPEDANCE DIODES

6452
INTENSE ELECTRON-BEAM PINCH FORMATION AND PROPAGATION IN
RDD PINCH DIODES

6495
APPLICATION OF THE HALL EFFECT TO THE SWITCHING OF
INDUCTIVE CIRCUITS

T298
ULTRAPAST HIGH VOLTAGE PROBE

T346
A STUDY OF POWER AND ENERGY IN THE AURORA MODIFICATION
PROJECT

7360
GENERATING HIGH VOLTAGE PULSES BY INTERRUPTING CURRENT IN
AN INDUCTIVE CIRCUIT

7374
HOMOPOLAR CURRENT SOURCE FOR MASS ACCELERATORS

T576
IMPEDANCE CHARACTERISTICS OF DIODES OPERATING IN THE
SELF-PINCH MODE

T580
INTENSE FOCUSING OF RELATIVISTIC ELECTRONS BY COLLAPSING
HOLLOW BEAMS

T503
INTERACTION OF ACCELERATING HIGH-CURRENT ELECTRON BEAMS
WITH EXTERNAL MAGNETIC FIELDS

7500
MULTIPLE CHANNEL SWITCHING IN WATER DIELECTRIC PULSE
GENERATORS

T605
RECOVERY CHARACTERISTIC OF EXPLODING WIRE FUSES IN AIR AND
VACUUM

T800
RELATIVISTIC ELECTRON BEAM PINCH FORMATION PROCESSES IN LOW
IMPEDANCE DIODES

T620
TRAVELING WAVE EXCITATION OF HIGH POWER GAS LASERS

T830
CHARACTERISTICS OF LASER-INITIATED IONIZATION CHANNELS IN
AIR

7845
ELECTRICALLY EXPLODED WIRES-EXPERIMENTS AND THEORY

7874
PULSED HIGH VOLTAGE AND HIGH CURRENT OUTPUTS FROM HOMOPOLAR
ENERGY STORAGE SYSTEM

7902
A NEW COLLECTIVE PARTICLE ACCELERATOR

T905
INDUCTIVE CHARGING OF PULSE LINES IN 0.1 TO 1.0 MJ RANGE
USING FBIL PUSES STAGED WITH EXPLOSIVELY ACTUATED SWITCHES

T904
INTERPRETATION OF X-RAY LINE SPECTRA FROM EXPLODED-WIRE
ARRAYS

T995
SPECTROSCOPY AND X-RADIATION FROM EXPLODED-WIRE ARRAYS AND
GAS PUFF PLASMAS

0124
HANDSECONDED TRIGGERING OF AIR GAPS WITH INTENSE ULTRAVIOLET
LIGHT

0120
COMPUTATIONAL STUDY OF MAGNETIC DAM EFFECTS IN A HIGH
IMPEDANCE DIODE

0230
ELECTRON EMISSION PRECEDING ELECTRICAL BREAKDOWN IN VACUUM

0401
AN X-RAY DIAGNOSTIC FOR LIGHT-ION CURRENT MEASUREMENTS

I0000
A TRANSMISSION-LINE PULSE INVERTER

I0214
PULSED HIGH-VOLTAGE AND HIGH-CURRENT OUTPUTS FROM HOMOPOLAR
ENERGY STORAGE SYSTEM

I0221
INTERACTION OF LASER-INDUCED IONIZATION WITH ELECTRIC FIELDS

I0207
VECTOR-POTENTIAL FLOW IN RELATIVISTIC BEAM DIODES

I0311
ANALYSIS OF PROTON TRANSPORT EXPERIMENTS

I0302
GENERATION OF FRACTION OF A TERAWATT PROTON PULSES WITH
COAXIAL REFLEX TRIODES

I0420
ANALYSIS OF DISCRETE PULSE FORMING NETWORKS DRIVING
NON-LINEAR PLASMA LAMP LOADS

I0432
A DEVICE FOR FORMING PULSES WITH A STEEP FRONT

Naval Research Laboratory, Washington, DC

I0307
DENSE PLASMA DISCHARGES FOR SOLID-TARGET HEATING

Naval Surface Weapons Center

4237
HIGH POWER SPARK GAP SWITCH PROGRAM

4695
LIGHTWEIGHT MULTIMEDAWATT POWER TECHNOLOGY-A SURVEY

Naval Surface Weapons Center, Dahlgren, VA 22448

917
HIGH REPETITION RATE MINIATURE TRIGGERED SPARK SWITCH

932
SURFACE ADHESION IN HIGH REPETITION RATE SPARK SWITCHES WITH
ALUMINUM AND BRASS ELECTRODES

I011
HIGH REPETITION RATE LC OSCILLATOR

2106
TIME-RESOLVED RESISTANCE DURING SPARK GAP BREAKDOWN

S109
PULSE CHARGING OF NANOPARAO CAPACITORS TO TENS OF KILVOLTS
FROM THE SHOCK DEPOLING OF PZT FERROELECTRIC CERAMICS

S417
HIGH-VOLTAGE SPIRAL GENERATORS

- 7178
BREAKDOWN IN SMALL, FLOWING GAS SPARK GAPS
- 7179
ELECTRICAL BREAKDOWN IN WATER IN THE MICROSECOND REGIME
- 7190
EFFECTS OF SURROUNDING MEDIUM ON THE PERFORMANCE OF
EXPLODING ALUMINUM FOIL FUSES
- 7548
EFFECTS OF SURROUNDING MEDIUM ON ELECTRICALLY EXPLODED
ALUMINUM FOIL FUSES
- 7515
EXPERIMENTS ON ELECTRICAL BREAKDOWN IN WATER IN THE
MICROSECOND REGIME
- Naval Surface Weapons Center, Silver Spring, MD 20910
- 1298
EXPERIMENTS ON THE INJECTION OF RELATIVISTIC ELECTRON BEAMS
INTO PREFORMED CHANNELS IN THE ATMOSPHERE
- 4708
THE LIQUID METAL PLASMA VALVE CLOSING SWITCH
- 5412
CHARACTERIZATION OF HIGH POWER GAS SWITCH FAILURE MECHANISMS
- 7187
A STREAMER MODEL FOR HIGH VOLTAGE WATER SWITCHES
- 9846
HIGH POWER SPARK GAP SWITCHES-A NUMERICAL MODEL AND
EXPERIMENTAL INVESTIGATION
- Naval Weapons Center, China Lake, CA 93555
- 3728
AIR BREAKDOWN BY PULSED-LASER RADIATION IN THE 2.7-AND
3.8-MICRON REGION
- 4724
NANOSECOND PULSE GENERATORS FOR MAGNETRON OPERATION
- 8144
TIME-DEPENDENT CRITICAL DAMPING OF A CAPACITOR-DISCHARGE
CIRCUIT
- New Jersey Ceramic Research Station, New Brunswick, NJ
- 5467
INSULATION STUDIES FOR HIGH POWER TUBES
- New Mexico Institute of Mining and Technology, Socorro, NM
- 3740
ARTIFICIAL INITIATION OF LIGHTNING DISCHARGES
- New York University, N.Y. Task Force for Research Planning in
Environmental Health Sciences (2nd): : Office of Radiation
Programs, Silver Spring, Md.; National Inst. of
Environmental Health Sciences, Research Triangle Park, N.C.
- 3465
BACKGROUND INFORMATION ON HIGH-VOLTAGE FIELDS
- New York University, University Heights, New York, NY
- 7739
ANOMALIES IN IONIZATION COEFFICIENTS AND IN UNIFORM FIELD
BREAKDOWN IN ARGON FOR LOW VALUES OF E/P
- North Carolina State University, Raleigh, NC 27607
- 1785
INTENSE RELATIVISTIC ELECTRON BEAM INVESTIGATIONS
- 7284
NANOSECOND RESPONSE 'BASKET-TYPE' MAGNETIC LOOP CURRENT
MONITOR FOR RELATIVISTIC ELECTRON BEAM CURRENT MEASUREMENTS
- Norwegian Institute of Technology, Trondheim-NTH, Norway
- 9259
CORONA AND INSULATION
- Novosibirsk Branch, GIP
- 1346
A PULSED ACCELERATOR BASED ON THE 'ELIT-1' ACCELERATOR
- Novosibirsk Branch of State Nitrogen Industry Institute,
USSR
- 6691
SEMI-SELF-MAINTAINED DISCHARGE DEVICE WITH IONIZING BEAM
REGENERATION
- Novosibirsk Institute of Nuclear Physics, Academy of Sciences
of the USSR, Novosibirsk, USSR
- 1896
CURRENT SWITCHING IN TESLA TRANSFORMERS
- Novosibirsk State University, Novosibirsk, USSR
- 6892
INTERFEROMETRIC STUDY OF PULSED BREAKDOWN IN A LIQUID
- Novosibirsk, USSR
- 6457
CALCULATING SCHEME AND SWITCHING-ON OF THE LOAD OF FLAME
EXPLOSIVE-DRIVEN MAGNETIC GENERATORS
- 6473
FLUX DIFFUSION DURING MAGNETIC ACCUMULATION IN NARROW
CAVITIES
- 6474
FLUX DIFFUSION UPON THE COMPRESSION OF A MAGNETIC FIELD BY
FLAT STRIPS OF VARIABLE WIDTH
- 6475
FLUX LOSSES DURING COMPRESSION OF A MAGNETIC FIELD BY FLAT
STRIPS
- 6480
LIMITING CURRENTS IN THE COMPRESSION OF MAGNETIC FLUX
BETWEEN FLAT AND COAXIAL CONDUCTORS
- 6481
MAGNETIC FIELD IN A CYLINDRICAL CONDUCTOR MOVING WITH A
VELOCITY PROPORTIONAL TO R/\sqrt{L}
- 6483
METHOD OF DESIGNING EXPLOSIVE-DRIVEN MAGNETIC FIELD
GENERATORS
- 6490
SELF-SIMILAR ELECTRICAL SKIN EXPLOSION OF A CONDUCTOR
- 6488
CHARGING OF AN INDUCTIVE ACCUMULATOR FROM AN EXPLOSIVE-TYPE
MAGNETIC GENERATOR THROUGH AN ELECTRICAL EXPLOSIVE-TYPE
CURRENT BREAKER
- 6417
ENERGY TRANSFER FROM AN INDUCTIVE STORAGE BY MEANS OF AN
EXPLOSIVE CURRENT DISCONNECT
- 6434
INITIAL STAGES OF THE ELECTRICAL EXPLOSION OF A WIRE IN AN
LC-LOOP
- 6439
MATCHING AN EXPLOSIVE-MAGNETIC GENERATOR TO A RESISTIVE
LOAD USING A TRANSFORMER
- 6934
ELECTRIC STRENGTH OF SCATTERED DETONATION BASES
- 6932
ELECTRICAL CONDUCTIVITY IN THE DETONATION ZONE OF CONDENSED
EXPLOSIVES
- 6935
ELECTRICAL DISCHARGE IN PENTAERYTHRITOL TETRANITRATE POWDER
- 6934
ELECTRICAL STABILITY OF DETONATION PRODUCTS OF CONDENSED
EXPLOSIVES
- 6988
CONDITIONS FOR THE MAINTENANCE OF THE CURRENT IN THE
CATODE LAYER OF A SEMI-SELF-MAINTAINING VOLUMETRIC
DISCHARGE EXCITED BY AN ELECTRON BEAM
- 9433
EXPLOSIVE SWITCHING OF AN ELECTRIC CURRENT
- 9430
ENERGY TRANSFER FROM AN INDUCTIVE STORAGE TO AN INDUCTIVE
LOAD BY MEANS OF AN EXPLOSIVE CURRENT DISCONNECT
- Nuclear Engineering Lab, London, UK
- 14244
PRE-BREAKDOWN CONDUCTION IN CONTINUOUSLY-PUMPED VACUUM
SYSTEMS
- Nuclear Physics Institute, Academy of Science of the USSR,
Novosibirsk, USSR
- 7345
INCREASE OF DIELECTRIC STRENGTH OF WATER IN A SYSTEM WITH
'DIFFUSION' ELECTRODES

Nuclear Physics Institute, Academy of Sciences of the USSR,
Novosibirsk

4951
INITIATION OF A DISCHARGE IN A MEGAVOLT GAS SPARK DAF BY AN
ELECTRON BEAM

Nuclear Physics Institute, Academy of Sciences of the USSR,
Novosibirsk, USSR

6476
REMOTELY CONTROLLED CONTACTS CARRYING MEGAAMPERE CURRENTS

6916
CAPACITOR DISCHARGE INTO A LOAD CONSISTING OF TWO PARALLEL
LEADS WITH SKIN EFFECT

Nuclear Physics Scientific-Research Institute, Moscow State
University, Moscow, USSR

7113
GAS-DISCHARGE CONTRACTION

Nucleonic Data Systems Inc, Irvine, CA 92714

1269
SF/SUB 6/ DIELECTRIC PILL GAS GAUGE

Oak Ridge National Lab, Oak Ridge, TN 37830

4369
HIGH VOLTAGE RESEARCH (BREAKDOWN STRENGTHS OF GASEOUS AND
LIQUID INSULATORS) AND ENVIRONMENTAL EFFECTS OF DIELECTRIC
GASES

5178
DESIGN PHILOSOPHY AND USE OF HIGH VOLTAGE POWER SYSTEMS FOR
MULTI-MEGAWATT ION BEAM ACCELERATORS

5184
OPTICALLY COUPLED HIGH VOLTAGE ISOLATION AMPLIFIER

7144
CARBON INHIBITION IN SPARKED PERFLUOROCARBON-SF/SUB 6/
MIXTURES

7753
DIELECTRIC GAS MIXTURES WITH POLAR COMPONENTS

7775
ON THE ROLE OF THE ELECTRON IMPACT IONIZATION AND ELECTRON
SCATTERING CROSS-SECTION IN THE BREAKDOWN STRENGTH OF
DIELECTRIC GASES

8582
DEVELOPMENT AND USE OF 60 KV, AND 150 KV FLOATING DECK
MODULATORS FOR HIGH VOLTAGE PROTECTION OF MULTI-MEGAWATT
ION BEAM ACCELERATORS

18185
HIGH VOLTAGE RESEARCH (BREAKDOWN STRENGTHS OF GASEOUS AND
LIQUID INSULATORS) AND ENVIRONMENTAL EFFECTS OF DIELECTRIC
GASES. SEMIANNUAL REPORT, APRIL 1, 1979-SEPTEMBER 30, 1979

Office of Naval Research, Boston, MA

5708
ARTIFICIAL INITIATION OF LIGHTNING DISCHARGES

Office of Naval Research, London, UK

5577
COLLOQUIUM ON ELECTRICAL BREAKDOWN ON INSULATING SURFACES

8738
4TH INTERNATIONAL TOPICAL CONFERENCE ON HIGH-POWER ELECTRON
AND ION-BEAM RESEARCH AND TECHNOLOGY

Office Of Naval Research, Alexandria, VA

18424
A HIGH INTENSITY PULSED SOURCE OF POLARIZED ELECTRONS

Ohio State University, Columbus, OH

7258
FEASIBILITY STUDY OF THE USE OF AN ENVIRONMENTAL CHAMBER
FOR THE EXAMINATION OF TRANSMISSION LINE ELECTRIC FIELD AND
CORONA EFFECTS

8726
VARIABLE PULSE-WIDTH GENERATOR

Oklahoma State University, Stillwater, OK

5651
CALIBRATION OF A FAR ULTRAVIOLET SPECTROGRAPH AND A STUDY
OF VACUUM SPARK BREAKDOWN

Ontario Hydro Research, Toronto, Ontario, Canada

4998
COMPARISON OF TRACKING TEST METHODS

9257
FUNDAMENTAL LIMITATIONS IN THE MEASUREMENT OF CORONA AND
PARTIAL DISCHARGE

9921
THE APPLICATION OF WEIBULL STATISTICS TO INSULATION AGING
TESTS

Optical Sciences Div, NREL, CSIR, Pretoria 0001, South Africa

1225
LOW-IMPEDANCE HIGH-VOLTAGE PULSERS FOR TRAVELLING-WAVE
EXCITATION OF HIGH-POWER UV GAS LASERS

Order Of Lenin Power Institute, Moscow

1557
ELECTRODE EROSION IN PULSED HIGH-CURRENT DISCHARGES

Osaka University, Suita, Osaka, Japan

6174
NANOSECOND PULSED ELECTRON ACCELERATOR

6961
A NEW METHOD OF HIGH MAGNETIC FIELD GENERATION AND ITS
APPLICATIONS

8889
INVESTIGATION OF LASER PULSE FORMING BY LT50 AND POCKELS
CELLS

9887
NANOSECOND PULSED ELECTRON SOURCE WITH DOUBLE PULSE CONTROL

P.N. Lebedev Physics Institute, Academy of Sciences of the
USSR, Leningrad, USSR

2451
THE EXCITATION AND IONIZATION OF ATOMS IN A STRONG
RADIATION FIELD

P.N. Lebedev Physics Institute, Academy of Sciences of the
USSR, Moscow, USSR

333
OPTICAL BREAKDOWN OF COMPRESSED GASES BY CO/SUB 2/ LASER
RADIATION

1185
HIGH-POWER 1 USEC ULTRAVIOLET RADIATION SOURCE FOR PUMPING
OF GAS LASERS

6438
EXPERIMENTS ON ACCELERATION OF DEUTERONS AND PROTONS IN AN
ELECTRON BEAM PASSING THROUGH A GAS

6583
ELECTRON ACCELERATION IN A TWO-CONDUCTOR STRUCTURE

7924
INVESTIGATION OF BREAKDOWN IN N/SUB 2/ UNDER THE INFLUENCE
OF A FICOSECOND RUBY-LASER PULSE

8177
DESTRUCTION OF ELECTRODES BY ELECTRIC DISCHARGES OF HIGH
CURRENT DENSITY

9651
EXPLOSION OF A METAL BY AN ELECTRIC CURRENT

P.N. Lebedev Physics Institute, The Academy of Sciences of
the USSR, Moscow

1559
EXCITATION OF THE SPECTRUM IN A SPARK DISCHARGE

Pacific Gas And Electric Co., San Francisco, CA 94185

5334
FIELD-REVERSED MIRROR PILOT REACTOR

Padova University, Padova, Italy

5539
THE MECHANISM OF THE LONG SPARK FORMATION

6726
AROUS-A SIMPLE DEVICE FOR SIMULTANEOUS MEASUREMENT OF
BREAKDOWN TIMES OF MANY SPARK GAPS

Paris University, Drsay, France

8326
THEORETICAL AND EXPERIMENTAL STUDY OF THE CURRENT
DISTRIBUTION IN COILS COUPLED TO IMPULSE OVERLOADS

10188
DESCRIPTORS OF THE ENERGY SOURCE PROJECT DELIVERING 1
MEGAJoule IN 1 MICROSECOND

Patrice Lumumba University of International Friendship,
Moscow, USSR

7086
EXPLOSIVE ELECTRON EMISSION AND EXPLODING WIRES

7685
RESISTANCE AND ENTHALPY OF REFRACTORY EXPLODING WIRES

Patriot APS, Florida 32925

5051
DETECTION OF LIGHTNING SUPERBURSTS

9390
ANALYSIS OF LIGHTNING DATA FROM THE DMSP SATELLITE

Pennsylvania State College, State College, PA

8189
THE DIELECTRIC STRENGTH OF GASEOUS FLUOROCARBONS

Pennsylvania State University, University Park, PA

2036
SIMPLE INSTRUMENTATION FOR RISE AND DECAY TIME MEASUREMENT
OF CATHODOLUMINESCENCE IN AN ELECTRON MICROSCOPE

6034
SELF-CROWBARRING, LOAD-ISOLATING TRIGGERED SPARK GAP

7678
PRESSURE DISTRIBUTION IN THE STRUCTURE OF A PROPAGATING
CURRENT SHEET

7753
ELECTRIC FIELDS AND SECONDARY EMISSION NEAR A
DIELECTRIC-METAL INTERFACE

Perkin-Elmer Corp, Norwalk, CT

10388
ANALYSIS OF LIGHT IN GASES

Phelps Dodge Cable and Wire Co, Yonkers, NY 10702

7231
INVESTIGATION OF MECHANISM OF BREAKDOWN IN XLPE CABLES

Physic International Co, San Leandro, CA 94577

162
PULSED POWER FOR EMP SIMULATORS

194
MODULAR PAST CAPACITOR BANK FINAL REPORT

236
CHARACTERIZATION OF ELECTRON AND ION CURRENT FLOW IN VERY
LARGE ASPECT-RATIO TERAWATT DIODES EMPLOYING HEATED AND
UNHEATED ANODES

339
PLASMA EMISSION SWITCHES WITH IMPLDING PLASMA LOADS ON A
MULTITERAWATT PULSED POWER GENERATOR

638
THE DESIGN APPROACH TO A HIGH-VOLTAGE BURST GENERATOR

653
MULTIPLE-WIRE ARRAY LOAD FOR HIGH-POWER PULSED GENERATORS

869
A 3-MV LOW-JITTER TRIGGERED GAS SWITCH

882
INDUCTANCE AND RESISTANCE CHARACTERISTICS OF SINGLE-SITE
UNTRIGGERED WATER SWITCHES IN WATER TRANSFER CAPACITOR
CIRCUITS

925
MAGNETIC INSULATION IN SHORT COAXIAL VACUUM STRUCTURES

1081
MAGNETIC INSULATION

2393
A RELIABLE MULTIMEGAVOLT VOLTAGE DIVIDER

4123
EXPERIMENTAL INVESTIGATION OF HIGH-CURRENT RELATIVISTIC
ELECTRON FLOW IN DIODES

4129
MAGNETIC INSULATION OF HIGH VOLTAGES IN VACUUM: COMPARISON
OF EXPERIMENT WITH SIMULATIONS

4208
OML II DIODE STUDY

4592
A PICOSECOND RISE TIME HIGH VOLTAGE DIVIDER

4950
RELATIVISTIC BRILLOUIN FLOW IN THE HIGH H/DAMPA DIODE

5191
PULSE TRANSDUCER DESIGN STUDY

5277
THE ADVANCED DEVELOPMENT OF WATER TRIGATRON AND
THREE-ELECTRODE SULFUR HEXAFLUORIDE SWITCHES

5413
DEVELOPMENT OF HIGH REPETITION-RATE PULSED POWER GENERATORS

5460
DEVELOPMENT OF AN INTENSE ELECTRON BEAM ENVIRONMENT FOR
MATERIAL CHARACTERIZATION

6342
A NANSECON RISE TIME MEGAVOLT VOLTAGE DIVIDER

7188
PULSED ELECTRON FIELD EMISSION FROM PREPARED CONDUCTORS

7286
A COMPUTERIZED MEASURING SYSTEM FOR NANSECON RISE TIME
PULSED ACCELERATORS

7287
A LOW-INDUCTANCE 2-MV TUBE

7262
AURORA, AN ELECTRON ACCELERATOR

7276
HIGH CURRENT PULSED ELECTRON BEAM GENERATOR

7672
MAGNETIC CUTOFF IN HIGH-CURRENT DIODES

7801
DEVELOPMENT OF AN ADVANCED PULSED ELECTRON BEAM ACCELERATOR

7904
INTERPRETATION OF X-RAY LINE SPECTRA FROM EXPLODED-WIRE
ARRAYS

7986
INTENSE ELECTRON BEAM GENERATION AND COMPRESSION

8144
A SUBNANOSECOND RISE TIME FLUXMETER

8146
ADVANCED CONCEPTS FOR PHOTON SOURCES VOLUME 2: PAST
SWITCHING OF VACUUM MAGNETIC ENERGY STORES

8243
METHOD OF GENERATING VERY INTENSE POSITIVE-ION BEAMS

8292
ADVANCED CONCEPTS FOR PHOTON SOURCES: VOLUME 2. PAST
SWITCHING OF VACUUM MAGNETIC ENERGY STORES

10361
INVERSE DIODE STUDY (FINAL REPORT)

Physicotechnical Institute, Academy of Sciences of the
Ukrainian SSR, Kharkov, USSR

675
HIGH-POWER CURRENT PULSE GENERATOR

831
ELECTRODES FOR HIGH-CURRENT COMMUTATORS

1145
COMPUTATION OF SPARK GAPS BY MEANS OF A PULSED GAS LASER
OPERATING IN THE ULTRAVIOLET RANGE

1361
ACCELERATION OF IONS BY A MODULATED ELECTRON BEAM

3806
PEAKING THE TRAILING EDGE OF A HIGH-VOLTAGE NANOSECOND
PULSE IN AN UNMATCHED LOAD

4626
MEASUREMENT OF A HIGH VOLTAGE BY A ROTOR VOLTMETER USING AN
INSULATED ELECTRODE

4784
RANGE OF COMMUTABLE VOLTAGES OF VACUUM SPARK GAPS

6479
SELF-ACCELERATION OF AN ELECTRON BEAM IN A GYROTRONIC MEDIUM

6555
SELF-ACCELERATION OF A CHOPPED ELECTRON BEAM IN A
PERRITE-FILLED WAVEGUIDE

6619
A TRIBATRON FOR LARGE CURRENTS IN HIGH-VOLTAGE APPARATUS

6658
METHOD OF MEASURING THE DISPERSION OF THE DELAY TIMES OF
BREAKDOWN OF CONTROLLED SPARK GAPS

6644
SHORTENING THE FRONTS OF HIGH-VOLTAGE PULSES WITH THE AID
OF A NONLINEAR INDUCTANCE

6856
LOW-PRESSURE GAS-DISCHARGE COMMUTATORS

6869
THE TIME REQUIRED FOR TRANSFER OF CURRENT FROM A
LIQUID-METAL COMMUTATOR INTO A SHUNTING CIRCUIT

7048
HIGH-CURRENT, HOLLOW-CATHODE GLOW DISCHARGE

7049
HYDROGEN GENERATORS FOR SEALED SWITCHES

7290
SELF-ACCELERATION EXPERIMENT BY INTERRUPTION OF AN INTENSE
ELECTRON BEAM

10020
PLASMA PROPERTIES OF A METAL VACUUM ARC. I

Physics Institute, Academy of Sciences of the Belorussian
SSR, USSR

9432
PRODUCTION OF PULSED MAGNETIC FIELDS UP TO 100 KOE

Physics Institute, Academy of Sciences of the USSR,
Leningrad, USSR

2444
IONIZATION IN THE FIELD OF A STRONG ELECTROMAGNETIC WAVE

Physics Institute, Academy of Sciences of the USSR, Moscow,
USSR

271
ELECTRO-OPTICAL SHUTTER WITH SYNCHRONIZATION BY LASER
RADIATION

4880
THREE-ELECTRODE GLIMLINE LINE FOR SUPPLYING A STREAMER
CHAMBER

6549
USING A CABLE PULSE TRANSFORMER IN THE POWER SYSTEM OF A
GAS LASER

T165
CO/SUB 2/ LASER HIGH-VOLTAGE POWER SUPPLY BASED ON A PULSED
AUTOTRANSFORMER

T117
HIGH-CURRENT PULSED ELECTRON GUN BASED ON AN ELIT-1
ACCELERATOR

Physica International

10469
PROPAGATION OF POWER PULSES IN MAGNETICALLY INSULATED
VACUUM TRANSMISSION LINES

Physica International, San Leandro, CA

499
TWO-MEGAVOLT DIVIDER FOR PULSED HIGH VOLTAGES IN VACUUM

Physik Institut, Universitat Gießen, Gießen, FRG

1415
A HIGH VOLTAGE DEPLETION CONDENSER OPERATED UNDER HIGH
VACUUM CONDITIONS

Physikalisches Technische Bundesanstalt, Braunschweig, FRG

T170
A DOUBLE FREQUENCY METHOD FOR THE DETERMINATION OF THE
VOLTAGE DEPENDENT CAPACITANCE VARIATION OF COMPRESSED GAS
CAPACITORS

Physikalisches Institut, Technische Hochschule Aachen, Aachen
, FRG

606
A SIMPLE SYSTEM PRODUCING A 456 KV PULSE WITH 1 NS RISE TIME

Piscatinny Arsenal, Dover, NJ

5614
ELECTRICAL AND PHOTOGRAPHIC CHARACTERIZATION OF
LOW-INTENSITY CAPACITOR SPARK DISCHARGES

Planning And Design Bureau Of Electrodynamics, Academy of
Sciences of the Ukrainian SSR, Nikolayev, USSR

6986
EFFECT OF THE INITIAL CONDITIONS ON THE DYNAMICS OF AN
UNDERWATER SPARK. I. EFFECT OF THE PARAMETERS OF THE
GENERATOR AND THE MEDIUM

6987
EFFECT OF THE INITIAL CONDITIONS ON THE DYNAMICS OF AN
UNDERWATER SPARK. II. EFFECT OF AN EXTERNAL SOURCE OF PUMP
ENERGY

T675
CHARACTERISTICS OF AN UNDERWATER SPARK

Planning And Design Of Bureau Of Electrodynamics, Nikolayev,
USSR

T685
EXPLODING WIRE MECHANISM

Polytechnic Institute of New York, Brooklyn, NY 11261

1990
GENERATION OF ULTRA-HIGH POWER ELECTRICAL PULSES

A211
ELECTROMECHANICAL PULSE GENERATORS

Polytechnic Institute of New York, Farmington, NY 11735

4735
THE BOUNCING CONDUCTOR GENERATOR

Polytechnic Of The South Bank Borough Road, London, UK

T751
DISCHARGES

Power Electronics Associates, Inc., Lincoln, MA 01775

1245
A 10 KM LIGHTWEIGHT DC CONVERTER (TECHNOLOGY FEASIBILITY
STUDY FOR LIGHTWEIGHT MEGAWATT RANGE CONVERTERS)

Prakhov, And I.M. Silukov Scientific-Research Institute Of
Optophysiological Measurements, Moscow, USSR

6552
A MULTIELECTRODE ELECTRON-OPTIC SYSTEM WITH AN INDUCTIVE
STORAGE DEVICE FOR A HIGH-CURRENT ACCELERATOR

Princeton University, Princeton, NJ

3242
HIGH POWER MODULATOR/REGULATORS FOR NEUTRAL BEAM SOURCES

T676
PRESSURE DISTRIBUTION IN THE STRUCTURE OF A PROPAGATING
CURRENT SHEET

16415
A MODEL FOR THE CURRENT PULSES OF CLOUD-TO-GROUND LIGHTNING
DISCHARGES

Puerto Rico Nuclear Center, San Juan, Puerto Rico

T561
ELECTRODE-LIMITED AND SPACE-CHARGE-LIMITED TRANSIENT
CURRENTS IN INSULATORS

Pulsar Associates Inc, San Diego, CA 92121

189
VLIN, AN EFFICIENT ALGORITHM FOR MODELING VARIABLE
IMPEDANCE TRANSMISSION LINES

7613
THE ON SWITCH OPERATION AT 4 MILLION VOLTS AND 800
KILOAMPERES

Purdue University, West Lafayette, IN 47907

2277
A HIGH VOLTAGE PULSE GENERATOR FOR ACOUSTOELECTRIC STUDIES

Queen Mary College, London, UK

1008
ELECTRICAL BREAKDOWN AT VERY LOW GAS PRESSURES

8297
THE INFLUENCE OF DISSOLVED GASES ON THE ELECTRIC STRENGTH
OF N-HEXANE

7884
ELECTRIC STRESSES AT CONDUCTING SURFACES LOCATED IN THE
FIELD BETWEEN PLANE PARALLEL ELECTRODES

8058
CHARACTERISTICS OF THE TRIGATRON SPARK-SPARK

Queen's University of Belfast

5294
IONIZATION EFFECTS IN A HYDRODYNAMIC MODEL OF
RADIATION-DRIVEN BREAKDOWN WAVE PROPAGATION

Radar Research Establishment

18129
SOME TRANSMISSION LINE DEVICES FOR USE WITH
MILLIMICROSECOND PULSES

Radiophysical Scientific Research Institute, Gorki State
University, USSR

5402
STABILIZATION OF CHARGING VOLTAGE OF CAPACITIVE ENERGY
STORAGE ELEMENTS OF HIGH-POWER PULSED DEVICES

7896
THE STRUCTURE OF THE FRONT OF ELECTROMAGNETIC SHOCK WAVES
IN TRANSMISSION LINES WITH NONLINEAR PARAMETERS

The Rand Corp., Santa Monica, CA 90406

4586
PULSED-POWER RESEARCH AND DEVELOPMENT IN THE USSR

Raytheon Co., Weymouth, MA 01778

5711
AEDIS AN/SPY-1 CPA CONSTANT-CURRENT HARD-TUBE MODULATOR

5758
A CONSTANT CURRENT HARD TUBE MODULATOR

5749
A POST-CHARGE REGULATOR

5744
DESIGN CHARTS FOR DROOP-COMPENSATION NETWORKS

5751
IMPROVED MULTISAF ELECTRONIC CROWBAR

5753
MULTISAF CROWBAR TRIGGERING STUDY

5756
RAPID RECYCLE CROWBAR CIRCUITS

Raytheon Co., Bedford, MA 01738

285
THE EVOLUTION OF PULSED POWER

257
A 1200 MEGAWATT VAN-MOUNTED LINE-TYPE MODULATOR

Raytheon Co., Waltham, MA

5757
SOLID-STATE MODULATOR TECHNIQUES TO PROMOTE FAST PULSE FALL
TIMES

5648
TUBE FAILURE MECHANISMS

Raytheon Manufacturing Co., Newton, MA

6068
CATHODE DARK SPACE AND NEGATIVE GLOW OF A MERCURY ARC

Regional Engineering College, Rourkela, Orissa, India

7666
MONOPOLAR GENERATOR EFFECT OF SUDDEN SHORT CIRCUIT

10213
POSSIBILITY OF USING A MONOPOLAR GENERATOR AS A PULSE
GENERATOR

Rensselaer Polytechnic Institute, Troy, NY 12181

8989
A MODEL FOR DC INTERRUPTION IN DIFFUSE VACUUM ARCS

Research and Development Associates, Arlington, VA 22289

788
REPETITIVE ELECTRON-BEAM CONTROLLED SWITCHING

Research And Development Labs, Ottawa, Ontario, Canada

18476
A SIMPLE PULSE-HEIGHT ANALYZER FOR PARTIAL-DISCHARGE-RATE
MEASUREMENTS

Research Inst. of National Defence, Stockholm (Sweden).

8318
PULSE CIRCUIT FOR M/SUB 2/ LASERS

Research Institute of National Defence, Stockholm, Sweden

4744
A VERSATILE 80 KV SWITCHING SYSTEM FOR PULSED EXCITATION OF
LASERS

9791
A PULSE GENERATOR FOR SHORT MEGAVOLT PULSES WITH A RISETIME
IN THE NANOSECOND REGION

Research Institute For Electrophysics Apparatus, Leningrad
Polytechnical Institute, Leningrad, USSR

7068
NUMERICAL ANALYSIS OF THE FORMATION OF AN INTENSE
NANOSECOND ELECTRON BEAM

Research Labs, Westinghouse Elec. And MFG. Co., East
Pittsburgh PA

5557
THE CATHODE FALL OF AN ARC

Risoe National Lab., Roskilde (Denmark).

5179
INVESTIGATION OF A HIGH VOLTAGE HOLLOW CATHODE ELECTRON
BEAM SOURCE

Rockwell International Electronics Operations, Anaheim, CA
92805

2814
AN ELECTRICAL SURGE ARRESTOR (ESA) MODEL FOR
ELECTROMAGNETIC PULSE ANALYSIS

Rome Air Development Center

161
LOADS FOR HIGH-POWER TESTING

7192
HIGH POWER VERY LONG PULSE TESTING OF A 200 KV. TETRODE
REGULATION TUBE

Royal Aircraft Establishment, Farnborough, UK

2621
A GAS-PHASE HIGH-VOLTAGE ELECTRICAL ISOLATOR WITH
CONTROLLED BREAKDOWN

8324
THE EFFECT OF HUMIDITY ON A CORONA DISCHARGE IN AIR

Royal College Of Advanced Technology, Salford, UK

5564
SOME ASPECTS OF DIELECTRIC BREAKDOWN OF SOLIDS

Royal Electric Corp., Fawtucket, RI

5718
THE INTERRELATIONSHIP BETWEEN DENSITY AND DIELECTRIC
STRENGTH OF HIGH PRESSURE POLYETHYLENE FOR HIGH VOLTAGE
APPLICATIONS IN INSULATED WIRES

Royal Institute of Technology, Stockholm, Sweden

5683
BREAKDOWN AND PLASMA FORMATION IN A ROTATING PLASMA DEVICE
5789
INSTABILITIES OF ELECTRICALLY EXPLODED WIRES

7458
EXPERIMENTAL STUDY OF THE PROPAGATION OF AN IONIZING WAVE
IN A COAXIAL PLASMA GUN

8161
THE BEHAVIOR OF INPUT-POWER DENSITY IN EXPLODING-WIRE
RESTRICKES

Royal Radar Establishment, Malvern, Worcestershire, UK

2172
DOUBLE-ENDED HYDROGEN THYRATONS FOR CROWBAR PROTECTION OF
HIGH-POWER TWT SYSTEMS

3759
THE DEVELOPMENT OF DEUTERIUM THYRATONS FOR OPERATION AT
HIGH-DUTY-RATIOS AND HIGH AVERAGE CURRENTS

3761
THYRISTORS FOR PULSE MODULATION AT HIGH PEAK AND AVERAGE
POWERS

8249
MILLIMICROSECOND PULSE TECHNIQUES (SECOND EDITION)

Rutgers University, Piscataway, NJ 08854

7283
STABILIZATION OF METAL-OXIDE GATE SWITCHING DEVICES WITH
DIFFUSED δ CONTACTS

RADC, Griffiss AFB, NY 13440

188
HIGH VOLTAGE SWITCH PERFORMANCE OF THE EIMAC X-2159 TETRODE

3746
EVALUATION OF STATE-OF-THE-ART HYDROGEN THYRATONS AT
EXTENDED RATINGS

3764
4CM 100,000 TETRODE PULSE TESTS AT RADC

5616
FAA LIGHTNING PROTECTION STUDY: LIGHTNING PROTECTION DEVICES

5714
THE SCR AS A HIGH POWER MODULATOR SWITCH

7249
LONG PULSE HIGH EFFICIENCY SWITCH TUBE DEVELOPMENT

10422
ELECTROMECHANICAL PULSER INVESTIGATION

RAND Corp., Santa Monica, CA 90406

1753
SOVIET RESEARCH AND DEVELOPMENT OF HIGH-POWER GAP SWITCHES

RCA Advanced Power Labs, Somerville, NJ

889
NEW TECHNOLOGIES ADVANCE POWER SEMICONDUCTOR
STATE-OF-THE-ART

RCA Corp., Lancaster, PA 17104

3752
LONG PULSE SWITCH AND POWER AMPLIFIER TUBES FOR PHASED
ARRAY RADAR

4033
EFFECTS OF PARTICLES ON HIGH-VOLTAGE VACUUM BREAKDOWN AND
INTERELECTRODE CURRENT

4786
RECENT DEVELOPMENTS IN HIGH POWER SWITCH TUBES FOR HIGH
POWER RADAR AND FUSION RESEARCH

RCA Corp., Moorestown, NJ 08057

182
HIGH-VOLTAGE DC POWER CONDITIONER

399
DESIGN CONSIDERATIONS FOR SUPER POWER PULSE MODULATORS

3755
QUENCH MODULATOR FOR COLD-CATHODE CROSS-ED-FIELD AMPLIFIER

3762
TRADEX S-BAND TRANSMITTER MODULATOR

4827
HIGH ENERGY HIGH DUTY PULSER

7192
HIGH POWER VERY LONG PULSE TESTING OF A 200 KV. TETRODE
REGULATION TUBE

7247
HIGH VOLTAGE DC POWER CONDITIONER

7248
HYBRID SCR SWITCH

RCA Labs, Princeton NJ 08540

2755
A VERSATILE HIGH-VOLTAGE BIAS SUPPLY FOR EXTENDED RANGE MIS
(V) AND O(V) MEASUREMENTS

8319
SEMICONDUCTOR MEASUREMENT TECHNOLOGY: A VERSATILE
HIGH-VOLTAGE BIAS SUPPLY FOR EXTENDED RANGE MIS (V) AND
O(V) MEASUREMENTS

RCA Limited, Quebec, Canada

7937
REVIEW OF LASER-BREAKDOWN PHENOMENA INDUCED BY HIGH-POWER
LASERS-I

S. M. Kirov Tomsk Polytechnical Institute, Tomsk, USSR

733
EXPLOSIVE ELECTRICAL GENERATOR

Sanders Associates Inc., Nashua, NH

5622
HIGH-VOLTAGE ARC INTERRUPTION STUDY

Sandia Labs, Albuquerque, NM 87115

123
OPERATION OF A 300-KV, 100-HZ, 30-KW AVERAGE POWER PULSER

174
SPACE-CHARGE EFFECTS IN LONG COAXIAL VACUUM TRANSMISSION
LINES

187
TERAWATT PULSE POWER SYSTEMS UTILIZING INDUCTIVE STORAGE

196
INITIAL PROTD II PULSED POWER TESTS

308
PULSED MICROSECOND HIGH-ENERGY ELECTRON BEAM ACCELERATOR

327
A NOMINAL ONE-MEGAVOLT, PULSED POWER GENERATOR

561
PULSED POWER APPLICATIONS TO INTENSE NEUTRON SOURCE
DEVELOPMENT

589
NARP, A SHORT PULSE, HIGH CURRENT ELECTRON BEAM ACCELERATOR

622
THE HYDRA ELECTRON BEAM GENERATOR

626
NEREUS, A 250 KV, 80 KA ELECTRON BEAM GENERATOR

628
DEVELOPMENT OF AN 18-MEGAVOLT MARX GENERATOR

914
DESIGN OF PULSE TRANSFORMERS FOR PFL CHARGING

927
MITL-A 2-D CODE TO INVESTIGATE ELECTRON FLOW THROUGH
NON-UNIFORM FIELD REGION OF MAGNETICALLY INSULATED
TRANSMISSION LINES

954
MECHANISM OF PULSED SURFACE FLASHOVER INVOLVING
ELECTRON-STIMULATED DESORPTION

958
REPEATIVELY PULSED ELECTRON BEAM DIEDIE LIFETIME AND
STABILITY

1271
MECHANISM OF FAST SURFACE FLASHOVER IN VACUUM

1272
PARTICLE BEAM FUSION PROGRESS REPORT OCTOBER 1977 THROUGH
MARCH 1978

1285
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY;
LECTURE 9: PULSE TRANSFORMERS AND DIELECTRICS

1428
EXPLOSIVELY ACTUATED FAST-OPENING SWITCHES FOR VERY LARGE
CURRENTS

1432
A THREE MEGAVOLT TRANSFORMER FOR PFL PULSE CHARGING

1482
LASER-CONTROLLED SWITCHING

1581
SUMMARY OF THE HERMES FLASH X-RAY PROGRAM

1778
LOW PREFULSE, HIGH POWER DENSITY WATER DIELECTRIC SWITCHING

1776
RECENT DEVELOPMENTS IN HIGH AVERAGE POWER DRIVER TECHNOLOGY

1875
PULSE POWER FOR FUSION

1978
CIVILIAN APPLICATIONS OF PARTICLE-BEAM-INITIATED INERTIAL
CONFINEMENT FUSION TECHNOLOGY

2813
ELECTRICAL BREAKDOWN IN A COLD CATHODE VACUUM DIODE

2458
COLLECTIVE ACCELERATION WITH INTENSE ELECTRON BEAMS

2844
PROPAGATION VELOCITY OF CATHODE-INITIATED SURFACE FLASHOVER

3418
ELECTRON BEAM FOCUSING AND APPLICATION TO PULSED FUSION

5641
RECENT REFINEMENTS AND DEVELOPMENTS IN KERR SYSTEM
ELECTRICAL MEASUREMENT TECHNIQUES

5784
DEVELOPMENT OF A 5 MV PULSE TRANSFORMER

5725
MICROSECOND OPERATION OF A GENERAL PURPOSE PULSED PROTON GUN

4849
CROWBARRING TECHNIQUE FOR HIGH-VOLTAGE CAPACITOR BANKS

4878
CURRENT SHAPING TECHNIQUES FOR HIGH-VOLTAGE CAPACITOR BANKS

4886
IMPROVED SYSTEM FOR THE MEASUREMENT OF HIGH-VOLTAGE PULSES

4129
MAGNETIC INSULATION OF HIGH VOLTAGES IN VACUUM: COMPARISON
OF EXPERIMENT WITH SIMULATIONS

4212
SYNTHETIC BREAKDOWN IN AIR

4379
ELECTRON-BEAM-FUSION PROGRESS REPORT JANUARY-JUNE 1976

4380
ELECTRON-BEAM-FUSION PROGRESS REPORT JULY THROUGH SEPTEMBER
1976

4385
LASER-FUSION AND ELECTRON-BEAM-FUSION RESEARCH PROGRESS
REPORT JANUARY-JUNE 1974

4386
PARTICLE BEAM FUSION PROGRESS REPORT APRIL 1978 THROUGH
DECEMBER 1978

4451
ONLINE DATA ACQUISITION SYSTEM FOR REPETITIVE PULSER
DEVELOPMENT

4789
THE PLASMA EROSION SWITCH

4724
LILI, A 0.5-1.5 MICROSECOND, 400 KV ELECTRON BEAM
ACCELERATOR

4728
REBLE, A RADIALLY CONVERGING ELECTRON BEAM ACCELERATOR

4730
CALIBRATION OF A KERR CELL SYSTEM FOR HIGH-VOLTAGE PULSE
MEASUREMENTS

4731
SHORT PULSE ELECTRICAL BREAKDOWN STRENGTH OF $N_2/SUB 2/ O$

4732
SPACE-CHARGE FLOW IN A NON-CYLINDRICALLY SYMMETRIC DIODE

5164
CALIBRATION OF HIGH-VOLTAGE PULSE MEASUREMENT SYSTEMS BASED
ON THE KERR EFFECT

5198
SUPER POWER GENERATORS

5204
LASER-FUSION AND ELECTRON-BEAM-FUSION PROGRESS REPORT
JULY-DECEMBER 1974

5208
DEVELOPMENTS IN SANDIA LABORATORIES PARTICLE BEAM FUSION
PROGRAM

5329
PARTICLE BEAM FUSION PROGRESS REPORT JANUARY 1988 THROUGH
JUNE 1988

5337
AIRCORE PULSE TRANSFORMERS FOR HIGH-POWER LASERS

5408
A COMPRESSED MAGNETIC FIELD GENERATOR SYSTEMS MODEL

5443
QUICK2: A ONE-DIMENSIONAL CODE FOR CALCULATING BULK AND
VACUUM EMITTED PHOTO-COMPTON CURRENTS

5492
MEASUREMENT OF FAST RISE TIME MILLIAMPERE CURRENTS BY QUARTZ
DAUGE

5584
SIMULATION OF POWER FLOW IN MAGNETICALLY INSULATED
CONVULUTES FOR PULSED MODULAR ACCELERATORS

5557
TWO SPECIES FLOW IN RELATIVISTIC DIODES NEAR THE CRITICAL
FIELD FOR MAGNETIC INSULATION

5635
PORTABLE KERR SYSTEM FOR THE MEASUREMENT OF HIGH VOLTAGE
PULSES

5652
CALIBRATION OF A KERR CELL SYSTEM FOR HIGH VOLTAGE PULSE
MEASUREMENTS

5848
ACCELERATION OF CHARGED PARTICLES BY INTENSE ELECTRON BEAMS

5855
ELECTRON BEAM FOCUSING USING CURRENT-CARRYING PLASMAS IN
HIGH-NU/GAMMA DIODES

5860
HIGH POWER DENSITY WATER DIELECTRIC SWITCHING

5867
MAGNETIC INHIBITION OF SURFACE FLASHOVER OF INSULATORS IN
VACUUM

5870
MEASUREMENTS OF HIGH-CURRENT RELATIVISTIC ELECTRON DIODE
PLASMA PROPERTIES WITH HOLOGRAPHIC INTERFEROMETRY

5872
NEUTRON PRODUCTION AND COLLECTIVE ION ACCELERATION IN A
HIGH-CURRENT DIODE

5881
PREIONIZATION CONTROL OF STREAMER PROPAGATION

5882
PRELIMINARY DESIGN OF A 100 HZ, 550 KV SHORT PULSE GENERATOR

5893
 $Z/SUB E/ < 1$ OHM FINCHED ELECTRON DIODES

5914
DEEP CRATERS PRODUCED BY SHOCK FOCUSING IN RELATIVISTIC
ELECTRON-BEAM DIODES

5921
ELECTRON BEAM GENERATION IN PLASMA-FILLED DIODES

5928
HIGH POWER ELECTRON BEAM ACCELERATORS FOR GAS LASER
EXCITATION

5933
ION SHEATH MOTION IN PLASMA-FILLED DIODES

5978
UNTRIGGERED WATER SWITCHING

6741
MAGNETIC FLUX COMPRESSION BY MAGNETICALLY IMPOSED METALLIC
FOILS

6877
BEHAVIOR OF EXPLODING GOLD WIRES

7183
DETERMINATION OF LINE VOLTAGE IN SELF-MAGNETICALLY
INSULATED FLOWS

7281
FULSAR: AN INDUCTIVE PULSE POWER SOURCE

7214
COMPTON SCATTERING OF PHOTONS FROM ELECTRONS IN
MAGNETICALLY INSULATED TRANSMISSION LINES

7217
MAGNET OPTIMIZATION FOR PULSED ENERGY CONVERSION

7224
SELF-MAGNETICALLY INSULATED POWER FLOW

7268
DESIGN AND DEVELOPMENT OF A 330 KV, 100 PPS ELECTRON BEAM
ACCELERATOR

7792
THEORY OF THE SECONDARY ELECTRON AVALANCHE AT ELECTRICALLY
STRESSED INSULATOR-VACUUM INTERFACES

7821
PULSED PLASMOVER OF INSULATORS IN VACUUM

7988
ELECTRON BEAM FUSION PROGRESS REPORT APRIL THROUGH
SEPTEMBER 1977

8883
ELECTRON BEAM FUSION PROGRESS REPORT OCTOBER 1976 THROUGH
MARCH 1977

8245
NEGATIVE ION LOSSES IN MAGNETICALLY INSULATED VACUUM GAPS

8246
PRODUCTION OF ANNULAR ELECTRON BEAMS BY POILLESS DIODES

8247
PRODUCTION OF 0.5-TW PROTON PULSES WITH A SPHERICAL
FOCUSING, MAGNETICALLY INSULATED DIODE

8269
PLASMA EXPANSION AS A CAUSE OF METAL DISPLACEMENT IN
VACUUM-ARC CATHODE SPOTS

8311
MEASUREMENTS OF THE CHARGE DISTRIBUTIONS ON AN ALUMINA
INSULATOR IN VACUUM RESULTING FROM HIGH-VOLTAGE STRESS

8407
CRITICAL PULSE POWER COMPONENTS

8617
DIELECTRIC MATERIALS FOR STRUCTURAL APPLICATIONS AND
HIGH-VOLTAGE INSULATION IN DEIONIZED WATER FOR
PARTICLE-BEAM ACCELERATORS

8651
HIGH VOLTAGE, MAGNETICALLY SWITCHED PULSED POWER SYSTEMS

8653
HIGH-VOLTAGE AIR-CORE PULSE TRANSFORMERS

8674
PARTIAL DISCHARGE TESTING OF BULK TRANSFORMER OIL

8677
POWER FLOW FOR VACUUM-INSULATED INDUCTIVE LOADS

8689
PULSED POWER FOR ELECTROMAGNETIC LAUNCHING

8834
OPERATION OF A 330 KV, 133 HZ, 30 KW AVERAGE POWER PULSER

9391
EXACT SOLUTION OF POISSON'S EQUATION FOR
SPACE-CHARGE-LIMITED FLOW IN A RELATIVISTIC PLANAR DIODE

9393
ONE- AND TWO-SPECIES EQUILIBRIA FOR MAGNETIC INSULATION IN
CO-AXIAL GEOMETRY

9424
IGNITRON-SWITCHED 0.6- TO 90-KV IMPULSE GENERATOR

9800
ELECTRON AVALANCHE AND SURFACE CHARGING ON ALUMINA
INSULATORS DURING PULSED HIGH-VOLTAGE STRESS

10223
MEASUREMENT OF MAGNETICALLY INSULATED LINE VOLTAGE USING A
THOMSON FARADAY CHARGED PARTICLE ANALYSER

10238
COMBINATION OF PSPA 'I' LINES IN A GASKET

10288
LOW JITTER SPARK GAP SWITCH FOR REPETITIVELY PULSED
PARALLEL CAPACITOR BANKS

10290
DEVELOPMENT OF A 50 HZ, 250 KV, 500 MS, 500 KW AVERAGE
POWER FULSER

10296
THEORY OF SMALL HELICAL MAGNETIC FLUX COMPRESSION AMPLIFIERS

10298
COMPRESSED MAGNETIC FLUX AMPLIFIER WITH CAPACITIVE LOAD

10321
SMALL HELICAL FLUX COMPRESSION AMPLIFIERS

10325
COMPRESSED MAGNETIC FIELD GENERATOR SYSTEMS MODEL

10337
ASSEMBLY AND HANDLING APPARATUS FOR THE EBFA MARK GENERATOR

10348
UV LASER TRIGGERING OF HIGH-VOLTAGE GAS SWITCHES

10342
MICROPROCESSOR-CONTROLLED, PROGRAMMABLE RAMP VOLTAGE
GENERATOR

10440
MULTIMEGAJoule PULSED POWER GENERATION FROM A REUSABLE
COMPRESSED MAGNETIC FIELD DEVICE

10458
UNTRIGGERED MULTICHANNEL OIL SWITCHING

10451
2 MV, MULTICHANNEL, OIL-DIELECTRIC, TRIGGERED SPARK GAP

10467
ONE- AND TWO-SPECIES EQUILIBRIA FOR MAGNETIC INSULATION IN
COAXIAL GEOMETRY

Science Applications Inc., Vienna, Virginia

1819
THE PHOTOEMISSION SPECTRUM FOR AN EXPLODING WIRE RADIATOR
SOURCE INCIDENT ON AL AND AU

Science Applications, La Jolla, CA 92037

4202
INVESTIGATION OF THE RESISTIVE PHASE IN HIGH POWER GAS
SWITCHING

10364
INVESTIGATION OF THE RESISTIVE PHASE IN HIGH POWER GAS
SWITCHING (RESEARCH AND DEVELOPMENT REPORT)

Science Applications, McLean, VA 22209

3734
MYTRAC, A NEW MODULAR ONE-DIMENSIONAL EXPLODING WIRE CODE

Scientific-Research Institute of Electro-Physical Apparatus,
Leningrad, USSR

1063
PAST-ACTING ELECTRODYNAMIC CIRCUIT BREAKER

3789
HIGH-PRECISION PAST-ACTING DISCHARGER WITH A SOLID
DIELECTRIC

Scientific-Research Institute of Electro-Physical Apparatus,
Leningrad, USSR

5636
POWER PULSE TRANSFORMER

Scientific-Research Institute Of Electro-Physical Equipment,
Leningrad, USSR

288
HIGH-VOLTAGE SOURCE FOR 2-MEV ION AND ELECTRON ACCELERATORS

295
A TWO-STAGE ELECTRICAL-EXPLOSION MECHANICAL COMMUTATOR

4595
A VACUUM SPARK GAP WITH LASER FIRING

6975
A HELICAL PULSE-VOLTAGE GENERATOR

8252
ARKAD'EV-MARX GENERATOR IN A CONDUCTING SHIELD

18500
A POWERFUL PDIL BREAKER FOR A CURRENT OF 8.5 MA, WHICH
ACTUATES IN 5 MICROSECONDS

Scientific-Research Institute Of Energetics, Novosibirsk

6955
OPTICAL STUDY OF NANOSECOND PREBREAKDOWN PHENOMENA IN WATER

Scientific-Research Institute Of Nuclear Physics

778
PULSED BREAKDOWN OF GASEOUS HELIUM AT LOW TEMPERATURES

Scientific-Research Institute Of Nuclear Physics,
Electronics, And Automation, USSR

6981
CORRECTION OF THE CHARACTERISTIC OF A SPARK COMMUTATOR WITH
A HETERODYNAMIC SHAPING LINE

Scientific-Research Institute Of Nuclear Physics, Moscow
State University, Moscow, USSR

5151
STABILIZATION OF THE TIME CHARACTERISTICS OF AN
ARKAD'EV-MARX GENERATOR

7122
ONSET OF THE IONIZATION INSTABILITY IN A PERIODIC,
EXTERNALLY SUSTAINED DISCHARGE IN NITROGEN AND A N₂/SUB
2/-CO₂/SUB 2/ MIXTURE AT HIGH PRESSURES

Selenia SPA, Rome, Italy

5748
HIGH POWER SOLID STATE MODULATOR FOR COHERENT MMWAVE
MICROWAVE AMPLIFIER

7244
ELECTRO-OPTIC TRANSDUCERS AND OPTICAL FIBERS IN HIGH
VOLTAGE MICROWAVE MODULATORS

7255
PULSED TWT POWER SUPPLY: A TECHNIQUE FOR MINIMIZING R.F.
PHASE INSTABILITY AND HIGH VOLTAGE ENERGY

Shikoku Electric Power Co., Tokamatsu, Japan

5689
RESISTOR DIVIDER WITH DIVIDING ELEMENT ON HIGH VOLTAGE SIDE
FOR IMPULSE VOLTAGE MEASUREMENTS

Shizuoka University, Hamamatsu, Japan

8110
FORMATION OF A POSITIVE BURST PULSE CORONA IN AIR, NITROGEN
AND OXYGEN

Siberian Department Of The Academy of Science of the USSR,
Tomsk, USSR

4468
EROSION OF METAL CATHODES BY ARCS AND BREAKDOWNS IN VACUUM

Siemens Aktiengesellschaft, Munich, Germany

18495
WIDE-BAND PULSE AMPLIFIER

Siemens AG Research Lab, Erlangen, FRG

5472
ELECTRICAL CONDUCTION AND ELECTRICAL BREAKDOWN OF ORGANIC
INSULATORS AND SEMICONDUCTORS

10218
INVESTIGATIONS OF THE PROPERTIES OF SF₆/SUB 6/ AS AN ARC
QUENCHING MEDIUM

Siemens AG, Berlin, FRG

587
STUDY OF THE EFFECTS OF GAS FLOW ON THE PERFORMANCE OF
GAS-BLAST CIRCUIT BREAKERS

Siemens AG, München, FRG

118
MAGNETOOPTICAL CURRENT TRANSFORMER. 1: PRINCIPLES

1246
MAGNETOOPTICAL CURRENT TRANSFORMER. 2: COMPONENTS

1247
MAGNETOOPTICAL CURRENT TRANSFORMER. 3: MEASUREMENTS

2266
BEAM CHOPPER FOR SUBNANOSECOND PULSES IN SCANNING ELECTRON
MICROSCOPY

4845
INVESTIGATION OF BREAKDOWN AND RESISTIVITY STRIATIONS IN
HIGH-VOLTAGE SILICON DIODES

Siemens Research Center, 8520 Erlangen, FRG

8917
ARC-GAS FLOW INTERACTIONS IN A DOUBLE-NOZZLE FLOW SYSTEM

Siemens-Werke, Berlin, FRG

5625
INVESTIGATIONS ON THE INTERACTION BETWEEN ARCS AND GAS FLOW

Simplex Wire and Cable Co, Cambridge, Mass

5695
HIGH VOLTAGE-HIGH TEMPERATURE RUBBER INSULATION

Sofia University, Bulgaria

2850
FORMATIVE TIME OF PENNING DISCHARGE

Soreq Nuclear Research Center, Yavneh, Israel

5954
ENERGY TRANSFER FROM A LOW-VOLTAGE CAPACITOR BANK TO A HIGH
INDUCTANCE WITH THE AID OF AN AIR PULSE TRANSFORMER

South Dakota State University, Brookings, SD

7587
IMPULSE VOLTAGE TESTS ON AIR AND C₂/SUB 5/ F₂/SUB 8/

Southern Electric Authority of Queensland, Brisbane,
Queensland, Australia

1568
DIGITAL TIMING UNIT FOR IMPULSE GENERATOR CONTROL

Space Sciences Inc, Meltham, MA

5260
NANOSECOND SWITCH DEVELOPMENT

8155
NANOSECOND-PULSE BREAKDOWN IN GASES

Specs Technology Labs Inc, Redondo Beach, CA

5459
CURRENT-MEASURING DEVICES USED WITH THE SUPER-FAST PINCH
ASSEMBLY

10191
HIGH VOLTAGE BREAKDOWN INITIATED BY PARTICLE IMPACT

Special Constructor Dept. Of X-ray Apparatus

6605
NEW PULSED X-RAY MACHINES, TYPE IRA-1 AND TYPE IRA-1D

Sperry Research Center, Sudbury, MA 01776

1967
PICOSECOND-PULSE SEQUENTIAL WAVEFORM GENERATION

2559
FAIL-SAFE FIBER-OPTICS DATA BUS USING ACTIVE MULTIMODE
MIRROR TERMINALS

Saire Corp, Bedford, MA 01730

298
DIELECTRIC GUIDE CONTROLLED COLLECTIVE ION ACCELERATION
8887
COLLECTIVE ION ACCELERATION AND ELECTRON BEAM PROPAGATION
IN DIELECTRIC GUIDES

Sprecher and Schuh Ltd, Aarau, Switzerland

8962
QUENCHING PROPERTIES OF AN ARC IN A DOUBLE FLOW WITH A
VORTEX

Stockpile Carbon Co., St. Marys, PA

8288
THE VAPORIZATION OF THE CATHODE IN THE ELECTRIC ARC

Standard Telephones And Cables, Ltd.

7288
IMPEDANCE MATCHING BY TAPERED TRANSMISSION LINES

Stanford Research Institute, Menlo Park, CA 94025

1963
PULSE AMPLIFIER CAN DELIVER OVER 500 V WITH FREQUENCIES TO
108 KHZ

5494
PHOTOCONDUCTIVITY OF HIGH VOLTAGE SPACE INSULATING
MATERIALS: MEASUREMENTS WITH METAL ELECTRODES

5547
ELECTROMAGNETIC-INTERFERENCE CONTROL

5634
PHOTOCONDUCTIVITY OF HIGH-VOLTAGE SPACE INSULATING MATERIALS

7447
PHYSICAL PROPERTIES OF THIN-FILM FIELD EMISSION CATHODES
WITH MOLYBDENUM CONES

18198
HIGH SPEED TRIGGER SYSTEM FOR TOTAL DEPOSITED ENERGY
MEASUREMENT IN A LIQUID ARGON CALORIMETER

Stanford University, Stanford, CA 94305

885
INSULATED-GATE PLANAR THYRISTORS. I. STRUCTURE AND BASIC
OPERATION

1327
AN IMPROVED PULSE TRANSFORMER FOR HIGH-VOLTAGE APPLICATIONS

3734
PULSE GROUP OPERATION OF HIGH POWER LINE TYPE MODULATORS

3765
600 KW PEAK HIGH REPETITION RATE HARD TUBE MODULATOR

4849
ASYMPTOTIC PLASMA AND SHEATH REPRESENTATIONS FOR
LOW-PRESSURE DISCHARGES

8288
HIGH-VOLTAGE PULSE MEASUREMENT WITH A PRECISION CAPACITIVE
VOLTAGE DIVIDER

18293
PHYSICAL PRINCIPLES OF AVALANCHE TRANSISTOR PULSE CIRCUITS

10347
ANNUAL PROGRESS REPORT NUMBER 1, 1 JANUARY THROUGH 31
DECEMBER 1978

10384
THE CAPABILITIES OF ELECTRON BEAM-SEMICONDUCTOR ACTIVE
DEVICES

10492
SYSTEM FOR CALIBRATION OF SPEAR TRANSPORT LINE TORDIDS

State Optical Institute, USSR

6546
THE USE OF FERRITES FOR THE GENERATION OF POWERFUL
HIGH-VOLTAGE PULSES OF NANDECOND DURATION

State University of New York at Buffalo, Buffalo, NY 14226

105
SHIELDED, HIGH-VOLTAGE PROBES

178
A FACILITY FOR TESTING HIGH POWER DC, AC, OR PULSED DEVICES

1267
FUNDAMENTAL INVESTIGATION OF ARC INTERRUPTION IN GAS FLOWS

1371
HIGH POWER STUDY-POWER CONDITIONING

1373
INVESTIGATION OF FEASIBILITY OF VACUUM-ARC FAULT-CURRENT
LIMITING DEVICE

2169
DESIGN OF COAXIAL-CABLE PULSE TRANSFORMERS

2283
RELAXATION PULSING WITH A VACUUM ARC DEVICE

2525
A MULTI-MEGAWATT, VACUUM ARC SWITCHED INVERTER FOR AIRBORNE
APPLICATIONS

2541
HIGH REPETITION-RATE, HIGH POWER PULSE TESTS OF VACUUM ARC
SWITCHES

2835
SYMPOSIUM PROCEEDINGS NEW CONCEPTS IN FAULT CURRENT
LIMITERS AND POWER CIRCUIT BREAKERS

2888
RECENT RESULTS OF VACUUM-ARC SWITCHED MULTI-MEGAWATT
INVERTER TESTS

4694
LIQUID NITROGEN COOLED WIRES AS SWITCHABLE HIGH-POWER
DIRECT CURRENT LIMITING ELEMENTS

4718
THE PRESENT STATUS AND PROJECTED CAPABILITIES OF VACUUM ARC
OPENING SWITCHES

4735
WEIGHT ALGORITHMS FOR ADIABATIC TRANSFORMERS FOR PULSED
HIGH POWER SYSTEMS

4885
POWER CONDITIONING SYSTEMS FOR HIGH-POWER, AIRBORNE, PULSED
APPLICATIONS

6489
IMPROVEMENTS ON TRANSMISSION-LINE PULSERS

7194
VACUUM ARC SWITCHED INVERTER TESTS AT 2.5 MVA

7228
DEVELOPMENT OF A VACUUM ARC FAULT CURRENT LIMITER

7245
ENERGY CONSIDERATIONS IN THE PULSED OPERATION OF A VACUUM
ARC CURRENT LIMITER

7250
MAGNETIC FLUX CONCENTRATION WITH THE ANODE IN A VACUUM ARC
SWITCH

7882
EFFECTS OF FORCED CONVECTION UPON THE CHARACTERISTICS OF A
STEADY-STATE CROSS-FLOW ARC IN THE PRESENCE OF AN APPLIED
TRANSVERSE MAGNETIC FIELD

8916
ANODE SHEATH GROWTH AND COLLAPSE IN A HOLLOW-ANODE VACUUM
ARC

8972
TEMPERATURE DIAGNOSTICS IN TURBULENT ARCS

Stevens Institute of Technology, Hoboken, NJ 07030

2670
DRIFT OF STRIATIONS DUE TO MECHANICAL EFFECTS IN FAST WIRE
EXPLOSIONS

4682
A DESIGN APPROACH TO A REPETITIVELY PULSED SUPER FAST
CAPACITOR BANK

7559
ENERGY STORAGE, COMPRESSION, AND SWITCHING

Sukhumi Physiotekhnical Institute, Sukhumi, USSR

3838
FOUR-CHANNEL UNIT FOR FIRING SPARK GAP SYNCHRONOUSLY

5395
HIGH-VOLTAGE NANDECOND PULSE GENERATOR WITH COMPENSATION
USING NONLINEAR COMPONENTS

- 6461
HIGH-CURRENT CAVITY ELECTRON ACCELERATOR

Technische Universität München (West Germany)
Elektrophysikalisches Institut
- 6595
FORMATION OF INTENSE CHARGED PARTICLE BEAMS IN A
CURRENT-CARRYING PLASMA

6467
TRANSPORT PROPERTIES IN HIGH POWER ARCS

Swedish Match Co, Jönköping, Sweden

Technische Universität, Brunswick (West Germany), Institut
für Hochspannungstechnik.
- 6631
MEASUREMENT OF THE ENERGY RELEASED IN NANOSECOND ELECTRIC
SPARKS

6624
INVESTIGATIONS ON HIGH VOLTAGE PULSERS AND AMPLIFIERS FOR
THE EXACT TIMING OF THE IGNITION OF SPARK DISCHARGERS

Systems Research Labs Inc, Dayton, OH

6649
INVESTIGATIONS ON LOW-INDUCTIVE SPARK GAPS FOR HIGH
VOLTAGES IN AIR

6623
INVESTIGATION OF CORONA DISCHARGE DEVICES AS ELECTRICAL
LOADS FOR EXPERIMENTAL HIGH-VOLTAGE GENERATORS

Technische Universität Braunschweig, Braunschweig, FRG

Systems Science and Software, La Jolla, CA 92038

8175
AN INTRODUCTION TO HIGH-VOLTAGE EXPERIMENTAL TECHNIQUE

8248
RELATIVISTIC PLANAR DIODE IN A MAGNETIC FIELD

Tektronix Inc., Beaverton, OR

10375
HYBRID EM METHODS

743
NANOSECOND PULSE MEASUREMENTS

T&M Research Products Inc, Albuquerque, NM 87108

Tel Aviv University, Tel Aviv, Israel 69978

9278
LOW INDUCTANCE CURRENT VIEWING RESISTORS FOR HYDROGEN
THYRATRON

8919
BEHAVIOR OF A HIGH CURRENT VACUUM ARC BETWEEN HOLLOW
CYLINDRICAL ELECTRODES IN A RADIAL MAGNETIC FIELD

Tekelec Electric Mfg Co, Aichi, Japan

Teledyne Mac Palo Alto Calif

9318
TYPICAL PHENOMENA OBSERVED IN A SHORT-DURATION ATMOSPHERIC
DISCHARGE USING ROTOR AND POST ELECTRODES

10405
DUAL MODE GUN DEVELOPMENT (PHASE I)

The Technical University, Aachen, FRG

Temple University, Philadelphia, PA 19122

7811
INFLUENCE OF DIFFUSION AND NONEQUILIBRIUM POPULATIONS ON
NOBLE-GAS PLASMAS IN ELECTRIC ARCS

2281
A METHOD FOR DETERMINING DENSITY-RADIUS RELATIONS DURING
WIRE EXPLOSIONS

Technical University of Denmark, Lyngby, Denmark

3589
THE APPLICATION OF P.W. BRIDGMAN'S 'NEW EMP' TO EXPLODING
WIRE PHENOMENA

3045
CALCULATION OF SPARK BREAKDOWN OR CORONA STARTING VOLTAGES
IN NONUNIFORM FIELDS

8321
STRIATIONS IN EMP

3513
INNER LIMITATIONS IN UNIFORM FIELD DISCHARGE DATA FOR
SP/SUB 6

Tetra Corp, Albuquerque, NM

3778
CRITERIA FOR SPARK BREAKDOWN IN SULFUR HEXAFLUORIDE

7252
FEAR SWITCH CURRENT ENHANCEMENT FILTER

4845
ANALYSIS OF SPARK BREAKDOWN CHARACTERISTICS FOR SPHERE GAPS

Texas Tech Univ Lubbock Dept of Electrical Engineering

Technical University of Lodz, Lodz, Poland

5499
RADIATION GENERATION FROM EXPLODING WIRE

8981
THERMAL LAYERS IN POSTARC CHANNEL

10353
ROTATING BALL GENERATOR

Technical University of Vienna, Vienna, Austria

Texas Tech Univ, Lubbock, TX

8932
EXPERIMENTAL INVESTIGATION OF LOW-CURRENT VACUUM ARC
INSTABILITIES

936
ACOUSTIC PHENOMENA IN EROSION OF SPARK-GAP ELECTRODES

8948
INFLUENCE OF THE COPPER ELECTRODE SURFACE ON INITIAL ARC
MOVEMENT

Texas Tech University, Lubbock, TX 79409

Technische Hochschule München (West Germany), Fakultät für
Maschinenwesen und Elektrotechnik.

184
PULSE POWER SYSTEMS EMPLOYING INDUCTIVE ENERGY STORAGE

3666
INHOMOGENEOUS AIR SPARK GAPS AT DIFFERING VOLTAGE LOAD

217
HIGH FREQUENCY THYRATRON EVALUATION

5688
THE IMPULSE BREAKDOWN IN INSULATING OIL

239
HIGH POWER SWITCHING CAPABILITIES

Technische Hochschule München (West Germany)
Elektrophysikalisches Institut

746
LASER TRIGGERING THROUGH FIBER OPTICS OF A LOW JITTER SPARK
GAP

5781
METHODS FOR DETERMINATION OF TRANSFER COEFFICIENTS FROM
HIGH POWER ARCS

763
EROSION OF SPARK GAP ELECTRODES

Technische Univ. Braunschweig (Germany, F.R.G.), Fakultät für
Maschinenbau und Elektrotechnik.

864
AN ELECTRON-BEAM-TRIGGERED SPARK GAP

10318
GENERATION OF HIGH VOLTAGE PULSES FROM INDUCTIVE ENERGY
STORED BY THE USE OF EXPLODING WIRES

888
LOW JITTER LASER TRIGGERED SPARK GAP USING FIBER OPTIC

Technische Univ. Brunswick (West Germany), Fakultät für
Maschinenbau und Elektrotechnik.

948
ELECTRON DENSITIES IN LASER-TRIGGERED SPARK GAP DISCHARGES

5180
INVESTIGATIONS ON BREAKDOWN EVENTS IN LIQUID NITROGEN AT
HIGH VOLTAGES

961
SIMULATION OF INDUCTIVE AND ELECTROMAGNETIC EFFECTS
ASSOCIATED WITH SINGLE AND MULTICHANNEL TRIGGERED SPARK GAPS

962
SPARK GAP EROSION RESULTS

1208
LECTURES ON HIGH-VOLTAGE AND PULSE POWER TECHNOLOGY;
LECTURE 13: GROUNDING AND SHIELDING TECHNIQUES

2154
PULSE-FORMING NETWORKS WITH TIME-VARYING OR NONLINEAR
RESISTIVE LOADS

4288
HIGH POWER SWITCH DEVELOPMENT

4210
PULSE POWER SYSTEMS EMPLOYING MAGNETIC ENERGY STORAGE

4681
AN ELECTROMECHANICAL PULSE GENERATOR

4687
CONSTANT CURRENT PFM

4697
NETWORKS FOR DRIVING TEA LASERS

4715
AN ANALYSIS OF CO-AXIAL PULSE TRANSFORMERS

4716
AN INEXPENSIVE HIGH VOLTAGE PROBE

5287
LASER TRIGGERED SPARK GAP USING FIBER OPTIC TRANSMISSION

5425
A REVIEW OF HIGH-POWER SWITCH TECHNOLOGY

5452
STUDIES OF TRANSIENT DISCHARGES

5491
ELECTRICAL BREAKDOWN OF GASES: THE PREBREAKDOWN STAGE

5528
EXPLODING WIRES IN STRONG AXIAL MAGNETIC FIELDS

6036
A CRITICAL ANALYSIS AND ASSESSMENT OF HIGH POWER SWITCHES

7173
IEEE 2ND INTERNATIONAL PULSED POWER CONFERENCE DIGEST OF
TECHNICAL PAPERS

7176
COMMAND CHARGE USING SATURABLE INDUCTORS

7177
INVESTIGATIONS OF FAST INSULATOR SURFACE FLASHOVER

7216
FAST RISING TRANSIENT HEAVY CURRENT SPARK DAMAGE TO
ELECTRODES

7586
DEVELOPMENT OF OVERVOLTAGE BREAKDOWN AT HIGH GAS PRESSURE

8215
ELECTRON DENSITIES IN LASER-TRIGGERED HYDROGEN SPARKS

8691
PULSED POWER RESEARCH COLLOQUIUM

The Detroit Edison Co., Detroit, MI 48226

1388
STUDY OF LIGHTNING CURRENT MAGNITUDE THROUGH DISTRIBUTION
ARRESTERS

The Fujikura Cable Works, Ltd.

3649
SYNTHETIC PAPER FOR EXTRA HIGH VOLTAGE CABLE

The Furukawa Electric Co. Ltd., Tokyo, Japan

323
THE RESEARCH IN DISCHARGE SUPPRESSION OF HIGH VOLTAGE
CROSSLINKED POLYETHYLENE INSULATED POWER CABLE

3687
ADVANCED APPLICATION REPORT HIGH VOLTAGE XLPE INSULATED
POWER CABLE WITH SEMI-CONDUCTING ORGANIC LIQUID

The Institute of Nuclear Physics, Siberian Branch, Academy of
Sciences of the USSR, Novosibirsk, USSR

6692
THE DEVELOPMENT OF ELECTRICAL DISCHARGE IN WATER

The Institute of Physical and Chemical Research, Maekashi,
Saitama, Japan

18336
OUTPUT PERFORMANCE OF THE COAXIAL-TYPE MARK GENERATOR
CONSISTING OF BATIO/SUB 3/ SERIES CERAMIC CAPACITORS

The Ivan A. Getting Labs, El Segundo, CA 90245

5345
MULTIPLE-CIRCUIT PULSE GENERATOR FOR HIGH REPETITION RATE
RARE GAS HALIDE LASERS

The JET Project, Abingdon, Oxfordshire, UK

143
NO ENERGY STORAGE AND SWITCHED PULSE POWER SUPPLY

The Meteorological Office, London Road, Bracknell, Berks

9827
A RELIABLE 60KV FLASHLAMP TRIGGERING SYSTEM

The Rand Corp, Santa Monica, CA 90406

4588
PULSED-POWER RESEARCH AND DEVELOPMENT IN THE USSR

The Royal Institute of Technology, Sweden

3789
INSTABILITIES OF ELECTRICALLY EXPLODED WIRES

The Technical University, Aachen, FRG

7811
INFLUENCE OF DIFFUSION AND NONEQUILIBRIUM POPULATIONS ON
MODE-0AS PLASMAS IN ELECTRIC ARCS

The Technical University, Lundtefte, Lyngby, Denmark

4845
ANALYSIS OF SPARK BREAKDOWN CHARACTERISTICS FOR SPHERE GAPS

The Technical University, Lyngby, Denmark

3513
INHERENT LIMITATIONS IN UNIFORM FIELD DISCHARGE DATA FOR
SP/SUB 6/

3778
CRITERIA FOR SPARK BREAKDOWN IN SULFUR HEXAFLUORIDE

Thermal Technology Lab, Inc.

4735
WEIGHT ALGORITHMS FOR ADIABATIC TRANSFORMERS FOR PULSED
HIGH POWER SYSTEMS

Thermal Technology Lab, Inc., Buffalo, NY

1264
DEVELOPMENT OF LIGHTWEIGHT TRANSFORMERS FOR AIRBORNE POWER
SUPPLIES

1274
DEVELOPMENT OF LIGHTWEIGHT TRANSFORMERS FOR AIRBORNE HIGH
POWER SUPPLIES

2550
LIGHTWEIGHT POWER CONDITIONING MAGNETICS

4713
ANALYSIS OF POWER TRANSFORMERS UNDER TRANSIENT CONDITIONS

6585
INTERIM REPORT ON DEVELOPMENT OF HIGH POWER, SHORT DUTY
TRANSFORMER/RECTIFIER UNITS

Tinker Air Force Base, Midwest City, OK

3615
DOUBLING BREAKDOWN VOLTAGE WITH CASCADED TRANSISTORS

Tokyo Electric Power Co., Inc., Tokyo, Japan

5096
INFLUENCE OF AIR DENSITY ON FLASHOVER VOLTAGES OF AIR GAPS
AND INSULATORS

Tokyo Institute of Technology, Nagatsuta 4259, Midori-ku,
Yokohama, Japan 227

9141
NEW TYPE OF PULSED ION SOURCE WITH CRYOGENIC ANODE

Tokyo Shibaura Electric Co. Ltd., Yokohama, Japan

3175
DIELECTRIC BREAKDOWN OF SULPHUR HEXAFLUORIDE IN NEARLY
UNIFORM FIELDS

Tokyo Univ. (Japan), Inst. for Nuclear Study.

6649
HIGH VOLTAGE PULSE GENERATOR FOR IMPECTOR

Tokyo University, Tanashi (Japan), Inst. for Nuclear Study.

4082
HIGH VOLTAGE PULSE SUPPLY FOR WIRE SPARK CHAMBER BY MEANS
OF THYRATRON

Tomsk Institute Of Automatic Control Systems And
Radioelectronics, USSR

6969
ELECTRIC BREAKDOWN IN SOLID DIELECTRICS

Tomsk Polytechnic Institute, Tomsk, USSR

776
PULSED BREAKDOWN OF GASEOUS HELIUM AT LOW TEMPERATURES

1100
HIGH CURRENT SUBNANOSECOND PULSE GENERATOR

1120
PLASMA TRIGATRON SPARK GAP

1139
NEW HIGH-POWER NANOSECOND SWITCH

1166
ELECTRICAL BREAKDOWN OF VACUUM GAPS UNDER SUPERHIGH VOLTAGE
PULSES

1255
RADIATION FROM RELATIVISTIC ELECTRONS IN A MAGNETIC BOTTLE

1442
FORMATION OF NANOSECOND SPARKS IN STATIC BREAKDOWN OF A GAP

1463
STATISTICAL STUDY OF NANOSECOND BREAKDOWN DELAY IN NARROW
GAS GAPS IN SUPERHIGH ELECTRIC FIELDS

2244
500 KV NANOSECOND SQUARE WAVE PULSE GENERATOR

4419
GENERATOR OF HIGH VOLTAGE NANOSECOND PULSES WITH PRECISE
LENGTH

4552
A 2-MV PULSED ELECTROVACUUM INSTALLATION

4767
GENERATOR WITH AMPLITUDE AND LENGTH STABILIZATION OF THE
PULSE FOR SUPPLYING A STREAMER CHAMBER

4803
UNIT FOR INVESTIGATING THE OPTICAL AND ELECTRICAL
CHARACTERISTICS OF NANOSECOND BREAKDOWN OF CONDENSED MEDIA

6441
AN INVESTIGATION OF THE ELECTRIC STRENGTH OF SOME LIQUID
DIELECTRICS SUBJECT TO NANOSECOND VOLTAGE PULSES

6443
CERTAIN CHARACTERISTICS OF COLO CATHODES

6450
SPARK CURRENT AND VOLTAGE IN NANOSECOND BREAKDOWN OF A GAS
GAP

6617
A CIRCUIT USING FERRITES TO OBTAIN HIGH-VOLTAGE NANOSECOND
PULSES

6618
A SUPPLY GENERATOR FOR A STREAMER CHAMBER WITH A LARGE
INTERELECTRODE GAP

6620
A 500-KV NANOSECOND PULSE GENERATOR

6624
CONTROLLED DELAY OF HIGH-POWER NANOSECOND PULSES WITH THE
USE OF THE MAGNETIZATION REVERSAL TIME OF FERRITES

6920
CONDITIONS FOR THE CURRENT PAUSE IN EXPLODING WIRES

6921
CONTROLLED MEGAVOLT GAS-FILLED DISCHARGER

6922
DEFORMATION OF INTENSE WAVES TRAVERSING A FERRITE
DISCONTINUITY IN A TRANSMISSION LINE

6931
NANOSECOND FORMATION TIME OF DISCHARGES IN SHORT AIR GAPS

6937
SPARK PULSE PEAKING DEVICES WITH LOW SENSITIVITY TO PULSE
HEIGHT

6974
A 20-CHANNEL GENERATOR OF HIGH-VOLTAGE PULSES

6975
ACCELERATION OF IONS FROM AN EXPLOSIVE-EMISSION PLASMA

6978
CERTAIN FEATURES OF EXPLODING WIRES

6982
CROSS-FIELD CURRENT FLOW IN A MAGNETICALLY INSULATED DIODE

6983
DEVELOPMENT OF A DISCHARGE IN A LIQUID DIELECTRIC WITH RAMP
FUNCTION VOLTAGE PULSES

6991
ELECTRICAL CONDUCTION AND DEVELOPMENT OF BREAKDOWN IN
LIQUID DIELECTRICS

6995
ENERGY BALANCE FOR A SPARK IN A SOLID DIELECTRIC

7006
GAS FORMATION IN LIQUID IN INITIAL STAGES OF A PULSED
DISCHARGE

7010
INITIATION AND DEVELOPMENT OF NANOSECOND DISCHARGES IN
LIQUIDS

7012
MECHANICAL ASPECTS OF THE ELECTRICAL BREAKDOWN OF SOLID
DIELECTRICS

7026
STUDY OF THE PULSE ELECTRICAL STRENGTH OF SOME LIQUIDS

7044
ELECTRON-OPTICAL OBSERVATION OF INITIATION AND DEVELOPMENT
OF PULSED BREAKDOWN IN A NARROW VACUUM GAP

7052
INVESTIGATION OF THE PULSED BREAKDOWN MECHANISM AT THE
SURFACE OF A DIELECTRIC IN A VACUUM II. NONUNIFORM FIELD

7757
ELECTRON-OPTICS STUDY OF THE DEVELOPMENT OF AN ELECTRIC
DISCHARGE IN A GAS AT HIGH-ELECTRIC FIELD INTENSITIES AND
WITH ONE-ELECTRON IGNITION

7976
NANOSECOND TIME DEVELOPMENT OF A PULSED DISCHARGE AT A
DIELECTRIC-VACUUM INTERFACE

8170
VOLTAGE-MULTIPLICATION OF STEEP PULSES

8914
AN INVESTIGATION OF THE TIME LAG OF THE DISCHARGE IN THE
ELECTRICAL BREAKDOWN OF VACUUM GAPS

8971
SWITCHING CHARACTERISTICS OF A THREE-ELECTRODE SPARK GAP

9320
A MOBILE GENERATOR OF 500 KV, 10 CFS VOLTAGE PULSES

9327
BREAKDOWN MECHANISM OF SHORT VACUUM GAPS

9382
AMPLITUDE STABILIZATION OF HIGH-VOLTAGE PULSES USING
POWERFUL COMMUTATORS

9383
AN INVESTIGATION OF PULSE FLASHOVER OF SOME SOLID
DIELECTRICS IN VACUUM

9601
HIGH-POWER MAGNETOTHRISTOR PULSE GENERATOR

9655
THYRATRON GENERATOR OF HIGH-POWER NANOSECOND PULSES WITH
INCREASED EFFICIENCY

9928
INVESTIGATION OF THE PULSED BREAKDOWN MECHANISM AT THE
SURFACE OF A DIELECTRIC IN A VACUUM I. UNIFORM FIELD

10048
NANOSECOND CURRENT PULSE GENERATOR FOR SUPPLYING
SEMICONDUCTOR LASERS

10386
SURFACE BREAKDOWN IN VACUUM ON BARIUM TITANATE

10556
250-KV PULSE GENERATOR FOR ELECTRICAL-PULSE TECHNOLOGY

Toshiba Corp, Puchu-ehi, Tokyo, Japan

9318
TOPICAL PHENOMENA OBSERVED IN A SHORT-DAP ATMOSPHERIC
DISCHARGE USING ROTOR AND POST ELECTRODES

Toshiba Corp, Kawasaki, Japan

8933
EXPERIMENTAL INVESTIGATION ON ARC PHENOMENA IN SF/SUB 6/
PUFFER CIRCUIT BREAKERS

10126
FACTORS INFLUENCING THE INTERRUPTING ABILITY OF SF/SUB 6/
PUFFER BREAKER AND DEVELOPMENT OF 500KV-50KA ONE-BREAK
CIRCUIT BREAKER

Toshiba High Power Lab, Ukishima-cho, Kawasaki-ku, Kawasaki

8118
ARC MOTIONS DRIVEN BY MAGNETIC FIELD IN SULFUR HEXAFLUORIDE
(SF/SUB 6/)

Toshiba Research and Development Center, Ukishima-cho,
Kawasaki-ku, Kawasaki

8118
ARC MOTIONS DRIVEN BY MAGNETIC FIELD IN SULFUR HEXAFLUORIDE
(SF/SUB 6/)

Toulouse Univ. (France), Lab. de Genie Electrique.

1364
STUDY OF THE EVOLUTION OF ELECTRICAL TREEING BY OBSERVATION
OF LUMINOUS PHENOMENA AND DISCHARGE DETECTION

13180
BEHAVIOR OF COMPOSITE INSULATION UNDER THE ACTION OF
SUPERFICIAL ARCS. APPLICATION TO LINE INSULATORS

Transcaucasian Branch, ENINS, Erevan

2110
THYRISTOR PULSE CIRCUIT FOR CONTROLLING THE EXPLOSION OF A
THIN WIRE

Twente Univ. Technology, Enschede, The Netherlands

975
A COAXIAL E-BEAM EXCITATION SYSTEM FOR HIGH POWER EXCIMER
LASERS

TRM Systems Group, Redondo Beach, CA

1429
PFN CHARACTERIZATION AND LIFE TEST

5552
MAGNETIC SHIELDED ENCLOSURE DESIGN IN THE DC AND VLF REGION

5600
FOAM-IN-PLACE MATERIALS FOR HIGH VOLTAGE INSULATION IN A
SPACE ENVIRONMENT

U.S. Air Force Academy, CO 80840

5865
LIGHTNING DETECTION FROM SPACE

U.S. Amerscom, DRXFB-EA, Fort Belvoir, VA

487
CONVERTERS FOR SUPPLYING PULSED POWER LOADS

U.S. Dept. Of Energy, Washington, DC

10127
PHYSICAL MODEL OF ELECTRIC AGING AND BREAKDOWN OF EXTRUDED
POLYMERIC INSULATED POWER CABLES

Ukrea Reactor Group, Winfrith, Atomic Energy Establishment.

18456
SMALL PULSE BREAKDOWN PHENOMENON IN MINERAL INSULATED CABLES

Union College

8172
INDUCTANCE CALCULATIONS: WORKING FORMULAS AND TABLES

United Aircraft Research Labs, East Hartford, CT 06108

4641
ROTARY SPARK GAP SWITCHING FOR HIGH POWER DYE LASERS

7384
DAS BREAKDOWN WITH 10.6-MICRON-LENGTH CO/SUB 2/ LASER
RADIATION

United Kingdom Atomic Energy Authority

6288
NOVEL PRINCIPLE OF TRANSIENT HIGH-VOLTAGE GENERATION

Univ of California, Irvine, CA

2360
DESIGN AND STRUCTURE OF AN EXTENDED LIFE HIGH CURRENT
SPARK GAP

Univ of California, Riverside, CA

1926
HIGH VOLTAGE PULSED CIRCUIT FOR DICHROIC STUDIES

Univ Of Nevada, Reno, Nevada

10466
NANOSECOND MEGAJOULE ACCELERATOR FOR BEAM INDUCED
THERMONUCLEAR MICROEXPLOSIONS

Univ Of Texas At Austin, Austin, TX

3300
FUNDAMENTAL LIMITATIONS AND TOPOLOGICAL CONSIDERATIONS FOR
FAST DISCHARGE HOMOPOLAR MACHINES

Univ Of Washington, Seattle, Washington

10474
TECHNICAL PROBLEMS INVOLVED IN N/SUB 2/ STREAMER CHAMBERS

Universita degli Studi-Napoli, Napoli, Italy

8188
HIGH-POWER ELECTRON BEAM PREIONIZED CO/SUB 2/ CW LASER
MODELLING I: DESCRIPTION OF THE INVESTIGATED DEVICE AND
NUMERICAL CALCULATIONS ON E-BEAM IONIZATION

Universita di Bari, Bari, Italy

4897
ALTERNATE POLARITY MULTIPLE SPARK GAP FOR HIGH EFFICIENT
SHOWER DETECTORS

Universita di Bologna, Bologna, Italy

545
VERSATILE THREE-TERMINAL CELL FOR INVESTIGATING THE
ELECTRICAL PROPERTIES OF INSULATING MATERIALS OVER A WIDE
FREQUENCY AND TEMPERATURE RANGE

Universita di Lecce, Lecce, Italy

753
ANODE BEHAVIOR IN HIGH INTENSITY FIELD EMISSION DIODES

4347
ON THE USE OF PERFLUOROPOLYETHER FLUIDS IN HV SPARK-GAPS

7266
COUPLED MARX-TESLA CIRCUIT FOR PRODUCTION OF INTENSE
RELATIVISTIC ELECTRON BEAMS

8271
ROOMSRI COILS: THEORY AND EXPERIMENTAL RESULTS
Universita di Palermo, Vials, delle Scienze, Italy

762
SIMPLE PULSE GENERATOR FOR A POWERFUL MODULATOR
Universita Di Bari, Bari, Italy

616
PRODUCTION AND DYNAMICS OF HIGH INTENSITY ELECTRON BEAMS
Universita Di Lecce, Lecce, Italy

616
PRODUCTION AND DYNAMICS OF HIGH INTENSITY ELECTRON BEAMS
Universitat Dusseldorf, Dusseldorf, FRG

8924
DETERMINATION OF TEMPERATURE, VELOCITY DISTRIBUTION, AND
POPULATION DENSITIES OF NEUTRAL HELIUM BY MEANS OF LASER
LIGHT TUNED ON ATOMIC RESONANCES
Universitat Munchen, Munich, FRG

7819
PRINCIPLES OF ARC MOTION AND DISPLACEMENT
Universita de Caen, Caen, France

5154
HIGH MAGNETIC FIELD PRODUCTION BY ELECTROMAGNETIC ENERGY
STORAGE IN A SUPERCONDUCTING COIL
University of Aberdeen

426
A FAST HIGH VOLTAGE PULSE GENERATOR
University of Alberta, Edmonton, Alberta, Canada

248
HIGH-POWER, HIGH-REPETITION RATE PULSER FOR PHOTO-IMPULSE
IONIZED LASERS

2552
CO/SUB 2/ LASER-INDUCED GAS BREAKDOWN IN HYDROGEN

4875
THE EFFECT OF IONIZATION AND FLOW VELOCITY UPON SPARK GAP
RECOVERY

6376
A SIMPLE SWITCHING SYSTEM FOR REPEATABLE PULSED DISCHARGES

8125
KILOVOLTMEETER MEASURES AC AND DC WITH OVER 1E16-OHM INPUT
RESISTANCE
University of Alexandria, Alexandria, Egypt

7498
THE EFFECT OF ORGANIC ADDITIVES ON THE BREAKDOWN AND
GASSING PROPERTIES OF MINERAL OILS

7752
EFFECT OF DISSOLVED GASES, ORGANIC ADDITIVES AND FIELD
CONFIGURATION ON CO-FIELD MOTION IN INSULATING OILS
University of Ankara, Ankara, Turkey

5847
THERMAL EROSION OF ELECTRICAL INSULATING MATERIALS
University of Arizona, Tucson, AZ 85721

4157
FOUR-METER SPARKS IN AIR
University of Aston, Birmingham, Birmingham B4 7ET, UK

2453
THE SOURCE OF HIGH-BETA ELECTRON EMISSION SITES ON
BROAD-AREA HIGH-VOLTAGE ALLOY ELECTRODES

4565
MICROPARTICLE ENERGY ENHANCEMENT FOLLOWING A BOUNCING
IMPACT IN A HIGH-VOLTAGE GAP

University of Auckland, Auckland, New Zealand

2841
TUNNEL DIODE NARROW PULSE GENERATOR

10494
A BACK-MATCHED DELAY-LINE CLIPPING TECHNIQUE FOR USE WITH
FAST AMPLIFIERS
University of British Columbia, Vancouver, British Columbia,
Canada

2976
THE INFLUENCE OF ELECTRODE HEAT TRANSPORT IN SPARK RECOVERY
University of British Columbia, Vancouver, British Columbia,
Canada

5945
THE INFLUENCE OF FORMATIVE TIME LAGS ON SPARK-GAP RECOVERY
MEASUREMENTS

6376
A SIMPLE SWITCHING SYSTEM FOR REPEATABLE PULSED DISCHARGES
University of California, Berkeley CA

3747
A CO/SUB 2/-LASER-TRIGGERED SPARK GAP

4248
BASIC PROCESSES OF GASEOUS ELECTRONICS

5560
TRANSITION FROM THE PRIMARY STREAMER TO THE ARC IN POSITIVE
POINT-TO-PLANE CORONA

8997
PULSES IN NEGATIVE POINT-TO-PLANE CORONA

18298
CRITERION FOR VACUUM SPARKING DESIGNED TO INCLUDE BOTH RF
AND DC
University of California, CA

6968
PRODUCTION AND USE OF HIGH TRANSIENT MAGNETIC FIELDS. II

9838
ON THE EARLY STAGES OF ELECTRIC SPARKS
University of California, Davis, CA

5898
INITIAL PHASE OF THE EXPLODING WIRE PHENOMENON

5899
ON THE MECHANISM OF EXPLODING WIRES
University of California, Irvine, CA 92717

538
MICROSECOND-PULSED ION BEAM FROM A MARX GENERATOR
University of California, Los Angeles, CA 90024

2382
A TECHNIQUE FOR MEASURING NON-SQUARE PULSED HIGH VOLTAGES TO
+OR- 0.25% ACCURACY

5899
ON THE MECHANISM OF EXPLODING WIRES

18234
A TECHNIQUE FOR MEASURING NON-SQUARE PULSED HIGH VOLTAGES
TO +OR- 0.25 PERCENT ACCURACY
University of Cambridge, Cambridge, CB21PZ

8991
INTEGRAL METHODS OF ANALYSING ELECTRIC ARCS: I. FORMULATION
University of Chicago, Chicago, IL

6854
SPARK CHAMBER PULSING SYSTEM
University of Colorado, Boulder, CO 80309

9298
SHIELDING EFFECTIVENESS OF METALLIC HONEYCOMBS

University of Connecticut, Storrs, CT 06268

7747
DEGRADATION PRODUCT ANALYSIS FOR POLYMERIC DIELECTRIC
MATERIALS EXPOSED TO PARTIAL DISCHARGES

University of Durham, Durham, UK

2399
TIME LAGS ASSOCIATED WITH ULTRA-HIGH FREQUENCY GAS BREAKDOWN

9889
A COMPUTER SIMULATED MODEL FOR DIFFUSION AND DRIFT OF
ELECTRONS IN FLASH TUBES

10488
PLASMA BUILDUP AND BREAKDOWN DELAY IN A TRIGGERED VACUUM GAP

University of Florida, Gainesville, FL

895
POLARIZY EFFECT MEASUREMENTS USING THE KERR ELECTRO-OPTIC
EFFECT WITH COAXIAL CYLINDRICAL ELECTRODES

5328
ELECTRODE MATERIAL RELEASE DURING HIGH VOLTAGE BREAKDOWN

10182
ELECTRODE MATERIAL RELEASE DURING HIGH VOLTAGE BREAKDOWN
(FINAL REPORT)

University of Genoa, Genoa, Italy

873
ELECTRIC POTENTIAL MEASUREMENTS IN GASEOUS INSULATING
MATERIALS BY CORONA PROBE IN A CONTROLLED ENVIRONMENT

University of Hull, Hull, UK

825
OBSERVATION OF HIGHLY IONIZED SPECIES IN PLASMA PRODUCED BY
FEMTOSECOND LASER PULSES

3724
MEASUREMENT OF THE WAVELENGTH DEPENDENCE OF THE THRESHOLD
OF LASER-INDUCED GAS BREAKDOWN

4945
FEMTOSECOND TRIGGERING OF A LASER-TRIGGERED SPARK GAP

8195
A LASER-TRIGGERED KRYPTON-BLUMLEIN ELECTRO-OPTIC SWITCH

University of Illinois, Urbana IL

1771
LOW PRESSURE, HIGH VOLTAGE DISCHARGES FOR THE PRODUCTION OF
ENERGETIC ELECTRON BEAMS

8237
EFFECT OF GAS PRESSURE ON ELECTRICAL BREAKDOWN AND FIELD
EMISSION

10363
AN INVESTIGATION OF THE HOLLOW SPHERICAL CATHODE: PART I.
EMISSION MECHANISMS OF HOLLOW SPHERICAL CATHODES; PART II.
DEVELOPMENT OF A HIGH LEVEL PULSER

University of Iowa, Iowa City, IA 52240

5954
SELF-SIMILAR POWER-DRIVEN EXPANSION INTO VACUUM

University of Karlsruhe, Karlsruhe, FRG

3639
PRECISION CAPACITIVE VOLTAGE DIVIDER FOR IMPULSE VOLTAGE
MEASUREMENTS

8188
LOW-RESISTANCE SHUNTS FOR IMPULSE CURRENTS

University of Kentucky, Lexington, KY 40506

1273
APPLICATION OF GENERATOR ANALYSIS METHODS

4538
SCHEMATIC MODELS OF A PULSE FORMING SYSTEM

9684
HIGH-VOLTAGE LINEAR PULSE AMPLIFIER

University of Liverpool, Liverpool, UK

1358
ELECTRODE VAPOUR JETS IN SPARK DISCHARGES

3691
SPECTROSCOPIC INVESTIGATION OF THE SPARK CHANNEL

4581
THE RECOVERY OF HIGH CURRENT LONG GAPS IN HYDROGEN AND ARGON

7762
HIGH CURRENT SPARK CHANNELS

7822
REFRACTORY ELECTRODE REGION RECOVERY FOLLOWING ARC
INTERRUPTION

8011
SOME PROPERTIES OF HIGH CURRENT SPARK CHANNELS

8089
THE REIGNITION VOLTAGE CHARACTERISTICS OF FREELY RECOVERING
ARCS

8174
ELECTRICAL BREAKDOWN OF GASES

8283
THEORETICAL PROPERTIES OF SPHERICALLY-SYMMETRIC STATIC ARCS

8244
MEASUREMENT OF IONIZATION AND ATTACHMENT COEFFICIENTS IN
SULPHUR HEXAFLUORIDE IN UNIFORM FIELDS

8272
SOME MEASUREMENTS OF THE RELATIVE DIELECTRIC STRENGTH OF
GASES

8282
TIME-RESOLVED SPECTROSCOPY OF SPARK DISCHARGES

8954
PRESSURE TRANSIENTS IN A MODEL GAS-BLAST CIRCUIT BREAKER
OPERATING AT EXTRA HIGH CURRENT LEVELS

8966
SCALING LAWS FOR GAS-BLAST CIRCUIT-BREAKER ARCS DURING THE
HIGH CURRENT PHASE

8995
PHOTOELECTRIC SPECTROSCOPY OF TRANSIENT DISCHARGES

University of Manchester, Manchester, UK

1774
NEW DERIVATION OF THE VACUUM BREAKDOWN EQUATION RELATING
BREAKDOWN VOLTAGE AND ELECTRODE SEPARATION

3548
PREBREAKDOWN PHENOMENA IN VACUUM WITH DIRECT AND
ALTERNATING VOLTAGES AT ROOM AND CRYOGENIC TEMPERATURES

5987
THE HOT-WIRE TRIGGERED SPARK GAP AT VERY HIGH VOLTAGES

4165
A GAS-SUPPLY LINE WHICH PERMITS A HIGH VOLTAGE TO BE
MAINTAINED ACROSS ITS ENDS

5867
THERMAL EROSION OF ELECTRICAL INSULATING MATERIALS

5119
A NEW HIGH-VOLTAGE TRIGGERED SPARK GAP

8051
THE CHARACTERISTICS OF THE TRIODION SPARK-GAP AT VERY HIGH
VOLTAGES

8052
THE DEVELOPMENT OF THE DISCHARGE IN THE TRIODION SPARK GAP
AT VERY HIGH VOLTAGES

8199
COMPOSITION AND PROPERTIES OF A SULPHUR HEXAFLUORIDE ARC
PLASMA

8278
THE BREAKDOWN MECHANISM OF CERTAIN TRIGGERED SPARK GAPS

9800
TRACKING IN POLYMERIC INSULATION

10839
TIME LAGS AND THE BREAKDOWN AND CORONA CHARACTERISTICS IN
SULPHUR HEXAFLUORIDE

University of Manitoba, Winnipeg, Manitoba, Canada

5881
CHARGING TIME OF A HIGH-VOLTAGE IMPULSE GENERATOR

9822
THE FLASHOVER VOLTAGE OF POLYMETHYLMETHACRYLATE IN VACUUM UNDER DIRECT, ALTERNATING, AND SURGE VOLTAGES OF VARIOUS FRONT DURATIONS

University of Maryland, College Park, MD 20742

4648
ION-INDUCED PINCH AND THE ENHANCEMENT OF ION CURRENT BY PINCHED ELECTRON FLOW IN RELATIVISTIC DIODES

4686
A 5 MA, 600 KV FAST CAPACITOR BANK FOR A SMOKE-HEATED TORUS

4887
A COMPACT HIGH SPEED LOW IMPEDANCE BLUMLEIN LINE FOR HIGH VOLTAGE PULSE SHAPING

4932
IONIZING POTENTIAL WAVES AND HIGH-VOLTAGE BREAKDOWN STREAMERS

7686
RELATIVISTIC ELECTRON BEAM PINCH FORMATION PROCESSES IN LOW IMPEDANCE DIODES

7815
IONIZING GAS BREAKDOWN WAVES IN STRONG ELECTRIC FIELDS

8259
EXACT RELATIVISTIC SOLUTION FOR THE ONE-DIMENSIONAL DIODE

10594
HIGH INTENSITY ELECTRON BEAM PROPAGATION BETWEEN TWO PLANE CONDUCTORS AND ITS IMPLICATIONS FOR COLLECTIVE ION ACCELERATION

10459
SHOP DRAWINGS FOR A MEDIUM SIZE MARX GENERATOR: TECHNICAL REPORT NO. 75-089

University of Massachusetts, Amherst, MA 01002

9562
EXPERIMENTAL INVESTIGATION OF THE TRANSIENT FORMATION OF A MICROWAVE-GENERATED IONIZED SHEATH IN AIR

University of Michigan Research Institute, Ann Arbor, MI

7578
HALF-MEGAMPERE MAGNETIC-ENERGY-STORAGE PULSE GENERATOR

University of Michigan, Ann Arbor, MI

4257
HIGH POWER SPARR GAP SWITCH PROGRAM

6154
MONTE CARLO SIMULATION OF THE LOW-VOLTAGE ARC MODE IN PLASMA DIODES

6758
METHOD OF PRODUCING A FAST CURRENT RISE FROM ENERGY STORAGE CAPACITORS

7818
INDUCED RADIAL VELOCITY IN NONSTATIONARY ELECTRIC ARCS

7818
PREDICTION OF CONDITIONS FOR A SINGLE PULSE DISCHARGE

8194
OBSERVATION OF A CORE IN AN EXPLODED LITHIUM WIRE PLASMA BY REFLECTION OF LASER LIGHT

9866
HIGH POWER SPARR GAP SWITCHES-A NUMERICAL MODEL AND EXPERIMENTAL INVESTIGATION

University of Minnesota, Minneapolis, MN

186
SUPERCONDUCTIVE INDUCTOR STORAGE AND CONVERTERS FOR PULSED POWER LOADS

487
CONVERTERS FOR SUPPLYING PULSED POWER LOADS

1248
ANALYSIS OF THE ANODE BOUNDARY LAYER OF HIGH INTENSITY ARCS

1252
MODELS OF THE ANODE CONTRACTION REGION OF HIGH INTENSITY ARCS

1299
MODELING AND MEASUREMENT OF THE INITIAL ANODE HEAT FLUXES IN PULSED HIGH-CURRENT ARCS

8974
THE EFFECTS OF CGLD GAS INJECTION ON A CONFINED ARC COLUMN

University of Missouri-Rolla, Rolla, MI 65401

2899
SYSTEM FOR DATA ACQUISITION FROM HIGH VOLTAGE TERMINALS

University of Nevada System, Las Vegas, NV 89189

1594
MAGNETICALLY INSULATED TRANSFORMER FOR ATTAINING ULTRAHIGH VOLTAGES

1729
ON THE CONCEPT OF MAGNETIC INSULATION

8114
PRODUCTION OF DENSE THERMONUCLEAR PLASMAS BY INTENSE RELATIVISTIC ELECTRON BEAMS

University of Nevada System, Reno, NV 89507

198
GENERATION OF ULTRA-INTENSE HEAVY ION BEAMS FOR INERTIAL CONFINEMENT FUSION

198
MAGNETICALLY INSULATED PULSE POWER DRIVEN LINAC

595
MAGNETICALLY INSULATED LINAC DRIVEN BY A MULTISTAGE MARK GENERATOR

1095
THERMONUCLEAR MICRO-EXPLOSIONS WITH INTENSE ION BEAMS

1593
MAGNETICALLY INSULATED AND INDUCTIVELY CHARGED CAPACITOR FOR THE ATTAINMENT OF GIGAVOLT POTENTIALS

1715
ATTAINMENT OF GIGAVOLT POTENTIALS BY MAGNETIC INSULATION

University of New England, Armidale, NSW, Australia

5297
PHOTOGRAPHIC AND OSCILLOGRAPHIC INVESTIGATIONS OF SPARR DISCHARGES IN HYDROGEN

9826
AN EXTENSION OF THE RAMSAUER-TOWNSEND EXPERIMENT IN A XENON THYRATRON

University of Newcastle Upon Tyne, Newcastle Upon Tyne, UK

5789
INFLUENCE OF SPECIMEN SIZE ON THE DIELECTRIC STRENGTH OF TRANSFORMER OIL

University of Nottingham, Nottingham UK

18488
PLASMA BUILDUP AND BREAKDOWN DELAY IN A TRIGGERED VACUUM GAP

University of Oklahoma, Norman, OK 73019

9295
RESPONSE OF A TWISTED PAIR EXCITED BY THE NONUNIFORM ELECTROMAGNETIC FIELDS OF NEARBY LOOPS

University of Oxford, Oxford, UK

4963
THE LASER TRIGGERED SPARR GAP

4998
EFFECT OF CATHODE MATERIAL IN A LASER TRIGGERED SPARR GAP

7582
EVIDENCE FOR REVERSE PHOTOELECTRONS IN LASER-INDUCED CURRENT

8193
A HIGH-VOLTAGE MERCURY-WETTED REED PULSE GENERATOR WITH SECONDARY PULSE SUPPRESSION

University of Pennsylvania, Philadelphia, PA 19104

7234
MODELING OF ARC DISCHARGES IN POWER CIRCUIT BREAKERS

8927
EFFECT OF PLUG FLOW ON THE STABILITY OF TWO-DIMENSIONAL ARCS

University of Pittsburgh, Pittsburgh PA

7171
THE TRANSIENT RECOVERY VOLTAGE APPLICATION OF POWER CIRCUIT BREAKERS

University of Puerto Rico, Rio Piedras, Puerto Rico

7561
ELECTRODE-LIMITED AND SPACE-CHARGE-LIMITED TRANSIENT CURRENTS IN INSULATORS

University of Queensland, St. Lucia, Queensland, Australia

1548
DIGITAL TIMING UNIT FOR IMPULSE GENERATOR CONTROL

University of Rochester, River Campus Station, Rochester, NY 14627

4745
A TRIGGERED SPARK GAP WITH ROTATING ELECTRODES

University of Rochester, Rochester, NY 14623

8095
HIGH-POWER SWITCHING WITH PICOSECOND PRECISION

University of Salford, Salford, UK

5638
PREBREAKDOWN PROCESSES IN ELECTRICALLY STRESSED INSULATING LIQUIDS

4574
TIME-LAG CHARACTERISTICS OF A LIQUID TRIODATRON

7888
LIQUID MOTION AND INTERNAL PRESSURE IN ELECTRICALLY STRESSED INSULATING LIQUIDS

8168
SPARKING POTENTIALS OF SATURATED HYDROCARBON GASES

University of Santa Clara, Santa Clara, CA 95053

5147
POSTULATION OF THE ARC RESTRIKE MECHANISMS FOR EXPLODING WIRES AND TUBES

University of Sheffield, Sheffield, UK

1544
AC (50 HZ) AND DC ELECTRICAL BREAKDOWN OF VACUUM GAPS AND WITH VARIATION OF AIR PRESSURE IN THE RANGE 10^{-9} - 10^{-2} TORR USING OFHC COPPER, NICKEL, ALUMINUM, AND NIOBIUM PARALLEL PLANAR ELECTRODES

2284
BREAKDOWN MECHANISMS AND ELECTRICAL PROPERTIES OF TRIGGERED VACUUM GAPS

2594
EFFECT OF MECHANICAL CONTACT FORCE ON WITHSTAND VOLTAGE OF COPPER-BISMUTH AND CLR VACUUM INTERRUPTERS

2442
EFFECTS OF VOLTAGE POLARITY, ELECTRIC CURRENT, EXTERNAL RESISTANCE, NUMBER OF SPARKINGS, SUPPLY FREQUENCY, AND ADDITION OF HYDROGEN AND AIR ON ELECTRICAL BREAKDOWN IN VACUUM

3596
MODEL DESIGN FOR ACCURATE ALIGNMENT OF HIGH VOLTAGE ELECTRODES ASSEMBLY

5699
AC (50 HZ) AND DC ELECTRICAL BREAKDOWN OF VACUUM GAPS AND WITH VARIATION OF AIR PRESSURE IN THE RANGE 10^{-9} - 10^{-2} TORR USING OFHC COPPER, NICKEL, ALUMINUM, AND NIOBIUM PARALLEL PLANAR ELECTRODES

5785
EFFECTS OF ELECTRODE CURVATURE, DISTANCE FROM GLASS INSULATOR, AND ADDITION OF HYDROGEN ON FIELD-EMISSION CURRENTS AND BREAKDOWN VOLTAGE IN VACUUM

3787
FIRING CHARACTERISTICS OF A TRIGGERED VACUUM GAP EMPLOYING DIELECTRIC COATED WITH A SEMICONDUCTING LAYER

7658
ELECTRICAL BREAKDOWN OF A POINT-PLANE GAP IN HIGH VACUUM AND WITH VARIATION OF PRESSURE IN THE RANGE 10^{-7} - 10^{-2} TORR OF AIR, NITROGEN, HELIUM, SULPHUR HEXAFLUORIDE, AND ARGON

8178
DETERMINATION OF THE ELECTRIC FIELD ENHANCEMENT FACTOR AND CRATER DIMENSIONS IN ALUMINUM FROM SCANNING ELECTRON MICROGRAPHS

10815
EDDY-CURRENT-LIMITED GROWTH OF FERROMAGNETIC DOMAINS ON THE SURFACE OF SQUARE-LOOP ALLOY TAPES

University of Sofia, Bulgaria

2139
DESIGN OF TESLA TRANSFORMERS USED IN DIRECT-VOLTAGE ACCELERATORS

University of South Carolina, Columbia, SC

1329
ELECTRO-OPTICAL MEASUREMENTS OF SOLID INSULATOR SURFACE FIELDS AND SURFACE CHARGING IN VACUUM

7177
INVESTIGATIONS OF FAST INSULATOR SURFACE FLASHOVER

University of Southampton, Southampton, UK

1395
PROGRESS IN RESEARCH ON ELECTROSTATIC GENERATORS

10477
A TECHNIQUE FOR VERY-HIGH-SPEED PULSE GENERATION WITH VARIABLE REPETITION RATE

University of Southern California, Los Angeles, CA 90087

5333
CONTAMINATION EFFECTS ON MVDC INSULATOR FLASHOVER

University of St. Andrews, St. Andrews, Fife KY16 9SS, UK

4147
OPERATION OF SLIDING-SPARK ARRAYS FOR LASER PRE-IONIZATION

University of St. Andrews, St. Andrews, Fife, KY16 9SS, UK

3426
GAS LASER DISCHARGES IN CONTINUOUS METAL TUBES

University of Strathclyde, Glasgow, Scotland

739
CHARACTERISTICS OF IMPULSE BREAKDOWN OF STANDARD ROD GAPS UNDER CONTROLLED-ATMOSPHERE CONDITIONS

1512
PHOTOGRAPHIC OBSERVATIONS OF IMPULSE BREAKDOWN IN SHORT VACUUM GAPS

1825
A DIGITAL CONTROL SYSTEM FOR MV IMPULSE GENERATORS

2958
THE USE OF A PHOTOMULTIPLIER IN THE DETERMINATION OF IONIZATION COEFFICIENTS IN GASES STRESSED WITH HIGH VOLTAGE

4948
PREBREAKDOWN PHENOMENA IN STANDARD ROD GAPS SUBJECTED TO IMPULSE VOLTAGES

8273
STATISTICAL TIME LAGS IN GAS DISCHARGE GAPS IRRADIATED WITH A RADIOACTIVE MATERIAL

8286
CATHODE SPOTS IN THE TRANSIENT GLOW DISCHARGE IN NITROGEN

University of Strathclyde, UK

5438
LIGHTNING STRIKE POINT LOCATION STUDIES ON SCALE MODELS

University of Stuttgart, Stuttgart, FRG

4581
UV LASER TRIGGERING OF SPARK GAPS BY TWO-QUANTUM PHOTOELECTRIC EFFECT

University of Sussex, Sussex, UK

10475
A LOW-COST SUB-NAANOSECOND PULSE AMPLIFIER

University of Sydney, NSW, Australia

8964
SCALING LAWS FOR GAS-BLAST CIRCUIT-BREAKER ARCS DURING THE HIGH CURRENT PHASE

University of Tehran, Iran

5485
HIGH-VOLTAGE VACUUM INSULATION WITH EPOXY-COATED CATHODES

University of Tennessee, Knoxville, TN 37916

1692
A SIMPLE HIGH-VOLTAGE OPENING SWITCH USING SPIDLED ELECTROSTATIC CONFINEMENT

University of Texas at Austin, Austin, TX 78712

182
MAGNETIC FIELD CALCULATIONS FOR HIGH-ENERGY PULSED POWER SUPPLIES

191
APPLYING A HOMOPOLAR POWER SUPPLY TO A TOKAMAK

281
PULSED POWER FROM INERTIAL STORAGE WITH HOMOPOLAR MACHINES FOR CONVERSION

258
DETAILED DESIGN, FABRICATION AND TESTING OF AN ENGINEERING PROTOTYPE COMPENSATED PULSED ALTERNATOR

265
LOW INDUCTANCE SPARK GAP SWITCH FOR BLUMLEIN-DRIVEN LASERS

871
COMPUTER BASED ELECTRICAL ANALYSIS OF HOMOPOLAR GENERATOR DRIVEN, BITTER PLATE STORAGE INDUCTORS WITH RADIAL CURRENT DIFFUSION

2885
THE TESTING OF SLIDING ELECTRICAL CONTACTS FOR HOMOPOLAR GENERATORS

2887
PRELIMINARY ENGINEERING DESIGN OF A PULSED HOMOPOLAR GENERATOR POWER SUPPLY

4691
INERTIAL ENERGY STORAGE RESEARCH AT THE UNIVERSITY OF TEXAS AT AUSTIN

4698
ONE MILLISECOND DISCHARGE TIME HOMOPOLAR MACHINE

4727
PULSED ENERGY AND SWITCHING REQUIREMENTS FOR TOKAMAK OHMIC HEATING

5418
REBUILDING THE FIVE MEGAJOULE HOMOPOLAR MACHINE AT THE UNIVERSITY OF TEXAS

5802
ENERGY STORAGE AND TRANSFER WITH HOMOPOLAR MACHINE FOR A LINEAR THETA-PINCH HYBRID REACTOR

7175
FUNDAMENTAL LIMITATIONS AND DESIGN CONSIDERATIONS FOR COMPENSATED PULSED ALTERNATORS

7188
CONTACTS FOR PULSED HIGH CURRENT; DESIGN AND TEST

7202
SAFETY GROUNDING SWITCHES IN LARGE EXPERIMENTS; GENERAL CONSIDERATIONS AND THE TEST APPLICATION

7215
DESIGN OF THE ARMATURE WINDINGS OF A COMPENSATED PULSED ALTERNATOR ENGINEERING PROTOTYPE

7218
THE DESIGN, ASSEMBLY, AND TESTING OF A DESK MODEL COMPENSATED PULSED ALTERNATOR

7219
THE MECHANICAL DESIGN OF A COMPENSATED PULSED ALTERNATOR PROTOTYPE

7228
APPLYING A COMPENSATED PULSED ALTERNATOR TO A FLASHLAMP LOAD FOR NDVA-PART II

7496
TESTING AND ANALYSIS OF A FAST DISCHARGE HOMOPOLAR MACHINE (FDX)

9159
HIGH CURRENT AND HIGH CURRENT DENSITY PULSE TESTS OF BRUSHES AND COLLECTORS FOR HOMOPOLAR ENERGY STORES

University of Texas at Austin, Electric Power Research Inst., Palo Alto, Calif.

10189
FUSION R/D ON ADVANCED FUELS, HOMOPOLAR GENERATORS, CIRCUIT BREAKERS AND TOKAMAK DIAGNOSTICS

University of Texas at El Paso, TX

8049
SUBNANOSECOND RISE TIME MULTIKILOVOLT PULSE GENERATOR

University of The Witwatersrand

8099
PROGRESSIVE LIGHTNING IV-THE DISCHARGE MECHANISM

University of Tokyo, Bunkyo-ku, Tokyo, Japan

3362
WATER SPARK GAP FOR A NITROGEN LASER

5928
TRIGGERING OF SPARK GAPS BY LASER-INDUCED ION EMISSION

University of Tokyo, Hongo, Bunkyo, Tokyo

4780
DEVELOPMENT AND PERFORMANCE CHARACTERISTICS OF A UV-PRERIONIZED, HIGH-POWER TEA PULSED CD/SUB 2/-LASER

University of Tokyo, Institute of Industrial Science, Tokyo, Japan

8148
STEP RESPONSE OF MEASURING SYSTEMS FOR HIGH IMPULSE VOLTAGES

University of Toronto, Toronto, Canada

4015
RISE TIME AND TIME-DEPENDENT SPARK-GAP RESISTANCE IN NITROGEN AND HELIUM

University of Utah, Salt Lake City, UT

5699
INVESTIGATION OF AN ARC DUM

University of Victoria, Victoria, British Columbia, Canada

4875
THE EFFECT OF IONIZATION AND FLOW VELOCITY UPON SPARK GAP RECOVERY

University of Virginia, VA

5558
THE FALL OF POTENTIAL IN THE INITIAL STAGES OF ELECTRICAL DISCHARGES

8288
FIELD ELECTRON EMISSION FROM LIQUID MERCURY

10104
THE RELATION BETWEEN ELECTRIC FIELD EMISSION AND CONTACT ELECTROMOTIVE FORCE FOR LIQUID MERCURY

10107
THE RELATION BETWEEN THE ELECTRIC FIELD EMISSION AND THE WORK FUNCTION OF LIQUID MERCURY

University of Wales Institute of Science and Technology, Cathays Park, Cardiff

5574
CONTROL OF CORONA AND SPARKOVER OF COAXIAL SYSTEMS BY IRRADIATION

University of Washington, Seattle, WA

8181
ELECTRICAL BREAKDOWN IN CSF/SUB 8/

10019
PRINTING FIELDS IN A PARALLEL-PLATE CAPACITOR

University of Waterloo, Waterloo, Ontario, Canada

2692
PROCESSES INVOLVED IN THE TRIGGERING OF VACUUM BREAKDOWN BY LOW-VELOCITY MICROPARTICLES

3320
IN-SITU OBSERVATION OF MICROPARTICLES IN A VACUUM-INSULATED GAP USING A SCANNING ELECTRON MICROSCOPE

3633
MECHANISM OF SURFACE CHARGING OF HIGH-VOLTAGE INSULATORS IN VACUUM

5566
THE EFFECT OF CUPROUS OXIDE COATINGS ON SURFACE FLASHOVER OF DIELECTRIC SPACERS IN VACUUM

6076
HIGH VOLTAGE INSULATORS FOR PARTICLE ACCELERATORS

7445
HIGH SPEED PHOTOGRAPHY OF SURFACE FLASHOVER IN VACUUM

8265
MICROPARTICLE-INITIATED VACUUM BREAKDOWN-SOME POSSIBLE MECHANISMS

9287
PRE-BREAKDOWN DISCHARGES IN HIGHLY NON-UNIFORM FIELDS IN RELATION TO GAS-INSULATED SYSTEMS

9801
EXPERIMENTAL OBSERVATION OF SURFACE CHARGING OF HIGH-VOLTAGE INSULATORS FOR VACUUM APPARATUS

9921
THE APPLICATION OF WEIBULL STATISTICS TO INSULATION AGING TESTS

10128
RANDOM PREBREAKDOWN DISCHARGES IN SF₆/SUB 6/- A POSSIBLE DIAGNOSTIC CRITERION FOR PARTICLE-CONTAMINATED COMPRESSED GAS APPARATUS

University of Western Ontario, London, Ontario, Canada

951
ION BEAM GENERATION THROUGH A MOVING PLASMA BOUNDARY

3306
HIGH VOLTAGE STATIC BREAKDOWN IN VACUUM

4348
PERTURBATION OF THE STATIC VOLTAGE BREAKDOWN MECHANISM IN VACUUM BY A WEAK MAGNETIC FIELD

8143
A CURRENT TRANSFORMER FOR LOW LEVEL MICROSECOND PULSES

9282
PARTICLE CHARGING IN DC CORONA FIELDS-A REVIEW

University of Windsor, Windsor, Ontario, Canada

2521
AN OPTIMIZED CHARGE SIMULATION METHOD FOR THE CALCULATION OF HIGH VOLTAGE FIELDS

7742
BREAKDOWN MECHANISMS IN SULPHUR-HEXAFLUORIDE

7743
CALCULATION OF DISCHARGE INCEPTION VOLTAGES IN SF₆/SUB 6/-N₂/SUB 2/ MIXTURES

7783
STATIC FIELD BREAKDOWN OF SF₆/SUB 6/-N₂/SUB 2/ MIXTURES IN ROD-PLANE GAPS

University of Wisconsin, Madison, WI

186
SUPERCONDUCTIVE INDUCTOR STORAGE AND CONVERTERS FOR PULSED POWER LOADS

1531
COMPUTATIONAL PROCEDURES FOR CHARACTERIZATION OF HIGH VOLTAGE SPARK SOURCES

2737
MULTICHANNEL, HIGH-ENERGY RAILGAP SWITCH

3838
MEASUREMENT PROCEDURES FOR CHARACTERIZATION OF HIGH VOLTAGE SPARK SOURCES

3483
HIGH-VOLTAGE VACUUM INSULATION WITH EPOXY-COATED CATHODES

4960
THE FORMATION AND GROWTH OF A STABILIZED SPARK DISCHARGE

6080
MOTION AND SPECTRUM OF ARC CATHODE SPOT IN A MAGNETIC FIELD

7694
VACUUM INSULATION OF HIGH VOLTAGES UTILIZING DIELECTRIC COATED ELECTRODES

8080
WHISKER GROWTH IN HIGH-VOLTAGE HIGH-VACUUM GAPS

University of Wuppertal, FRG

9387
PARTIAL DISCHARGE EVALUATION OF POLYETHYLENE CABLE-MATERIAL BY PHASE ANGLE AND PULSE SHAPE ANALYSIS

University College of Swansea, Singleton Park, Swansea, Wales

1556
ELECTRODE EROSION BY SPARK DISCHARGES

2051
GAS BREAKDOWN BY A SHORT LASER PULSE

2189
ELECTRICAL BREAKDOWN OF GASES: IONIZATION GROWTH IN AIR AT HIGH PRESSURES

3656
A TRANSMISSION LINE CIRCUIT FOR RELIABLE SPARK GAP OPERATION

3722
COMPUTATION OF IONISATION GROWTH AT HIGH CURRENT DENSITIES

3735
SIMULATION OF THE GROWTH OF AXIALLY SYMMETRIC DISCHARGES BETWEEN PLANE PARALLEL ELECTRODES

5527
COMPUTATION OF AXIAL AND RADIAL DEVELOPMENT OF DISCHARGES BETWEEN PLANE PARALLEL ELECTRODES

5543
COMPUTER SIMULATION OF RAPIDLY DEVELOPING DASEOUS DISCHARGES

5703
GAS BREAKDOWN BY SINGLE 20PS, 1.06UM AND 0.53UM LASER PULSES

8165
TIME LAGS IN THE ELECTRICAL BREAKDOWN OF GLASS IMMersed IN WATER

10018
FORMATIVE TIME LAGS IN THE ELECTRICAL BREAKDOWN OF GASES

University College of Swansea

5559
THE MECHANISM OF THE ELECTRICAL BREAKDOWN OF AIR IN UNIFORM FIELDS AT VOLTAGES UP TO 400 KV

University Of Texas At Austin, Austin, TX 78712

2718
CIRCUIT AND MAGNETIC ANALYSIS FOR A SYSTEM OF FARADAY ROTATOR COILS DRIVEN BY A TWO-SPOOL, FOUR-ROTOR HOMOPOLAR GENERATOR

2745
TEST DATA ON ELECTRICAL CONTACTS AT HIGH SURFACE VELOCITIES AND HIGH CURRENT DENSITIES FOR HOMOPOLAR GENERATORS

8347
FOX: A FAST DISCHARGE HOMOPOLAR GENERATOR

8355
HOMOPOLAR GENERATOR DEVELOPMENT AT THE UNIVERSITY OF TEXAS

Utah Research and Development Co., Inc., Salt Lake City, Utah 84104

8135
MEGAMPERE PULSE TRANSFORMER FOR COAXIAL LOAD

US Army Electronics Command, Fort Belvoir, VA

1316
HIGH-CURRENT ANODES FOR HIGH-POWERED XENON ARC LAMPS

US Army Mobility Equipment Research and Development Command

4693
LIGHTWEIGHT MULTIMEGAWATT POWER TECHNOLOGY-A SURVEY

US Army Research Office

4384
ISSUES IN UNCLASSIFIED PARTICLE BEAM RESEARCH (PROCEEDINGS
OF THE 1980 PARTICLE BEAM RESEARCH WORKSHOP)

US Dept. Of Energy, Germantown, MD 20761

5416
OVERVIEW OF INERTIAL CONFINEMENT FUSION

USAF Aero Propulsion Lab

4693
LIGHTWEIGHT MULTIMEGAWATT POWER TECHNOLOGY-A SURVEY

USAF Flight Dynamics Lab, Atmospheric Electricity Hazards
Group

7181
INVESTIGATION INTO TRIGGERING LIGHTNING WITH A PULSED LASER

UNIST, Cardiff, UK

4890
A CYLINDRICAL ELECTROSTATIC FLUXMETER FOR CORONA STUDIES

5438
LIGHTNING STRIKE POINT LOCATION STUDIES ON SCALE MODELS

V. I. Vernadskii Institute Of Geochemistry And Analytical
Chemistry, Academy of Sciences of the USSR, Moscow, USSR

5844
PHYSICS OF A SPARK VACUUM DISCHARGE AND QUANTITATIVE
MASS-SPECTROMETRIC ANALYSIS. QUALITATIVE MODEL OF A WEAK
CURRENT VACUUM DISCHARGE

V.I. Lenin Belorussian State University, Minsk

3728
NONLINEAR SURFACE PHOTOELECTRIC EFFECT IN METALS SUBJECTED
TO INTENSE LIGHT

Varian Associates, Palo Alto, CA 94304

8239
EXACT RELATIVISTIC SOLUTION FOR THE ONE-DIMENSIONAL DIODE

Varian EIMAC Div., San Carlos, CA 94070

7242
A 100 KV, 80 AMP, LONG PULSE SWITCH TUBE

Versar Inc, Alexandria, VA 22314

3855
PROPAGATION OF HIGH-VOLTAGE STREAMERS ALONG LASER-INDUCED
IONIZATION TRAILS

Versar Inc, Springfield, VA 22151

3537
FORMATION AND GUIDING OF HIGH-VELOCITY ELECTRICAL STREAMERS
BY LASER-INDUCED IONIZATION

8081
CHANNELING OF AN IONIZING ELECTRICAL STREAMER BY A LASER
BEAM

8325
THE GUIDANCE OF HIGH-VOLTAGE ELECTRICAL BREAKDOWN STREAMERS
BY LASER INDUCED IONIZATION IN AIR

Veronzh Agricultural Institute And Institute Of Physical
Chemistry, Academy of Sciences of the USSR

6772
COMPARISON OF THE DIELECTRIC PROPERTIES OF NORMAL AND HEAVY
WATER, ADSORBED ON ZEOLITES

Waseda University, Tokyo, Japan

4481
ON THE CONDITIONING PHENOMENA OF SURFACE FLASHOVER OF EPOXY
RESINS IN A VACUUM

10215
TEMPERATURE DEPENDENCE OF SURFACE FLASHOVER VOLTAGE OF
POLYETHYLENE IN VACUUM

Watkins-Johnson Co., Palo Alto, CA

3741
CHARACTERISTICS AND CAPABILITIES OF THE MODULAR EBS

10431
EBS (ELECTRON BEAM SEMICONDUCTOR) PULSE AMPLIFIER LIFE TEST

10440
ELECTRON BEAM SEMICONDUCTOR SHORT PULSE GENERATOR

10462
ELECTRON SEMICONDUCTOR SHORT PULSE GENERATOR

Wendover AFB, Utah 84083

924
LONG ARC SIMULATED LIGHTNING ATTACHMENT TESTING USING A 150
KW TESLA COIL

Western Research Corp, San Diego, CA 92121

10339
CONCEPT FOR ENERGY-STORAGE RINGS AT 10-100 MJ

Westfield College, London, UK

10007
A SIMPLE STRIPLINE PULSER FOR SPARK CHAMBERS

Westinghouse Canada Ltd., Hamilton, Ontario, Canada

6070
DETERMINATION OF HIGHLY STRESSFUL VOLUMES IN OIL DIELECTRICS

Westinghouse Defense and Electronic Systems Center Baltimore
MD Systems Development Div

10368
LIGHTWEIGHT LINE PULSER

Westinghouse Electric Corp Lima Ohio Aerospace Electrical Div

5484
HIGH POWER STUDY SUPERCONDUCTING GENERATORS

Westinghouse Electric Corp, Baltimore MD Surface Div

18376
HIGH POWER MODULATOR (SCR)

Westinghouse Electric Corp, Baltimore, MD Surface Div.

5420
HIGH POWER MODULATOR TECHNIQUES (SCR)

Westinghouse Electric Corp, Baltimore, MD 21203

681
AN ALL SOLID-STATE MODULATOR FOR THE ARSR-3 TRANSMITTER

2164
A MODULAR PFN WITH PULSEWIDTH AGILITY

3737
APPLICATION OF THE RSR SWITCH

4105
PRECISION REGULATED, 20 KW, MODULATOR PFN CHARGING SYSTEM

4201
HIGH VOLTAGE SWITCH USING EXTERNALLY IONIZED PLASMAS

4711
TIME SELECTIVE RECHARGING OF AN AUXILIARY PULSER

1253
PFN LOSS CALCULATIONS

Westinghouse Electric Corp, Bloomfield, NJ

486T
BEHAVIOR OF THE RESISTANCE IGNITOR IN MERCURY

Westinghouse Electric Corp, Bloomington, IN 47402

1421
HIGH VOLTAGE POWER CAPACITOR DIELECTRICS RECENT DEVELOPMENTS

Westinghouse Electric Corp, Fusion Power Systems Dept.

472T
PULSED ENERGY AND SWITCHING REQUIREMENTS FOR TOKAMAK DEMO HEATING

Westinghouse Electric Corp, Lima, OH 45802

588
PROGRAM FOR THE DEVELOPMENT OF A SUPERCONDUCTING GENERATOR

Westinghouse Electric Corp, Pittsburgh PA

1268
LIGHT-PIRED THYRISTOR DEVELOPMENT

1289
INVESTIGATION OF HIGH-VOLTAGE PARTICLE-INITIATED BREAKDOWN IN GAS-INSULATED SYSTEMS

1320
DEVELOPMENT OF A CURRENT LIMITER USING VACUUM ARC CURRENT COMPUTATION

1421
HIGH VOLTAGE POWER CAPACITOR DIELECTRICS RECENT DEVELOPMENTS

2448
RADIANCE AND RADIANT ENERGY DENSITY IN LIGHT OPTICS AND ELECTRON OPTICS ANALOGIES, DIFFERENCES, AND PRACTICAL CONSEQUENCES

5715
NANOSECOND SWITCHING OF HIGH POWER LASER ACTIVATED SILICON SWITCHES

5739
A NEW SOLID-STATE SWITCH FOR POWER PULSE MODULATOR APPLICATIONS, THE REVERSE SWITCHING RECTIFIER

4707
SOLID STATE HIGH POWER PULSE SWITCHING

4806
0.54-MJ SUPERCONDUCTING MAGNETIC ENERGY TRANSFER AND STORAGE

5569
COMPLETE CHARACTERIZATION STUDIES PROVIDE VERIFICATION OF R80T (RSR) RELIABILITY

5575
OPTICAL DRIVE REQUIREMENTS FOR LASER-ACTIVATED SEMICONDUCTOR SWITCHES

18050
BREAKDOWN OF VACUUM SPARK GAPS

18144
ON THE CATHODE OF AN ARC DRAWN IN VACUUM

Westinghouse Electric Corp, Sharon, PA 16146

1261
HIGH-VOLTAGE DIL DAP TESTS USING PARALLEL-PLANE ELECTRODES

1291
CHARACTERISTICS OF INSULATING OIL FOR ELECTRICAL APPLICATION

1307
SF/SUB 6/ OIL DIELECTRIC FOR POWER TRANSFORMERS

Westinghouse Electric Corp, Youngwood, PA

5569
COMPLETE CHARACTERIZATION STUDIES PROVIDE VERIFICATION OF R80T (RSR) RELIABILITY

Westinghouse Research and Development Center, Pittsburgh PA

875
EXPERIMENTS ON VACUUM INTERRUPTERS IN HIGH VOLTAGE 72 KV CIRCUITS

1345
OPTICALLY ACTIVATED SWITCH

1576
HIGH AVERAGE POWER PULSER DESIGN FOR COPPER HALIDE LASER SYSTEMS

1728
MECHANISM OF DC ELECTRICAL BREAKDOWN BETWEEN EXTENDED ELECTRODES IN VACUUM

1816
PULSED HIGH POWER BRUSH RESEARCH

4157
FOUR-METER SPARKS IN AIR

4910
ELECTRIC RECOVERY AND SHIELD-CURRENTS IN VACUUM-ARC INTERRUPTERS

5568
DEVELOPMENT AND APPLICATION OF LIGHT ACTIVATED SILICON SWITCHES

5854
ELECTRICAL BREAKDOWN OVER INSULATORS IN HIGH VACUUM

7068
DETECTION OF ELECTRODE VAPOR BETWEEN PLANE PARALLEL COPPER ELECTRODES PRIOR TO CURRENT AMPLIFICATION AND BREAKDOWN IN VACUUM

7238
SUPERPOSITION GAS BREAKDOWN

7487
EXTENDED WORKING RANGE FOR ELECTRON BEAMS IN THE ATMOSPHERE

7888
COMPARISON OF LIGHTNING AND A LONG LABORATORY SPARK

8200
COMPOSITION AND TRANSPORT PROPERTIES OF SF/SUB 6/ AND THEIR USE IN A SIMPLIFIED ENTHALPY FLOW ARC MODEL

8266
NEGATIVE ION FORMATION AND ELECTRIC BREAKDOWN IN SOME HALOGENATED GASES

8682
ARC DISCHARGE SOURCES

8941
INTERACTION BETWEEN VACUUM ARCS AND TRANSVERSE MAGNETIC FIELDS WITH APPLICATION TO CURRENT LIMITATION

8942
INTERRUPTION CAPABILITY OF GASES AND GAS MIXTURES IN A PUFF-UP-TYPE INTERRUPTER

8966
SIMPLIFIED ESTIMATION OF CRITICAL QUANTITIES FOR SHORT-LINE FAULT INTERRUPTION

8992
INVESTIGATIONS OF LOW DISCHARGE FORMATION WITH VOLUME PREIONIZATION

9291
PULSED LOW DISCHARGES IN LASER EXCITATION AND BREAKDOWN

9706
HIGH-CURRENT BRUSHES, PART IV: MACHINE ENVIRONMENT TESTS

10217
ELECTRON ATTACHMENT IN SULFUR HEXAFLUORIDE USING NONDESTRUCTIVE ELECTRONS

Wright State University, Dayton, OH 45435

9787
A RECURSIVE TIME DOMAIN ANALYSIS OF DISTRIBUTED LINE GRID NETWORKS WITH APPLICATION TO THE LTA/EMP PROBLEM

Wright-Patterson AFB, OH

9786
ELECTROMAGNETIC VULNERABILITY (EMV) TESTING OF AIR LAUNCHED VEHICLES

9788
ASSESSMENT METHODOLOGY OF THE LIGHTNING THREAT TO ADVANCED AIRCRAFT

Yale Univ New Haven Conn Dunham Lab

5181
LIMITING CONDITIONS IN A PERPENDICULAR TRIGGER CIRCUIT

Yale Univ, New Haven, CT

10424
A HIGH INTENSITY PULSED SOURCE OF POLARIZED ELECTRONS

Yeshiva University of New York, NY 10035

6733
HIGH VOLTAGE IMPULSE SYSTEM

END

FILMED

12-83

DTIC